

# Yu Sato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7700352/publications.pdf>

Version: 2024-02-01

48  
papers

639  
citations

623574

14  
h-index

642610

23  
g-index

49  
all docs

49  
docs citations

49  
times ranked

954  
citing authors

#	ARTICLE	IF	CITATIONS
1	B-type natriuretic peptide is associated with the occurrence of bleeding events in heart failure patients with a history of coronary artery disease. <i>Journal of Cardiology</i> , 2022, 80, 88-93.	0.8	4
2	Renal Venous Stasis Index Reflects Renal Congestion and Predicts Adverse Outcomes in Patients With Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 772466.	1.1	10
3	Decreases in hepatokine Fetuin-A levels are associated with hepatic hypoperfusion and predict cardiac outcomes in patients with heart failure. <i>Clinical Research in Cardiology</i> , 2022, 111, 1104-1112.	1.5	3
4	Temporal Trends in the Practice Pattern for Sleep-Disordered Breathing in Patients With Cardiovascular Diseases in Japan—Insights From the Japanese Registry of All Cardiac and Vascular Diseases—“Diagnosis Procedure Combination”. <i>Circulation Journal</i> , 2022, , .	0.7	1
5	Increases in Hepatokine Selenoprotein P Levels Are Associated With Hepatic Hypoperfusion and Predict Adverse Prognosis in Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	4
6	Prognostic Effects of Changes in Right Ventricular Fractional Area Change in Patients With Heart Failure. <i>Circulation Journal</i> , 2022, , .	0.7	3
7	Soluble fibrin monomer complex is associated with cardio- and cerebrovascular events in patients with heart failure. <i>IJC Heart and Vasculature</i> , 2021, 32, 100697.	0.6	5
8	Cardio-Ankle Vascular Index Reflects Impaired Exercise Capacity and Predicts Adverse Prognosis in Patients With Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 631807.	1.1	3
9	Liver Congestion Assessed by Hepatic Vein Waveforms in Patients With Heart Failure. <i>CJC Open</i> , 2021, 3, 778-786.	0.7	8
10	Simplified Academic Research Consortium for High Bleeding Risk (ARC-HBR) Definition Predicts Bleeding Events in Patients With Heart Failure. <i>Circulation Journal</i> , 2021, 86, 147-155.	0.7	2
11	Comprehensive clinical characteristics of hospitalized patients with mid-range left ventricular ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2084-2088.	0.8	6
12	Incidence and subsequent prognostic impacts of gastrointestinal bleeding in patients with heart failure. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 664-666.	0.8	9
13	Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in patients with heart failure with mid-range ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2322-2325.	0.8	2
14	Clinical Implications of Hepatic Hemodynamic Evaluation by Abdominal Ultrasonographic Imaging in Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2020, 9, e016689.	1.6	11
15	Glasgow-Blatchford Score Predicts Post-Discharge Gastrointestinal Bleeding in Hospitalized Patients with Heart Failure. <i>Journal of Clinical Medicine</i> , 2020, 9, 4083.	1.0	3
16	Shear Wave Dispersion Predicts Liver Fibrosis and Adverse Outcomes in Patients with Heart Failure. <i>Journal of Clinical Medicine</i> , 2020, 9, 3953.	1.0	7
17	B-type natriuretic peptide is associated with post-discharge stroke in hospitalized patients with heart failure. <i>ESC Heart Failure</i> , 2020, 7, 2508-2515.	1.4	8
18	Prognostic impact of moderate mitral regurgitation on hospitalized heart failure patients with preserved ejection fraction: A report from the JASPER registry. <i>Heart and Vessels</i> , 2020, 35, 1087-1094.	0.5	4

#	ARTICLE	IF	CITATIONS
19	Recovered Left Ventricular Ejection Fraction and Its Prognostic Impacts in Hospitalized Heart Failure Patients with Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 281-288.	0.5	17
20	Prognostic impacts of changes in left ventricular ejection fraction in heart failure patients with preserved left ventricular ejection fraction. <i>Open Heart</i> , 2020, 7, e001112.	0.9	16
21	Intrarenal Doppler ultrasonography reflects hemodynamics and predicts prognosis in patients with heart failure. <i>Scientific Reports</i> , 2020, 10, 22257.	1.6	24
22	Prognostic factors in heart failure patients with cardiac cachexia. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 26-34.	0.2	11
23	Association between platelet distribution width and prognosis in patients with heart failure. <i>PLoS ONE</i> , 2020, 15, e0244608.	1.1	13
24	Cardio-Ankle Vascular Index Predicts Post-Discharge Stroke in Patients with Heart Failure. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 28, 766-775.	0.9	4
25	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
26	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
27	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
28	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
29	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
30	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
31	Prior History and Incidence of Cancer Impacts on Cardiac Prognosis in Hospitalized Patients With Heart Failure. <i>Circulation Journal</i> , 2019, 83, 1709-1717.	0.7	14
32	Relation of Systolic Blood Pressure on the Following Day with Post-Discharge Mortality in Hospitalized Heart Failure Patients with Preserved Ejection Fraction. <i>International Heart Journal</i> , 2019, 60, 876-885.	0.5	9
33	Hyponatremia at discharge is associated with adverse prognosis in acute heart failure syndromes with preserved ejection fraction: a report from the JASPER registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 623-633.	0.4	8
34	Low T3 Syndrome Is Associated With High Mortality in Hospitalized Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2019, 25, 195-203.	0.7	44
35	Prognostic impact of chronic obstructive pulmonary disease on adverse prognosis in hospitalized heart failure patients with preserved ejection fraction “ A report from the JASPER registry. <i>Journal of Cardiology</i> , 2019, 73, 459-465.	0.8	19
36	Prognostic Impact of Worsening Renal Function in Hospitalized Heart Failure Patients With Preserved Ejection Fraction: A Report From the JASPER Registry. <i>Journal of Cardiac Failure</i> , 2019, 25, 631-642.	0.7	8

#	ARTICLE	IF	CITATIONS
37	Association between sleep-disordered breathing and arterial stiffness in heart failure patients with reduced or preserved ejection fraction. <i>ESC Heart Failure</i> , 2018, 5, 284-291.	1.4	10
38	Association of Serum Zinc Level With Prognosis in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2018, 24, 375-383.	0.7	25
39	Liver fibrosis marker, 7S domain of collagen type IV, in patients with pre-capillary pulmonary hypertension. <i>International Journal of Cardiology</i> , 2018, 258, 269-274.	0.8	19
40	Usefulness of Urinary N-Terminal Fragment of Titin to Predict Mortality in Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 2018, 121, 1260-1265.	0.7	18
41	Relation of Testosterone Levels to Mortality in Men With Heart Failure. <i>American Journal of Cardiology</i> , 2018, 121, 1321-1327.	0.7	22
42	Plasma volume status predicts prognosis in patients with acute heart failure syndromes. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 330-338.	0.4	36
43	Liver fibrosis score predicts mortality in heart failure patients with preserved ejection fraction. <i>ESC Heart Failure</i> , 2018, 5, 262-270.	1.4	88
44	Subclinical Hypothyroidism Is Associated With Adverse Prognosis in Heart Failure Patients. <i>Canadian Journal of Cardiology</i> , 2018, 34, 80-87.	0.8	30
45	Utility of heart rate turbulence and T-wave alternans to assess risk for readmission and cardiac death in hospitalized heart failure patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 1257-1264.	0.8	21
46	Better clinical outcome with direct oral anticoagulants in hospitalized heart failure patients with atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 11.	0.7	11
47	Liver stiffness assessed by Fibrosis-4 index predicts mortality in patients with heart failure. <i>Open Heart</i> , 2017, 4, e000598.	0.9	72
48	Decreased cardiac mortality with nicorandil in patients with ischemic heart failure. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 141.	0.7	7