

Stef van Buuren

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7706831/publications.pdf>

Version: 2024-02-01

147
papers

20,647
citations

31949

53
h-index

11928

134
g-index

151
all docs

151
docs citations

151
times ranked

30332
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Multiple imputation in data that grow over time: a comparison of three strategies. <i>Multivariate Behavioral Research</i> , 2022, 57, 513-523. | 1.8 | 1 |
| 2 | Artifacts annotations in anesthesia blood pressure data by man and machine. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 259-267. | 0.7 | 7 |
| 3 | Strategies for assessing the impact of loss to follow-up on estimates of neurodevelopmental impairment in a very preterm cohort at 2 years of age. <i>BMC Medical Research Methodology</i> , 2021, 21, 118. | 1.4 | 20 |
| 4 | Birth outcomes between 22 and 26 weeks' gestation in national population-based cohorts from Sweden, England and France. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , . | 0.7 | 17 |
| 5 | Missing Data in Clinical Research: A Tutorial on Multiple Imputation. <i>Canadian Journal of Cardiology</i> , 2021, 37, 1322-1331. | 0.8 | 257 |
| 6 | Patient and anesthesia characteristics of children with low pre-ïncision blood pressure: A retrospective observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 472-480. | 0.7 | 3 |
| 7 | Artifact Processing Methods Influence on Intraoperative Hypotension Quantification and Outcome Effect Estimates. <i>Anesthesiology</i> , 2020, 132, 723-737. | 1.3 | 10 |
| 8 | Combining multiple imputation and bootstrap in the analysis of cost-effectiveness trial data. <i>Statistics in Medicine</i> , 2019, 38, 210-220. | 0.8 | 69 |
| 9 | Graphical uncertainty representations for ensemble predictions. <i>Information Visualization</i> , 2019, 18, 373-383. | 1.2 | 3 |
| 10 | Gestational weight gain charts for different body mass index groups for women in Europe, North America, and Oceania. <i>BMC Medicine</i> , 2018, 16, 201. | 2.3 | 74 |
| 11 | Practical Application of Linear Growth Measurements in Clinical Research in Low- and Middle-Income Countries. <i>Hormone Research in Paediatrics</i> , 2017, 88, 79-90. | 0.8 | 22 |
| 12 | Systematic review indicates postnatal growth in term infants born small-for-gestational-age being associated with later neurocognitive and metabolic outcomes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1230-1238. | 0.7 | 86 |
| 13 | Synthetic growth reference charts. <i>American Journal of Human Biology</i> , 2016, 28, 98-111. | 0.8 | 19 |
| 14 | Reference Values for Noninvasive Blood Pressure in Children during Anesthesia. <i>Anesthesiology</i> , 2016, 125, 904-913. | 1.3 | 99 |
| 15 | Multiple Imputation of Predictor Variables Using Generalized Additive Models. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2016, 45, 968-985. | 0.6 | 16 |
| 16 | Looking Back at the Gifi System of Nonlinear Multivariate Analysis. <i>Journal of Statistical Software</i> , 2016, 73, . | 1.8 | 1 |
| 17 | Postnatal growth in preterm infants and later health outcomes: a systematic review. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 974-986. | 0.7 | 227 |
| 18 | Imputation of systematically missing predictors in an individual participant data meta-analysis: a generalized approach using MICE. <i>Statistics in Medicine</i> , 2015, 34, 1841-1863. | 0.8 | 135 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Effectiveness of Lifestyle Triple P in the Netherlands: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0122240. | 1.1 | 53 |
| 20 | Trend in Height of Turkish and Moroccan Children Living in The Netherlands. <i>PLoS ONE</i> , 2015, 10, e0124686. | 1.1 | 18 |
| 21 | New reference charts for testicular volume in Dutch children and adolescents allow the calculation of standard deviation scores. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, e271-8. | 0.7 | 60 |
| 22 | Developing regional weight-for-age growth references for malaria-endemic countries to optimize age-based dosing of antimalarials. <i>Bulletin of the World Health Organization</i> , 2015, 93, 74-83. | 1.5 | 26 |
| 23 | Thinness in the era of obesity: trends in children and adolescents in The Netherlands since 1980. <i>European Journal of Public Health</i> , 2015, 25, 268-273. | 0.1 | 27 |
| 24 | Call for early prevention: prevalence rates of overweight among Turkish and Moroccan children in The Netherlands. <i>European Journal of Public Health</i> , 2015, 25, 828-833. | 0.1 | 18 |
| 25 | Height of South Asian children in the Netherlands aged 0-20 years: secular trends and comparisons with current Asian Indian, Dutch and WHO references. <i>Annals of Human Biology</i> , 2015, 42, 38-44. | 0.4 | 28 |
| 26 | Better experiences with quality of care predict well-being of patients with chronic obstructive pulmonary disease in the Netherlands. <i>International Journal of Integrated Care</i> , 2015, 15, e028. | 0.1 | 5 |
| 27 | The Impact of Height during Childhood on the National Prevalence Rates of Overweight. <i>PLoS ONE</i> , 2014, 9, e85769. | 1.1 | 8 |
| 28 | The Fountain of Age: A Remarkable 3D Shape that Portrays Health and Functional Differences among the European Elderly. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 4078-4090. | 1.2 | 1 |
| 29 | Towards a measurement instrument for determinants of innovations. <i>International Journal for Quality in Health Care</i> , 2014, 26, 501-510. | 0.9 | 225 |
| 30 | Growth charts of human development. <i>Statistical Methods in Medical Research</i> , 2014, 23, 346-368. | 0.7 | 29 |
| 31 | Predictive mean matching imputation of semicontinuous variables. <i>Statistica Neerlandica</i> , 2014, 68, 61-90. | 0.9 | 116 |
| 32 | Curve Matching: A Data-Driven Technique to Improve Individual Prediction of Childhood Growth. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 227-233. | 1.0 | 24 |
| 33 | Methods to obtain referral criteria in growth monitoring. <i>Statistical Methods in Medical Research</i> , 2014, 23, 369-389. | 0.7 | 7 |
| 34 | Estimation of Caries Experience by Multiple Imputation and Direct Standardization. <i>Caries Research</i> , 2014, 48, 91-95. | 0.9 | 4 |
| 35 | Dual imputation model for incomplete longitudinal data. <i>British Journal of Mathematical and Statistical Psychology</i> , 2014, 67, 197-212. | 1.0 | 9 |
| 36 | Nederland is het land van de reuzen. <i>JGZ Tijdschrift Voor Jeugdgezondheidszorg</i> , 2014, 46, 2-4. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Recursive partitioning for missing data imputation in the presence of interaction effects. <i>Computational Statistics and Data Analysis</i> , 2014, 72, 92-104. | 0.7 | 157 |
| 38 | Reference chart of inspiratory muscle strength: a new tool to monitor the effect of pre-operative training. <i>Physiotherapy</i> , 2014, 100, 128-133. | 0.2 | 9 |
| 39 | Combinations of techniques that effectively change health behavior: Evidence from Meta-CART analysis.. <i>Health Psychology</i> , 2014, 33, 1530-1540. | 1.3 | 115 |
| 40 | Trends in a Life Threatening Condition: Morbid Obesity in Dutch, Turkish and Moroccan Children in The Netherlands. <i>PLoS ONE</i> , 2014, 9, e94299. | 1.1 | 30 |
| 41 | Growth during Infancy and Childhood, and Adiposity at Age 16 Years: Ages 2 to 7 Years Are Pivotal. <i>Journal of Pediatrics</i> , 2013, 162, 287-292.e2. | 0.9 | 27 |
| 42 | Trends in birth weight and the prevalence of low birth weight and small-for-gestational-age in Surinamese South Asian babies since 1974: cross-sectional study of three birth cohorts. <i>BMC Public Health</i> , 2013, 13, 931. | 1.2 | 14 |
| 43 | Combining the complete-data and nonresponse models for drawing imputations under MAR. <i>Journal of Statistical Computation and Simulation</i> , 2013, 83, 868-879. | 0.7 | 5 |
| 44 | Primaire preventie van overgewicht: gevoelige leeftijdsintervallen en predictie. Het Terneuzen Geboorte Cohort. <i>JGZ Tijdschrift Voor Jeugdgezondheidszorg</i> , 2013, 45, 39-43. | 0.1 | 0 |
| 45 | Personalized Approach to Growth Hormone Treatment: Clinical Use of Growth Prediction Models. <i>Hormone Research in Paediatrics</i> , 2013, 79, 257-270. | 0.8 | 76 |
| 46 | The world's tallest nation has stopped growing taller: the height of Dutch children from 1955 to 2009. <i>Pediatric Research</i> , 2013, 73, 371-377. | 1.1 | 191 |
| 47 | Trends in body mass index distribution and prevalence of thinness, overweight and obesity in two cohorts of Surinamese South Asian children in The Netherlands. <i>Archives of Disease in Childhood</i> , 2013, 98, 280-285. | 1.0 | 18 |
| 48 | Multiple Imputation of Squared Terms. <i>Sociological Methods and Research</i> , 2013, 42, 598-607. | 4.3 | 15 |
| 49 | The Steep Ramp Test in Dutch White Children and Adolescents: Age- and Sex-Related Normative Values. <i>Physical Therapy</i> , 2013, 93, 1530-1539. | 1.1 | 15 |
| 50 | Trends in Menarcheal Age between 1955 and 2009 in the Netherlands. <i>PLoS ONE</i> , 2013, 8, e60056. | 1.1 | 110 |
| 51 | High cardiovascular risk in severely obese young children and adolescents. <i>Archives of Disease in Childhood</i> , 2012, 97, 818-821. | 1.0 | 57 |
| 52 | A simple calculation of the target height. <i>Archives of Disease in Childhood</i> , 2012, 97, 182.1-182. | 1.0 | 53 |
| 53 | Response Conversion for Improving Comparability of International Physical Activity Data. <i>Journal of Physical Activity and Health</i> , 2012, 9, 29-38. | 1.0 | 7 |
| 54 | Growth of Preterm and Full-Term Children Aged 0-4 Years: Integrating Median Growth and Variability in Growth Charts. <i>Journal of Pediatrics</i> , 2012, 161, 460-465.e1. | 0.9 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The use of local reference growth charts for clinical use or a universal standard: A balanced appraisal. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 224-226. | 1.8 | 22 |
| 56 | Development of an individual work performance questionnaire. <i>International Journal of Productivity and Performance Management</i> , 2012, 62, 6-28. | 2.2 | 208 |
| 57 | Perinatal risk-indicators for long-term respiratory morbidity among preterm or very low birth weight neonates. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 163, 134-141. | 0.5 | 14 |
| 58 | Collection, collation and analysis of data in relation to reference heights and reference weights for female and male children and adolescents (0-18 years) in the EU, as well as in relation to the age of onset of puberty and the age at which different stages of puberty are reached in adolescents in the EU. <i>EFSA Supporting Publications</i> , 2012, 9, 255E. | 0.3 | 28 |
| 59 | Distinguishing symptom dimensions of depression and anxiety: An integrative approach. <i>Journal of Affective Disorders</i> , 2012, 136, 693-701. | 2.0 | 16 |
| 60 | Healthy Growth in Children with Down Syndrome. <i>PLoS ONE</i> , 2012, 7, e31079. | 1.1 | 38 |
| 61 | Association of breast-feeding and feeding on demand with child weight status up to 4 years. <i>Pediatric Obesity</i> , 2011, 6, e515-e522. | 3.2 | 31 |
| 62 | Association between parenting practices and children's dietary intake, activity behavior and development of body mass index: the KOALA Birth Cohort Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 18. | 2.0 | 151 |
| 63 | Weight of in vitro fertilization and intracytoplasmic sperm injection singletons in early childhood. <i>Fertility and Sterility</i> , 2011, 95, 2775-2777. | 0.5 | 21 |
| 64 | Increase in Prevalence of Overweight in Dutch Children and Adolescents: A Comparison of Nationwide Growth Studies in 1980, 1997 and 2009. <i>PLoS ONE</i> , 2011, 6, e27608. | 1.1 | 274 |
| 65 | Body size and growth in 0- to 4-year-old children and the relation to body size in primary school age. <i>Obesity Reviews</i> , 2011, 12, 637-652. | 3.1 | 45 |
| 66 | Identifying young children without overweight at high risk for adult overweight: The Terneuzen Birth Cohort. <i>Pediatric Obesity</i> , 2011, 6, e187-e195. | 3.2 | 9 |
| 67 | The Terneuzen Birth Cohort. Longer exclusive breastfeeding duration is associated with leaner body mass and a healthier diet in young adulthood. <i>BMC Pediatrics</i> , 2011, 11, 33. | 0.7 | 25 |
| 68 | Association between Head Circumference and Body Size. <i>Hormone Research in Paediatrics</i> , 2011, 75, 213-219. | 0.8 | 25 |
| 69 | Evaluation of Neural Networks to Identify Types of Activity Using Accelerometers. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 101-107. | 0.2 | 62 |
| 70 | A randomised comparison of cognitive behavioural therapy (CBT) and eye movement desensitisation and reprocessing (EMDR) in disaster-exposed children. <i>Høgre Utbildning</i> , 2011, 2, . | 1.4 | 98 |
| 71 | mice : Multivariate Imputation by Chained Equations in R. <i>Journal of Statistical Software</i> , 2011, 45, . | 1.8 | 5,536 |
| 72 | Child-care use and the association with body mass index and overweight in children from 7 months to 2 years of age. <i>International Journal of Obesity</i> , 2010, 34, 1480-1486. | 1.6 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The Terneuzen Birth Cohort: BMI Change between 2 and 6 Years Is Most Predictive of Adult Cardiometabolic Risk. PLoS ONE, 2010, 5, e13966. | 1.1 | 43 |
| 74 | Effects of Selective Dropout on Infant Growth Standards. Nestle Nutrition Workshop Series Paediatric Programme, 2010, 65, 167-179. | 1.5 | 9 |
| 75 | Efficacy and Safety of Oxandrolone in Growth Hormone-Treated Girls with Turner Syndrome. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1151-1160. | 1.8 | 84 |
| 76 | The prognosis of chronic low back pain is determined by changes in pain and disability in the initial period. Spine Journal, 2010, 10, 847-856. | 0.6 | 58 |
| 77 | Item Imputation Without Specifying Scale Structure. Methodology, 2010, 6, 31-36. | 0.5 | 29 |
| 78 | The Terneuzen Birth Cohort: BMI Changes between 2 and 6 Years Correlate Strongest with Adult Overweight. PLoS ONE, 2010, 5, e9155. | 1.1 | 72 |
| 79 | Growth Monitoring to Detect Children with Cystic Fibrosis. Hormone Research, 2009, 72, 218-224. | 1.8 | 15 |
| 80 | Breastfeeding duration related to practised contraception in the Netherlands. Acta Paediatrica, International Journal of Paediatrics, 2009, 98, 86-90. | 0.7 | 7 |
| 81 | Return to Work in a Cohort of Low Back Pain Patients: Development and Validation of a Clinical Prediction Rule. Journal of Occupational Rehabilitation, 2009, 19, 155-165. | 1.2 | 55 |
| 82 | Stage line diagram: An age-conditional reference diagram for tracking development. Statistics in Medicine, 2009, 28, 1569-1579. | 0.8 | 31 |
| 83 | Estimating regional centile curves from mixed data sources and countries. Statistics in Medicine, 2009, 28, 2891-2911. | 0.8 | 21 |
| 84 | Puberty induction in Turner syndrome: results of oestrogen treatment on development of secondary sexual characteristics, uterine dimensions and serum hormone levels. Clinical Endocrinology, 2009, 70, 265-273. | 1.2 | 62 |
| 85 | Tolerance and safety of <i>Lactobacillus paracasei</i> ssp. <i>paracasei</i> in combination with <i>Bifidobacterium animalis</i> ssp. <i>lactis</i> in a prebiotic-containing infant formula: a randomised controlled trial. British Journal of Nutrition, 2009, 102, 869-875. | 1.2 | 56 |
| 86 | Improved accuracy when screening for human growth disorders by likelihood ratios. Statistics in Medicine, 2008, 27, 1527-1538. | 0.8 | 3 |
| 87 | The diagnostic work up of growth failure in secondary health care; An evaluation of consensus guidelines. BMC Pediatrics, 2008, 8, 21. | 0.7 | 58 |
| 88 | Screening rules for growth to detect celiac disease: A case-control simulation study. BMC Pediatrics, 2008, 8, 35. | 0.7 | 22 |
| 89 | Growth references for height, weight and body mass index of twins aged 0-2.5 years. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 1099-1104. | 0.7 | 35 |
| 90 | Seasonal variation in the diagnosis of type 1 diabetes. Diabetes Research and Clinical Practice, 2008, 79, e13. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | WHO Child Growth Standards in action. Archives of Disease in Childhood, 2008, 93, 549-551. | 1.0 | 34 |
| 92 | Intelligence of very preterm or very low birthweight infants in young adulthood. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2008, 94, F196-F200. | 1.4 | 105 |
| 93 | Selective association of multiple sclerosis with infectious mononucleosis. Multiple Sclerosis Journal, 2008, 14, 307-313. | 1.4 | 32 |
| 94 | Identifying metabolic syndrome without blood tests in young adults--The Terneuzen Birth Cohort. European Journal of Public Health, 2008, 18, 656-660. | 0.1 | 21 |
| 95 | Developing evidence-based guidelines for referral for short stature. Archives of Disease in Childhood, 2008, 93, 212-217. | 1.0 | 89 |
| 96 | Asthmatic Symptoms, Physical Activity, and Overweight in Young Children: A Cohort Study. Pediatrics, 2008, 121, e666-e672. | 1.0 | 60 |
| 97 | Prevalence of overweight and obesity in the Netherlands in 2003 compared to 1980 and 1997. Archives of Disease in Childhood, 2007, 92, 992-995. | 1.0 | 93 |
| 98 | Reference chart for relative weight change to detect hypernatraemic dehydration. Archives of Disease in Childhood, 2007, 92, 490-494. | 1.0 | 54 |
| 99 | Worm plot to diagnose fit in quantile regression. Statistical Modelling, 2007, 7, 363-376. | 0.5 | 21 |
| 100 | Multiple imputation of discrete and continuous data by fully conditional specification. Statistical Methods in Medical Research, 2007, 16, 219-242. | 0.7 | 2,078 |
| 101 | Referral patterns of children with poor growth in primary health care. BMC Public Health, 2007, 7, 77. | 1.2 | 25 |
| 102 | Computerized adaptive testing for measuring development of young children. Statistics in Medicine, 2007, 26, 2629-2638. | 0.8 | 22 |
| 103 | Variable selection under multiple imputation using the bootstrap in a prognostic study. BMC Medical Research Methodology, 2007, 7, 33. | 1.4 | 137 |
| 104 | Dieting in children: a population-based study in children aged between 9 and 12 years. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 273-275. | 0.7 | 3 |
| 105 | Age of puberty in Iranian girls living in Tehran. Annals of Human Biology, 2006, 33, 628-633. | 0.4 | 18 |
| 106 | Fully conditional specification in multivariate imputation. Journal of Statistical Computation and Simulation, 2006, 76, 1049-1064. | 0.7 | 815 |
| 107 | Construction of the World Health Organization child growth standards: selection of methods for attained growth curves. Statistics in Medicine, 2006, 25, 247-265. | 0.8 | 308 |
| 108 | An interval scale for development of children aged 0-2 years. Statistics in Medicine, 2006, 25, 2272-2283. | 0.8 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Toward Targeted Hypertension Screening Guidelines. <i>Medical Decision Making</i> , 2006, 26, 145-153. | 1.2 | 5 |
| 110 | Catch-up growth in Malawian babies, a longitudinal study of normal and low birthweight babies born in a malarious endemic area. <i>Early Human Development</i> , 2005, 81, 841-850. | 0.8 | 29 |
| 111 | Are age references for waist circumference, hip circumference and waist-hip ratio in Dutch children useful in clinical practice?. <i>European Journal of Pediatrics</i> , 2005, 164, 216-222. | 1.3 | 249 |
| 112 | Individual growth curve models for assessing evidence-based referral criteria in growth monitoring. <i>Statistics in Medicine</i> , 2005, 24, 3663-3674. | 0.8 | 13 |
| 113 | Nationwide age references for sitting height, leg length, and sitting height/height ratio, and their diagnostic value for disproportionate growth disorders. <i>Archives of Disease in Childhood</i> , 2005, 90, 807-812. | 1.0 | 215 |
| 114 | Anthropometry of fetal growth in rural Malawi in relation to maternal malaria and HIV status. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 90, F161-F165. | 1.4 | 23 |
| 115 | Anthropometry of Malawian live births between 35 and 41 weeks of gestation. <i>Annals of Human Biology</i> , 2005, 32, 639-649. | 0.4 | 4 |
| 116 | Alarming prevalences of overweight and obesity for children of Turkish, Moroccan and Dutch origin in The Netherlands according to international standards. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 496-498. | 0.7 | 113 |
| 117 | Towards evidence based referral criteria for growth monitoring. <i>Archives of Disease in Childhood</i> , 2004, 89, 336-341. | 1.0 | 52 |
| 118 | Many referrals under Dutch short stature guidelines. <i>Archives of Disease in Childhood</i> , 2004, 89, 351-352. | 1.0 | 21 |
| 119 | Height, weight, body mass index and pubertal development references for children of Moroccan origin in The Netherlands. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 817-824. | 0.7 | 69 |
| 120 | Malnutrition in critically ill children: from admission to 6 months after discharge. <i>Clinical Nutrition</i> , 2004, 23, 223-232. | 2.3 | 220 |
| 121 | Unidimensionality and reliability under Mokken scaling of the Dutch language version of the SF-36. <i>Quality of Life Research</i> , 2003, 12, 189-198. | 1.5 | 40 |
| 122 | Height, weight, body mass index and pubertal development reference values for children of Turkish origin in the Netherlands. <i>European Journal of Pediatrics</i> , 2003, 162, 788-793. | 1.3 | 89 |
| 123 | A toolkit in SAS for the evaluation of multiple imputation methods. <i>Statistica Neerlandica</i> , 2003, 57, 36-45. | 0.9 | 33 |
| 124 | On the assessment of adverse drug reactions from spontaneous reporting systems: the influence of under-reporting on odds ratios. <i>Statistics in Medicine</i> , 2002, 21, 2027-2044. | 0.8 | 115 |
| 125 | Revision of the ICDH Severity of Disabilities Scale by data linking and item response theory. <i>Statistics in Medicine</i> , 2001, 20, 1061-1076. | 0.8 | 18 |
| 126 | Worm plot: a simple diagnostic device for modelling growth reference curves. <i>Statistics in Medicine</i> , 2001, 20, 1259-1277. | 0.8 | 409 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | An analysis of intra-uterine growth retardation in rural Malawi. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 682-689. | 1.3 | 76 |
| 128 | Pubertal Development in The Netherlands 1965-1997. <i>Pediatric Research</i> , 2001, 50, 479-486. | 1.1 | 273 |
| 129 | Body index measurements in 1996-7 compared with 1980. <i>Archives of Disease in Childhood</i> , 2000, 82, 107-112. | 1.0 | 484 |
| 130 | Continuing Positive Secular Growth Change in the Netherlands 1955-1997. <i>Pediatric Research</i> , 2000, 47, 316-323. | 1.1 | 975 |
| 131 | Multiple imputation of missing blood pressure covariates in survival analysis. <i>Statistics in Medicine</i> , 1999, 18, 681-694. | 0.8 | 1,739 |
| 132 | Multiple imputation of missing blood pressure covariates in survival analysis. , 1999, 18, 681. | | 10 |
| 133 | Multiple imputation of missing blood pressure covariates in survival analysis. <i>Statistics in Medicine</i> , 1999, 18, 681-694. | 0.8 | 37 |
| 134 | Seasonality of Birth in Patients With Childhood Diabetes in The Netherlands. <i>Diabetes Care</i> , 1998, 21, 190-191. | 4.3 | 49 |
| 135 | Optimal transformations for categorical autoregressive time series. <i>Statistica Neerlandica</i> , 1997, 51, 90-106. | 0.9 | 3 |
| 136 | Fitting arma time series by structural equation models. <i>Psychometrika</i> , 1997, 62, 215-236. | 1.2 | 33 |
| 137 | Trends in Hospital Admissions Among Children Aged 0-19 Years with Type I Diabetes in The Netherlands. <i>Diabetes Care</i> , 1996, 19, 431-434. | 4.3 | 22 |
| 138 | Increasing Incidence of Type I Diabetes in The Netherlands: The second nationwide study among children under 20 years of age. <i>Diabetes Care</i> , 1994, 17, 599-601. | 4.3 | 30 |
| 139 | Growth in length and weight from birth to 2 years of a representative sample of Netherlands children (born in 1988-89) related to socioeconomic status and other background characteristics. <i>Annals of Human Biology</i> , 1994, 21, 449-463. | 0.4 | 42 |
| 140 | Equality Constraints in Multiple Correspondence Analysis. <i>Multivariate Behavioral Research</i> , 1992, 27, 567-583. | 1.8 | 16 |
| 141 | Imputation of missing categorical data by maximizing internal consistency. <i>Psychometrika</i> , 1992, 57, 567-580. | 1.2 | 33 |
| 142 | Clusteringn objects intok groups under optimal scaling of variables. <i>Psychometrika</i> , 1989, 54, 699-706. | 1.2 | 68 |
| 143 | Characteristics of criminals: The privileged offender. <i>International Journal of Law and Psychiatry</i> , 1984, 7, 301-313. | 0.5 | 17 |
| 144 | Routine multiple imputation in statistical databases. , 0, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Child development with the D-score: turning milestones into measurement. Gates Open Research, 0, 5, 81. | 2.0 | 2 |
| 146 | Child development with the D-score: tuning instruments to unity. Gates Open Research, 0, 5, 86. | 2.0 | 0 |
| 147 | Flexible Imputation of Missing Data, Second Edition. , 0, , . | | 986 |