
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7707705/publications.pdf Version: 2024-02-01



RIÃON MEVED

#	Article	IF	CITATIONS
1	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. JAMA Psychiatry, 2017, 74, 351.	11.0	560
2	Internet-Based Cognitive Behavioral Therapy for Depression. JAMA Psychiatry, 2021, 78, 361.	11.0	398
3	Effectiveness of a Novel Integrative Online Treatment for Depression (Deprexis): Randomized Controlled Trial. Journal of Medical Internet Research, 2009, 11, e15.	4.3	313
4	Title is missing!. Journal of Psychopathology and Behavioral Assessment, 2001, 23, 265-277.	1.2	294
5	Predictors of treatment dropout in self-guided web-based interventions for depression: an â€~individual patient data' meta-analysis. Psychological Medicine, 2015, 45, 2717-2726.	4.5	281
6	Responsiveness to Threat and Incentive in Bipolar Disorder: Relations of the BIS/BAS Scales With Symptoms. Journal of Psychopathology and Behavioral Assessment, 2001, 23, 133-143.	1.2	266
7	Increases in manic symptoms after life events involving goal attainment Journal of Abnormal Psychology, 2000, 109, 721-727.	1.9	254
8	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. BMJ, The, 2013, 346, f540-f540.	6.0	251
9	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. Clinical Psychology Review, 2018, 63, 80-92.	11.4	239
10	Daily activities and sleep quality in college students. Chronobiology International, 2006, 23, 623-637.	2.0	208
11	Exploring Behavioral Activation and Inhibition Sensitivities Among College Students at Risk for Bipolar Spectrum Symptomatology. Journal of Psychopathology and Behavioral Assessment, 1999, 21, 275-292.	1.2	185
12	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. Internet Interventions, 2015, 2, 48-59.	2.7	149
13	Social support and self-esteem predict changes in bipolar depression but not mania. Journal of Affective Disorders, 2000, 58, 79-86.	4.1	145
14	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2016, 85, 218-228.	8.8	124
15	Attachment Styles and Personality Disorders as Predictors of Symptom Course. Journal of Personality Disorders, 2001, 15, 371-389.	1.4	121
16	Development of a questionnaire measuring Attitudes towards Psychological Online Interventions–the APOI. Journal of Affective Disorders, 2015, 187, 136-141.	4.1	115
17	Evaluating an e-mental health program ("deprexisâ€) as adjunctive treatment tool in psychotherapy for depression: Results of a pragmatic randomized controlled trial. Journal of Affective Disorders, 2018, 227, 455-462.	4.1	115
18	Sensory Sensitivity, Attachment Experiences, and Rejection Responses Among Adults with Borderline and Avoidant Features. Journal of Personality Disorders, 2005, 19, 641-658.	1.4	110

#	Article	IF	CITATIONS
19	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. Psychological Medicine, 2018, 48, 2456-2466.	4.5	106
20	Coping and medication adherence in bipolar disorder. Journal of Affective Disorders, 2000, 59, 237-241.	4.1	105
21	Symptom-Focused Rumination and Sleep Disturbance. Behavioral Sleep Medicine, 2006, 4, 228-241.	2.1	96
22	Towards positive diagnostic criteria: A systematic review of somatoform disorder diagnoses and suggestions for future classification. Journal of Psychosomatic Research, 2010, 68, 403-414.	2.6	96
23	What's in a (Neutral) Face? Personality Disorders, Attachment Styles, and the Appraisal of Ambiguous Social Cues. Journal of Personality Disorders, 2004, 18, 320-336.	1.4	88
24	Effectiveness of an individually-tailored computerised CBT programme (Deprexis) for depression: A meta-analysis. Psychiatry Research, 2017, 256, 371-377.	3.3	88
25	Effects of a transdiagnostic unguided Internet intervention (â€`velibra') for anxiety disorders in primary care: results of a randomized controlled trial. Psychological Medicine, 2017, 47, 67-80.	4.5	83
26	Efficiently assessing negative cognition in depression: An item response theory analysis of the Dysfunctional Attitude Scale Psychological Assessment, 2007, 19, 199-209.	1.5	81
27	Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with Mild to Moderate Depression Symptoms. Cognitive Therapy and Research, 2017, 41, 745-756.	1.9	79
28	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder — Comparison with DSM-IV somatoform disorders and additional criteria for consideration. Journal of Psychosomatic Research, 2012, 73, 345-350.	2.6	71
29	The association between adherence and outcome in an Internet intervention for depression. Journal of Affective Disorders, 2018, 229, 443-449.	4.1	70
30	Randomised controlled trial of a self-guided online fatigue intervention in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 970-976.	1.9	69
31	Happiness and despair on the catwalk: Need satisfaction, well-being, and personality adjustment among fashion models. Journal of Positive Psychology, 2007, 2, 2-17.	4.0	60
32	Lack of positive experiences and positive expectancies mediate the relationship between BAS responsiveness and depression. Cognition and Emotion, 2002, 16, 549-564.	2.0	52
33	Attachment style Psychotherapy, 2001, 38, 466-472.	1.2	50
34	Patient education for people with multiple sclerosis-associated fatigue: A systematic review. PLoS ONE, 2017, 12, e0173025.	2.5	49
35	Goal Appraisals and Vulnerability to Bipolar Disorder: A Personal Projects Analysis. Cognitive Therapy and Research, 2004, 28, 173-182.	1.9	48
36	The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. BMC Psychiatry, 2013, 13, 239.	2.6	47

#	Article	IF	CITATIONS
37	Effectiveness of an internet intervention (Deprexis) for depression in a United States adult sample: A parallel-group pragmatic randomized controlled trial Journal of Consulting and Clinical Psychology, 2017, 85, 367-380.	2.0	47
38	Effectiveness of a tailored, integrative Internet intervention (deprexis) for depression: Updated meta-analysis. PLoS ONE, 2020, 15, e0228100.	2.5	46
39	BRIEF REPORT Thought suppression and depression risk. Cognition and Emotion, 2004, 18, 859-867.	2.0	45
40	THE MORE IT IS NEEDED, THE LESS IT IS WANTED: ATTITUDES TOWARD FACE-TO-FACE INTERVENTION AMONG DEPRESSED PATIENTS UNDERGOING ONLINE TREATMENT. Depression and Anxiety, 2013, 30, 157-167.	4.1	44
41	A machine learning ensemble to predict treatment outcomes following an Internet intervention for depression. Psychological Medicine, 2019, 49, 2330-2341.	4.5	41
42	Beyond words: Sensory properties of depressive thoughts. Cognition and Emotion, 2014, 28, 1047-1056.	2.0	39
43	Please don't leave me! BIS/BAS, attachment styles, and responses to a relationship threat. Personality and Individual Differences, 2005, 38, 151-162.	2.9	38
44	Associations of childhood trauma, trauma in adulthood and previous-year stress with psychopathology in patients with major depression and borderline personality disorder. Child Abuse and Neglect, 2011, 35, 647-654.	2.6	38
45	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder: Prospective 1-year follow-up study. Journal of Psychosomatic Research, 2013, 75, 358-361.	2.6	35
46	Effects of an epilepsyâ€specific Internet intervention (Emyna) on depression: Results of the ENCODE randomized controlled trial. Epilepsia, 2019, 60, 656-668.	5.1	33
47	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. Journal of Medical Internet Research, 2017, 19, e206.	4.3	31
48	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. Journal of Psychosomatic Research, 2011, 70, 53-58.	2.6	28
49	Evaluating an e-mental health program ("deprexisâ€) as adjunctive treatment tool in psychotherapy for depression: design of a pragmatic randomized controlled trial. BMC Psychiatry, 2014, 14, 285.	2.6	27
50	Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. Depression and Anxiety, 2018, 35, 421-430.	4.1	27
51	Is the whole less than the sum of its parts? Full versus individually adapted metacognitive self-help for obsessive-compulsive disorder: A randomized controlled trial. Journal of Obsessive-Compulsive and Related Disorders, 2016, 9, 107-115.	1.5	26
52	Bridging the "digital divideâ€! A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. Journal of Affective Disorders, 2018, 236, 243-251.	4.1	25
53	Results of the Optimune trial: A randomized controlled trial evaluating a novel Internet intervention for breast cancer survivors. PLoS ONE, 2021, 16, e0251276.	2.5	25
54	Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. Behaviour Research and Therapy, 2017, 97, 154-162.	3.1	24

#	Article	IF	CITATIONS
55	The Association of Therapeutic Alliance With Long-Term Outcome in a Guided Internet Intervention for Depression: Secondary Analysis From a Randomized Control Trial. Journal of Medical Internet Research, 2020, 22, e15824.	4.3	24
56	The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. Deutsches Ärzteblatt International, 2019, 116, 127-133.	0.9	24
57	Symptom-specific effectiveness of an internet-based intervention in the treatment of mild to moderate depressive symptomatology: The potential of network estimation techniques. Behaviour Research and Therapy, 2019, 122, 103440.	3.1	22
58	Personality and Mood Correlates of Avoidant Personality Disorder. Journal of Personality Disorders, 2002, 16, 174-188.	1.4	21
59	Memory Bias for Emotional and Illness-Related Words in Patients with Depression, Anxiety and Somatization Disorders: An Investigation with the Directed Forgetting Task. Psychopathology, 2013, 46, 22-27.	1.5	20
60	Characteristics of participants in a randomized trial of an Internet intervention for depression (EVIDENT) in comparison to a national sample (DEGS1). Internet Interventions, 2017, 9, 46-50.	2.7	20
61	Does recruitment source moderate treatment effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. BMJ Open, 2017, 7, e015391.	1.9	20
62	Attachment Priming and Avoidant Personality Features as Predictors of Social-Evaluation Biases. Journal of Personality Disorders, 2008, 22, 72-88.	1.4	19
63	Hypomanic personality features and addictive tendencies. Personality and Individual Differences, 2007, 42, 801-810.	2.9	18
64	Congruence between reasons for depression and motivations for specific interventions. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 525-542.	2.5	16
65	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. Journal of Clinical Epidemiology, 2017, 82, 94-102.	5.0	16
66	Immediate and long-term effectiveness of adding an Internet intervention for depression to routine outpatient psychotherapy: Subgroup analysis of the EVIDENT trial. Journal of Affective Disorders, 2020, 274, 643-651.	4.1	15
67	Unique association of approach motivation and mania vulnerability. Cognition and Emotion, 2007, 21, 1647-1668.	2.0	14
68	Psychological Change Mechanisms in Anorexia Nervosa Treatments: How Much Do We Know?. Journal of Clinical Psychology, 2013, 69, 762-773.	1.9	14
69	Selfâ€esteem and otherâ€esteem in college students with borderline and avoidant personality disorder features: An experimental vignette study. Personality and Mental Health, 2013, 7, 307-319.	1.2	13
70	I Feel Fine but the Glass is Still Half Empty: Thought Suppression Biases Information Processing Despite Recovery from a Dysphoric Mood State. Cognitive Therapy and Research, 2008, 32, 323-332.	1.9	11
71	Psychological and interactional characteristics of patients with somatoform disorders: Validation of the Somatic Symptoms Experiences Questionnaire (SSEQ) in a clinical psychosomatic population. Journal of Psychosomatic Research, 2015, 78, 553-562.	2.6	11
72	Vorvida: study protocol of a randomized controlled trial testing the effectiveness of Internet-based self-help program for the reduction of alcohol consumption for adults. BMC Psychiatry, 2016, 16, 19.	2.6	11

#	Article	IF	CITATIONS
73	Predictors of Outcome in Inpatients with Anorexia Nervosa: A Prospective Multi-Center Study. Psychotherapy and Psychosomatics, 2015, 84, 255-257.	8.8	10
74	Effectiveness of an internet-based self-guided program to treat depression in a sample of Brazilian users: a study protocol. Revista Brasileira De Psiquiatria, 2020, 42, 322-328.	1.7	9
75	A Personalized, Interactive, Cognitive Behavioral Therapy–Based Digital Therapeutic (MODIA) for Adjunctive Treatment of Opioid Use Disorder: Development Study. JMIR Mental Health, 2021, 8, e31173.	3.3	9
76	Protocol for the ENCODE trial: evaluating a novel online depression intervention for persons with epilepsy. BMC Psychiatry, 2017, 17, 55.	2.6	7
77	A comparison of the three year course between chronic depression and depression with multiple vs. few prior episodes. Psychiatry Research, 2020, 291, 113235.	3.3	7
78	Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. Cognitive Behaviour Therapy, 2020, 49, 22-40.	3.5	7
79	Aggregating factors of the change process in the treatment of anorexia nervosa. Eating Behaviors, 2015, 19, 81-85.	2.0	3
80	Residual mood symptoms and number of previous episodes predict recurrence of bipolar disorder. Evidence-Based Mental Health, 2006, 9, 84-84.	4.5	2
81	Public Familiarity With the TermsSomatoform DisorderandFunctional Disorderin Germany. primary care companion for CNS disorders, The, 2012, 14, .	0.6	2
82	Do clinical researchers believe they should be clinically active? A survey in the United States and the United Kingdom. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 543-561.	2.5	1
83	Reply to Dr Moritz. Psychiatry Research, 2018, 263, 283.	3.3	1
84	Effective online depression treatment with deprexis: Results from a first randomised trial. European Psychiatry, 2008, 23, S301.	0.2	0
85	Who seeks Internet-based interventions for depression in Brazil?. Estudos De Psicologia (Campinas), 0, 38, .	0.8	Ο