

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7707705/publications.pdf>

Version: 2024-02-01

85  
papers

6,461  
citations

87888

38  
h-index

74163

75  
g-index

89  
all docs

89  
docs citations

89  
times ranked

6132  
citing authors

#	ARTICLE	IF	CITATIONS
1	Internet-Based Cognitive Behavioral Therapy for Depression. <i>JAMA Psychiatry</i> , 2021, 78, 361.	11.0	398
2	Results of the Optimune trial: A randomized controlled trial evaluating a novel Internet intervention for breast cancer survivors. <i>PLoS ONE</i> , 2021, 16, e0251276.	2.5	25
3	A Personalized, Interactive, Cognitive Behavioral Therapy-Based Digital Therapeutic (MODIA) for Adjunctive Treatment of Opioid Use Disorder: Development Study. <i>JMIR Mental Health</i> , 2021, 8, e31173.	3.3	9
4	A comparison of the three year course between chronic depression and depression with multiple vs. few prior episodes. <i>Psychiatry Research</i> , 2020, 291, 113235.	3.3	7
5	Immediate and long-term effectiveness of adding an Internet intervention for depression to routine outpatient psychotherapy: Subgroup analysis of the EVIDENT trial. <i>Journal of Affective Disorders</i> , 2020, 274, 643-651.	4.1	15
6	Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. <i>Cognitive Behaviour Therapy</i> , 2020, 49, 22-40.	3.5	7
7	Effectiveness of a tailored, integrative Internet intervention (deprexis) for depression: Updated meta-analysis. <i>PLoS ONE</i> , 2020, 15, e0228100.	2.5	46
8	Effectiveness of an internet-based self-guided program to treat depression in a sample of Brazilian users: a study protocol. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 322-328.	1.7	9
9	The Association of Therapeutic Alliance With Long-Term Outcome in a Guided Internet Intervention for Depression: Secondary Analysis From a Randomized Control Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15824.	4.3	24
10	Symptom-specific effectiveness of an internet-based intervention in the treatment of mild to moderate depressive symptomatology: The potential of network estimation techniques. <i>Behaviour Research and Therapy</i> , 2019, 122, 103440.	3.1	22
11	Effects of an epilepsy-specific Internet intervention (Emyna) on depression: Results of the ENCODE randomized controlled trial. <i>Epilepsia</i> , 2019, 60, 656-668.	5.1	33
12	A machine learning ensemble to predict treatment outcomes following an Internet intervention for depression. <i>Psychological Medicine</i> , 2019, 49, 2330-2341.	4.5	41
13	The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2019, 116, 127-133.	0.9	24
14	Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. <i>Depression and Anxiety</i> , 2018, 35, 421-430.	4.1	27
15	The association between adherence and outcome in an Internet intervention for depression. <i>Journal of Affective Disorders</i> , 2018, 229, 443-449.	4.1	70
16	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 2456-2466.	4.5	106
17	Randomised controlled trial of a self-guided online fatigue intervention in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 970-976.	1.9	69
18	Reply to Dr Moritz. <i>Psychiatry Research</i> , 2018, 263, 283.	3.3	1

#	ARTICLE	IF	CITATIONS
19	Evaluating an e-mental health program (â€œdeprexisâ€) as adjunctive treatment tool in psychotherapy for depression: Results of a pragmatic randomized controlled trial. <i>Journal of Affective Disorders</i> , 2018, 227, 455-462.	4.1	115
20	Bridging the â€œdigital divideâ€: A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. <i>Journal of Affective Disorders</i> , 2018, 236, 243-251.	4.1	25
21	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. <i>Clinical Psychology Review</i> , 2018, 63, 80-92.	11.4	239
22	Effects of a transdiagnostic unguided Internet intervention (â€œvelibraâ€™) for anxiety disorders in primary care: results of a randomized controlled trial. <i>Psychological Medicine</i> , 2017, 47, 67-80.	4.5	83
23	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. <i>JAMA Psychiatry</i> , 2017, 74, 351.	11.0	560
24	Characteristics of participants in a randomized trial of an Internet intervention for depression (EVIDENT) in comparison to a national sample (DEGS1). <i>Internet Interventions</i> , 2017, 9, 46-50.	2.7	20
25	Effectiveness of an internet intervention (Deprexis) for depression in a United States adult sample: A parallel-group pragmatic randomized controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 367-380.	2.0	47
26	Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. <i>Behaviour Research and Therapy</i> , 2017, 97, 154-162.	3.1	24
27	Effectiveness of an individually-tailored computerised CBT programme (Deprexis) for depression: A meta-analysis. <i>Psychiatry Research</i> , 2017, 256, 371-377.	3.3	88
28	Does recruitment source moderate treatment effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. <i>BMJ Open</i> , 2017, 7, e015391.	1.9	20
29	Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with Mild to Moderate Depression Symptoms. <i>Cognitive Therapy and Research</i> , 2017, 41, 745-756.	1.9	79
30	Protocol for the ENCODE trial: evaluating a novel online depression intervention for persons with epilepsy. <i>BMC Psychiatry</i> , 2017, 17, 55.	2.6	7
31	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 94-102.	5.0	16
32	Patient education for people with multiple sclerosis-associated fatigue: A systematic review. <i>PLoS ONE</i> , 2017, 12, e0173025.	2.5	49
33	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. <i>Journal of Medical Internet Research</i> , 2017, 19, e206.	4.3	31
34	Is the whole less than the sum of its parts? Full versus individually adapted metacognitive self-help for obsessive-compulsive disorder: A randomized controlled trial. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2016, 9, 107-115.	1.5	26
35	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 218-228.	8.8	124
36	Vorvida: study protocol of a randomized controlled trial testing the effectiveness of Internet-based self-help program for the reduction of alcohol consumption for adults. <i>BMC Psychiatry</i> , 2016, 16, 19.	2.6	11

#	ARTICLE	IF	CITATIONS
37	Predictors of treatment dropout in self-guided web-based interventions for depression: an "individual patient data" meta-analysis. <i>Psychological Medicine</i> , 2015, 45, 2717-2726.	4.5	281
38	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. <i>Internet Interventions</i> , 2015, 2, 48-59.	2.7	149
39	Aggregating factors of the change process in the treatment of anorexia nervosa. <i>Eating Behaviors</i> , 2015, 19, 81-85.	2.0	3
40	Psychological and interactional characteristics of patients with somatoform disorders: Validation of the Somatic Symptoms Experiences Questionnaire (SSEQ) in a clinical psychosomatic population. <i>Journal of Psychosomatic Research</i> , 2015, 78, 553-562.	2.6	11
41	Predictors of Outcome in Inpatients with Anorexia Nervosa: A Prospective Multi-Center Study. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 255-257.	8.8	10
42	Development of a questionnaire measuring Attitudes towards Psychological Online Interventions"the APOI. <i>Journal of Affective Disorders</i> , 2015, 187, 136-141.	4.1	115
43	Beyond words: Sensory properties of depressive thoughts. <i>Cognition and Emotion</i> , 2014, 28, 1047-1056.	2.0	39
44	Evaluating an e-mental health program ("deprexis") as adjunctive treatment tool in psychotherapy for depression: design of a pragmatic randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 285.	2.6	27
45	The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. <i>BMC Psychiatry</i> , 2013, 13, 239.	2.6	47
46	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder: Prospective 1-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2013, 75, 358-361.	2.6	35
47	Memory Bias for Emotional and Illness-Related Words in Patients with Depression, Anxiety and Somatization Disorders: An Investigation with the Directed Forgetting Task. <i>Psychopathology</i> , 2013, 46, 22-27.	1.5	20
48	THE MORE IT IS NEEDED, THE LESS IT IS WANTED: ATTITUDES TOWARD FACE-TO-FACE INTERVENTION AMONG DEPRESSED PATIENTS UNDERGOING ONLINE TREATMENT. <i>Depression and Anxiety</i> , 2013, 30, 157-167.	4.1	44
49	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ, The</i> , 2013, 346, f540-f540.	6.0	251
50	Self-esteem and other-esteem in college students with borderline and avoidant personality disorder features: An experimental vignette study. <i>Personality and Mental Health</i> , 2013, 7, 307-319.	1.2	13
51	Psychological Change Mechanisms in Anorexia Nervosa Treatments: How Much Do We Know?. <i>Journal of Clinical Psychology</i> , 2013, 69, 762-773.	1.9	14
52	Predictive validity and clinical utility of DSM-5 Somatic Symptom Disorder " Comparison with DSM-IV somatoform disorders and additional criteria for consideration. <i>Journal of Psychosomatic Research</i> , 2012, 73, 345-350.	2.6	71
53	Public Familiarity With the Terms Somatoform Disorder and Functional Disorder in Germany. primary care companion for CNS disorders, <i>The</i> , 2012, 14, .	0.6	2
54	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011, 70, 53-58.	2.6	28

#	ARTICLE	IF	CITATIONS
55	Associations of childhood trauma, trauma in adulthood and previous-year stress with psychopathology in patients with major depression and borderline personality disorder. <i>Child Abuse and Neglect</i> , 2011, 35, 647-654.	2.6	38
56	Towards positive diagnostic criteria: A systematic review of somatoform disorder diagnoses and suggestions for future classification. <i>Journal of Psychosomatic Research</i> , 2010, 68, 403-414.	2.6	96
57	Effectiveness of a Novel Integrative Online Treatment for Depression (Deprexis): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e15.	4.3	313
58	I Feel Fine but the Glass is Still Half Empty: Thought Suppression Biases Information Processing Despite Recovery from a Dysphoric Mood State. <i>Cognitive Therapy and Research</i> , 2008, 32, 323-332.	1.9	11
59	Effective online depression treatment with deprexis: Results from a first randomised trial. <i>European Psychiatry</i> , 2008, 23, S301.	0.2	0
60	Attachment Priming and Avoidant Personality Features as Predictors of Social-Evaluation Biases. <i>Journal of Personality Disorders</i> , 2008, 22, 72-88.	1.4	19
61	Efficiently assessing negative cognition in depression: An item response theory analysis of the Dysfunctional Attitude Scale.. <i>Psychological Assessment</i> , 2007, 19, 199-209.	1.5	81
62	Happiness and despair on the catwalk: Need satisfaction, well-being, and personality adjustment among fashion models. <i>Journal of Positive Psychology</i> , 2007, 2, 2-17.	4.0	60
63	Unique association of approach motivation and mania vulnerability. <i>Cognition and Emotion</i> , 2007, 21, 1647-1668.	2.0	14
64	Hypomanic personality features and addictive tendencies. <i>Personality and Individual Differences</i> , 2007, 42, 801-810.	2.9	18
65	Congruence between reasons for depression and motivations for specific interventions. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 525-542.	2.5	16
66	Do clinical researchers believe they should be clinically active? A survey in the United States and the United Kingdom. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 543-561.	2.5	1
67	Daily activities and sleep quality in college students. <i>Chronobiology International</i> , 2006, 23, 623-637.	2.0	208
68	Symptom-Focused Rumination and Sleep Disturbance. <i>Behavioral Sleep Medicine</i> , 2006, 4, 228-241.	2.1	96
69	Residual mood symptoms and number of previous episodes predict recurrence of bipolar disorder. <i>Evidence-Based Mental Health</i> , 2006, 9, 84-84.	4.5	2
70	Sensory Sensitivity, Attachment Experiences, and Rejection Responses Among Adults with Borderline and Avoidant Features. <i>Journal of Personality Disorders</i> , 2005, 19, 641-658.	1.4	110
71	Please don't leave me! BIS/BAS, attachment styles, and responses to a relationship threat. <i>Personality and Individual Differences</i> , 2005, 38, 151-162.	2.9	38
72	Goal Appraisals and Vulnerability to Bipolar Disorder: A Personal Projects Analysis. <i>Cognitive Therapy and Research</i> , 2004, 28, 173-182.	1.9	48

#	ARTICLE	IF	CITATIONS
73	BRIEF REPORT Thought suppression and depression risk. <i>Cognition and Emotion</i> , 2004, 18, 859-867.	2.0	45
74	What's in a (Neutral) Face? Personality Disorders, Attachment Styles, and the Appraisal of Ambiguous Social Cues. <i>Journal of Personality Disorders</i> , 2004, 18, 320-336.	1.4	88
75	Personality and Mood Correlates of Avoidant Personality Disorder. <i>Journal of Personality Disorders</i> , 2002, 16, 174-188.	1.4	21
76	Lack of positive experiences and positive expectancies mediate the relationship between BAS responsiveness and depression. <i>Cognition and Emotion</i> , 2002, 16, 549-564.	2.0	52
77	Attachment style.. <i>Psychotherapy</i> , 2001, 38, 466-472.	1.2	50
78	Responsiveness to Threat and Incentive in Bipolar Disorder: Relations of the BIS/BAS Scales With Symptoms. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2001, 23, 133-143.	1.2	266
79	Title is missing!. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2001, 23, 265-277.	1.2	294
80	Attachment Styles and Personality Disorders as Predictors of Symptom Course. <i>Journal of Personality Disorders</i> , 2001, 15, 371-389.	1.4	121
81	Increases in manic symptoms after life events involving goal attainment.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 721-727.	1.9	254
82	Social support and self-esteem predict changes in bipolar depression but not mania. <i>Journal of Affective Disorders</i> , 2000, 58, 79-86.	4.1	145
83	Coping and medication adherence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2000, 59, 237-241.	4.1	105
84	Exploring Behavioral Activation and Inhibition Sensitivities Among College Students at Risk for Bipolar Spectrum Symptomatology. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1999, 21, 275-292.	1.2	185
85	Who seeks Internet-based interventions for depression in Brazil?. <i>Estudos De Psicologia (Campinas)</i> , 0, 38, .	0.8	0