
Yosuke Yamamoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7709709/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Decline in oral antimicrobial prescription in the outpatient setting after nationwide implementation of financial incentives and provider education: An interrupted time-series analysis. Infection Control and Hospital Epidemiology, 2023, 44, 253-259.	1.8	2
2	Influence of anti oronavirus disease 2019 policies on 10 pediatric infectious diseases. Pediatrics International, 2022, 64, .	0.5	8
3	Laypersons' Psychological Barriers Against Rescue Actions in Emergency Situations ― A Questionnaire Survey ―. Circulation Journal, 2022, 86, 679-686.	1.6	8
4	Development and internal validation of a clinical prediction model for acute adjacent vertebral fracture after vertebral augmentation. Bone and Joint Journal, 2022, 104-B, 97-102.	4.4	5
5	The Accuracy of Japanese Administrative Data in Identifying Acute Exacerbation of Idiopathic Pulmonary Fibrosis. Annals of Clinical Epidemiology, 2022, 4, 53-62.	1.2	4
6	Association of kyphotic posture with loss of independence and mortality in a community-based prospective cohort study: the Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). BMJ Open, 2022, 12, e052421.	1.9	3
7	Alcohol abuse as a potential risk factor of solitary death among people living alone: a cross-sectional study in Kyoto, Japan. BMC Public Health, 2022, 22, 545.	2.9	1
8	Lower effectiveness of intravenous steroid treatment for moderateâ€ŧoâ€severe ulcerative colitis in hospitalised patients with older onset: a multicentre cohort study. Alimentary Pharmacology and Therapeutics, 2022, 55, 1569-1580.	3.7	8
9	The Fragility of Statistically Significant Results in Randomized Clinical Trials for COVID-19. JAMA Network Open, 2022, 5, e222973.	5.9	16
10	Resting respiration rate predicts all-cause mortality in older outpatients. Aging Clinical and Experimental Research, 2022, , 1.	2.9	1
11	Association between intraoperative end-tidal carbon dioxide and postoperative nausea and vomiting in gynecologic laparoscopic surgery. Scientific Reports, 2022, 12, 6865.	3.3	1
12	Editorial: is olderâ€onset ulcerative colitis more severe or less aggressively managed? Authors' reply. Alimentary Pharmacology and Therapeutics, 2022, 55, 1352-1353.	3.7	1
13	Bacterial susceptibility change post national shortage of first cephalosporin in Japan; a longitudinal retrospective database study using interrupted time series analysis. Journal of Global Antimicrobial Resistance, 2022, , .	2.2	1
14	Fat Distribution Patterns and Future Type 2 Diabetes. Diabetes, 2022, 71, 1937-1945.	0.6	20
15	Low quality of life in men with chronic prostatitis-like symptoms. Prostate Cancer and Prostatic Diseases, 2022, 25, 785-790.	3.9	5
16	How Psychosocial Factors Contribute to Japanese Older Adults' Initiation of Advance Care Planning Discussions: A Qualitative Study. Journal of Applied Gerontology, 2021, 40, 1180-1188.	2.0	9
17	Inverse Association Between Fatty Liver at Baseline Ultrasonography and Remission of Type 2 Diabetes Over a 2-Year Follow-up Period. Clinical Gastroenterology and Hepatology, 2021, 19, 556-564.e5.	4.4	11
18	Association of advanced glycation end-product accumulation with overactive bladder in community-dwelling elderly: AÂcross-sectional Sukagawa study. Asian Journal of Urology, 2021, 8, 189-196.	1.2	0

#	Article	IF	CITATIONS
19	Experience as an Informal Caregiver and Discussions Regarding Advance Care Planning in Japan. Journal of Pain and Symptom Management, 2021, 61, 63-70.	1.2	11
20	Quality of Life and Disability-free Survival in the Elderly: The Locomotive Syndrome and Health Outcome in Aizu Cohort Study. Journal of Aging and Health, 2021, 33, 197-204.	1.7	3
21	Urgency urinary incontinence, loss of independence, and increased mortality in older adults: A cohort study. PLoS ONE, 2021, 16, e0245724.	2.5	4
22	Association between quantitative lower limb arterial calcification and bilateral severe knee osteoarthritis. Modern Rheumatology, 2021, 31, 1059-1065.	1.8	1
23	Diagnostic accuracy of <i>Aspergillus</i> â€specific antibodies for chronic pulmonary aspergillosis: A systematic review and metaâ€analysis. Mycoses, 2021, 64, 701-715.	4.0	8
24	Healthcare Providers' Perceptions on the Timing of Initial Advance Care Planning Discussions in Japan: a Mixed-Methods Study. Journal of General Internal Medicine, 2021, 36, 2935-2942.	2.6	8
25	Association of glucocorticoid doses and emotional health in lupus low disease activity state (LLDAS): a cross-sectional study. Arthritis Research and Therapy, 2021, 23, 79.	3.5	11
26	Reply. Clinical Gastroenterology and Hepatology, 2021, , .	4.4	0
27	Impact of Vonoprazan Triple-Drug Blister Packs on H.Âpylori Eradication Rates in Japan: Interrupted Time Series Analysis. Advances in Therapy, 2021, 38, 3937-3947.	2.9	2
28	Development of a preoperative prediction model for new-onset diabetes mellitus after partial pancreatectomy. Medicine (United States), 2021, 100, e26311.	1.0	2
29	Effect of multimorbidity patterns on the decline in health-related quality of life: a nationwide prospective cohort study in Japan. BMJ Open, 2021, 11, e047812.	1.9	8
30	Poor oral function is associated with loss of independence or death in functionally independent older adults. PLoS ONE, 2021, 16, e0253559.	2.5	4
31	Depressive Symptoms and Their Associated Factors in Nursery School Teachers: A Multicenter Cross-Sectional Study. Cureus, 2021, 13, e16545.	0.5	1
32	Impact of Primary Tumor Resection on Mortality in Patients with Stage IV Colorectal Cancer with Unresectable Metastases: A Multicenter Retrospective Cohort Study. World Journal of Surgery, 2021, 45, 3230-3239.	1.6	3
33	Association between religious beliefs and discussions regarding advance care planning: A nationwide survey. Palliative Medicine, 2021, 35, 1856-1864.	3.1	13
34	Intraoperative end-tidal carbon dioxide and postoperative mortality in major abdominal surgery: a historical cohort study. Canadian Journal of Anaesthesia, 2021, 68, 1601-1610.	1.6	5
35	Association of occupational direct radiation exposure to the hands with longitudinal melanonychia and hand eczema in spine surgeons: a survey by the society for minimally invasive spinal treatment (MIST). European Spine Journal, 2021, 30, 3702-3708.	2.2	3
36	Association between facility-level adherence to phosphorus management guidelines and mortality in haemodialysis patients: a prospective cohort study. BMJ Open, 2021, 11, e051002.	1.9	2

#	Article	IF	CITATIONS
37	Association between direct interpersonal involvement with a dying family member and discussions regarding advance care planning among Japanese older adults. Geriatrics and Gerontology International, 2021, 21, 197-202.	1.5	2
38	Development and validation of a concise scale for assessing patient experience of primary care for adults in Japan. Family Practice, 2020, 37, 137-142.	1.9	18
39	Early rehabilitation in older patients hospitalized with acute decompensated heart failure: A retrospective cohort study. American Heart Journal, 2020, 230, 44-53.	2.7	15
40	Cost-effectiveness of extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest: A multi-centre prospective cohort study. Resuscitation, 2020, 157, 32-38.	3.0	17
41	Longitudinal association between mental health and future antibiotic prescriptions in healthy adults: Results from the LOHAS. PLoS ONE, 2020, 15, e0240236.	2.5	0
42	Interdialytic Weight Gain Effects on Hemoglobin Concentration and Cardiovascular Events. Kidney International Reports, 2020, 5, 1670-1678.	0.8	8
43	Physical multimorbidity patterns and depressive symptoms: a nationwide cross-sectional study in Japan. Family Medicine and Community Health, 2020, 8, e000234.	1.6	6
44	Association between work schedules and motivation for lifestyle change in workers with overweight or obesity: a cross-sectional study in Japan. BMJ Open, 2020, 10, e033000.	1.9	3
45	Patients' preferences and factors influencing initial advance care planning discussions' timing: A cross-cultural mixed-methods study. Palliative Medicine, 2020, 34, 906-916.	3.1	22
46	Comparison of Primary Care Experience in Hospital-Based Practices and Community-Based Office Practices in Japan. Annals of Family Medicine, 2020, 18, 24-29.	1.9	13
47	Low Predialysis Plasma Calculated Osmolality Is Associated with Higher All-Cause Mortality: The Japanese Dialysis Outcomes and Practice Patterns Study (J-DOPPS). Nephron, 2020, 144, 138-146.	1.8	6
48	Development and validation of a prediction model for failed shockwave lithotripsy of upper urinary tract calculi using computed tomography information: the S3HoCKwave score. World Journal of Urology, 2020, 38, 3267-3273.	2.2	11
49	Development of the Reading Cognitive Test Kyoto (ReaCT Kyoto) for Early Detection of Cognitive Decline in Patients with Hearing Loss. Journal of Alzheimer's Disease, 2020, 73, 981-990.	2.6	6
50	Longitudinal association of fatty pancreas with the incidence of type-2 diabetes in lean individuals: a 6-year computed tomography-based cohort study. Journal of Gastroenterology, 2020, 55, 712-721.	5.1	26
51	Low Back Pain and Associated Occupational Factors among Nursery School Teachers: A Multicenter, Cross-sectional Study. Annals of Clinical Epidemiology, 2020, 2, 113-120.	1.2	5
52	Association of Lumbar Spinal Stenosis With Severe Disability and Mortality Among Community-Dwelling Older Adults. Spine, 2020, Publish Ahead of Print, E784-E790.	2.0	3
53	Descriptive epidemiology of prescriptions of drugs listed in Screening Tool for Older Person's appropriate Prescriptions in Japanese (STOPP-J) in older adults: results from National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). Proceedings for Annual Meeting of the Japanese Pharmacological Society. 2020. 93. 2-AS1-3.	0.0	0
54	Translation, adaptation and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: a multicentre cross-sectional study. BMJ Open, 2020, 10, e040240.	1.9	0

#	Article	IF	CITATIONS
55	Translation, adaptation and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: a multicentre cross-sectional study. BMJ Open, 2020, 10, e040240.	1.9	6
56	Title is missing!. , 2020, 15, e0240236.		0
57	Title is missing!. , 2020, 15, e0240236.		0
58	Title is missing!. , 2020, 15, e0240236.		0
59	Title is missing!. , 2020, 15, e0240236.		0
60	Title is missing!. , 2020, 15, e0240236.		0
61	Title is missing!. , 2020, 15, e0240236.		0
62	Determinants of incentive preferences for health behavior change in Japan. Health Promotion International, 2019, 34, 760-769.	1.8	2
63	Gait speed and overactive bladder in the healthy communityâ€dwelling super elderly: The Sukagawa Study. Neurourology and Urodynamics, 2019, 38, 2324-2332.	1.5	13
64	Statistical significance did not affect time to publication in non-Cochrane systematic reviews: a metaepidemiological study. Journal of Clinical Epidemiology, 2019, 115, 25-34.	5.0	4
65	Association between parental history ofHelicobacter pyloritreatment failure and treatment failure in the offspring. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 2112-2117.	2.8	8
66	Intra-Dialytic Hemoglobin Changes and Cardiovascular Events: A Cohort Study on Dialysis Outcomes and Practice Patterns in Japan. American Journal of Nephrology, 2019, 50, 272-280.	3.1	1
67	Hospitals' extracorporeal cardiopulmonary resuscitation capabilities and outcomes in out-of-hospital cardiac arrest: A population-based study. Resuscitation, 2019, 136, 85-92.	3.0	15
68	Association between social networks and discussions regarding advance care planning among Japanese older adults. PLoS ONE, 2019, 14, e0213894.	2.5	14
69	Level of Low Back Pain–Related Disability Is Associated with Risk of Subsequent Falls in an Older Population: Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). Pain Medicine, 2019, 20, 2377-2384.	1.9	15
70	Physician characteristics associated with proper assessment of overstated conclusions in research abstracts: A secondary analysis of a randomized controlled trial. PLoS ONE, 2019, 14, e0211206.	2.5	5
71	Factors associated with patient preferences towards deprescribing: a survey of adult patients on prescribed medications. International Journal of Clinical Pharmacy, 2019, 41, 531-537.	2.1	27
72	Accumulation of exhausted CD8+ T cells in extramammary Paget's disease. PLoS ONE, 2019, 14, e0211135.	2.5	12

#	Article	IF	CITATIONS
73	Association of low alanine aminotransferase with loss of independence or death: A 5â€year populationâ€based cohort study. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1793-1799.	2.8	13
74	Social participation and the combination of future needs for long-term care and mortality among older Japanese people: a prospective cohort study from the Aichi Gerontological Evaluation Study (AGES). BMJ Open, 2019, 9, e030500.	1.9	17
75	Back Cover Image, Volume 38, Number 8, November 2019. Neurourology and Urodynamics, 2019, 38, ii.	1.5	Ο
76	The minimum clinically important difference for the Japanese version of the new Knee Society Score (2011KSS) after total knee arthroplasty. Journal of Orthopaedic Science, 2019, 24, 1053-1057.	1.1	23
77	Quality of life after single-incision laparoscopic cholecystectomy: A randomized, clinical trial. Surgery, 2019, 165, 353-359.	1.9	20
78	Association Between the Discrepancy in Self-Reported and Performance-Based Physical Functioning Levels and Risk of Future Falls Among Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). Journal of the American Medical Directors Association, 2019, 20, 195-200.e1.	2.5	9
79	Childcare Environment and Japanese Children Who Are Overweight in Early Childhood. Childhood Obesity, 2018, 14, 197-206.	1.5	1
80	Effect of Patient Experience on Bypassing a Primary Care Gatekeeper: a Multicenter Prospective Cohort Study in Japan. Journal of General Internal Medicine, 2018, 33, 722-728.	2.6	27
81	Impairment of Validity of Comparison Between Short-Course and Prolonged-Course Antibiotic Therapy Using Propensity Score Matching. Clinical Infectious Diseases, 2018, 66, 1978-1978.	5.8	1
82	Addition of Amide Proton Transfer Imaging to FDG-PET/CT Improves Diagnostic Accuracy in Glioma Grading: A Preliminary Study Using the Continuous Net Reclassification Analysis. American Journal of Neuroradiology, 2018, 39, 265-272.	2.4	13
83	Potentially Inappropriate Medication Prescribing and Risk of Unplanned Hospitalization among the Elderly: A Self-Matched, Case-Crossover Study. Drug Safety, 2018, 41, 959-968.	3.2	14
84	Association between pancreatic fat and incidence of metabolic syndrome: a 5â€year Japanese cohort study. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 2048-2054.	2.8	16
85	Multimorbidity patterns in relation to polypharmacy and dosage frequency: a nationwide, cross-sectional study in a Japanese population. Scientific Reports, 2018, 8, 3806.	3.3	73
86	Realâ€life glycemic control in patients with type 2 diabetes treated with insulin therapy: A prospective, longitudinal cohort study (Diabetes Distress and Care Registry at Tenri [DDCRT 9]). Journal of Diabetes Investigation, 2018, 9, 294-302.	2.4	1
87	Association Between Subjective Sleep Quality and Future Risk of Falls in Older People: Results From LOHAS. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1205-1211.	3.6	44
88	Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. Journal of Gastroenterology, 2018, 53, 873-882.	5.1	18
89	Social Isolation and Patient Experience in Older Adults. Annals of Family Medicine, 2018, 16, 393-398.	1.9	24
90	Response to the letter by Dr. Tomoyuki Kawada regarding our manuscript: Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. Journal of Gastroenterology, 2018, 53, 891-892.	5.1	0

#	Article	IF	CITATIONS
91	Development and validation of a prediction model for functional decline in older medical inpatients. Archives of Gerontology and Geriatrics, 2018, 77, 184-188.	3.0	2
92	Heart Rate, Responsiveness to Intravenous Immunoglobulin, and Coronary Artery Aneurysms in Kawasaki Disease. Journal of Pediatrics, 2018, 200, 160-165.e5.	1.8	4
93	Wholeâ€Body Computed Tomography During Initial Management and Mortality Among Adult Severe Blunt Trauma Patients: A Nationwide Cohort Study. World Journal of Surgery, 2018, 42, 3939-3946.	1.6	16
94	Public subsidies and the recommendation of child vaccines among primary care physicians: a nationwide cross-sectional study in Japan. BMJ Open, 2018, 8, e020923.	1.9	4
95	Analysis of clinical symptoms and <i><scp>ABCC</scp>6</i> mutations in 76 Japanese patients with pseudoxanthoma elasticum. Journal of Dermatology, 2017, 44, 644-650.	1.2	20
96	Attributes of primary care in relation to polypharmacy: a multicenter cross-sectional study in Japan. International Journal for Quality in Health Care, 2017, 29, 378-383.	1.8	6
97	Majority of systematic reviews published in high-impact journals neglected to register the protocols: a meta-epidemiological study. Journal of Clinical Epidemiology, 2017, 84, 54-60.	5.0	41
98	External validation of prognostic indices for overall survival of malignant pleural mesothelioma. Lung Cancer, 2017, 113, 88-92.	2.0	3
99	Patient experience of primary care and advance care planning: a multicentre cross-sectional study in Japan. Family Practice, 2017, 34, 206-212.	1.9	39
100	Diagnostic utility of appetite loss in addition to existing prediction models for community-acquired pneumonia in the elderly: a prospective diagnostic study in acute care hospitals in Japan. BMJ Open, 2017, 7, e019155.	1.9	5
101	Association between statistical significance and time to publication among systematic reviews: a study protocol for a meta-epidemiological investigation. BMJ Open, 2017, 7, e018856.	1.9	6
102	Analysis of the evidence-practice gap to facilitate proper medical care for the elderly: investigation, using databases, of utilization measures for National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). Environmental Health and Preventive Medicine, 2017, 22, 51.	3.4	27
103	Computed tomography during initial management and mortality among hemodynamically unstable blunt trauma patients: a nationwide retrospective cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 74.	2.6	17
104	Development and validation of a set of six adaptable prognosis prediction (SAP) models based on time-series real-world big data analysis for patients with cancer receiving chemotherapy: A multicenter case crossover study. PLoS ONE, 2017, 12, e0183291.	2.5	19
105	Shorter dialysis session length was not associated with lower mental health and physical functioning in elderly hemodialysis patients: Results from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). PLoS ONE, 2017, 12, e0184019.	2.5	3
106	Identifying Patients with Bacteremia in Community-Hospital Emergency Rooms: A Retrospective Cohort Study. PLoS ONE, 2016, 11, e0148078.	2.5	27
107	Effects of structured education program on organ donor designation of nursing students and their families: A randomized controlled trial. Clinical Transplantation, 2016, 30, 1513-1519.	1.6	12
108	Influence of Staff Encouragement on Perceived Burden of Dietary Restriction Among Patients Living Alone. Therapeutic Apheresis and Dialysis, 2016, 20, 623-631.	0.9	2

#	Article	IF	CITATIONS
109	Preferences of young physicians at community hospitals regarding academic research training through graduate school: a cross-sectional research. BMC Research Notes, 2016, 9, 227.	1.4	2
110	Postoperative gluteal skin damage associated with latent development of gluteal muscle damage. Journal of Dermatology, 2016, 43, 547-552.	1.2	1
111	The Role of Digital Rectal Examination for Diagnosis of Acute Appendicitis: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0136996.	2.5	18
112	Association between hand-grip strength and depressive symptoms: Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). Age and Ageing, 2015, 44, 592-598.	1.6	130
113	Clinical Epidemiology of Eosinophilic Pustular Folliculitis: Results from a Nationwide Survey in Japan. Dermatology, 2015, 230, 87-92.	2.1	11
114	A new prognostic index for overall survival in malignant pleural mesothelioma: the rPHS (regimen,) Tj ETQq0 0 0	rgβT₃/Over	locဠ 10 Tf 50
115	Prognostic utility of serum CRP levels in combination with CURB-65 in patients with clinically suspected sepsis: a decision curve analysis. BMJ Open, 2015, 5, e007049-e007049.	1.9	18
116	Effect of an Educational Program on Attitudes towards Deceased Organ Donation. Annals of Transplantation, 2015, 20, 269-278.	0.9	22
117	Keeping vulnerable elderly patients free from pressure ulcer is associated with high caregiver burden in informal caregivers. Journal of Evaluation in Clinical Practice, 2010, 16, 585-589.	1.8	16
118	Association Between Frequency of Pruritic Symptoms and Perceived Psychological Stress. Archives of Dermatology, 2009, 145, 1384-8.	1.4	43
119	Violent Patient Behavior Is Associated with Bodily Pain and a High Burden on Informal Caregivers. Journal of General Internal Medicine, 2009, 24, 1085-1088.	2.6	12
120	Depressive Symptoms Predict the Subsequent Risk of Bodily Pain in Dialysis Patients: Japan Dialysis Outcomes and Practice Patterns Study. Pain Medicine, 2009, 10, 883-889.	1.9	18
121	A CASE OF HYPERPARATHYROIDISM DUE TO PARATHYROID ADENOMA IN A WOMAN UNDER CHRONIC HEMODIALYSIS. The Journal of the Japanese Practical Surgeon Society, 1993, 54, 1771-1774.	0.0	0
122	An immunohistochemical study of epithelial membrane antigen, cytokeratin, and vimentin in papillary thyroid carcinoma. Recognition of lethal and favorable prognostic types. Cancer, 1992, 70, 2326-2333.	4.1	43
123	Macroregenerative nodule of the liver.A clinicopathologic study of 345 autopsy cases of chronic liver disease. Cancer, 1988, 61, 99-105.	4.1	158
124	Development of healthy lifestyle consciousness index for gynecological cancer patients. Supportive Care in Cancer, 0, , .	2.2	0