

# Lubna Dada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7710476/publications.pdf>

Version: 2024-02-01

74  
papers

2,469  
citations

172386

29  
h-index

223716

46  
g-index

143  
all docs

143  
docs citations

143  
times ranked

1891  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Insights into vertical differences of particle number size distributions in winter in Beijing, China. <i>Science of the Total Environment</i> , 2022, 802, 149695.  | 3.9  | 4         |
| 2  | Towards a concentration closure of sub-6 nm aerosol particles and sub-3 nm atmospheric clusters. <i>Journal of Aerosol Science</i> , 2022, 159, 105878.   | 1.8  | 9         |
| 3  | The standard operating procedure for Airmodus Particle Size Magnifier and nano-Condensation Nucleus Counter. <i>Journal of Aerosol Science</i> , 2022, 159, 105896.   | 1.8  | 11        |
| 4  | Molecular Composition of Oxygenated Organic Molecules and Their Contributions to Organic Aerosol in Beijing. <i>Environmental Science &amp; Technology</i> , 2022, 56, 770-778.                                     | 4.6  | 16        |
| 5  | Observed coupling between air mass history, secondary growth of nucleation mode particles and aerosol pollution levels in Beijing. <i>Environmental Science Atmospheres</i> , 2022, 2, 146-164.                     | 0.9  | 6         |
| 6  | New particle formation event detection with Mask R-CNN. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 1293-1309.   | 1.9  | 11        |
| 7  | Activation of sub-3 nm organic particles in the particle size magnifier using humid and dry conditions. <i>Journal of Aerosol Science</i> , 2022, 161, 105945.  | 1.8  | 3         |
| 8  | Survival of newly formed particles in haze conditions. <i>Environmental Science Atmospheres</i> , 2022, 2, 491-499.   | 0.9  | 8         |
| 9  | The contribution of new particle formation and subsequent growth to haze formation. <i>Environmental Science Atmospheres</i> , 2022, 2, 352-361.  | 0.9  | 17        |
| 10 | What controls the observed size-dependency of the growth rates of sub-10 nm atmospheric particles?. <i>Environmental Science Atmospheres</i> , 2022, 2, 449-468.  | 0.9  | 5         |
| 11 | Influence of Aerosol Chemical Composition on Condensation Sink Efficiency and New Particle Formation in Beijing. <i>Environmental Science and Technology Letters</i> , 2022, 9, 375-382.                            | 3.9  | 6         |
| 12 | Terpene emissions from boreal wetlands can initiate stronger atmospheric new particle formation than boreal forests. <i>Communications Earth &amp; Environment</i> , 2022, 3, .                                     | 2.6  | 8         |
| 13 | An evaluation of new particle formation events in Helsinki during a Baltic Sea cyanobacterial summer bloom. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 6365-6391.   | 1.9  | 6         |
| 14 | Synergistic HNO <sub>3</sub> –H <sub>2</sub> SO <sub>4</sub> –NH <sub>3</sub> upper tropospheric particle formation. <i>Nature</i> , 2022, 605, 483-489.  | 13.7 | 26        |
| 15 | Physical and Chemical Properties of Cloud Droplet Residuals and Aerosol Particles During the Arctic Ocean 2018 Expedition. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .                     | 1.2  | 12        |
| 16 | Measurement report: Atmospheric new particle formation in a coastal agricultural site explained with binPMF analysis of nitrate CI-API-TOF spectra. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 8097-8115. | 1.9  | 8         |
| 17 | Diurnal evolution of negative atmospheric ions above the boreal forest: from ground level to the free troposphere. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 8547-8577.                                  | 1.9  | 5         |
| 18 | Investigation of new particle formation mechanisms and aerosol processes at Marambio Station, Antarctic Peninsula. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 8417-8437.                                  | 1.9  | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Biogenic particles formed in the Himalaya as an important source of free tropospheric aerosols. <i>Nature Geoscience</i> , 2021, 14, 4-9.  | 5.4 | 40        |
| 20 | Determination of the collision rate coefficient between charged iodic acid clusters and iodic acid using the appearance time method. <i>Aerosol Science and Technology</i> , 2021, 55, 231-242.  | 1.5 | 18        |
| 21 | Is reducing new particle formation a plausible solution to mitigate particulate air pollution in Beijing and other Chinese megacities?. <i>Faraday Discussions</i> , 2021, 226, 334-347.   | 1.6 | 74        |
| 22 | A 3D study on the amplification of regional haze and particle growth by local emissions. <i>Npj Climate and Atmospheric Science</i> , 2021, 4, .   | 2.6 | 23        |
| 23 | Molecular characterization of ultrafine particles using extractive electrospray time-of-flight mass spectrometry. <i>Environmental Science Atmospheres</i> , 2021, 1, 434-448.   | 0.9 | 10        |
| 24 | Particle growth with photochemical age from new particle formation to haze in the winter of Beijing, China. <i>Science of the Total Environment</i> , 2021, 753, 142207.   | 3.9 | 21        |
| 25 | Role of iodine oxoacids in atmospheric aerosol nucleation. <i>Science</i> , 2021, 371, 589-595.  | 6.0 | 94        |
| 26 | The Synergistic Role of Sulfuric Acid, Bases, and Oxidized Organics Governing New Particle Formation in Beijing. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL091944.  | 1.5 | 53        |
| 27 | Formation of nighttime sulfuric acid from the ozonolysis of alkenes in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 5499-5511.  | 1.9 | 17        |
| 28 | Aerosol particle formation in the upper residual layer. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 7901-7915.  | 1.9 | 21        |
| 29 | Quantifying traffic, biomass burning and secondary source contributions to atmospheric particle number concentrations at urban and suburban sites. <i>Science of the Total Environment</i> , 2021, 768, 145282.  | 3.9 | 26        |
| 30 | Towards understanding the characteristics of new particle formation in the Eastern Mediterranean. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 9223-9251.  | 1.9 | 19        |
| 31 | Atmospheric gaseous hydrochloric and hydrobromic acid in urban Beijing, China: detection, source identification and potential atmospheric impacts. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 11437-11452.   | 1.9 | 12        |
| 32 | Aerosol formation and growth rates from chamber experiments using Kalman smoothing. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 12595-12611.  | 1.9 | 8         |
| 33 | Rapid mass growth and enhanced light extinction of atmospheric aerosols during the heating season haze episodes in Beijing revealed by aerosol chemistry-radiation-boundary layer interaction. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 12173-12187. | 1.9 | 10        |
| 34 | The driving factors of new particle formation and growth in the polluted boundary layer. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 14275-14291.   | 1.9 | 38        |
| 35 | Chemical composition of nanoparticles from $\alpha$ -pinene nucleation and the influence of isoprene and relative humidity at low temperature. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 17099-17114.   | 1.9 | 12        |
| 36 | Measurement report: New particle formation characteristics at an urban and a mountain station in northern China. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 17885-17906.   | 1.9 | 7         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Unprecedented Ambient Sulfur Trioxide (SO <sub>3</sub> ) Detection: Possible Formation Mechanism and Atmospheric Implications. <i>Environmental Science and Technology Letters</i> , 2020, 7, 809-818. | 3.9  | 34        |
| 38 | Continuous and comprehensive atmospheric observations in Beijing: a station to understand the complex urban atmospheric environment. <i>Big Earth Data</i> , 2020, 4, 295-321.                         | 2.0  | 54        |
| 39 | Rapid growth of new atmospheric particles by nitric acid and ammonia condensation. <i>Nature</i> , 2020, 581, 184-189.   | 13.7 | 169       |
| 40 | Size-dependent influence of NO <sub>x</sub> on the growth rates of organic aerosol particles. <i>Science Advances</i> , 2020, 6, eaay4945.   | 4.7  | 61        |
| 41 | Overview of measurements and current instrumentation for 10 <sup>10</sup> nm aerosol particle number size distributions. <i>Journal of Aerosol Science</i> , 2020, 148, 105584.                        | 1.8  | 58        |
| 42 | Photo-oxidation of Aromatic Hydrocarbons Produces Low-Volatility Organic Compounds. <i>Environmental Science &amp; Technology</i> , 2020, 54, 7911-7921.   | 4.6  | 66        |
| 43 | Seasonal Characteristics of New Particle Formation and Growth in Urban Beijing. <i>Environmental Science &amp; Technology</i> , 2020, 54, 8547-8557.   | 4.6  | 78        |
| 44 | Enhanced growth rate of atmospheric particles from sulfuric acid. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 7359-7372.  | 1.9  | 58        |
| 45 | Variation of size-segregated particle number concentrations in wintertime Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 1201-1216.   | 1.9  | 52        |
| 46 | Characterization of Urban New Particle Formation in Amman, Jordan. <i>Atmosphere</i> , 2020, 11, 79.   | 1.0  | 14        |
| 47 | Formation and growth of sub-3-nm aerosol particles in experimental chambers. <i>Nature Protocols</i> , 2020, 15, 1013-1040.  | 5.5  | 49        |
| 48 | Size-resolved particle number emissions in Beijing determined from measured particle size distributions. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 11329-11348.                             | 1.9  | 28        |
| 49 | Sources and sinks driving sulfuric acid concentrations in contrasting environments: implications on proxy calculations. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 11747-11766.              | 1.9  | 42        |
| 50 | Molecular understanding of the suppression of new-particle formation by isoprene. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 11809-11821.  | 1.9  | 49        |
| 51 | Size-segregated particle number and mass concentrations from different emission sources in urban Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 12721-12740.                            | 1.9  | 36        |
| 52 | New particle formation at urban and high-altitude remote sites in the south-eastern Iberian Peninsula. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 14253-14271.                               | 1.9  | 22        |
| 53 | Molecular understanding of new-particle formation from $\alpha$ -pinene between -50 and +25 °C. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 9183-9207.  | 1.9  | 68        |
| 54 | Assessment of particle size magnifier inversion methods to obtain the particle size distribution from atmospheric measurements. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 4885-4898.       | 1.2  | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | New particle formation, growth and apparent shrinkage at a rural background site in western Saudi Arabia. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 10537-10555.  | 1.9 | 19        |
| 56 | Molecular Composition and Volatility of Nucleated Particles from $\alpha$ -Pinene Oxidation between $\sim 50$ $^{\circ}\text{C}$ and $+25$ $^{\circ}\text{C}$ . <i>Environmental Science &amp; Technology</i> , 2019, 53, 12357-12365. | 4.6 | 32        |
| 57 | Vertical profiles of sub-3 $\mu\text{m}$ particles over the boreal forest. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 4127-4138.   | 1.9 | 20        |
| 58 | A Predictive Model for Steady State Ozone Concentration at an Urban-Coastal Site. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 258.  | 1.2 | 7         |
| 59 | Urban Aerosol Particle Size Characterization in Eastern Mediterranean Conditions. <i>Atmosphere</i> , 2019, 10, 710.   | 1.0 | 12        |
| 60 | Mutual Information Input Selector and Probabilistic Machine Learning Utilisation for Air Pollution Proxies. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4475.   | 1.3 | 19        |
| 61 | Influence of temperature on the molecular composition of ions and charged clusters during pure biogenic nucleation. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 65-79.  | 1.9 | 56        |
| 62 | Observations of biogenic ion-induced cluster formation in the atmosphere. <i>Science Advances</i> , 2018, 4, eaar5218.   | 4.7 | 64        |
| 63 | Refined classification and characterization of atmospheric new-particle formation events using air ions. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 17883-17893.   | 1.9 | 35        |
| 64 | Vertical and horizontal distribution of regional new particle formation events in Madrid. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 16601-16618.  | 1.9 | 30        |
| 65 | Vertical characterization of highly oxygenated molecules (HOMs) below and above a boreal forest canopy. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 17437-17450.  | 1.9 | 34        |
| 66 | Multicomponent new particle formation from sulfuric acid, ammonia, and biogenic vapors. <i>Science Advances</i> , 2018, 4, eaau5363.   | 4.7 | 164       |
| 67 | The role of $\text{H}_2\text{SO}_4$ - $\text{NH}_3$ - $\text{SO}_3$ anion clusters in ion-induced aerosol nucleation mechanisms in the boreal forest. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 13231-13243.                | 1.9 | 33        |
| 68 | Rapid growth of organic aerosol nanoparticles over a wide tropospheric temperature range. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9122-9127.                               | 3.3 | 118       |
| 69 | The role of ions in new particle formation in the CLOUD chamber. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 15181-15197.   | 1.9 | 50        |
| 70 | Long-term analysis of clear-sky new particle formation events and nonevents in Hyytiälä. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 6227-6241.   | 1.9 | 84        |
| 71 | Highly crystalline $\text{LiCuXFe}_2\text{XPO}_4$ nanoparticles synthesized by high temperature thermal decomposition: a morphological and electrical transport study. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 335302.   | 1.3 | 2         |
| 72 | Characterization, Fate, and Re-Suspension of Aerosol Particles ( $0.3$ – $10$ $\mu\text{m}$ ): The Effects of Occupancy and Carpet Use. <i>Aerosol and Air Quality Research</i> , 2015, 15, 2367-2377.                                 | 0.9 | 13        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Atmospheric markers of African and Arabian dust in an urban eastern Mediterranean environment, Beirut, Lebanon. <i>Journal of Aerosol Science</i> , 2013, 66, 187-192. | 1.8 | 12        |
| 74 | Quiet New Particle Formation in the Atmosphere. <i>Frontiers in Environmental Science</i> , 0, 10, .   | 1.5 | 10        |