

# Roberto Di Nardo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7713074/publications.pdf>

Version: 2024-02-01

552  
papers

30,518  
citations

5896  
81  
h-index

10445  
139  
g-index

575  
all docs

575  
docs citations

575  
times ranked

11100  
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	Combined Measurement of the Higgs Boson Mass in $\text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\times \text{mml:mi}$ $\text{p}$ $\text{/mml:mi}$ $\times \text{mml:mi}$ $\text{p}$ $\text{/mml:mi}$ $\times \text{mml:math}$ $\text{Collisions at}$ $\text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\times \text{mml:msqrt}$ $\times \text{mml:mi}$ $\text{s}$ $\times \text{mml:mi}$ $\times \text{mml:msqrt}$ $\times \text{mml:mo}$ $=$ $\times \text{mml:mo}$ $\times \text{mml:mn}$ $7$ $\times \text{mml:mn}$ $\times \text{mml:math}$ $\text{and}$ $\text{8ATeV with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.}$	7.8	1,062
3	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
4	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453
5	Observation of Associated Near-Side and Away-Side Long-Range Correlations in $\text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\times \text{mml:msqrt}$ $\times \text{mml:msub}$ $\times \text{mml:mi}$ $\text{s}$ $\times \text{mml:mi}$ $\times \text{mml:mrow}$ $\times \text{mml:mi}$ $\text{N}$ $\times \text{mml:mi}$ $\times \text{mml:mi}$ $\text{N}$ $\times \text{mml:mi}$ $\times \text{mml:mrow}$ $\text{mathvariant}=\text{"bold"}$ $=$ $\times \text{mml:mo}$ $\times \text{mml:mn}$ $5.02$ $\times \text{mml:mn}$ $\times \text{mml:mtext}$ $\text{\%}$ $\times \text{mml:mtext}$ $\text{\%}$ $\times \text{mml:mtext}$ $\text{\%}$ $\times \text{mml:mtext}$ $\text{Collisions with the ATLAS Detector. Physical Review Letters, 2013, 110, 162302.}$	3.9	453
6	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
7	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
8	Performance of pile-up mitigation techniques for jets in pp p p collisions at $\sqrt{s}=8\text{TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
9	Luminosity determination in pp collisions at $\sqrt{s}=8\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{TeV}$ and 8TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
11	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ $s = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
12	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
13	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
14	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
15			

#	ARTICLE	IF	CITATIONS
19	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
20	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
21	Jet energy resolution in proton-proton collisions at $\sqrt{\text{mathrm{s}}} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
22	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
23	Search for an additional, heavy Higgs boson in the $Z \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
24	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 903.	3.9	181
25	Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
26	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
27	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
28	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
29	Search for the Standard Model Higgs Boson in the Diphoton Decay Channel with $\text{xml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}$ $\langle \text{mml:mn} \rangle 4.9 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle 7.8 \langle / \text{mml:mtext} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \text{fb} \langle / \text{mml:msup} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collision Data at $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ $\text{display} = \text{block}$ $\text{math} = \text{Search for Scalar Diphoton Resonances in the Mass Range 65-160 GeV with the ATLAS Detector at }$ $\text{in} \langle \text{mml:math} \text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML} \rangle 2012, 108, 111803.$ $\text{display} = \text{block}$ $\text{math} = \text{Collision Data at } \langle \text{mml:math} \text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML} \rangle$ $\text{display} = \text{block}$ $\text{math} = \text{Search for new high-mass phenomena in the dilepton final state using } 36 \text{ fb}^{-1} \text{ of proton-proton}$ $\text{display} = \text{block}$ $\text{math} = \text{collision data at } s = 13 \text{ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.}$	7.8	168
30	Measurement of the inelastic proton-proton cross-section at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Nature Communications, 2011, 2, 463.	12.8	160
31	Measurement of the transverse momentum and $\phi$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
32	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2011, 71, 1.	3.9	146
33	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
34	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145

#	ARTICLE	IF	CITATIONS
37	Precision measurement and interpretation of inclusive $W^+ + W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
38	Measurement of the $t\bar{t}$ production cross-section using $e\ell$ events with $b$ -tagged jets in $p p$ collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
39	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
40	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
41	Search for Supersymmetry Using Final States with One Lepton, Jets, and Missing Transverse Momentum with the ATLAS Detector in $p p$ Collisions. Physical Review Letters, 2011, 106, 131802.	7.8	138
42	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
43	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
44	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in $p p$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
45	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in $p p$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
46	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
47	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using $p p$ collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
48	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
49	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $p p$ collisions using the ATLAS Tile Calorimeter. Evidence for Electroweak Production of Charginos and Sleptons. Physics Letters B, 2012, 80, 1.	3.9	124
50	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $p p$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	7.8	123
52	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121
53			

#	ARTICLE	IF	CITATIONS
55	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
56	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 $\text{fb}^{-1}$ of $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
57	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
58	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at $7 \text{ TeV}$ centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	114
59			

#	ARTICLE	IF	CITATIONS
73	ARTICLE $\alpha$ of a New State in Radiative Transitions to $b\bar{b}$ final state from $pp$ collisions at $s = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	7.8	90
74	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from $pp$ collisions at $s = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
75	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated ( $W/Z$ )H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
76	Jet mass and substructure of inclusive jets in $s = 7$ TeV $pp$ collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
77	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $s = 8$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
78	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
79	Measurement of multi-particle azimuthal correlations in $pp$ , $p\bar{p}$ and low-multiplicity $Pb\bar{Pb}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
80	Search for heavy Majorana neutrinos with the ATLAS detector in $pp$ collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
81	Search for neutral Higgs bosons of the minimal supersymmetric standard model in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
82	Observation of an Excited State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.		
83	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 $pp$ collision data set at $s = 13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
84	Search for Dilepton Resonances in $pp$ collisions at $s = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2011, 107, 272002.	7.8	81
85	ATLAS search for new phenomena in dijet mass and angular distributions using $pp$ collisions at $s = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
86	Measurement of the prompt $J/\psi$ pair production cross-section in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
87	Search for dark matter at $s = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
88	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
89	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
90	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79

#	ARTICLE	IF	CITATIONS
91	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
92	Light-quark and gluon jet discrimination in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
93	Search for dark matter in events with heavy quarks and missing transverse momentum in $p p$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92.	3.9	77
94	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
95	Angular analysis of $B_0 \rightarrow K^+ \bar{K}^- \pi^+ \pi^-$ decays in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	76
96	Search for Direct Top Squark Pair Production in Final States with One Isolated Lepton, Jets, and Missing Transverse Momentum in $\sqrt{s} = 7 \text{ TeV}$ $p p$ Collisions Using 4.7 $\text{fb}^{-1}$ of ATLAS Data. <i>Physical Review Letters</i> , 2012, 109, 211803.	4.8	75
97	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.	3.9	75
98	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
99	A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider. <i>Science</i> , 2012, 338, 1576-1582.	12.6	74
100	Search for resonant diboson production in the $\ell \ell q \bar{q}$ final state in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 69.	3.9	74
101	Measurement of the inclusive and dijet cross-sections of b-jets in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	73
102	Measurement of the production cross section of jets in association with a Z boson in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
103	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
104	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
105	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	3.9	72
106	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	71
107	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
108	Search for a high-mass Higgs boson decaying to a W boson pair in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71

#	ARTICLE	IF	CITATIONS
109	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
110	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 303.	3.9	70
111	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
112	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $\tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
113	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
114	Search for new resonances in mass distributions of jet pairs using $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
115	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
116	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
117	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
118	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
119	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
120	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
121	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
122	Measurement of the $W \rightarrow \ell^+ \nu$ , $Z \rightarrow \ell^+ \ell^-$ and $Z \rightarrow \nu \bar{\nu}$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
123	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
124	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $\sqrt{s} = 7 \text{ TeV}$ pp Collisions with the ATLAS Detector. Journal of High Energy Physics, 2013, 2013, 1.	7.8	64
125	Observation and measurement of the production of prompt and non-prompt $Z$ bosons in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
126	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64

#	ARTICLE	IF	CITATIONS
127	Jet energy scale and resolution measured in protonâ““proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
128	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
129	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 120.	3.9	62
130	Identification of boosted, hadronically decaying $W$ bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 154.	3.9	62
131	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723–753. Measurement of Dijet Azimuthal Decorrelations in $\sqrt{s} = 7 \text{ TeV}$ collisions at the LHC. European Physical Journal C, 2010, 70, 723–753.	3.9	61
132	Measurement of Dijet Azimuthal Decorrelations in $\sqrt{s} = 7 \text{ TeV}$ collisions at the LHC. European Physical Journal C, 2010, 70, 723–753.	7.8	61
133	Search for Scalar Bottom Quark Pair Production with the ATLAS Detector in $\sqrt{s} = 7 \text{ TeV}$ pp Collisions. Physical Review Letters, 2012, 108, 181802.	7.8	61
134	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ $\gamma$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
135	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1. Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
136	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
137	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
138	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ protonâ““proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
139	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
140	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
141	Measurement of multi-jet cross sections in protonâ““proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
142	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
143	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
144	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $e^+ e^- \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60

#	ARTICLE	IF	CITATIONS
145	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
146	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
147	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
148	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
149	Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2013, 111, 152301.	7.8	59
150	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
151	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
152	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and $5.0 \text{ TeV}$ . European Physical Journal C, 2018, 78, 142.	3.9	59
153	Search for charged Higgs bosons decaying via $H \pm \rightarrow l^+ l^-$ , in the $l^+ + \text{jets}$ and $l^+ + \text{lepton}$ final states with $36 \text{ fb}^{-1}$ of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
154	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
155	Measurement of the $W$ boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
156	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2013, 111, 232002.	7.8	57
157	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of $7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
158	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
159	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at $8 \text{ TeV}$ using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
160	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
161	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
162	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55

#	ARTICLE	IF	CITATIONS
163	Search for pair production of Higgs bosons in the $\overline{b}b$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
164	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
165	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
166	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
167	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
168	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
169	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW^* \rightarrow l^+l^-WW \rightarrow$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
170	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
171	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
172	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ , decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
173	Measurement of the top quark mass in the $t\bar{t}$ channel using ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
174	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
175	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
176	Measurement of the top quark mass with the template method in the $t\bar{t}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
177	Search for minimal supersymmetric standard model Higgs Bosons $H \rightarrow A$ and for a $Z^{\prime\prime} \rightarrow Z Z$ boson in the $au au$ final state produced in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
178	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
179	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV NN = 2.76. European Physical Journal C, 2017, 77, 379.	3.9	51

#	ARTICLE	IF	CITATIONS
181	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
182	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
183	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. Search for High-Mass Resonances Decaying to $t\bar{t}$ . $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \hat{1}/2 \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13 \text{ TeV}$	3.9	50
184	$\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$ Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	7.8	50
185	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Search for Dark Matter in Events with Missing Transverse Momentum and a $Z\gamma$ -Boson Decaying to Two Photons in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13 \text{ TeV}$	4.7	50
186	Search for Higgs and $Z\gamma$ Boson Decays $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle 8 \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle \langle \text{mml:mt} \rangle \text{at} \langle / \text{mml:math} \rangle$	7.8	49
187	$\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \hat{1}^3 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle$	4.7	49
188	$\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \hat{1}^3 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle$	4.7	49

#	ARTICLE	IF	CITATIONS
199	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
200	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
201	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
202	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
203	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
204	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
205	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
206	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
207	A neural network clustering algorithm for the ATLAS silicon pixel detector. Journal of Instrumentation, 2014, 9, P09009-P09009.	1.2	45
208	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
209	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
210	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
211	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
212	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
213	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
214	Search for the Standard Model Higgs boson in the $H \rightarrow l^+l^-l^+l^-$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
215	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
216	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43

#	ARTICLE	IF	CITATIONS
217	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
218	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
219	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
220	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
221	Novel proposal for a low emittance muon beam using positron beam on target. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 807, 101-107.	1.6	42
222	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
223	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
224	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
225	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s}_{\text{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
226	Measurement of the t t Z and t t W production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
227	Measurement of W production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
228	Higgs boson production cross-section measurements and their EFT interpretation in the 4ell decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
229	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
230	A search for t resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
231	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
232	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
233	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
234	Study of the B_c^+ to J/psi D_s^+ and B_c + anti-D_s^+ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40

#	ARTICLE	IF	CITATIONS
235	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
236	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
237	Search for heavy resonances decaying into a pair of $Z$ bosons in the $e^+e^- + e^+e^- + \gamma$ final states using $139 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
238	Search for flavour-changing neutral current top-quark decays to $\varvec{q}Z$ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
239	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p\bar{p}$ collision data at $\sqrt{s}=8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
240	Search for heavy Majorana or Dirac neutrinos and right-handed $W$ gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
241	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
242	Measurement of the double-differential high-mass Drell-Yan cross section in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
243	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
244	Search for Higgs boson pair production in the $\gamma\gamma$ final state with $13 \text{ TeV}$ $p\bar{p}$ collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
245	Measurements of $WH$ and $ZH$ production in the $H \rightarrow \tau^+\tau^-$ decay channel in $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	38
246	Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in $p\bar{p}$ Collisions at $s=7 \text{ TeV}$ . <i>Physical Review Letters</i> , 2012, 108, 241802.	7.8	37
247	Search for second generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	37
248	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
249	Measurement of the $W$ boson polarisation in $t\bar{t}\gamma$ events from $p\bar{p}$ collisions at $\sqrt{s}=8 \text{ TeV}$ in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
250	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
251	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
252	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37

#	ARTICLE	IF	CITATIONS
253	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	36
254	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
255	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
256	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
257	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
258	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
259	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
260	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
261	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
262	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
263	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
264	Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a W $\pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
265	Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165. Search for Scalar Charm Quark Pair Production in ATLAS Detector. Physical Review Letters, 2015, 114, 161801.	3.9	35
266	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 $\text{fb}^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
267	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
268	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
270	Multi-channel search for squarks and gluinos in pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34

#	ARTICLE	IF	CITATIONS
271	Measurements of top-quark pair differential and double-differential cross-sections in the $\ell\ell$ + jets channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
272	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
273	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
274	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in $\sqrt{s} = 7$ TeV pp Collisions with the ATLAS Detector. Physical Review Letters, 2012, 108, 261804.	7.8	33
275	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
276	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
277	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
278	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
279	Measurements of $\tilde{\chi}(2S)$ and $X(3872) \rightarrow J/\psi + \pi^+$ production in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
280	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
281	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
282	Measurement of $c_1$ and $c_2$ production with $s = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
283	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
284	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $\ell\ell$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
285	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2012, 72, 1.	3.9	31
286	Search for Pair Production of a Heavy Up-Type Quark Decaying to a $\ell\ell$ Boson and a $\nu$ . European Physical Journal C, 2012, 72, 1.	7.8	31
287	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
288	Measurement of the differential cross-section of $B +$ meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
289	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565. Measurement of the $\langle \text{mml:math} \rangle$ Production Cross Section $\text{display="inline"} > \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{in} \langle \text{mml:math} \rangle \text{mml:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} > \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle$ A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	3.9	31
290		7.8	31
291		4.7	31
292	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
293	Search for supersymmetry in final states with two same-sign or three leptons and jets using $36 \text{ fb}^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
294	Search for $W W/W Z$ resonance production in $\tilde{\chi}_{1/2} q\bar{q}$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
295	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
296	Search for invisible particles produced in association with single-top-quarks in proton- $\bar{\nu}$ proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
297	Measurement of the $t t \rightarrow t \bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
298	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ measured with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
299	Charged-particle distributions in pp interactions at $\sqrt{s}=8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
300	Searches for the $Z \tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
301	Study of $WW\gamma$ and $WZ\gamma$ . European Physical Journal C, 2017, 77, 646.	3.9	30
302	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
303	Searches for third-generation scalar leptoquarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
304	Evidence for $\star t \bar{t} \star$ production in the multilepton final state in proton- $\bar{\nu}$ proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
305	Search for a Standard Model Higgs Boson in the $H \rightarrow ZZ \rightarrow 4\ell$ Decay Channel with the ATLAS Detector. Physical Review Letters, 2011, 107, 221802.	7.8	29
306	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29

#	ARTICLE	IF	CITATIONS
307	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
308	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
309	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
310	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}$ final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
311	Search for heavy diboson resonances in semileptonic final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
312	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
313	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
314	Measurement of WW/WZ ightarrow ell u q q^{\prime} W W / W Z at' " 1/2 q q ^{\prime} production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $s = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
315	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
316	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H at' aa 4b channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
317	Search for long-lived neutral particles in pp collisions at $s = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
318	In situ calibration of large-radius jet energy and mass in $13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
319	Fluctuations of anisotropic flow in Pb+Pb collisions at $s = 5.02 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
320	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
321	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	3.9	27
322	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
323	Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
324	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27

#	ARTICLE	IF	CITATIONS
325	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
326	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
327	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
328	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}_c$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
329	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
330	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell\bar{ell}$ and $WW$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
331	A search for $t\bar{t}$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.	3.9	25
332	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
333	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
334	Operation and performance of the ATLAS semiconductor tracker. Journal of Instrumentation, 2014, 9, P08009-P08009.	1.2	25
335	Determination of the top-quark pole mass using $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in $7 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
336	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
337	Search for triboson $WW^{\pm}WW^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
338	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
339	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
340	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
341	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517.	3.9	24
342	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24

#	ARTICLE	IF	CITATIONS
343	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
344	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
345	The Level-1 Trigger Muon Barrel System of the ATLAS experiment at CERN. Journal of Instrumentation, 2009, 4, P04010-P04010.	1.2	23
346	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
347	Search for the Higgs Boson in the $WW \rightarrow l^+l^- jj$ Decay Channel in pp Collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801.	7.8	23
348	A study of the material in the ATLAS inner detector using secondary hadronic interactions. Journal of Instrumentation, 2012, 7, P01013-P01013.	1.2	23
349	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
350	Measurement of the underlying event in jet events from $7\text{TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1. Determination of the Ratio of $b$ -Quark Fragmentation Fractions $\frac{f_b}{f_c}$ in $pp$ Collisions at $\sqrt{s}=7\text{TeV}$ . Physical Review Letters, 2015, 115, 262001.	3.9	23
351	Measurement of three-jet production cross-sections in $pp$ collisions at $\sqrt{s}=7\text{TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
352	Search for high-mass resonances decaying to $t\bar{t}, +t\bar{t}, \tilde{\chi}^0$ in $pp$ collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
353	Search for new phenomena in different-flavour high-mass dilepton final states in $pp$ collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
354	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
355	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13\text{TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
356	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
357	Measurement of event shapes at large momentum transfer with the ATLAS detector in $pp$ collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	22
358	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
359	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s}=8\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
361	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
362	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
363	Search for pair production of heavy vector-like quarks decaying into high-pT $W$ bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
364	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
365	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
366	Measurement of $W$ polarization in $W \rightarrow l^{\pm}l^{\mp}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2062.	3.9	21
367	Measurement of the production cross-section of $\tilde{\chi}(2S) \rightarrow (\tilde{\chi}_1^0 + \tilde{\chi}_1^0 \rightarrow e^+e^-)$ in pp collisions at $s = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
368	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu\mu\mu$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
369	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
370	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
371	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
372	Identification of boosted Higgs bosons decaying into $b$ -quark pairs with the ATLAS detector at $13$ TeV. <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
373	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
374	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
375	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
376	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
377	Measurement of differential cross-sections of a single top quark produced in association with a $W$ boson at $\sqrt{s}=13$ TeV with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
378	Search for diboson resonances in hadronic final states in $139$ fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
379	Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2011, 106, 121803.	7.8	19
380	Search for charged Higgs bosons through the violation of lepton universality in $t \bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
381	Measurement of k T splitting scales in $W t \bar{t}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
382	Search for flavour-changing neutral current top quark decays $t \rightarrow H q$ in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
383	Search for the production of single vector-like and excited quarks in the $W t$ final state in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
384	Probing lepton flavour violation via neutrinoless $\nu_\tau \rightarrow 3\mu \bar{\nu}_e$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
385	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
386	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
387	Search for top-quark decays $t \rightarrow H q$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19
388	Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
389	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
390	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	18
391	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	18
392	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow b\bar{b}$ , in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
393	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
394	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
395	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
396	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	17

#	ARTICLE	IF	CITATIONS
397	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
398	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	17
399	Modelling $Z \rightarrow l^+l^-$ processes in ATLAS with $l^+$ -embedded $Z \rightarrow l^+l^-$ data. <i>Journal of Instrumentation</i> , 2015, 10, P09018-P09018.	1.2	17
400	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7\text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
401	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7\text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
402	Identification of high transverse momentum top quarks in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
403	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
404	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
405	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in pp collisions at $s = 13\text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
406	Direct top-quark decay width measurement in the $t \bar{t} \rightarrow l^+l^-$ channel at $\sqrt{s}=8\text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
407	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
408	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
409	Measurements of $W$ and $Z$ boson production in pp collisions at $\sqrt{s}=5.02\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
410	Measurement of $W^{\pm}\text{pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
411	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
412	Search for the $HH \rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
413	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
414	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16

#	ARTICLE	IF	CITATIONS
415	Monitoring and data quality assessment of the ATLAS liquid argon calorimeter. <i>Journal of Instrumentation</i> , 2014, 9, P07024-P07024.	1.2	16
416	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
417	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
418	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
419	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
420	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^-$ and $\ell^+\ell^0$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
421	Measurement of differential cross sections and $W+W^-$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
422	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1. <i>Search for a Heavy Particle Decaying into an Electron and a Muon with the ATLAS Detector</i>	3.9	15
423	Measurement of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. <i>Physical Review Letters</i> , 2011, 106, 251801.	4.7	15
424	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
425	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
426	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
427	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
428	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
429	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
430	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow \ell^+ \ell^- \nu \bar{\nu}$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
431	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
432	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
433	Search for scalar resonances decaying into $\tilde{\chi}_1^0 + \tilde{\chi}_1^0$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
434	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
435	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
436	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb $^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14
437	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
438	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
439	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
440	Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
441	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
442	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
443	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
444	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
445	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
446	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
447	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
448	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
449	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
450	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13

#	ARTICLE	IF	CITATIONS
451	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
452	Search for lepton flavour violation in the $e^{\pm} \gamma$ continuum with the ATLAS detector in $\sqrt{s} = 7\text{TeV}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
453	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
454	Search for Higgs and $Z$ boson decays to $b\bar{b}$ with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
455	Measurement of the CP-violating phase $\delta_s$ and the $B_s \rightarrow D_s^+ \nu \bar{\nu}$ meson decay width difference with $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
456	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
457	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
458	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13\text{TeV}$ , 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
459	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2018, 78, 102.	3.9	13
460	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
461	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
462	Search for Production of Resonant States in the Photon-Jet Mass Distribution UsingppCollisions at $\sqrt{s} = 7\text{TeV}$ Collected by the ATLAS Detector. Physical Review Letters, 2012, 108, 211802.	7.8	12
463	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
464	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{fb}^{-1}$ of $\sqrt{s} = 8\text{TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
465	Measurement of the $b\bar{b} \rightarrow b\bar{b} \gamma\gamma$ dijet cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
466	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
467	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
468	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
469	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in protonâ“proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
470	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
471	Measurements of the inclusive and differential production cross sections of a top-quarkâ“antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
472	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
473	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
474	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13 \text{ TeV}$ . European Physical Journal C, 2022, 82, 1.	3.9	12
475	Measurement of $W^{\pm}$ and $Z^{\pm}$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
476	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
477	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
478	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in protonâ“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
479	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
480	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in $13 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
481	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
482	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
483	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
484	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
485	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
486	Measurement of the inclusive and fiducial $t\bar{t}\gamma$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10

#	ARTICLE	IF	CITATIONS
487	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and $Z$ boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
488	Measurement of $J/\psi$ production in association with a $W\bar{W}$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
489	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
490	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10
491	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
492	A new method to distinguish hadronically decaying boosted $Z$ bosons from $W$ bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
493	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
494	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
495	Measurement of the $ZZ$ production cross section in proton-proton collisions at $s = 8$ TeV using the $Z Z \rightarrow l^+ l^- \nu \bar{\nu}$ decay channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
496	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
497	Measurement of the inclusive cross-section for the production of jets in association with a $Z$ boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
498	Measurement of the $Z(\rightarrow l^+ l^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
499	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
500	Measurement of the relative width difference of the $B_0 \rightarrow B^- \pi^0$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
501	Search for direct top squark pair production in events with a Higgs or $Z$ boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
502	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
503	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
504	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
505	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
506	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
507	Measurements of $W+W^- + 1 \text{ jet}$ production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
508	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
509	Reconstruction and identification of boosted di- $\tau$ , systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
510	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
511	Measurement of $Z/\gamma \rightarrow \tau\tau$ polarization in $Z/\gamma \rightarrow \tau\tau$ . European Physical Journal C, 2018, 78, 163.	3.9	7
512	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
513	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
514	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
515	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and $8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
516	Measurement of ZZ production in the $\tau\tau\tau\tau$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
517	Construction techniques and performances of a full-size prototype Micromegas chamber for the ATLAS muon spectrometer upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 955, 162086.	1.6	6
518	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
519	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
520	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and $13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	3.9	5
521	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
522	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5

#	ARTICLE	IF	CITATIONS
523	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using $36 \text{ fb}^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
524	The ATLAS inner detector trigger performance in pp collisions at $13 \text{ TeV}$ during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
525	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
526	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
527	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13 \text{ TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
528	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
529	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
530	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
531	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
532	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm}$ events in Run2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
533	Measurement of the production cross section of pairs of isolated photons in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
534	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
535	Measurement of the k t splitting scales in $Z \rightarrow e^+ e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
536	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
537	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
538	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
539	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.	3	
540	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	

#	ARTICLE	IF	CITATIONS
541	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider., 2015, 75, 1.	3	
542	Measurement of b-quark fragmentation properties in jets using the decay $B\bar{B} \rightarrow J/\psi K\bar{K}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
543	PROOF-based analysis on the ATLAS Grid facilities: first experience with the PoD/PanDa plugin. Journal of Physics: Conference Series, 2014, 513, 032102.	0.4	2
544	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
545	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
546	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
547	Enabling data analysis à la PROOF on the Italian ATLAS Tier-2s using PoD. Journal of Physics: Conference Series, 2012, 396, 032043.	0.4	1
548	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s})=8$ TeV with the ATLAS detector., 2016, 76, 1.	1	
549	Muon detection in electron-positron annihilation for muon collider studies. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2022, 1024, 166129.	1.6	1
550	Tests of PROOF-on-Demand with ATLAS Prodsys2 and first experience with HTTP federation. Journal of Physics: Conference Series, 2015, 664, 042019.	0.4	0
551	Improvements of LHC data analysis techniques at Italian WLCG sites. Case-study of the transfer of this technology to other research areas. Journal of Physics: Conference Series, 2015, 664, 032006.	0.4	0
552	Reconstruction of known particle decays in proton-proton collisions at energies of 900 GeV and 7 TeV with the ATLAS Inner Detector., 2011, ..	0	