

Anastasios I Zouboulis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7717215/publications.pdf>

Version: 2024-02-01

322
papers

12,204
citations

26630

56
h-index

38395

95
g-index

341
all docs

341
docs citations

341
times ranked

10193
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical conversion of chromium from tannery effluents for potential reuse in industrial applications. <i>Environmental Science and Pollution Research</i> , 2023, 30, 8722-8731.	5.3	1
2	Selection of magnesium hydroxide coatings for corrosion mitigation in concrete sewer pipes by using multiple criteria decision analysis. <i>Environmental and Sustainability Indicators</i> , 2022, 13, 100168.	3.3	1
3	Biomass-derived nanocomposites: A critical evaluation of their performance toward the capture of inorganic pollutants. , 2022, , 569-603.		0
4	Performance of Three Magnesium-based Coatings for Corrosion Protection of Concrete against Sulfuric Acid. <i>Environmental Processes</i> , 2022, 9, 1.	3.5	1
5	Sewer solids affecting microbiologically induced corrosion and/or hydrogen sulfide formation. , 2022, , 589-610.		0
6	Valorization of Hazardous Organic Solid Wastes towards Fuels and Chemicals via Fast (Catalytic) Pyrolysis. <i>Sustainable Chemistry</i> , 2022, 3, 91-111.	4.7	3
7	Estimation and Addition of MgO Dose for Upgrading the Refractory Characteristics of Magnesite Ore Mining Wastes/By-products. <i>Waste and Biomass Valorization</i> , 2022, 13, 4057-4072.	3.4	3
8	Hematite Nanoparticles Addition to Serpentine/Pyroxenes By-Products of Magnesite Mining Enrichment Process for the Production of Refractories. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2094.	2.5	4
9	Investigation of Magnetic Separation and Thermal Treatment Effects, Combined with Additives (Mineral Oxides), on Serpentinized Peridotites from the Gerakini (Chalkidiki, N. Greece) Magnesite Mine. , 2022, 5, .		0
10	Thermodynamic Study of Phosphate Adsorption and Removal from Water Using Iron Oxyhydroxides. <i>Water (Switzerland)</i> , 2022, 14, 1163.	2.7	7
11	Optimization of supercritical carbon dioxide explosion for sewage sludge pre-treatment using response surface methodology. <i>Chemosphere</i> , 2022, 297, 133989.	8.2	11
12	Evaluation of polymeric membranes'™ performance during laboratory-scale experiments, regarding the CO2 separation from CH4. <i>Chemosphere</i> , 2022, 299, 134224.	8.2	13
13	Thiol-Functionalization Carbonaceous Adsorbents for the Removal of Methyl-Mercury from Water in the ppb Levels. <i>Water (Switzerland)</i> , 2022, 14, 49.	2.7	4
14	Monitoring of a Broad Set of Pharmaceuticals in Wastewaters by High-Resolution Mass Spectrometry and Evaluation of Heterogenous Catalytic Ozonation for Their Removal in a Pre-Industrial Level Unit. <i>Analyticaâ€”A Journal of Analytical Chemistry and Chemical Analysis</i> , 2022, 3, 195-212.	1.7	4
15	Arsenic Exposure via Contaminated Water and Food Sources. <i>Water (Switzerland)</i> , 2022, 14, 1884.	2.7	19
16	Investigation of the Removal of Several Micropollutants Presenting Different Ozone Reactivities from Natural Potable Water Matrix by the Application of Ozonation with the Use of SiO2 and Al2O3 as Catalysts. <i>Separations</i> , 2022, 9, 173.	2.4	3
17	Combination of Thermal, Hydrometallurgical and Electrochemical Tannery Waste Treatment for Cr(III) Recovery. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 532.	2.5	3
18	Speciation and Determination of Selenium Oxyanions at the Drinking Water Pollution Concentration Levels. <i>Separations</i> , 2021, 8, 27.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Comparison of Different Magnesium Hydroxide Coatings Applied on Concrete Substrates (Sewer Pipes) for Protection against Bio-Corrosion. <i>Water (Switzerland)</i> , 2021, 13, 1227.	2.7	7
20	Effect of Operating Conditions on Membrane Fouling in Pilot-Scale MBRs: Filaments Growth, Diminishing Dissolved Oxygen and Recirculation Rate of the Activated Sludge. <i>Membranes</i> , 2021, 11, 490.	3.0	7
21	Evaluation of the Protection Ability of a Magnesium Hydroxide Coating against the Bio-Corrosion of Concrete Sewer Pipes, by Using Short and Long Duration Accelerated Acid Spraying Tests. <i>Materials</i> , 2021, 14, 4897.	2.9	5
22	Transition Metal Ions as Ozonation Catalysts: An Alternative Process of Heterogeneous Catalytic Ozonation. <i>Catalysts</i> , 2021, 11, 1091.	3.5	13
23	Heterogeneous catalytic ozonation: The significant contribution of PZC value and wettability of the catalysts. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106173.	6.7	23
24	Catalytic Membrane Ozonation. <i>Encyclopedia</i> , 2021, 1, 131-143.	4.5	2
25	Minerals as Potential Catalysts in Heterogeneous Catalytic Ozonation: A Kinetic Study of p-CBA Degradation in Aqueous Solutions at pH 7. <i>Materials Proceedings</i> , 2021, 5, .	0.2	0
26	Study of Magnesium Hydroxide Protective Coating against Corrosion, Applied on Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 5, .	0.2	0
27	Effects of additives on the physical properties of magnesite ore mining by-products for the production of refractories. <i>Minerals Engineering</i> , 2021, 174, 107247.	4.3	6
28	Anti-corrosion properties of magnesium oxide/magnesium hydroxide coatings for application on concrete surfaces (sewerage network pipes). <i>Construction and Building Materials</i> , 2021, 312, 125441.	7.2	17
29	Magnesite Ore Washing Facilitiesâ€™ Wastewater Treatment and Recovered Water Reuse. , 2021, 5, .		0
30	Chromium recovery from tannery sludge and its ash, based on hydrometallurgical methods. <i>Waste Management and Research</i> , 2020, 38, 19-26.	3.9	5
31	Graphene Oxide/Fe-Based Composite Pre-Polymerized Coagulants: Synthesis, Characterization, and Potential Application in Water Treatment. <i>Journal of Carbon Research</i> , 2020, 6, 44.	2.7	7
32	Quantifying the Effect of COD to TN Ratio, DO Concentration and Temperature on Filamentous Microorganismsâ€™ Population and Trans-Membrane Pressure (TMP) in Membrane Bio-Reactors (MBR). <i>Processes</i> , 2020, 8, 1514.	2.8	6
33	The Chromium Recovery and Reuse from Tanneries: A Case Study According to the Principles of Circular Economy. <i>Textile Science and Clothing Technology</i> , 2020, , 123-157.	0.5	3
34	Enhancement of ozonation efficiency employing dead-end hollow fiber membranes. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 2619-2627.	2.4	4
35	Cost evaluation for Se(IV) removal, by applying common drinking water treatment processes: Coagulation/precipitation or adsorption. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104209.	6.7	39
36	Heterogeneous Catalytic Ozonation of Micropollutants in a Pilot Scale Continuous Flow System. <i>Environmental Sciences Proceedings</i> , 2020, 2, .	0.3	1

#	ARTICLE	IF	CITATIONS
37	Calcite Mineral Catalyst Capable of Enhancing Micropollutant Degradation during the Ozonation Process at pH7. Environmental Sciences Proceedings, 2020, 2, 26.	0.3	6
38	Selenite Removal from Water. Environmental Sciences Proceedings, 2020, 2, .	0.3	0
39	A Mini-Review of Urban Wastewater Treatment in Greece: History, Development and Future Challenges. Sustainability, 2020, 12, 6133.	3.2	11
40	Study of Corrosion Protection of Concrete in Sewage Systems with Magnesium Hydroxide Coatings. Environmental Sciences Proceedings, 2020, 2, 27.	0.3	6
41	Properties and Performance of Novel Mg(OH) ₂ -Based Coatings for Corrosion Mitigation in Concrete Sewer Pipes. Materials, 2020, 13, 5291.	2.9	18
42	The Effect of Thermal Treatment on the Physicochemical Properties of Minerals Applied to Heterogeneous Catalytic Ozonation. Sustainability, 2020, 12, 10503.	3.2	8
43	A Step by Step Investigation of Cr(III) Recovery from Tannery Waste. Proceedings (mdpi), 2020, 48, 1.	0.2	2
44	Mineralogy and Geochemistry of Ultramafic Rocks from Rachoni Magnesite Mine, Gerakini (Chalkidiki), Tj ETQq0 0 0 rgBT /Overlock 10 T	2.6	11
45	Catalytic Ozonation and Membrane Contactorsâ€™ A Review Concerning Fouling Occurrence and Pollutant Removal. Water (Switzerland), 2020, 12, 2964.	2.7	20
46	Application of Composite Pre-Polymerized Coagulants for the Treatment of High-Strength Industrial Wastewaters. Water (Switzerland), 2020, 12, 1258.	2.7	17
47	The Use of Natural Minerals in a Pilot-Scale MBR for Membrane Fouling Mitigation. Separations, 2020, 7, 24.	2.4	8
48	Characterization and evaluation of magnesite ore mining by-products of Gerakini mines (Chalkidiki, N.) Tj ETQq0 0 0 rgBT /Overlock 10 T	8.6	11
49	Removal of Arsenic, Chromium and Uranium from Water Sources by Novel Nanostructured Materials Including Graphene-Based Modified Adsorbents: A Mini Review of Recent Developments. Applied Sciences (Switzerland), 2020, 10, 3241.	2.5	36
50	Using Additives for Fouling Control in a Lab-Scale MBR; Comparing the Anti-Fouling Potential of Coagulants, PAC and Bio-Film Carriers. Membranes, 2020, 10, 42.	3.0	8
51	New Insights into the Mineralogy and Geochemistry of Sb Ores from Greece. Minerals (Basel,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	2.9	6
52	Hydrometallurgical Recovery of Cr(III) from Tannery Waste: Optimization and Selectivity Investigation. Water (Switzerland), 2020, 12, 719.	2.7	10
53	Cr(VI) Femoval from Ground Waters by Ferrous Iron Redox-Assisted Coagulation in a Continuous Treatment Unit Comprising a Plug Flow Pipe Reactor and Downflow Sand Filtration. Applied Sciences (Switzerland), 2020, 10, 802.	2.5	11
54	Heavy metal stabilization of industrial solid wastes using low-grade magnesia, Portland and magnesia cements. Journal of Material Cycles and Waste Management, 2020, 22, 975-985.	3.0	13

#	ARTICLE	IF	CITATIONS
55	Fouling Challenges in Ceramic MBR Systems. , 2020, , 199-217.		4
56	Improvement of Manganese Feroxyhyteâ€™s Surface Charge with Exchangeable Ca Ions to Maximize Cd and Pb Uptake from Water. Materials, 2020, 13, 1762.	2.9	9
57	Groundwater and Soil Pollution: Bioremediation. , 2019, , 369-381.		11
58	Chromium and energy recovery from tannery wastewater treatment waste: Investigation of major mechanisms in the framework of circular economy. Journal of Environmental Chemical Engineering, 2019, 7, 103307.	6.7	27
59	The role of metal ions on p-CBA degradation by catalytic ozonation. Journal of Environmental Chemical Engineering, 2019, 7, 103324.	6.7	16
60	Biomass Characteristics and Their Effect on Membrane Bioreactor Fouling. Molecules, 2019, 24, 2867.	3.8	26
61	Fluoride removal from water by composite Al/Fe/Si/Mg pre-polymerized coagulants: Characterization and application. Chemosphere, 2019, 231, 528-537.	8.2	42
62	Treatment of Tannery Wastewater with Vibratory Shear-Enhanced Processing Membrane Filtration. Separations, 2019, 6, 20.	2.4	21
63	Recent Advances in Water and Wastewater Treatment with Emphasis in Membrane Treatment Operations. Water (Switzerland), 2019, 11, 45.	2.7	7
64	Performance of Heterogeneous Catalytic Ozonation with Minerals in Degradation of p-Chlorobenzoic Acid (p-CBA) from Aqueous Solutions. Proceedings (mdpi), 2019, 48, .	0.2	2
65	Metal Membrane Patents. Recent Patents on Engineering, 2019, 13, 55-68.	0.4	0
66	One step preparation of ZnFe2O4/Zn5(OH)6(CO3)2 nanocomposite with improved As(V) removal capacity. Separation Science and Technology, 2018, 53, 1457-1464.	2.5	1
67	Environmentally available hexavalent chromium in soils and sediments impacted by dispersed fly ash in Sarigliol basin (Northern Greece). Environmental Pollution, 2018, 235, 632-641.	7.5	46
68	Mechanism of SMP aggregation within the pores of hydrophilic and hydrophobic MBR membranes and aggregates detachment. Separation and Purification Technology, 2018, 202, 119-129.	7.9	41
69	Chemical toxicity and ecotoxicity evaluation of tannery sludge stabilized with ladle furnace slag. Journal of Environmental Management, 2018, 216, 257-262.	7.8	30
70	Continuous flow process of Cr(VI) removal from drinking water through reduction onto FeOOH by inorganic sulfur reductants. Water Science and Technology: Water Supply, 2018, 18, 737-744.	2.1	5
71	Hydraulic performance and fouling characteristics of a membrane sequencing batch reactor (MSBR) for landfill leachate treatment under various operating conditions. Environmental Science and Pollution Research, 2018, 25, 12274-12283.	5.3	6
72	Reductive precipitation and removal of Cr(VI) from groundwaters by pipe flocculation-microfiltration. Environmental Science and Pollution Research, 2018, 25, 12256-12262.	5.3	35

#	ARTICLE	IF	CITATIONS
73	Impact of O ₃ or O ₃ /H ₂ O ₂ treatment via a membrane contacting system on the composition and characteristics of the natural organic matter of surface waters. <i>Environmental Science and Pollution Research</i> , 2018, 25, 12246-12255.	5.3	10
74	Heterogeneous Catalytic Ozonation of p-Chlorobenzoic Acid in Aqueous Solution by FeMnOOH and PET. <i>Separations</i> , 2018, 5, 42.	2.4	6
75	Removal of Antimony Species, Sb(III)/Sb(V), from Water by Using Iron Coagulants. <i>Water (Switzerland)</i> , 2018, 10, 1328.	2.7	24
76	Performance Evaluation of Small Sized Powdered Ferric Hydroxide as Arsenic Adsorbent. <i>Water (Switzerland)</i> , 2018, 10, 957.	2.7	37
77	Stabilization of Cr-rich tannery waste in fly ash matrices. <i>Waste Management and Research</i> , 2018, 36, 818-826.	3.9	6
78	Cultivation, characterization, and properties of <i>Chlorella vulgaris</i> microalgae with different lipid contents and effect on fast pyrolysis oil composition. <i>Environmental Science and Pollution Research</i> , 2018, 25, 23018-23032.	5.3	44
79	Application of a ceramic membrane contacting process for ozone and peroxone treatment of micropollutant contaminated surface water. <i>Journal of Hazardous Materials</i> , 2018, 358, 129-135.	12.4	34
80	“Cycle closure” in waste management: tools, procedures and examples. <i>Global Nest Journal</i> , 2018, 21, 1-6.	0.1	6
81	Wastewater Treatment in Membrane Bioreactors: The Use of Polyelectrolytes to Control Membrane Fouling. <i>Environmental Processes</i> , 2017, 4, 9-21.	3.5	6
82	Fouling control in a lab-scale MBR system: Comparison of several commercially applied coagulants. <i>Journal of Environmental Management</i> , 2017, 203, 838-846.	7.8	33
83	Batch and continuous dosing of conventional and composite coagulation agents for fouling control in a pilot-scale MBR. <i>Chemical Engineering Journal</i> , 2017, 311, 255-264.	12.7	33
84	Stabilization of tannery sludge by co-treatment with aluminum anodizing sludge and phytotoxicity of end-products. <i>Waste Management</i> , 2017, 61, 327-336.	7.4	19
85	Techno-economic evaluation of tetravalent manganese ferrioxalate for Hg uptake from flue gases in a fixed-bed adsorption configuration. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 2077-2082.	6.7	9
86	Origin of hexavalent chromium in groundwater: The example of Sarigkiol Basin, Northern Greece. <i>Science of the Total Environment</i> , 2017, 593-594, 552-566.	8.0	70
87	Application of powdered activated carbon (PAC) for membrane fouling control in a pilot-scale MBR system. <i>Water Science and Technology</i> , 2017, 75, 2350-2357.	2.5	13
88	Production of demineralized water for use in thermal power stations by advanced treatment of secondary wastewater effluent. <i>Journal of Environmental Management</i> , 2017, 190, 132-139.	7.8	26
89	Effects of ozonation pretreatment on natural organic matter and wastewater derived organic matter “ Possible implications on the formation of ozonation by-products. <i>Chemosphere</i> , 2017, 170, 33-40.	8.2	37
90	Reflectance Spectroscopy (Vis-NIR) for Assessing Soil Heavy Metals Concentrations Determined by two Different Analytical Protocols, Based on ISO 11466 and ISO 14869-1. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	2.4	15

#	ARTICLE	IF	CITATIONS
91	The use of Sn(II) oxy-hydroxides for the effective removal of Cr(VI) from water: Optimization of synthesis parameters. <i>Science of the Total Environment</i> , 2017, 605-606, 190-198.	8.0	25
92	Vitrification of incinerated tannery sludge in silicate matrices for chromium stabilization. <i>Waste Management</i> , 2017, 59, 237-246.	7.4	32
93	Efficiency of Iron-Based Oxy-Hydroxides in Removing Antimony from Groundwater to Levels below the Drinking Water Regulation Limits. <i>Sustainability</i> , 2017, 9, 238.	3.2	20
94	Use of Novel Composite Coagulants for Arsenic Removal from Waters – Experimental Insight for the Application of Polyferric Sulfate (PFS). <i>Sustainability</i> , 2017, 9, 590.	3.2	20
95	Effect of Organic Matter on Cr(VI) Removal from Groundwaters by Fe(II) Reductive Precipitation for Groundwater Treatment. <i>Water (Switzerland)</i> , 2017, 9, 389.	2.7	17
96	ROLE OF EXTRACELLULAR POLYMERIC SUBSTANCES ON TWO BIOLOGICAL REACTORS PERFORMANCE TREATING PHENOL. <i>Environmental Engineering and Management Journal</i> , 2017, 16, 1843-1852.	0.6	0
97	Rapid small-scale column tests for Cr(VI) removal by granular magnetite. <i>Water Science and Technology: Water Supply</i> , 2016, 16, 525-532.	2.1	12
98	Phosphate Removal from Effluent of Secondary Wastewater Treatment: Characterization of Recovered Precipitates and Potential Re-use as Fertilizer. <i>Waste and Biomass Valorization</i> , 2016, 7, 851-860.	3.4	9
99	Ozone Mass Transfer Studies in a Hydrophobized Ceramic Membrane Contactor: Experiments and Analysis. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 7587-7597.	3.7	28
100	Pilot-Scale Phosphate Recovery from Secondary Wastewater Effluents. <i>Environmental Processes</i> , 2016, 3, 5-22.	3.5	25
101	Influence of the background water matrix on the hybrid ceramic MF/O ₃ system and correlation between pollutants rejection and membrane fouling. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 958-966.	3.2	1
102	Effect of climate change in WWTPs with a focus on MBR infrastructure. <i>Desalination and Water Treatment</i> , 2016, 57, 2344-2354.	1.0	17
103	Novel Water Treatment Processes Based on Hybrid Membrane-Ozonation Systems: A Novel Ceramic Membrane Contactor for Bubbleless Ozonation of Emerging Micropollutants. <i>Journal of Chemistry</i> , 2015, 2015, 1-12.	1.9	27
104	Removal of Toxic Materials from Aqueous Streams. , 2015, , 443-473.		3
105	WATERLOSS project: developing from theory to practice an integrated approach towards NRW reduction in urban water systems. <i>Desalination and Water Treatment</i> , 2015, 54, 2147-2157.	1.0	19
106	The use of steelmaking slag for sewage sludge stabilization. <i>Desalination and Water Treatment</i> , 2015, 55, 1697-1702.	1.0	9
107	Is the Coagulation-Filtration Process with Fe(III) Efficient for As(III) Removal from Groundwaters?. <i>Separation Science and Technology</i> , 2015, 50, 1587-1592.	2.5	11
108	Synthesis and coagulation performance of composite poly-aluminum-ferric-silicate-chloride coagulants in water and wastewater. <i>Desalination and Water Treatment</i> , 2015, 53, 3309-3318.	1.0	24

#	ARTICLE	IF	CITATIONS
109	Potential application of inorganic sulfur reductants for Cr(VI) removal at sub-ppb level. <i>Desalination and Water Treatment</i> , 2015, 54, 2067-2074.	1.0	11
110	Development of bubble-less ozonation and membrane filtration process for the treatment of contaminated water. <i>Journal of Membrane Science</i> , 2015, 492, 40-47.	8.2	37
111	Enhanced U(VI) removal from drinking water by nanostructured binary Fe/Mn oxy-hydroxides. <i>Journal of Water Process Engineering</i> , 2015, 7, 227-236.	5.6	22
112	1st EWaS-MED International Conference on Improving Efficiency of Water Systems in a Changing Natural and Financial Environment 11â€™13 April 2013, Thessaloniki, Greece. <i>Desalination and Water Treatment</i> , 2015, 54, 2057-2058.	1.0	0
113	Enhanced As(III) oxidation and removal by combined use of zero valent iron and hydrogen peroxide in aerated waters at neutral pH values. <i>Journal of Hazardous Materials</i> , 2015, 297, 1-7.	12.4	49
114	Effect of Climate Change in Wastewater Treatment Plants: Reviewing the Problems and Solutions. <i>Springer Water</i> , 2015, , 197-220.	0.3	15
115	Application of Zero Liquid Discharge Water Treatment Units for Wastewater Reclamation: Possible Application in Marine Ports. , 2015, , 39-45.		3
116	Arsenic occurrence in Europe: emphasis in Greece and description of the applied full-scale treatment plants. <i>Desalination and Water Treatment</i> , 2015, 54, 2100-2107.	1.0	69
117	Utilization of Phosphogypsum in Tannery Sludge Stabilization and Evaluation of the Radiological Impact. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2015, 94, 352-357.	2.7	17
118	Mercury removal from drinking water by single iron and binary iron-manganese oxyhydroxides. <i>Desalination and Water Treatment</i> , 2015, 54, 2082-2090.	1.0	16
119	Water Pipe Networks Performance Assessment: Benchmarking Eight Cases Across the EU Mediterranean Basin. <i>Water Quality, Exposure, and Health</i> , 2015, 7, 99-108.	1.5	15
120	Basic Principles of a DSS Tool Developed to Prioritize NRW Reduction Measures in Water Pipe Networks. <i>Water Quality, Exposure, and Health</i> , 2015, 7, 39-51.	1.5	16
121	Incineration of tannery sludge under oxic and anoxic conditions: Study of chromium speciation. <i>Journal of Hazardous Materials</i> , 2015, 283, 672-679.	12.4	92
122	Occurrence of Cr(VI) in drinking water of Greece and relation to the geological background. <i>Journal of Hazardous Materials</i> , 2015, 281, 2-11.	12.4	104
123	Geochemistry of Arsenic and Toxic Response. , 2015, , 96-129.		0
124	The Incorporation of Ceramic Membranes in MBR Systems for Wastewater Treatment: Advantages and Patented New Developments. <i>Recent Patents on Engineering</i> , 2014, 8, 24-32.	0.4	16
125	Fouling Issues in Membrane Bioreactors (MBRs) for Wastewater Treatment: Major Mechanisms, Prevention and Control Strategies. <i>Processes</i> , 2014, 2, 795-866.	2.8	90
126	Hybrid membrane processes for the treatment of surface water and mitigation of membrane fouling. <i>Separation and Purification Technology</i> , 2014, 137, 43-52.	7.9	25

#	ARTICLE	IF	CITATIONS
127	Hybrid ozonation-microfiltration system for the treatment of surface water using ceramic membrane. <i>Journal of Membrane Science</i> , 2014, 468, 163-171.	8.2	40
128	Review of Recent Patents on Coagulation / Flocculation (C/F) Process: Methods and Applications with Emphasis on Phosphates Removal. <i>Recent Patents on Materials Science</i> , 2014, 7, 151-163.	0.5	3
129	Comparative study of As(V) removal by ferric coagulation and oxy-hydroxides adsorption: laboratory and full-scale case studies. <i>Desalination and Water Treatment</i> , 2013, 51, 2872-2880.	1.0	32
130	Removal of uranium from contaminated drinking water: a mini review of available treatment methods. <i>Desalination and Water Treatment</i> , 2013, 51, 2915-2925.	1.0	90
131	NanoMembraneWater: development of innovative hybrid processes for contaminated water treatment using nanoporous membranes. <i>Desalination and Water Treatment</i> , 2013, 51, 4938-4946.	1.0	4
132	Protozoans as indicators of sequential batch processes for phenol treatment; an autoecological approach. <i>Ecotoxicology and Environmental Safety</i> , 2013, 98, 210-218.	6.0	10
133	A new set of water losses-related performance indicators focused on areas facing water scarcity conditions. <i>Desalination and Water Treatment</i> , 2013, 51, 2994-3010.	1.0	31
134	Indicators and options towards sustainability in industrial areas. <i>International Journal of Innovation and Sustainable Development</i> , 2013, 7, 215.	0.4	3
135	Assessing the performance of urban water networks across the EU Mediterranean area: The paradox of high NRW levels and absence of respective reduction measures. <i>Water Science and Technology: Water Supply</i> , 2013, 13, 939-950.	2.1	23
136	Artificial destratification of Dipotamos reservoir in Northern Greece by low energy air injection. <i>Water Science and Technology: Water Supply</i> , 2013, 13, 1046-1055.	2.1	1
137	The use of a submerged membrane batch reactor (S.M.B.R) for co-treatment of landfill leachates and domestic wastewater. <i>Desalination and Water Treatment</i> , 2012, 39, 284-290.	1.0	6
138	Evaluation of the treatment efficiency of the central treatment unit (CTU) of the industrial area of Larisa(Greece). <i>Desalination and Water Treatment</i> , 2012, 39, 248-255.	1.0	0
139	Cadmium ion removal by electroflotation onto sewage sludge biomass. <i>International Journal of Environment and Waste Management</i> , 2012, 9, 245.	0.3	7
140	Synthesis, characterization and coagulation behavior of a composite coagulation reagent by the combination of polyferric sulfate (PFS) and cationic polyelectrolyte. <i>Separation and Purification Technology</i> , 2012, 96, 263-273.	7.9	28
141	Preparation, characterisation and application of novel composite coagulants for surface water treatment. <i>Water Research</i> , 2011, 45, 3614-3626.	11.3	44
142	Advances in coagulation/flocculation field: Al- and Fe-based composite coagulation reagents. <i>Desalination and Water Treatment</i> , 2011, 33, 140-146.	1.0	11
143	2nd International Conference on Environmental Management, Engineering, Planning and Economics (CEMEPE). <i>Desalination and Water Treatment</i> , 2011, 33, 1-2.	1.0	2
144	Effects of influent composition on activated sludge protozoa. <i>Desalination and Water Treatment</i> , 2011, 33, 132-139.	1.0	2

#	ARTICLE	IF	CITATIONS
145	Hydrophobicity in biosorptive flotation for metal ion removal. <i>International Journal of Environmental Technology and Management</i> , 2010, 12, 192.	0.2	5
146	A CFD-based simulation study of a large scale flocculation tank for potable water treatment. <i>Chemical Engineering Journal</i> , 2010, 162, 208-216.	12.7	34
147	Alternative cost-effective preparation method of polyaluminium chloride (PAC) coagulant agent: Characterization and comparative application for water/wastewater treatment. <i>Desalination</i> , 2010, 250, 339-344.	8.2	51
148	Novel inorganic-organic composite coagulants based on aluminium. <i>Desalination and Water Treatment</i> , 2010, 13, 340-347.	1.0	25
149	AQUA 2008 International Conference on Water Science and Technology Integrated Water Resources Management. <i>Desalination and Water Treatment</i> , 2010, 13, 274-274.	1.0	0
150	Removal of Copper From Synthetic Wastewaters by the Hybrid Coagulation-Microfiltration Process. <i>Separation Science and Technology</i> , 2010, 45, 1658-1666.	2.5	5
151	Theoretical assessment of phosphate amendments for stabilization of (Pb+Zn) in polluted soil. <i>Waste Management</i> , 2009, 29, 1779-1784.	7.4	28
152	Polyaluminium silicate chloride—A systematic study for the preparation and application of an efficient coagulant for water or wastewater treatment. <i>Journal of Hazardous Materials</i> , 2009, 162, 1379-1389.	12.4	64
153	A systematic study for the characterization of a novel coagulant (polyaluminium silicate chloride). <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009, 342, 30-39.	4.7	68
154	Treatment performance variation at different depths within vertical subsurface-flow experimental wetlands fed with simulated domestic sewage. <i>Desalination</i> , 2009, 237, 367-377.	8.2	18
155	A hybrid flotation-microfiltration cell for effluent treatment. <i>Desalination</i> , 2009, 248, 881-890.	8.2	11
156	Biosorptive flotation for metal ions removal: the influence of surface tension. <i>Desalination</i> , 2009, 248, 740-752.	8.2	11
157	Characterization and Application of Novel Coagulant Reagent (Polyaluminium Silicate Chloride) for the Post-Treatment of Landfill Leachates. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2009, , 247-252.	0.2	1
158	A new inorganic-organic composite coagulant, consisting of Polyferric Sulphate (PFS) and Polyacrylamide (PAA). <i>Water Research</i> , 2009, 43, 3511-3524.	11.3	143
159	Toxicological and ecotoxic impact of secondary and tertiary treated sewage effluents. <i>Water Research</i> , 2009, 43, 5063-5074.	11.3	30
160	Bioremoval of toxic metals from aqueous mixtures and recovery of biomass by dispersed-air flotation. <i>International Journal of Environmental Engineering</i> , 2009, 1, 208.	0.1	0
161	Characterisation and treatment of leachates from the municipal sanitary landfill of Thessaloniki, Greece. <i>International Journal of Environment and Waste Management</i> , 2009, 4, 385.	0.3	4
162	A CFD methodology for the design of sedimentation tanks in potable water treatment. <i>Chemical Engineering Journal</i> , 2008, 140, 110-121.	12.7	105

#	ARTICLE	IF	CITATIONS
163	A study on the properties and coagulation behaviour of modified inorganic polymeric coagulant—Polyferric silicate sulphate (PFSiS). Separation and Purification Technology, 2008, 63, 475-483.	7.9	94
164	Investigation of sewage sludge stabilization potential by the addition of fly ash and lime. Journal of Hazardous Materials, 2008, 154, 1052-1059.	12.4	117
165	Polyferric sulphate: Preparation, characterisation and application in coagulation experiments. Journal of Hazardous Materials, 2008, 155, 459-468.	12.4	120
166	Application of a membrane sequencing batch reactor for landfill leachate treatment. Desalination, 2008, 221, 483-493.	8.2	72
167	Performance of VSEP vibratory membrane filtration system during the treatment of landfill leachates. Desalination, 2008, 222, 165-175.	8.2	28
168	Polyferric silicate sulphate (PFSiS): Preparation, characterisation and coagulation behaviour. Desalination, 2008, 224, 307-316.	8.2	72
169	Comparison of Efficiency between Poly—aluminium Chloride and Aluminium Sulphate Coagulants during Full—scale Experiments in a Drinking Water Treatment Plant. Separation Science and Technology, 2008, 43, 1507-1519.	2.5	37
170	The effect of influent temperature variations in a sedimentation tank for potable water treatment—A computational fluid dynamics study. Water Research, 2008, 42, 3405-3414.	11.3	43
171	Influence of ozonation on the in vitro mutagenic and toxic potential of secondary effluents. Water Research, 2008, 42, 4929-4940.	11.3	75
172	Evaluation of leaching and ecotoxicological properties of sewage sludge—fly ash mixtures. Environmental Research, 2008, 106, 340-348.	7.5	28
173	The application of novel coagulant reagent (polyaluminium silicate chloride) for the post-treatment of landfill leachates. Chemosphere, 2008, 73, 729-736.	8.2	30
174	The process of flotation: an efficient solid/liquid separation technique for biological materials. International Journal of Environment and Pollution, 2008, 32, 29.	0.2	4
175	Metal ions biosorption from dilute aqueous solution. International Journal of Environment and Pollution, 2008, 34, 231.	0.2	3
176	The application of flotation for the downstream separation of metal-loaded microorganisms. International Journal of Environment and Pollution, 2007, 30, 287.	0.2	2
177	Potential Ozone Applications for Water/Wastewater Treatment. Separation Science and Technology, 2007, 42, 1433-1446.	2.5	18
178	Comparable Evaluation of Iron—based Coagulants for the Treatment of Surface Water and of Contaminated Tap Water. Separation Science and Technology, 2007, 42, 803-817.	2.5	13
179	Comparison of single and dual media filtration in a full-scale drinking water treatment plant. Desalination, 2007, 213, 334-342.	8.2	48
180	Lead and bromide precipitation from aqueous acidic solutions. Potential exploitation in industrial applications. Desalination, 2007, 211, 272-285.	8.2	9

#	ARTICLE	IF	CITATIONS
181	Performance of pilot-scale vertical-flow constructed wetlands, as affected by season, substrate, hydraulic load and frequency of application of simulated urban sewage. <i>Ecological Engineering</i> , 2007, 31, 57-66.	3.6	112
182	EAFD-loaded vitreous and glass-ceramic materials. <i>Journal of the European Ceramic Society</i> , 2007, 27, 2317-2323.	5.7	17
183	Removal of arsenic compounds from waste water by chemisorption filtration. <i>Theoretical Foundations of Chemical Engineering</i> , 2007, 41, 772-779.	0.7	6
184	Removal of arsenic compounds by chemisorption filtration. <i>Journal of Mining Science</i> , 2007, 43, 212-220.	0.6	9
185	Comparative Evaluation of Conventional and Alternative Methods for the Removal of Arsenic from Contaminated Groundwaters. <i>Reviews on Environmental Health</i> , 2006, 21, 25-41.	2.4	37
186	Reply to "Comment on the Removal Mechanism of Hexavalent Chromium by Biomaterials or Biomaterials-Based Activated Carbons" (Comment on "Diffusion Kinetic Study of Chromium(VI) Tj ETQq0 0 0.rgBT /Overlock 10 Tf 2408-2408.	3.7	0
187	Appropriate combination of physico-chemical methods (coagulation/flocculation and ozonation) for the efficient treatment of landfill leachates. <i>Chemosphere</i> , 2006, 62, 722-730.	8.2	124
188	Persistent organic pollutants (POPs) in the conventional activated sludge treatment process: Model predictions against experimental values. <i>Chemosphere</i> , 2006, 65, 1634-1641.	8.2	38
189	The effect of coagulation on the toxicity and mutagenicity of reclaimed municipal effluents. <i>Chemosphere</i> , 2006, 65, 1007-1018.	8.2	22
190	Use of Iron- and Manganese-Oxidizing Bacteria for the Combined Removal of Iron, Manganese and Arsenic from Contaminated Groundwater. <i>Water Quality Research Journal of Canada</i> , 2006, 41, 117-129.	2.7	59
191	Ecotoxicological properties of wastewater treated using tertiary methods. <i>Environmental Toxicology</i> , 2006, 21, 417-424.	4.0	36
192	Wastewater reclamation by advanced treatment of secondary effluents. <i>Desalination</i> , 2006, 195, 109-118.	8.2	84
193	Removal of phosphates by pilot vertical-flow constructed wetlands using a mixture of sand and dolomite as substrate. <i>Ecological Engineering</i> , 2006, 26, 293-303.	3.6	177
194	Effective treatment and recovery of laurionite-type lead from toxic industrial solid wastes. <i>Separation and Purification Technology</i> , 2006, 48, 50-61.	7.9	12
195	Selective removal of lead and bromide from a hazardous industrial solid waste using Limited Acid Demand and Separation Factor at ambient conditions. <i>Journal of Hazardous Materials</i> , 2006, 131, 46-58.	12.4	9
196	Vibratory shear enhanced processing membrane filtration applied for the removal of natural organic matter from surface waters. <i>Journal of Membrane Science</i> , 2006, 269, 1-14.	8.2	53
197	The Determination of Contaminant Release from the PBO-Fe ₂ O ₃ -SiO ₂ -Na ₂ O Vitrification System, Using Industrial Solid Waste or Artificial Mixtures. <i>Water, Air, and Soil Pollution</i> , 2006, 176, 201-216.	2.4	0
198	Synthesis, characterisation and application in coagulation experiments of polyferric sulphate. <i>WIT Transactions on Ecology and the Environment</i> , 2006, , .	0.0	2

#	ARTICLE	IF	CITATIONS
199	A hybrid flotation-microfiltration process for metal ions recovery. <i>Journal of Membrane Science</i> , 2005, 247, 29-35.	8.2	39
200	Removal of zinc from dilute aqueous solutions by galvanochemical treatment. <i>Journal of Chemical Technology and Biotechnology</i> , 2005, 80, 553-564.	3.2	3
201	Comparable evaluation of various commercially available aluminium-based coagulants for the treatment of surface water and for the post-treatment of urban wastewater. <i>Journal of Chemical Technology and Biotechnology</i> , 2005, 80, 1136-1147.	3.2	31
202	In situ stabilization of toxic metals in polluted soils using phosphates: theoretical prediction and experimental verification. <i>Journal of Hazardous Materials</i> , 2005, 117, 41-53.	12.4	170
203	Sorption of Arsenic Oxyanions from Aqueous Solution on Goethite: a Study of Process Modelling. <i>Mikrochimica Acta</i> , 2005, 151, 269-275.	5.0	14
204	Hazardous industrial waste stabilization using inorganic phosphates: Investigation of possible mechanisms. <i>Pure and Applied Chemistry</i> , 2005, 77, 1737-1752.	1.9	5
205	Cadmium(II) Biosorption by <i>Aeromonas caviae</i> : Kinetic Modeling. <i>Separation Science and Technology</i> , 2005, 40, 1293-1311.	2.5	19
206	Application of Flotation for the Separation of Metal-Loaded Resins#. <i>Separation Science and Technology</i> , 2005, 40, 861-876.	2.5	9
207	Recent advances in the bioremediation of arsenic-contaminated groundwaters. <i>Environment International</i> , 2005, 31, 213-219.	10.0	102
208	Biosorption of toxic metals from aqueous solutions by bacteria strains isolated from metal-polluted soils. <i>Process Biochemistry</i> , 2004, 39, 909-916.	3.7	402
209	Diffusion kinetic study of cadmium(II) biosorption by <i>Aeromonas caviae</i> . <i>Journal of Chemical Technology and Biotechnology</i> , 2004, 79, 711-719.	3.2	44
210	The application of sorptive flotation for the removal of metal ions. <i>Desalination</i> , 2004, 162, 159-168.	8.2	50
211	The application of bioflocculant for the removal of humic acids from stabilized landfill leachates. <i>Journal of Environmental Management</i> , 2004, 70, 35-41.	7.8	134
212	Equilibrium and kinetic modeling of chromium(VI) biosorption by <i>Aeromonas caviae</i> . <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 242, 93-104.	4.7	234
213	Diffusion Kinetic Study of Chromium(VI) Biosorption by <i>Aeromonas caviae</i> . <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 1748-1755.	3.7	46
214	Kinetics of Bacterial As(III) Oxidation and Subsequent As(V) Removal by Sorption onto Biogenic Manganese Oxides during Groundwater Treatment. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 486-493.	3.7	95
215	The fate of lindane in the conventional activated sludge treatment process. <i>Chemosphere</i> , 2004, 55, 81-91.	8.2	19
216	Application of flotation for the separation of metal-loaded zeolites. <i>Chemosphere</i> , 2004, 55, 65-72.	8.2	42

#	ARTICLE	IF	CITATIONS
217	Sonochemical decomposition of natural polyphenolic compound (condensed tannin). <i>Chemosphere</i> , 2004, 56, 981-987.	8.2	32
218	Application of biological processes for the removal of arsenic from groundwaters. <i>Water Research</i> , 2004, 38, 17-26.	11.3	331
219	Biological treatment of Mn(II) and Fe(II) containing groundwater: kinetic considerations and product characterization. <i>Water Research</i> , 2004, 38, 1922-1932.	11.3	219
220	Development and study of iron-based nanoadsorbents. <i>Journal of Mining and Metallurgy, Section B: Metallurgy</i> , 2004, 40, 1-9.	0.8	6
221	Heavy Metals Removal by Biosorption and Flotation. <i>Water, Air and Soil Pollution</i> , 2003, 3, 143-151.	0.8	21
222	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 2003, 147, 367-388.	2.4	16
223	Metal Ion Extraction by Microorganism Biomass and Sorption Flotation. <i>Journal of Mining Science</i> , 2003, 39, 78-86.	0.6	1
224	Removal of As(V) Ions from Solution by Akaganeite bgr-FeO(OH) Nanocrystals. <i>Journal of Mining Science</i> , 2003, 39, 287-296.	0.6	23
225	The use of biosurfactants in flotation: application for the removal of metal ions. <i>Minerals Engineering</i> , 2003, 16, 1231-1236.	4.3	81
226	Removal of humic acids by flotation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003, 231, 181-193.	4.7	49
227	Sorptive flotation for metal ions recovery. <i>International Journal of Mineral Processing</i> , 2003, 70, 99-108.	2.6	26
228	Detoxification of a highly toxic lead-loaded industrial solid waste by stabilization using apatites. <i>Journal of Hazardous Materials</i> , 2003, 97, 173-191.	12.4	44
229	Akaganeite and goethite-type nanocrystals: synthesis and characterization. <i>Microporous and Mesoporous Materials</i> , 2003, 59, 35-42.	4.4	72
230	Metal biosorption by PAN-immobilized fungal biomass in simulated wastewaters. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003, 212, 185-195.	4.7	44
231	Vitrification of lead-rich solid ashes from incineration of hazardous industrial wastes. <i>Waste Management</i> , 2003, 23, 361-371.	7.4	58
232	Sorption of As(V) ions by akaganeite-type nanocrystals. <i>Chemosphere</i> , 2003, 50, 155-163.	8.2	263
233	Coagulation-flocculation pretreatment of sanitary landfill leachates. <i>Chemosphere</i> , 2003, 53, 737-744.	8.2	370
234	Removal of As(V) from wastewaters by chemically modified fungal biomass. <i>Water Research</i> , 2003, 37, 4544-4552.	11.3	267

#	ARTICLE	IF	CITATIONS
235	Removal of Cr(VI), Mo(VI), and V(V) Ions from Single Metal Aqueous Solutions by Sorption or Nanofiltration. <i>Separation Science and Technology</i> , 2003, 38, 2201-2219.	2.5	73
236	Removal of Arsenic and Cadmium by Akaganeite Fixed-Beds. <i>Separation Science and Technology</i> , 2003, 38, 3967-3981.	2.5	39
237	REMOVAL OF ARSENATES FROM CONTAMINATED WATER BY COAGULATION-DIRECT FILTRATION. <i>Separation Science and Technology</i> , 2002, 37, 2859-2873.	2.5	101
238	Toxic metals removal from waste waters by upflow filtration with floating filter medium. I. The case of zinc. <i>Separation Science and Technology</i> , 2002, 37, 403-416.	2.5	33
239	As(III) removal from groundwaters using fixed-bed upflow bioreactors. <i>Chemosphere</i> , 2002, 47, 325-332.	8.2	123
240	Removal of arsenic from contaminated water sources by sorption onto iron-oxide-coated polymeric materials. <i>Water Research</i> , 2002, 36, 5141-5155.	11.3	398
241	A field investigation of the quantity and quality of leachate from a municipal solid waste landfill in a Mediterranean climate (Thessaloniki, Greece). <i>Journal of Environmental Management</i> , 2002, 6, 207-219.	1.7	263
242	Arsenic Removal Using Iron Oxide Loaded Alginate Beads. <i>Industrial & Engineering Chemistry Research</i> , 2002, 41, 6149-6155.	3.7	178
243	6. Metals loading on sorbents and their separation. , 2002, , 103-113.		1
244	Removal of toxic metal ions from aqueous systems by biosorptive flotation. <i>Journal of Chemical Technology and Biotechnology</i> , 2002, 77, 958-964.	3.2	50
245	A kinetic model describing cell growth and production of highly active, recombinant ice nucleation protein in <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2002, 78, 321-332.	3.3	8
246	FLOTATION TECHNIQUES IN WATER TECHNOLOGY FOR METALS RECOVERY: THE IMPACT OF SPECIATION. <i>Separation Science and Technology</i> , 2001, 36, 3777-3800.	2.5	18
247	REMOVAL OF METAL IONS FROM SIMULATED WASTEWATER BY SACCHAROMYCES YEAST BIOMASS: COMBINING BIOSORPTION AND FLOTATION PROCESSES. <i>Separation Science and Technology</i> , 2001, 36, 349-365.	2.5	35
248	Comparison of two biological treatment processes using attached-growth biomass for sanitary landfill leachate treatment. <i>Environmental Pollution</i> , 2001, 111, 273-281.	7.5	144
249	Modelling the sorption of metals from aqueous solutions on goethite fixed-beds. <i>Environmental Pollution</i> , 2001, 113, 121-128.	7.5	63
250	Enzymatic treatment of sanitary landfill leachate. <i>Chemosphere</i> , 2001, 44, 1103-1108.	8.2	32
251	Biosorptive flotation for metal ions recovery. <i>Water Science and Technology</i> , 2001, 43, 123-129.	2.5	39
252	Akaganeite-type γ -FeO(OH) nanocrystals: preparation and characterization. <i>Microporous and Mesoporous Materials</i> , 2001, 42, 49-57.	4.4	101

#	ARTICLE	IF	CITATIONS
253	Removal of Arsenic from Contaminated Dilute Aqueous Solutions Using Biosorptive Flotation. <i>Chemie-Ingenieur-Technik</i> , 2001, 73, 596-596.	0.8	3
254	Biosorptive flotation for metal ions recovery. <i>Water Science and Technology</i> , 2001, 43, 123-9.	2.5	1
255	Photocatalytic oxidation of Auramine O in the presence of semiconducting oxides. <i>Journal of Chemical Technology and Biotechnology</i> , 2000, 75, 205-212.	3.2	98
256	Treatment of oil-in-water emulsions by coagulation and dissolved-air flotation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2000, 172, 153-161.	4.7	247
257	Sorption of As(V) by Goethite Particles and Study of Their Flocculation. <i>Water, Air, and Soil Pollution</i> , 1999, 111, 297-316.	2.4	53
258	Removal of toxic metals from aqueous mixtures. Part 1: Biosorption. <i>Journal of Chemical Technology and Biotechnology</i> , 1999, 74, 429-436.	3.2	64
259	Modelling Sorption of Metals from Aqueous Solution onto Mineral Particles: The Case of Arsenic Ions and Goethite Ore. , 1999, , 463-472.		11
260	Goethite Mineral as a Sorbent for Heavy Metal Ions. , 1999, , 425-433.		3
261	Biosorption of cadmium ions by Actinomycetes and separation by flotation. <i>Environmental Pollution</i> , 1999, 104, 283-293.	7.5	122
262	Removal of metal ions from dilute aqueous solutions: A comparative study of inorganic sorbent materials. <i>Chemosphere</i> , 1999, 39, 881-892.	8.2	71
263	Calcium hydroxyapatites: evaluation of sorption properties for cadmium ions in aqueous solution. <i>Journal of Materials Science</i> , 1998, 33, 5433-5439.	3.7	45
264	Removal of pesticides from aqueous solutions by combined physicochemical processes—the behaviour of lindane. <i>Environmental Pollution</i> , 1998, 103, 193-202.	7.5	92
265	The removal and recovery of cadmium from dilute aqueous solutions by biosorption and electrolysis at laboratory scale. <i>Water Research</i> , 1998, 32, 400-406.	11.3	89
266	The Biosorption Process. , 1998, , 361-386.		3
267	Removal and Recovery of Metals from Dilute Solutions. , 1998, , 165-196.		11
268	Biosorption of Metals from Dilute Aqueous Solutions. <i>Separation and Purification Reviews</i> , 1997, 26, 255-295.	0.8	52
269	Removal of Heavy Metal Ions. , 1997, , 71-84.		0
270	Removal of metal ions from dilute solutions by sorptive flotation. <i>Critical Reviews in Environmental Science and Technology</i> , 1997, 27, 195-235.	12.8	57

#	ARTICLE	IF	CITATIONS
271	Removal of Cadmium from Dilute Solutions by Hydroxyapatite. II. Flotation Studies. Separation Science and Technology, 1997, 32, 1755-1767.	2.5	75
272	Removal of Cadmium from Dilute Solutions by Hydroxyapatite. III. Flocculation Studies. Separation Science and Technology, 1997, 32, 2127-2148.	2.5	6
273	Flotation removal of As(V) onto goethite. Environmental Pollution, 1997, 97, 239-245.	7.5	95
274	Separation of Tungstates from Aqueous Mixtures Containing Impurities (Arsenate, Phosphate and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 195-203.	3.2	9
275	Flotation of molybdate oxyanions from dilute solutions Part II. Selective separation from phosphates, arsenates and silicates. Hydrometallurgy, 1996, 43, 155-167.	4.3	14
276	Removal of Molybdate and Arsenate from Aqueous Solutions by Flotation. Separation Science and Technology, 1996, 31, 769-785.	2.5	53
277	Metal biosorption-flotation. Application to cadmium removal. Applied Microbiology and Biotechnology, 1996, 45, 569-573.	3.6	31
278	Flotation of molybdate oxyanions in dilute solutions. Part 1. Selective separation from arsenate. Hydrometallurgy, 1996, 43, 143-154.	4.3	15
279	Removal of Toxic Metals by Biosorption onto Nonliving Sewage Sludge. Separation Science and Technology, 1996, 31, 1075-1092.	2.5	47
280	Application of Flotation and/or Biosorption for the Removal of Toxic Metals From Dilute Aqueous Solutions " Groundwaters. , 1996, , 405-423.		0
281	Metal biosorption - flotation. Application to cadmium removal. Applied Microbiology and Biotechnology, 1996, 45, 569-573.	3.6	0
282	Metal biosorption-flotation. Application to cadmium removal. Applied Microbiology and Biotechnology, 1996, 45, 569-73.	3.6	22
283	Removal of cadmium from dilute solutions by flotation. Water Science and Technology, 1995, 31, 315.	2.5	26
284	Removal of cadmium from dilute solutions by flotation. Water Science and Technology, 1995, 31, 315-326.	2.5	18
285	Recovery of Co ²⁺ Ions from Aqueous Solutions by Froth Flotation. Part II. CoS Precipitation. Separation Science and Technology, 1995, 30, 263-284.	2.5	3
286	Removal Of Cadmium From Dilute Solutions By Hydroxyapatite. I. Sorption Studies. Separation Science and Technology, 1995, 30, 2963-2978.	2.5	57
287	Silver recovery from aqueous streams using ion flotation. Minerals Engineering, 1995, 8, 1477-1488.	4.3	33
288	Removal of hexavalent chromium anions from solutions by pyrite fines. Water Research, 1995, 29, 1755-1760.	11.3	138

#	ARTICLE	IF	CITATIONS
289	Removal of pesticides from surface waters by combined physicochemical processes. Part I: Dodine. Chemosphere, 1995, 30, 2307-2315.	8.2	16
290	Particulate Emission Control. Handbook of Environmental Chemistry, 1995, , 279-335.	0.4	1
291	Treatment of Strong Wastewaters by Fixed Bed Anaerobic Reactors with Organic Support. Water Science and Technology, 1994, 29, 257-263.	2.5	12
292	Recovery of Co ²⁺ Ions from Aqueous Solutions by Froth Flotation. Separation Science and Technology, 1994, 29, 867-886.	2.5	24
293	Biosorptive Flotation in Metal Ions Recovery. Separation Science and Technology, 1994, 29, 1055-1071.	2.5	25
294	Flotation of cadmium-loaded biomass. Biotechnology and Bioengineering, 1994, 44, 354-360.	3.3	57
295	Waste microbial biomass for cadmium ion removal: Application of flotation for downstream separation. Bioresource Technology, 1994, 49, 253-259.	9.6	40
296	Flotation of powdered activated carbon with adsorbed gold(I)-thiourea complex. Hydrometallurgy, 1994, 36, 39-51.	4.3	18
297	As(III) removal from aqueous solutions using non-stoichiometric coprecipitation with iron(III) sulphate and filtration or flotation. Environmental Pollution, 1994, 83, 283-289.	7.5	26
298	Powdered Activated Carbon Separation from Water by Foam Flotation. Separation Science and Technology, 1994, 29, 385-400.	2.5	48
299	Adsorption of gold-thiourea complex on Greek lignite. , 1994, , 547-559.		1
300	Recovery of gold from thiourea solutions by flotation. Hydrometallurgy, 1993, 34, 79-90.	4.3	13
301	Thermophilic anaerobic digestion of alcohol distillery wastewaters. Bioresource Technology, 1993, 43, 131-140.	9.6	74
302	Flotation as a bioseparation process for fungi removal. Biotechnology Letters, 1993, 7, 867-872.	0.5	13
303	Arsenic(III) and Arsenic(V) Removal from Solutions by Pyrite Fines. Separation Science and Technology, 1993, 28, 2449-2463.	2.5	81
304	Removal of metal ions from wastewaters. The case of nickel. Environmental Technology (United Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 1	2.2	24
305	Removal of Toxic Metal Ions from Solutions Using Industrial Solid Byproducts. Water Science and Technology, 1993, 27, 83-93.	2.5	41
306	Use of red mud for toxic metals removal: The case of nickel. Journal of Chemical Technology and Biotechnology, 1993, 58, 95-101.	3.2	75

#	ARTICLE	IF	CITATIONS
307	Adsorbing Flotation of Copper Hydroxo Precipitates by Pyrite Fines. Separation Science and Technology, 1992, 27, 2143-2155.	2.5	52
308	Flotation Techniques in Waste Water Treatment. , 1992, , 475-497.		17
309	Foam Flotation of Zeolites: Application for Zinc Ion Removal. Separation Science and Technology, 1991, 26, 355-365.	2.5	28
310	Ion flotation as a tool for speciation studies selective separation in the system Cr ³⁺ /Cr ⁶⁺ . Toxicological and Environmental Chemistry, 1991, 31, 539-547.	1.2	9
311	Foam flotation for fine particles removal from water: The example of zeolites. Toxicological and Environmental Chemistry, 1991, 31, 611-619.	1.2	6
312	Parameters influencing flotation in removal of metal ions. International Journal of Environmental Studies, 1990, 35, 183-196.	1.6	25
313	Electrolytic flotation of chromium from dilute solutions. Environmental Technology Letters, 1989, 10, 601-612.	0.4	19
314	Adsorption of fatty acids on fine mineral particles as a purification method of industrial wastewaters. Toxicological and Environmental Chemistry, 1989, 20-21, 425-435.	1.2	9
315	FLY ASH EMPLOYMENT IN CONDITIONING BIOLOGICAL SLUDGES FOR DEWATERING. , 1988, , 405-409.		2
316	Ion flotation in environmental technology. Chemosphere, 1987, 16, 623-631.	8.2	25
317	Separation of germanium and arsenic from solutions by flotation. International Journal of Mineral Processing, 1987, 21, 83-92.	2.6	31
318	Extraction and Flameless AAS Determination of Germanium in Lignite Fly Ash. Analytical Letters, 1985, 18, 2467-2475.	1.8	3
319	Comparative study on heterogeneous and homogeneous catalytic ozonation efficiency in micropollutants' removal. Journal of Water Supply: Research and Technology - AQUA, 0, , .	1.4	3
320	The use of a submerged membrane batch reactor (S.M.B.R) for co-treatment of landfill leachates and domestic wastewater. , 0, 39, 284-290.		0
321	Evaluation of several inorganic reductant/adsorbent materials for Cr(VI) removal by rapid small-scale column tests. , 0, 91, 293-299.		1
322	Methylmercury determination in sub-ppb level by cold vapor analysis: facts, mechanisms and optimization. , 0, , .		1