

David Atkinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7719321/publications.pdf>

Version: 2024-02-01

213
papers

5,805
citations

81900

39
h-index

106344

65
g-index

222
all docs

222
docs citations

222
times ranked

6866
citing authors

#	ARTICLE	IF	CITATIONS
1	Attenuation Correction Synthesis for Hybrid PET-MR Scanners: Application to Brain Studies. IEEE Transactions on Medical Imaging, 2014, 33, 2332-2341.	8.9	311
2	A study of the motion and deformation of the heart due to respiration. IEEE Transactions on Medical Imaging, 2002, 21, 1142-1150.	8.9	232
3	Motion corrected compressed sensing for free-breathing dynamic cardiac MRI. Magnetic Resonance in Medicine, 2013, 70, 504-516.	3.0	142
4	Microstructural Characterization of Normal and Malignant Human Prostate Tissue With Vascular, Extracellular, and Restricted Diffusion for Cytometry in Tumours Magnetic Resonance Imaging. Investigative Radiology, 2015, 50, 218-227.	6.2	137
5	Quantified terminal ileal motility during MR enterography as a potential biomarker of Crohn's disease activity: a preliminary study. European Radiology, 2012, 22, 2494-2501.	4.5	119
6	Computationally efficient vascular input function models for quantitative kinetic modelling using DCE-MRI. Physics in Medicine and Biology, 2008, 53, 1225-1239.	3.0	114
7	On modelling of anisotropic viscoelasticity for soft tissue simulation: Numerical solution and GPU execution. Medical Image Analysis, 2009, 13, 234-244.	11.6	109
8	Respiratory motion correction in dynamic MRI using robust data decomposition registration – Application to DCE-MRI. Medical Image Analysis, 2014, 18, 301-313.	11.6	109
9	Automatic compensation of motion artifacts in MRI. Magnetic Resonance in Medicine, 1999, 41, 163-170.	3.0	108
10	Dynamic MR Image Reconstruction – Separation From Undersampled (k_t)-Space via Low-Rank Plus Sparse Prior. IEEE Transactions on Medical Imaging, 2014, 33, 1689-1701.	8.9	106
11	Joint reconstruction of PET-MRI by exploiting structural similarity. Inverse Problems, 2015, 31, 015001.	2.0	106
12	Use of anisotropic modelling in electrical impedance tomography; Description of method and preliminary assessment of utility in imaging brain function in the adult human head. NeuroImage, 2008, 43, 258-268.	4.2	105
13	Sampling and reconstruction effects due to motion in diffusion-weighted interleaved echo planar imaging. Magnetic Resonance in Medicine, 2000, 44, 101-109.	3.0	101
14	Quantitative assessment of small bowel motility by nonrigid registration of dynamic MR images. Magnetic Resonance in Medicine, 2012, 68, 783-793.	3.0	97
15	Second-order motion-compensated spin echo diffusion tensor imaging of the human heart. Magnetic Resonance in Medicine, 2016, 75, 1669-1676.	3.0	90
16	Highly efficient nonrigid motion-corrected 3D whole-heart coronary vessel wall imaging. Magnetic Resonance in Medicine, 2017, 77, 1894-1908.	3.0	85
17	PET Reconstruction With an Anatomical MRI Prior Using Parallel Level Sets. IEEE Transactions on Medical Imaging, 2016, 35, 2189-2199.	8.9	82
18	Measurement of total pulmonary arterial compliance using invasive pressure monitoring and MR flow quantification during MR-guided cardiac catheterization. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 289, H1301-H1306.	3.2	77

#	ARTICLE	IF	CITATIONS
19	Cartesian SENSE and <i>k</i> -t SENSE reconstruction using commodity graphics hardware. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 463-468.	3.0	76
20	Practical PET Respiratory Motion Correction in Clinical PET/MR. <i>Journal of Nuclear Medicine</i> , 2015, 56, 890-896.	5.0	76
21	Global Small Bowel Motility: Assessment with Dynamic MR Imaging. <i>Radiology</i> , 2013, 269, 443-450.	7.3	75
22	Dual-Phase Cardiac Diffusion Tensor Imaging with Strain Correction. <i>PLoS ONE</i> , 2014, 9, e107159.	2.5	72
23	Accelerated motion corrected three-dimensional abdominal MRI using total variation regularized SENSE reconstruction. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1484-1498.	3.0	69
24	Cerebral Blood Flow and Cognitive Functioning in a Community-Based, Multi-Ethnic Cohort: The SABRE Study. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 279.	3.4	61
25	ISMRM Raw data format: A proposed standard for MRI raw datasets. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 411-421.	3.0	59
26	Separating fetal and maternal placenta circulations using multiparametric MRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 350-361.	3.0	59
27	Real-Time Reconstruction of Sensitivity Encoded Radial Magnetic Resonance Imaging Using a Graphics Processing Unit. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1974-1985.	8.9	55
28	Machine learning classifiers can predict Gleason pattern 4 prostate cancer with greater accuracy than experienced radiologists. <i>European Radiology</i> , 2019, 29, 4754-4764.	4.5	55
29	Spin echo versus stimulated echo diffusion tensor imaging of the in vivo human heart. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 862-872.	3.0	53
30	Nonlinear phase correction of navigated multi-coil diffusion images. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 1135-1139.	3.0	52
31	VERDICT MRI for Prostate Cancer: Intracellular Volume Fraction versus Apparent Diffusion Coefficient. <i>Radiology</i> , 2019, 291, 391-397.	7.3	52
32	Rapid Flow Assessment of Congenital Heart Disease with High-Spatiotemporal-Resolution Gated Spiral Phase-Contrast MR Imaging. <i>Radiology</i> , 2011, 260, 79-87.	7.3	49
33	Comparative quantitative assessment of global small bowel motility using magnetic resonance imaging in chronic intestinal pseudo-obstruction and healthy controls. <i>Neurogastroenterology and Motility</i> , 2016, 28, 376-383.	3.0	49
34	Colonic response to laxative ingestion as assessed by <i>s</i> MRI differs in constipated irritable bowel syndrome compared to functional constipation. <i>Neurogastroenterology and Motility</i> , 2016, 28, 861-870.	3.0	49
35	Estimation of an image derived input function with MR-defined carotid arteries in FDG-PET human studies using a novel partial volume correction method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 1398-1409.	4.3	48
36	Assessing vascular response to exercise using a combination of real-time spiral phase contrast MR and noninvasive blood pressure measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 997-1003.	3.4	47

#	ARTICLE	IF	CITATIONS
37	3D undersampled goldenâ€radial phase encoding for DCEâ€MRA using inherently regularized iterative SENSE. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 514-526.	3.0	47
38	Automatic segmentation propagation of the aorta in realâ€time phase contrast MRI using nonrigid registration. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 232-238.	3.4	43
39	Quantified Terminal Ileal Motility during MR Enterography as a Biomarker of Crohn Disease Activity: Prospective Multi-Institution Study. <i>Radiology</i> , 2018, 289, 428-435.	7.3	42
40	Dual registration of abdominal motion for motility assessment in free-breathing data sets acquired using dynamic MRI. <i>Physics in Medicine and Biology</i> , 2014, 59, 4603-4619.	3.0	41
41	Maximum-Likelihood Joint Image Reconstruction/Motion Estimation in Attenuation-Corrected Respiratory Gated PET/CT Using a Single Attenuation Map. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 217-228.	8.9	41
42	Modelling of electroabsorption in coupled quantum wells with applications to low voltage optical modulation. <i>Semiconductor Science and Technology</i> , 1990, 5, 516-524.	2.0	40
43	Logistic regression model for diagnosis of transition zone prostate cancer on multi-parametric MRI. <i>European Radiology</i> , 2015, 25, 523-532.	4.5	40
44	INNOVATE: A prospective cohort study combining serum and urinary biomarkers with novel diffusion-weighted magnetic resonance imaging for the prediction and characterization of prostate cancer. <i>BMC Cancer</i> , 2016, 16, 816.	2.6	40
45	NiftyPET: a High-throughput Software Platform for High Quantitative Accuracy and Precision PET Imaging and Analysis. <i>Neuroinformatics</i> , 2018, 16, 95-115.	2.8	40
46	Allâ€solidâ€state subpicosecond passively mode locked erbiumâ€doped fiber laser. <i>Applied Physics Letters</i> , 1993, 63, 4-6.	3.3	39
47	3-D freehand echocardiography for automatic left ventricle reconstruction and analysis based on multiple acoustic windows. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 1051-1058.	8.9	36
48	Modelâ€based reconstruction for cardiac cine MRI without ECG or breath holding. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1247-1257.	3.0	36
49	A diffusion-based quantification technique for assessment of sacroiliitis in adolescents with enthesitis-related arthritis. <i>British Journal of Radiology</i> , 2016, 89, 20150775.	2.2	36
50	Manifold learning based ECGâ€free freeâ€breathing cardiac CINE MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1521-1527.	3.4	35
51	Multi-contrast attenuation map synthesis for PET/MR scanners: assessment on FDG and Florbetapir PET tracers. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1447-1458.	6.4	35
52	Diffusion-weighted imaging for evaluating inflammatory activity in Crohnâ€TM's disease: comparison with histopathology, conventional MRI activity scores, and faecal calprotectin. <i>Abdominal Radiology</i> , 2017, 42, 115-123.	2.1	35
53	SIRF: Synergistic Image Reconstruction Framework. <i>Computer Physics Communications</i> , 2020, 249, 107087.	7.5	35
54	Passively mode-locked Er/sup 3+/ fiber laser using a semiconductor nonlinear mirror. <i>IEEE Photonics Technology Letters</i> , 1993, 5, 35-37.	2.5	34

#	ARTICLE	IF	CITATIONS
55	Bayesian estimation of pharmacokinetic parameters for DCE-MRI with a robust treatment of enhancement onset time. <i>Physics in Medicine and Biology</i> , 2007, 52, 2393-2408.	3.0	34
56	Small bowel strictures in Crohn's disease: a quantitative investigation of intestinal motility using ^{MR} enterography. <i>Neurogastroenterology and Motility</i> , 2013, 25, 967.	3.0	33
57	Direct parametric reconstruction from undersampled (k, t)-space data in dynamic contrast enhanced MRI. <i>Medical Image Analysis</i> , 2014, 18, 989-1001.	11.6	33
58	MR Imagingâ€“Guided Partial Volume Correction of PET Data in PET/MR Imaging. <i>PET Clinics</i> , 2016, 11, 161-177.	3.0	32
59	Artificial Intelligence Compared to Radiologists for the Initial Diagnosis of Prostate Cancer on Magnetic Resonance Imaging: A Systematic Review and Recommendations for Future Studies. <i>Cancers</i> , 2021, 13, 3318.	3.7	32
60	Reconstruction after rotational motion. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 183-187.	3.0	31
61	Coil-based artifact reduction. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 825-830.	3.0	31
62	Low frequency oscillating gradient spin-echo sequences improve sensitivity to axon diameter: An experimental study in viable nerve tissue. <i>NeuroImage</i> , 2018, 182, 314-328.	4.2	31
63	Attenuation Correction Synthesis for Hybrid PET-MR Scanners. <i>Lecture Notes in Computer Science</i> , 2013, 16, 147-154.	1.3	31
64	Zone-specific logistic regression models improve classification of prostate cancer on multi-parametric MRI. <i>European Radiology</i> , 2015, 25, 2727-2737.	4.5	29
65	NiftyFit: a Software Package for Multi-parametric Model-Fitting of 4D Magnetic Resonance Imaging Data. <i>Neuroinformatics</i> , 2016, 14, 319-337.	2.8	29
66	Noninvasive diffusion magnetic resonance imaging of brain tumour cell size for the early detection of therapeutic response. <i>Scientific Reports</i> , 2020, 10, 9223.	3.3	29
67	Optimizing functional parameter accuracy for breath-hold DCE-MRI of liver tumours. <i>Physics in Medicine and Biology</i> , 2009, 54, 2197-2215.	3.0	28
68	First-in-human <i>in vivo</i> non-invasive assessment of intra-tumoral metabolic heterogeneity in renal cell carcinoma. <i>BJR case Reports</i> , 2019, 5, 20190003.	0.2	28
69	Numerical study of 10-cm chirped-fiber grating pairs for dispersion compensation at 10 Gb/s over 600 km of nondispersion shifted fiber. <i>IEEE Photonics Technology Letters</i> , 1996, 8, 1085-1087.	2.5	27
70	Characterization and correction of eddy-current artifacts in unipolar and bipolar diffusion sequences using magnetic field monitoring. <i>Journal of Magnetic Resonance</i> , 2014, 244, 74-84.	2.1	27
71	Joint PET-MR respiratory motion models for clinical PET motion correction. <i>Physics in Medicine and Biology</i> , 2016, 61, 6515-6530.	3.0	27
72	Global Small Bowel Motility: Assessment with Dynamic MR Imaging. <i>Radiology</i> , 2013, 269, 443-450.	7.3	27

#	ARTICLE	IF	CITATIONS
73	10 Gb/s transmission over 700 km of standard single-mode fiber with 10-cm chirped fiber grating compensator and duobinary transmitter. <i>IEEE Photonics Technology Letters</i> , 1996, 8, 1258-1260.	2.5	26
74	Cardiovascular Risk Factors and White Matter Hyperintensities: Difference in Susceptibility in South Asians Compared With Europeans. <i>Journal of the American Heart Association</i> , 2018, 7, e010533.	3.7	26
75	Arterial Spin Labeling MRI in Carotid Stenosis: Arterial Transit Artifacts May Predict Symptoms. <i>Radiology</i> , 2020, 297, 652-660.	7.3	26
76	Robust registration between cardiac MRI images and atlas for segmentation propagation. <i>Proceedings of SPIE</i> , 2008, , .	0.8	25
77	Whole-heart imaging using undersampled radial phase encoding (RPE) and iterative sensitivity encoding (SENSE) reconstruction. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1331-1337.	3.0	25
78	Noise estimation from averaged diffusion weighted images: Can unbiased quantitative decay parameters assist cancer evaluation?. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 2105-2117.	3.0	25
79	Direct Parametric Reconstruction With Joint Motion Estimation/Correction for Dynamic Brain PET Data. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 203-213.	8.9	25
80	Bullseye's representation of cerebral white matter hyperintensities. <i>Journal of Neuroradiology</i> , 2018, 45, 114-122.	1.1	25
81	Study of Connectivity in the Brain Using the Full Diffusion Tensor from MRI. <i>Lecture Notes in Computer Science</i> , 2001, , 121-133.	1.3	25
82	Aberrant Motility in Unaffected Small Bowel is Linked to Inflammatory Burden and Patient Symptoms in Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 424-432.	1.9	24
83	Artifact Reduction Using Parallel Imaging Methods. <i>Topics in Magnetic Resonance Imaging</i> , 2004, 15, 267-275.	1.2	23
84	Motion artifact correction in free-breathing abdominal MRI using overlapping partial samples to recover image deformations. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 440-449.	3.0	22
85	A magnetic resonance imaging study of gastric motor function in patients with dyspepsia associated with Ehlers-Danlos Syndrome-Hypermobility Type: A feasibility study. <i>Neurogastroenterology and Motility</i> , 2017, 29, e13090.	3.0	22
86	Cortical cerebral blood flow in ageing: effects of haematocrit, sex, ethnicity and diabetes. <i>European Radiology</i> , 2019, 29, 5549-5558.	4.5	22
87	Design trade-offs and evaluation of the performance: attainable by GaAs-Al _{0.3} Ga _{0.7} As asymmetric Fabry-Perot modulators. <i>IEEE Journal of Quantum Electronics</i> , 1995, 31, 927-943.	1.9	21
88	Real-time flow with fast GPU reconstruction for continuous assessment of cardiac output. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 1477-1482.	3.4	21
89	High-resolution diffusion tensor imaging of the human kidneys using a free-breathing, multi-slice, targeted field of view approach. <i>NMR in Biomedicine</i> , 2014, 27, 1300-1312.	2.8	21
90	Association of the apparent diffusion coefficient with maturity in adolescent sacroiliac joints. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 556-564.	3.4	21

#	ARTICLE	IF	CITATIONS
91	Colon wall motility: comparison of novel quantitative semi-automatic measurements using cine <scp>MRI</scp>. Neurogastroenterology and Motility, 2016, 28, 327-335.	3.0	21
92	Self-navigated tissue phase mapping using a golden-angle spiral acquisition"proof of concept in patients with pulmonary hypertension. Magnetic Resonance in Medicine, 2014, 71, 145-155.	3.0	20
93	Robust CT Synthesis for Radiotherapy Planning: Application to the Head and Neck Region. Lecture Notes in Computer Science, 2015, , 476-484.	1.3	20
94	Spatio-temporal motility MRI analysis of the stomach and colon. Neurogastroenterology and Motility, 2019, 31, e13557.	3.0	19
95	VERDICT-MICO: Ultrafast fitting algorithm for non-invasive prostate microstructure characterization. NMR in Biomedicine, 2019, 32, e4019.	2.8	19
96	PET/MRI attenuation estimation in the lung: A review of past, present, and potential techniques. Medical Physics, 2020, 47, 790-811.	3.0	19
97	Respiratory motion compensation for 3-D freehand echocardiography. Ultrasound in Medicine and Biology, 2001, 27, 1615-1620.	1.5	18
98	The challenge of segmental small bowel motility quantitation using MR enterography. British Journal of Radiology, 2014, 87, 20140330.	2.2	18
99	Rapid processing of PET list-mode data for efficient uncertainty estimation and data analysis. Physics in Medicine and Biology, 2016, 61, N322-N336.	3.0	18
100	Feasibility of vocal fold abduction and adduction assessment using cine-MRI. European Radiology, 2017, 27, 598-606.	4.5	18
101	A comparison of Bayesian and non-linear regression methods for robust estimation of pharmacokinetics in DCE-MRI and how it affects cancer diagnosis. Computerized Medical Imaging and Graphics, 2017, 56, 1-10.	5.8	18
102	Dynamic MRI for bowel motility imaging"how fast and how long?. British Journal of Radiology, 2018, 91, 20170845.	2.2	17
103	Non-invasive kinetic modelling of PET tracers with radiometabolites using a constrained simultaneous estimation method: evaluation with 11C-SB201745. EJNMMI Research, 2018, 8, 58.	2.5	17
104	Clinical Impact of Respiratory Motion Correction in Simultaneous PET/MR, Using a Joint PET/MR Predictive Motion Model. Journal of Nuclear Medicine, 2018, 59, 1467-1473.	5.0	16
105	Simplified Luminal Water Imaging for the Detection of Prostate Cancer From Multiecho T_2 MR Images. Journal of Magnetic Resonance Imaging, 2019, 50, 910-917.	3.4	16
106	Compressive manifold learning: Estimating one-dimensional respiratory motion directly from undersampled k-space data. Magnetic Resonance in Medicine, 2014, 72, 1130-1140.	3.0	15
107	Using the robust principal component analysis algorithm to remove RF spike artifacts from MR images. Magnetic Resonance in Medicine, 2016, 75, 2517-2525.	3.0	15
108	Improved fetal blood oxygenation and placental estimated measurements of diffusion-weighted MRI using data-driven Bayesian modeling. Magnetic Resonance in Medicine, 2020, 83, 2160-2172.	3.0	15

#	ARTICLE	IF	CITATIONS
109	Beyond the g-factor limit in sensitivity encoding using joint histogram entropy. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 153-160.	3.0	14
110	Diffusion-weighted imaging is a sensitive biomarker of response to biologic therapy in enthesitis-related arthritis. <i>Rheumatology</i> , 2016, 56, kew429.	1.9	14
111	Maximum-likelihood joint image reconstruction and motion estimation with misaligned attenuation in TOF-PET/CT. <i>Physics in Medicine and Biology</i> , 2016, 61, L11-L19.	3.0	14
112	Semiautomatic Assessment of the Terminal Ileum and Colon in Patients with Crohn Disease Using MRI (the VIGOR++ Project). <i>Academic Radiology</i> , 2018, 25, 1038-1045.	2.5	14
113	Optimization and repeatability of multipool chemical exchange saturation transfer MRI of the prostate at 3.0T. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1238-1250.	3.4	14
114	Retrospective Respiratory Motion Correction for Navigated Cine Velocity Mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2004, 6, 785-792.	3.3	12
115	Electrical impedance tomography in anisotropic media with known eigenvectors. <i>Inverse Problems</i> , 2011, 27, 065004.	2.0	12
116	A computationally efficient OMP-based compressed sensing reconstruction for dynamic MRI. <i>Physics in Medicine and Biology</i> , 2011, 56, N99-N114.	3.0	12
117	Estimation of contrast agent bolus arrival delays for improved reproducibility of liver DCE MRI. <i>Physics in Medicine and Biology</i> , 2016, 61, 6905-6918.	3.0	12
118	Relationship between MRI quantified small bowel motility and abdominal symptoms in Crohn's disease patients: a validation study. <i>British Journal of Radiology</i> , 2018, 91, 20170914.	2.2	12
119	Super-resolution for upper abdominal MRI: Acquisition and post-processing protocol optimization using brain MRI control data and expert reader validation. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1905-1919.	3.0	12
120	Joint Activity and Attenuation Reconstruction From Multiple Energy Window Data With Photopeak Scatter Re-Estimation in Non-TOF 3-D PET. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2020, 4, 410-421.	3.7	12
121	Detail-Preserving PET Reconstruction with Sparse Image Representation and Anatomical Priors. <i>Lecture Notes in Computer Science</i> , 2015, 24, 540-551.	1.3	12
122	Assessment of cardiac time intervals using high temporal resolution real-time spiral phase contrast with UNFOLDed SENSE. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 749-756.	3.0	11
123	Whole left ventricular functional assessment from two minutes free breathing multi-slice CINE acquisition. <i>Physics in Medicine and Biology</i> , 2015, 60, N93-N107.	3.0	11
124	Evaluation of a direct motion estimation/correction method in respiratory-gated PET/MRI with motion-adjusted attenuation. <i>Medical Physics</i> , 2017, 44, 2379-2390.	3.0	11
125	Are Dynamic Arterial Spin-Labeling MRA and Time-Resolved Contrast-Enhanced MRA Suited for Confirmation of Obliteration following Gamma Knife Radiosurgery of Brain Arteriovenous Malformations?. <i>American Journal of Neuroradiology</i> , 2021, 42, 671-678.	2.4	11
126	Standardisation of prostate multiparametric MRI across a hospital network: a London experience. <i>Insights Into Imaging</i> , 2021, 12, 52.	3.4	11

#	ARTICLE	IF	CITATIONS
127	The design and application of III-V multiquantum well optical modulators. <i>Physica Scripta</i> , 1991, T35, 210-214.	2.5	10
128	Splitâ€ acquisition realâ€ time CINE phaseâ€ contrast MR flow measurements. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1664-1670.	3.0	10
129	Effect of scatter correction when comparing attenuation maps: Application to brain PET/MR. , 2014, , .		10
130	Nonrigid registration improves MRI T₂ quantification in heart transplant patient follow-up. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 168-174.	3.4	10
131	Potential benefits of incorporating energy information when estimating attenuation from PET data. , 2017, , .		10
132	Modelâ€ based reconstruction framework for correction of signal pileâ€ up and geometric distortions in prostate diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1979-1992.	3.0	10
133	Evaluation of PSA and PSA Density in a Multiparametric Magnetic Resonance Imaging-Directed Diagnostic Pathway for Suspected Prostate Cancer: The INNOVATE Trial. <i>Cancers</i> , 2021, 13, 1985.	3.7	10
134	In vivo myofibre architecture in the systemic right ventricle. <i>European Heart Journal</i> , 2013, 34, 3640-3640.	2.2	9
135	Imitation learning for improved 3D PET/MR attenuation correction. <i>Medical Image Analysis</i> , 2021, 71, 102079.	11.6	9
136	Improved MR to CT Synthesis for PET/MR Attenuation Correction Using Imitation Learning. <i>Lecture Notes in Computer Science</i> , 2019, , 13-21.	1.3	9
137	Diode-pumped selfstarting passively modelocked neodymium-doped fibre laser. <i>Electronics Letters</i> , 1993, 29, 808.	1.0	9
138	Multi-parametric MRI zone-specific diagnostic model performance compared with experienced radiologists for detection of prostate cancer. <i>European Radiology</i> , 2019, 29, 4150-4159.	4.5	8
139	Incorporation of MRI-AIF information for improved kinetic modelling of dynamic PET data. <i>EJNMMI Physics</i> , 2014, 1, A43.	2.7	7
140	CT synthesis in the head & neck region for PET/MR attenuation correction: an iterative multi-atlas approach. <i>EJNMMI Physics</i> , 2015, 2, A31.	2.7	7
141	Hyperpolarised ¹³ C MRI: a new horizon for non-invasive diagnosis of aggressive breast cancer. <i>BJR case Reports</i> , 2019, 5, 20190026.	0.2	7
142	A Multi-Channel Uncertainty-Aware Multi-Resolution Network for MR to CT Synthesis. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1667.	2.5	7
143	An autofocus algorithm for the automatic correction of motion artifacts in MR images. <i>Lecture Notes in Computer Science</i> , 1997, , 341-354.	1.3	7
144	Deep Boosted Regression for MR to CT Synthesis. <i>Lecture Notes in Computer Science</i> , 2018, , 61-70.	1.3	7

#	ARTICLE	IF	CITATIONS
145	Super-resolution Reconstruction MRI Application in Fetal Neck Masses and Congenital High Airway Obstruction Syndrome. <i>OTO Open</i> , 2021, 5, 2473974X211055372.	1.4	7
146	Real time flow with fast GPU reconstruction for continuous assessment of cardiac output. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	6
147	High-resolution slice-selective Fourier velocity encoding in congenital heart disease using spiral SENSE with velocity unwrap. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1538-1546.	3.0	6
148	Modelling the impact of injection time on the bolus shapes in PET-MRI AIF Conversion. <i>EJNMMI Physics</i> , 2014, 1, A54.	2.7	6
149	High throughput CUDA implementation of accurate geometric modelling for iterative reconstruction of PET data. , 2014, , .		6
150	Improved hepatic arterial fraction estimation using cardiac output correction of arterial input functions for liver DCE MRI. <i>Physics in Medicine and Biology</i> , 2017, 62, 1533-1546.	3.0	6
151	Maximum-likelihood estimation of emission and attenuation images in 3D PET from multiple energy window measurements. , 2018, , .		6
152	Image registration using uncertainty coefficients. , 2009, , .		5
153	Initial evaluation of a practical PET respiratory motion correction method in clinical simultaneous PET/MRI. <i>EJNMMI Physics</i> , 2014, 1, A40.	2.7	5
154	Point-Spread-Function-Aware Slice-to-Volume Registration: Application to Upper Abdominal MRI Super-Resolution. <i>Lecture Notes in Computer Science</i> , 2017, , 3-13.	1.3	5
155	Modelling Anisotropic Viscoelasticity for Real-Time Soft Tissue Simulation. <i>Lecture Notes in Computer Science</i> , 2008, 11, 703-710.	1.3	5
156	Influence of Organ Motion and Contrast Enhancement on Image Registration. <i>Lecture Notes in Computer Science</i> , 2008, 11, 948-955.	1.3	5
157	Joint reconstruction of PET-MRI by parallel level sets. , 2014, , .		4
158	Incorporation of MRI-AIF Information For Improved Kinetic Modelling of Dynamic PET Data. <i>IEEE Transactions on Nuclear Science</i> , 2015, 62, 612-618.	2.0	4
159	SIRF: Synergistic Image Reconstruction Framework. , 2017, , .		4
160	Joint B0 and image estimation integrated with model based reconstruction for field map update and distortion correction in prostate diffusion MRI. <i>Magnetic Resonance Imaging</i> , 2020, 65, 90-99.	1.8	4
161	Cardiac-induced liver deformation as a measure of liver stiffness using dynamic imaging without magnetization taggingâ€”preclinical proof-of-concept, clinical translation, reproducibility and feasibility in patients with cirrhosis. <i>Abdominal Radiology</i> , 2021, 46, 4660-4670.	2.1	4
162	Respiratory Motion Correction in Dynamic-MRI: Application to Small Bowel Motility Quantification during Free Breathing. <i>Lecture Notes in Computer Science</i> , 2013, 16, 132-140.	1.3	4

#	ARTICLE	IF	CITATIONS
163	Attenuation correction synthesis for hybrid PET-MR scanners: validation for brain study applications. <i>EJNMMI Physics</i> , 2014, 1, A52.	2.7	3
164	Practical PET respiratory motion correction in clinical simultaneous PET/MR. , 2015, , .		3
165	A Probabilistic Method for Estimation of Bowel Wall Thickness in MR Colonography. <i>PLoS ONE</i> , 2017, 12, e0168317.	2.5	3
166	The MRI colonic function test: Reproducibility of the Macrogol stimulus challenge. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13942.	3.0	3
167	Planning of gamma knife radiosurgery (GKR) for brain arteriovenous malformations using triple magnetic resonance angiography (triple-MRA). <i>British Journal of Neurosurgery</i> , 2022, 36, 217-227.	0.8	3
168	MRI Measurement of Placental Perfusion and Fetal Blood Oxygen Saturation in Normal Pregnancy and Placental Insufficiency. <i>Lecture Notes in Computer Science</i> , 2018, , 913-920.	1.3	3
169	Flexible numerical simulation framework for dynamic PET-MR data. <i>Physics in Medicine and Biology</i> , 2020, 65, 145003.	3.0	3
170	Magnetic resonance imaging assessed enteric motility and luminal content analysis in patients with severe bloating and visible distension. <i>Neurogastroenterology and Motility</i> , 2022, , e14381.	3.0	3
171	Fast dynamic MRI via nuclear norm minimization and accelerated proximal gradient. , 2013, , .		2
172	Exploiting an MRI derived arterial input function to improve the PET simultaneous estimation method: Validation of assumptions. , 2014, , .		2
173	Improved parameter-estimation with combined PET-MRI kinetic modelling. <i>EJNMMI Physics</i> , 2015, 2, A25.	2.7	2
174	Improved Parameter-Estimation With MRI-Constrained PET Kinetic Modeling: A Simulation Study. <i>IEEE Transactions on Nuclear Science</i> , 2016, 63, 2464-2470.	2.0	2
175	Quantification of tumour microstructure in low and high-grade brain tumours using VERDICT MRI: an initial feasibility study. <i>Neuro-Oncology</i> , 2018, 20, i16-i16.	1.2	2
176	Golden ratio stack of spirals for flexible angiographic imaging: Proof of concept in congenital heart disease. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 90-101.	3.0	2
177	Feasibility of Data-Driven, Model-Free Quantitative MRI Protocol Design: Application to Brain and Prostate Diffusion-Relaxation Imaging. <i>Frontiers in Physics</i> , 2021, 9, .	2.1	2
178	Quantitative Magnetic Resonance Imaging in Perianal Crohn's Disease at 1.5 and 3.0 T: A Feasibility Study. <i>Diagnostics</i> , 2021, 11, 2135.	2.6	2
179	Generalized reconstruction by inversion of coupled systems (GRICS) applied to parallel MRI. , 2008, , .		1
180	Joint reconstruction of low-rank and sparse components from undersampled (k, t)-space small bowel data. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
181	148 Quantitative Assessment of Global Small Bowel Motility in Chronic Intestinal Pseudo-Obstruction and Controls: A Preliminary Study. Gastroenterology, 2014, 146, S-41.	1.3	1
182	Image reconstruction of mMR PET data using the open source software STIR. EJNMMI Physics, 2014, 1, A44.	2.7	1
183	An algorithm for direct 4-D PET image reconstruction/non-rigid motion estimation with limited MRI prior information. , 2014, , .		1
184	A reference dataset of in-vivo human left-ventricular fiber architecture in systole and diastole. Journal of Cardiovascular Magnetic Resonance, 2015, 17, Q112.	3.3	1
185	Sensitivity of OGSE ActiveAx to Microstructural Dimensions on a Clinical Scanner. Mathematics and Visualization, 2017, , 85-97.	0.6	1
186	Translating pH-sensitive PROgressive saturation for QUantifying Exchange rates using Saturation Times (PROQUEST) MRI to a 3T clinical scanner. Magnetic Resonance in Medicine, 2020, 84, 1734-1746.	3.0	1
187	Detection Efficiency Modeling and Joint Activity and Attenuation Reconstruction in Non-TOF 3-D PET From Multiple-Energy Window Data. IEEE Transactions on Radiation and Plasma Medical Sciences, 2022, 6, 87-97.	3.7	1
188	Measuring Cortical Neurite-Dispersion and Perfusion in Preterm-Born Adolescents Using Multi-modal MRI. Lecture Notes in Computer Science, 2015, , 72-79.	1.3	1
189	Implementation of a Heterogeneous Image Reconstruction System for Clinical Magnetic Resonance. Lecture Notes in Computer Science, 2014, , 469-479.	1.3	1
190	Subject-specific Models for the Analysis of Pathological FDG PET Data. Lecture Notes in Computer Science, 2015, , 651-658.	1.3	1
191	Uncertainty-Aware Multi-resolution Whole-Body MR to CT Synthesis. Lecture Notes in Computer Science, 2020, , 110-119.	1.3	1
192	Characterization of B0-field fluctuations in prostate MRI. Physics in Medicine and Biology, 2020, 65, 21NT01.	3.0	1
193	Incoherent artefact correction using PPI. NMR in Biomedicine, 2006, 19, 362-367.	2.8	0
194	MOTION AND BIOMECHANICAL MODELS FOR IMAGE-GUIDED INTERVENTIONS. , 2007, , .		0
195	Assessing the hemodynamic response to exercise - a novel MR approach. Journal of Cardiovascular Magnetic Resonance, 2010, 12, .	3.3	0
196	Data driven groupwise registration of diffusion weighted images. , 2010, , .		0
197	Establishing spatial correspondence for the analysis of images from highly deforming anatomy. , 2012, 2012, 3732-5.		0
198	Continuous assessment of cardiac output during exercise using real time flow with fast GPU reconstruction. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	3.3	0

#	ARTICLE	IF	CITATIONS
199	Direct parametric reconstruction from undersampled (k, t)-space data in dynamic contrast enhancement MRI. , 2013, , .		0
200	Low-rank and (X-F)-space sparsity via fast composite splitting for accelerated dynamic MR imaging. , 2014, , .		0
201	Multi-modal pharmacokinetic modelling for DCE-MRI: using diffusion weighted imaging to constrain the local arterial input function. Proceedings of SPIE, 2014, , .	0.8	0
202	Rapid workflow of mMR PET list-mode data processing using CUDA. EJNMMI Physics, 2015, 2, A42.	2.7	0
203	VERDICT Prostate Parameter Estimation with AMICO. Mathematics and Visualization, 2018, , 229-241.	0.6	0
204	Tu1971 - Assessment of Colonic Motility Using Magnetic Resonance Imaging: Reproducibility of a Macrogol Challenge. Gastroenterology, 2018, 154, S-1070.	1.3	0
205	Joint reconstruction of activity and attenuation in non-TOF PET using a synergistic prior to enforce structural similarities. , 2019, , .		0
206	Utility of diffusion MRI characteristics of cervical lymph nodes as disease classifier between patients with head and neck squamous cell carcinoma and healthy volunteers. NMR in Biomedicine, 2021, 34, e4587.	2.8	0
207	O59â€¦MRI methods to define colonic function in health and constipation. , 2021, , .		0
208	Multiple Coils for Reduction of Flow Artefacts in MR Images. Lecture Notes in Computer Science, 2004, , 1097-1098.	1.3	0
209	Improved Placental Parameter Estimation Using Data-Driven Bayesian Modelling. Lecture Notes in Computer Science, 2019, , 609-616.	1.3	0
210	Normalisation Factor Estimation in non-TOF 3D PET from Multiple-Energy Window Data. , 2020, , .		0
211	Histo-MRI map study protocol: a prospective cohort study mapping MRI to histology for biomarker validation and prediction of prostate cancer. BMJ Open, 2022, 12, e059847.	1.9	0
212	Phase 0 study of vandetanib-eluting radiopaque embolics as a pre-operative embolization treatment in patients with resectable liver malignancies. Journal of Vascular and Interventional Radiology, 2022, , .	0.5	0
213	Cross-Modality Image Registration Using a Training-Time Privileged Third Modality. IEEE Transactions on Medical Imaging, 2022, 41, 3421-3431.	8.9	0