

David Atkinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7719321/publications.pdf>

Version: 2024-02-01

213
papers

5,805
citations

81900

39
h-index

106344

65
g-index

222
all docs

222
docs citations

222
times ranked

6866
citing authors

#	ARTICLE	IF	CITATIONS
1	Planning of gamma knife radiosurgery (GKR) for brain arteriovenous malformations using triple magnetic resonance angiography (triple-MRA). <i>British Journal of Neurosurgery</i> , 2022, 36, 217-227.	0.8	3
2	Detection Efficiency Modeling and Joint Activity and Attenuation Reconstruction in Non-TOF 3-D PET From Multiple-Energy Window Data. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2022, 6, 87-97.	3.7	1
3	Histo-MRI map study protocol: a prospective cohort study mapping MRI to histology for biomarker validation and prediction of prostate cancer. <i>BMJ Open</i> , 2022, 12, e059847.	1.9	0
4	Magnetic resonance imaging assessed enteric motility and luminal content analysis in patients with severe bloating and visible distension. <i>Neurogastroenterology and Motility</i> , 2022, , e14381.	3.0	3
5	Phase 0 study of vandetanib-eluting radiopaque embolics as a pre-operative embolization treatment in patients with resectable liver malignancies. <i>Journal of Vascular and Interventional Radiology</i> , 2022, , .	0.5	0
6	Cross-Modality Image Registration Using a Training-Time Privileged Third Modality. <i>IEEE Transactions on Medical Imaging</i> , 2022, 41, 3421-3431.	8.9	0
7	Are Dynamic Arterial Spin-Labeling MRA and Time-Resolved Contrast-Enhanced MRA Suited for Confirmation of Obliteration following Gamma Knife Radiosurgery of Brain Arteriovenous Malformations?. <i>American Journal of Neuroradiology</i> , 2021, 42, 671-678.	2.4	11
8	A Multi-Channel Uncertainty-Aware Multi-Resolution Network for MR to CT Synthesis. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1667.	2.5	7
9	Evaluation of PSA and PSA Density in a Multiparametric Magnetic Resonance Imaging-Directed Diagnostic Pathway for Suspected Prostate Cancer: The INNOVATE Trial. <i>Cancers</i> , 2021, 13, 1985.	3.7	10
10	Standardisation of prostate multiparametric MRI across a hospital network: a London experience. <i>Insights Into Imaging</i> , 2021, 12, 52.	3.4	11
11	Cardiac-induced liver deformation as a measure of liver stiffness using dynamic imaging without magnetization tagging—preclinical proof-of-concept, clinical translation, reproducibility and feasibility in patients with cirrhosis. <i>Abdominal Radiology</i> , 2021, 46, 4660-4670.	2.1	4
12	Artificial Intelligence Compared to Radiologists for the Initial Diagnosis of Prostate Cancer on Magnetic Resonance Imaging: A Systematic Review and Recommendations for Future Studies. <i>Cancers</i> , 2021, 13, 3318.	3.7	32
13	Imitation learning for improved 3D PET/MR attenuation correction. <i>Medical Image Analysis</i> , 2021, 71, 102079.	11.6	9
14	Utility of diffusion MRI characteristics of cervical lymph nodes as disease classifier between patients with head and neck squamous cell carcinoma and healthy volunteers. <i>NMR in Biomedicine</i> , 2021, 34, e4587.	2.8	0
15	059â€¦MRI methods to define colonic function in health and constipation. , 2021, , .		0
16	Superâ€¦resolution Reconstruction MRI Application in Fetal Neck Masses and Congenital High Airway Obstruction Syndrome. <i>OTO Open</i> , 2021, 5, 2473974X211055372.	1.4	7
17	Feasibility of Data-Driven, Model-Free Quantitative MRI Protocol Design: Application to Brain and Prostate Diffusion-Relaxation Imaging. <i>Frontiers in Physics</i> , 2021, 9, .	2.1	2
18	Quantitative Magnetic Resonance Imaging in Perianal Crohnâ€™s Disease at 1.5 and 3.0 T: A Feasibility Study. <i>Diagnostics</i> , 2021, 11, 2135.	2.6	2

#	ARTICLE	IF	CITATIONS
19	Joint B0 and image estimation integrated with model based reconstruction for field map update and distortion correction in prostate diffusion MRI. <i>Magnetic Resonance Imaging</i> , 2020, 65, 90-99.	1.8	4
20	SIRF: Synergistic Image Reconstruction Framework. <i>Computer Physics Communications</i> , 2020, 249, 107087.	7.5	35
21	Improved fetal blood oxygenation and placental estimated measurements of diffusion-weighted MRI using data-driven Bayesian modeling. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 2160-2172.	3.0	15
22	PET/MRI attenuation estimation in the lung: A review of past, present, and potential techniques. <i>Medical Physics</i> , 2020, 47, 790-811.	3.0	19
23	Arterial Spin Labeling MRI in Carotid Stenosis: Arterial Transit Artifacts May Predict Symptoms. <i>Radiology</i> , 2020, 297, 652-660.	7.3	26
24	The MRI colonic function test: Reproducibility of the Macrogol stimulus challenge. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13942.	3.0	3
25	Noninvasive diffusion magnetic resonance imaging of brain tumour cell size for the early detection of therapeutic response. <i>Scientific Reports</i> , 2020, 10, 9223.	3.3	29
26	Translating pH-sensitive PROgressive saturation for QUantifying Exchange rates using Saturation Times (PROQUEST) MRI to a 3T clinical scanner. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1734-1746.	3.0	1
27	Joint Activity and Attenuation Reconstruction From Multiple Energy Window Data With Photopeak Scatter Re-Estimation in Non-TOF 3-D PET. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2020, 4, 410-421.	3.7	12
28	Flexible numerical simulation framework for dynamic PET-MR data. <i>Physics in Medicine and Biology</i> , 2020, 65, 145003.	3.0	3
29	Uncertainty-Aware Multi-resolution Whole-Body MR to CT Synthesis. <i>Lecture Notes in Computer Science</i> , 2020, , 110-119.	1.3	1
30	Characterization of B0-field fluctuations in prostate MRI. <i>Physics in Medicine and Biology</i> , 2020, 65, 21NT01.	3.0	1
31	Normalisation Factor Estimation in non-TOF 3D PET from Multiple-Energy Window Data. , 2020, , .		0
32	Golden ratio stack of spirals for flexible angiographic imaging: Proof of concept in congenital heart disease. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 90-101.	3.0	2
33	Super-resolution for upper abdominal MRI: Acquisition and post-processing protocol optimization using brain MRI control data and expert reader validation. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1905-1919.	3.0	12
34	Hyperpolarised ¹³ C MRI: a new horizon for non-invasive diagnosis of aggressive breast cancer. <i>BJR case Reports</i> , 2019, 5, 20190026.	0.2	7
35	Machine learning classifiers can predict Gleason pattern 4 prostate cancer with greater accuracy than experienced radiologists. <i>European Radiology</i> , 2019, 29, 4754-4764.	4.5	55
36	Cortical cerebral blood flow in ageing: effects of haematocrit, sex, ethnicity and diabetes. <i>European Radiology</i> , 2019, 29, 5549-5558.	4.5	22

#	ARTICLE	IF	CITATIONS
37	Spatio-temporal motility MRI analysis of the stomach and colon. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13557.	3.0	19
38	First-in-human <i>in vivo</i> non-invasive assessment of intra-tumoral metabolic heterogeneity in renal cell carcinoma. <i>BJR case Reports</i> , 2019, 5, 20190003.	0.2	28
39	VERDICT MRI for Prostate Cancer: Intracellular Volume Fraction versus Apparent Diffusion Coefficient. <i>Radiology</i> , 2019, 291, 391-397.	7.3	52
40	Optimization and repeatability of multipool chemical exchange saturation transfer MRI of the prostate at 3.0T. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1238-1250.	3.4	14
41	Joint reconstruction of activity and attenuation in non-TOF PET using a synergistic prior to enforce structural similarities. , 2019, , .		0
42	Simplified Luminal Water Imaging for the Detection of Prostate Cancer From Multiecho T ₂ MR Images. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 910-917.	3.4	16
43	VERDICT-AMICO: Ultrafast fitting algorithm for non-invasive prostate microstructure characterization. <i>NMR in Biomedicine</i> , 2019, 32, e4019.	2.8	19
44	Multi-parametric MRI zone-specific diagnostic model performance compared with experienced radiologists for detection of prostate cancer. <i>European Radiology</i> , 2019, 29, 4150-4159.	4.5	8
45	Model-based reconstruction framework for correction of signal pile-up and geometric distortions in prostate diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1979-1992.	3.0	10
46	Separating fetal and maternal placenta circulations using multiparametric MRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 350-361.	3.0	59
47	Improved MR to CT Synthesis for PET/MR Attenuation Correction Using Imitation Learning. <i>Lecture Notes in Computer Science</i> , 2019, , 13-21.	1.3	9
48	Improved Placental Parameter Estimation Using Data-Driven Bayesian Modelling. <i>Lecture Notes in Computer Science</i> , 2019, , 609-616.	1.3	0
49	Quantification of tumour microstructure in low and high-grade brain tumours using VERDICT MRI: an initial feasibility study. <i>Neuro-Oncology</i> , 2018, 20, i16-i16.	1.2	2
50	Dynamic MRI for bowel motility imaging – how fast and how long?. <i>British Journal of Radiology</i> , 2018, 91, 20170845.	2.2	17
51	Semiautomatic Assessment of the Terminal Ileum and Colon in Patients with Crohn Disease Using MRI (the VIGOR++ Project). <i>Academic Radiology</i> , 2018, 25, 1038-1045.	2.5	14
52	NiftyPET: a High-throughput Software Platform for High Quantitative Accuracy and Precision PET Imaging and Analysis. <i>Neuroinformatics</i> , 2018, 16, 95-115.	2.8	40
53	Clinical Impact of Respiratory Motion Correction in Simultaneous PET/MR, Using a Joint PET/MR Predictive Motion Model. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1467-1473.	5.0	16
54	Bullseye's representation of cerebral white matter hyperintensities. <i>Journal of Neuroradiology</i> , 2018, 45, 114-122.	1.1	25

#	ARTICLE	IF	CITATIONS
55	Low frequency oscillating gradient spin-echo sequences improve sensitivity to axon diameter: An experimental study in viable nerve tissue. <i>NeuroImage</i> , 2018, 182, 314-328.	4.2	31
56	Non-invasive kinetic modelling of PET tracers with radiometabolites using a constrained simultaneous estimation method: evaluation with 11C-SB201745. <i>EJNMMI Research</i> , 2018, 8, 58.	2.5	17
57	Cerebral Blood Flow and Cognitive Functioning in a Community-Based, Multi-Ethnic Cohort: The SABRE Study. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 279.	3.4	61
58	Cardiovascular Risk Factors and White Matter Hyperintensities: Difference in Susceptibility in South Asians Compared With Europeans. <i>Journal of the American Heart Association</i> , 2018, 7, e010533.	3.7	26
59	Maximum-likelihood estimation of emission and attenuation images in 3D PET from multiple energy window measurements. , 2018, , .		6
60	VERDICT Prostate Parameter Estimation with AMICO. <i>Mathematics and Visualization</i> , 2018, , 229-241.	0.6	0
61	Tu1971 - Assessment of Colonic Motility Using Magnetic Resonance Imaging: Reproducibility of a Macrogol Challenge. <i>Gastroenterology</i> , 2018, 154, S-1070.	1.3	0
62	Relationship between MRI quantified small bowel motility and abdominal symptoms in Crohn's disease patients's a validation study. <i>British Journal of Radiology</i> , 2018, 91, 20170914.	2.2	12
63	Quantified Terminal Ileal Motility during MR Enterography as a Biomarker of Crohn Disease Activity: Prospective Multi-Institution Study. <i>Radiology</i> , 2018, 289, 428-435.	7.3	42
64	Deep Boosted Regression for MR to CT Synthesis. <i>Lecture Notes in Computer Science</i> , 2018, , 61-70.	1.3	7
65	MRI Measurement of Placental Perfusion and Fetal Blood Oxygen Saturation in Normal Pregnancy and Placental Insufficiency. <i>Lecture Notes in Computer Science</i> , 2018, , 913-920.	1.3	3
66	Estimation of an image derived input function with MR-defined carotid arteries in FDG-PET human studies using a novel partial volume correction method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 1398-1409.	4.3	48
67	Feasibility of vocal fold abduction and adduction assessment using cine-MRI. <i>European Radiology</i> , 2017, 27, 598-606.	4.5	18
68	Highly efficient nonrigid motion-corrected 3D whole-heart coronary vessel wall imaging. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1894-1908.	3.0	85
69	Direct Parametric Reconstruction With Joint Motion Estimation/Correction for Dynamic Brain PET Data. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 203-213.	8.9	25
70	A comparison of Bayesian and non-linear regression methods for robust estimation of pharmacokinetics in DCE-MRI and how it affects cancer diagnosis. <i>Computerized Medical Imaging and Graphics</i> , 2017, 56, 1-10.	5.8	18
71	Improved hepatic arterial fraction estimation using cardiac output correction of arterial input functions for liver DCE MRI. <i>Physics in Medicine and Biology</i> , 2017, 62, 1533-1546.	3.0	6
72	Sensitivity of OGSE ActiveAx to Microstructural Dimensions on a Clinical Scanner. <i>Mathematics and Visualization</i> , 2017, , 85-97.	0.6	1

#	ARTICLE	IF	CITATIONS
73	A magnetic resonance imaging study of gastric motor function in patients with dyspepsia associated with Ehlers-Danlos Syndrome-Hypermobility Type: A feasibility study. <i>Neurogastroenterology and Motility</i> , 2017, 29, e13090.	3.0	22
74	Evaluation of a direct motion estimation/correction method in respiratory-gated PET/MRI with motion-adjusted attenuation. <i>Medical Physics</i> , 2017, 44, 2379-2390.	3.0	11
75	ISMRM Raw data format: A proposed standard for MRI raw datasets. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 411-421.	3.0	59
76	Diffusion-weighted imaging for evaluating inflammatory activity in Crohn's disease: comparison with histopathology, conventional MRI activity scores, and faecal calprotectin. <i>Abdominal Radiology</i> , 2017, 42, 115-123.	2.1	35
77	Potential benefits of incorporating energy information when estimating attenuation from PET data. , 2017, , .		10
78	A Probabilistic Method for Estimation of Bowel Wall Thickness in MR Colonography. <i>PLoS ONE</i> , 2017, 12, e0168317.	2.5	3
79	SIRF: Synergistic Image Reconstruction Framework. , 2017, , .		4
80	Point-Spread-Function-Aware Slice-to-Volume Registration: Application to Upper Abdominal MRI Super-Resolution. <i>Lecture Notes in Computer Science</i> , 2017, , 3-13.	1.3	5
81	Comparative quantitative assessment of global small bowel motility using magnetic resonance imaging in chronic intestinal pseudo-obstruction and healthy controls. <i>Neurogastroenterology and Motility</i> , 2016, 28, 376-383.	3.0	49
82	Aberrant Motility in Unaffected Small Bowel is Linked to Inflammatory Burden and Patient Symptoms in Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 424-432.	1.9	24
83	Association of the apparent diffusion coefficient with maturity in adolescent sacroiliac joints. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 556-564.	3.4	21
84	Colon wall motility: comparison of novel quantitative semi-automatic measurements using cine MRI. <i>Neurogastroenterology and Motility</i> , 2016, 28, 327-335.	3.0	21
85	Diffusion-weighted imaging is a sensitive biomarker of response to biologic therapy in enthesitis-related arthritis. <i>Rheumatology</i> , 2016, 56, kew429.	1.9	14
86	Rapid processing of PET list-mode data for efficient uncertainty estimation and data analysis. <i>Physics in Medicine and Biology</i> , 2016, 61, N322-N336.	3.0	18
87	NiftyFit: a Software Package for Multi-parametric Model-Fitting of 4D Magnetic Resonance Imaging Data. <i>Neuroinformatics</i> , 2016, 14, 319-337.	2.8	29
88	Spin echo versus stimulated echo diffusion tensor imaging of the in vivo human heart. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 862-872.	3.0	53
89	Colonic response to laxative ingestion as assessed by MRI differs in constipated irritable bowel syndrome compared to functional constipation. <i>Neurogastroenterology and Motility</i> , 2016, 28, 861-870.	3.0	49
90	Accelerated motion corrected three-dimensional abdominal MRI using total variation regularized SENSE reconstruction. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1484-1498.	3.0	69

#	ARTICLE	IF	CITATIONS
91	Using the robust principal component analysis algorithm to remove RF spike artifacts from MR images. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2517-2525.	3.0	15
92	INNOVATE: A prospective cohort study combining serum and urinary biomarkers with novel diffusion-weighted magnetic resonance imaging for the prediction and characterization of prostate cancer. <i>BMC Cancer</i> , 2016, 16, 816.	2.6	40
93	Estimation of contrast agent bolus arrival delays for improved reproducibility of liver DCE MRI. <i>Physics in Medicine and Biology</i> , 2016, 61, 6905-6918.	3.0	12
94	Joint PET-MR respiratory motion models for clinical PET motion correction. <i>Physics in Medicine and Biology</i> , 2016, 61, 6515-6530.	3.0	27
95	Second-order motion-compensated spin echo diffusion tensor imaging of the human heart. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1669-1676.	3.0	90
96	PET Reconstruction With an Anatomical MRI Prior Using Parallel Level Sets. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 2189-2199.	8.9	82
97	Maximum-Likelihood Joint Image Reconstruction/Motion Estimation in Attenuation-Corrected Respiratory Gated PET/CT Using a Single Attenuation Map. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 217-228.	8.9	41
98	Improved Parameter-Estimation With MRI-Constrained PET Kinetic Modeling: A Simulation Study. <i>IEEE Transactions on Nuclear Science</i> , 2016, 63, 2464-2470.	2.0	2
99	Maximum-likelihood joint image reconstruction and motion estimation with misaligned attenuation in TOF-PET/CT. <i>Physics in Medicine and Biology</i> , 2016, 61, L11-L19.	3.0	14
100	A diffusion-based quantification technique for assessment of sacroiliitis in adolescents with enthesitis-related arthritis. <i>British Journal of Radiology</i> , 2016, 89, 20150775.	2.2	36
101	MR Imaging-Guided Partial Volume Correction of PET Data in PET/MR Imaging. <i>PET Clinics</i> , 2016, 11, 161-177.	3.0	32
102	Rapid workflow of mMR PET list-mode data processing using CUDA. <i>EJNMMI Physics</i> , 2015, 2, A42.	2.7	0
103	Nonrigid registration improves MRI T ₂ quantification in heart transplant patient follow-up. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 168-174.	3.4	10
104	Manifold learning based ECG-free free-breathing cardiac CINE MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1521-1527.	3.4	35
105	Assessment of cardiac time intervals using high temporal resolution real-time spiral phase contrast with UNFOLDED SENSE. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 749-756.	3.0	11
106	Practical PET Respiratory Motion Correction in Clinical PET/MR. <i>Journal of Nuclear Medicine</i> , 2015, 56, 890-896.	5.0	76
107	Multi-contrast attenuation map synthesis for PET/MR scanners: assessment on FDG and Florbetapir PET tracers. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1447-1458.	6.4	35
108	Incorporation of MRI-AIF Information For Improved Kinetic Modelling of Dynamic PET Data. <i>IEEE Transactions on Nuclear Science</i> , 2015, 62, 612-618.	2.0	4

#	ARTICLE	IF	CITATIONS
109	Whole left ventricular functional assessment from two minutes free breathing multi-slice CINE acquisition. <i>Physics in Medicine and Biology</i> , 2015, 60, N93-N107.	3.0	11
110	Joint reconstruction of PET-MRI by exploiting structural similarity. <i>Inverse Problems</i> , 2015, 31, 015001.	2.0	106
111	A reference dataset of in-vivo human left-ventricular fiber architecture in systole and diastole. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, Q112.	3.3	1
112	Zone-specific logistic regression models improve classification of prostate cancer on multi-parametric MRI. <i>European Radiology</i> , 2015, 25, 2727-2737.	4.5	29
113	Microstructural Characterization of Normal and Malignant Human Prostate Tissue With Vascular, Extracellular, and Restricted Diffusion for Cytometry in Tumours Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2015, 50, 218-227.	6.2	137
114	Practical PET respiratory motion correction in clinical simultaneous PET/MR. , 2015, , .		3
115	Improved parameter-estimation with combined PET-MRI kinetic modelling. <i>EJNMMI Physics</i> , 2015, 2, A25.	2.7	2
116	CT synthesis in the head & neck region for PET/MR attenuation correction: an iterative multi-atlas approach. <i>EJNMMI Physics</i> , 2015, 2, A31.	2.7	7
117	Logistic regression model for diagnosis of transition zone prostate cancer on multi-parametric MRI. <i>European Radiology</i> , 2015, 25, 523-532.	4.5	40
118	Detail-Preserving PET Reconstruction with Sparse Image Representation and Anatomical Priors. <i>Lecture Notes in Computer Science</i> , 2015, 24, 540-551.	1.3	12
119	Robust CT Synthesis for Radiotherapy Planning: Application to the Head and Neck Region. <i>Lecture Notes in Computer Science</i> , 2015, , 476-484.	1.3	20
120	Measuring Cortical Neurite-Dispersion and Perfusion in Preterm-Born Adolescents Using Multi-modal MRI. <i>Lecture Notes in Computer Science</i> , 2015, , 72-79.	1.3	1
121	Subject-specific Models for the Analysis of Pathological FDG PET Data. <i>Lecture Notes in Computer Science</i> , 2015, , 651-658.	1.3	1
122	Dual-Phase Cardiac Diffusion Tensor Imaging with Strain Correction. <i>PLoS ONE</i> , 2014, 9, e107159.	2.5	72
123	Low-rank and (X-F)-space sparsity via fast composite splitting for accelerated dynamic MR imaging. , 2014, , .		0
124	Multi-modal pharmacokinetic modelling for DCE-MRI: using diffusion weighted imaging to constrain the local arterial input function. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
125	Compressive manifold learning: Estimating one-dimensional respiratory motion directly from undersampled k-space data. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1130-1140.	3.0	15
126	Noise estimation from averaged diffusion weighted images: Can unbiased quantitative decay parameters assist cancer evaluation?. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 2105-2117.	3.0	25

#	ARTICLE	IF	CITATIONS
127	High-resolution diffusion tensor imaging of the human kidneys using a free-breathing, multi-slice, targeted field of view approach. <i>NMR in Biomedicine</i> , 2014, 27, 1300-1312.	2.8	21
128	Dual registration of abdominal motion for motility assessment in free-breathing data sets acquired using dynamic MRI. <i>Physics in Medicine and Biology</i> , 2014, 59, 4603-4619.	3.0	41
129	Dynamic MR Image Reconstruction—Separation From Undersampled (k, t) -Space via Low-Rank Plus Sparse Prior. <i>IEEE Transactions on Medical Imaging</i> , 2014, 33, 1689-1701.	8.9	106
130	148 Quantitative Assessment of Global Small Bowel Motility in Chronic Intestinal Pseudo-Obstruction and Controls: A Preliminary Study. <i>Gastroenterology</i> , 2014, 146, S-41.	1.3	1
131	Respiratory motion correction in dynamic MRI using robust data decomposition registration—Application to DCE-MRI. <i>Medical Image Analysis</i> , 2014, 18, 301-313.	11.6	109
132	Attenuation Correction Synthesis for Hybrid PET-MR Scanners: Application to Brain Studies. <i>IEEE Transactions on Medical Imaging</i> , 2014, 33, 2332-2341.	8.9	311
133	The challenge of segmental small bowel motility quantitation using MR enterography. <i>British Journal of Radiology</i> , 2014, 87, 20140330.	2.2	18
134	Initial evaluation of a practical PET respiratory motion correction method in clinical simultaneous PET/MRI. <i>EJNMMI Physics</i> , 2014, 1, A40.	2.7	5
135	Incorporation of MRI-AIF information for improved kinetic modelling of dynamic PET data. <i>EJNMMI Physics</i> , 2014, 1, A43.	2.7	7
136	Image reconstruction of mMR PET data using the open source software STIR. <i>EJNMMI Physics</i> , 2014, 1, A44.	2.7	1
137	Attenuation correction synthesis for hybrid PET-MR scanners: validation for brain study applications. <i>EJNMMI Physics</i> , 2014, 1, A52.	2.7	3
138	Modelling the impact of injection time on the bolus shapes in PET-MRI AIF Conversion. <i>EJNMMI Physics</i> , 2014, 1, A54.	2.7	6
139	Direct parametric reconstruction from undersampled (k, t) -space data in dynamic contrast enhanced MRI. <i>Medical Image Analysis</i> , 2014, 18, 989-1001.	11.6	33
140	Characterization and correction of eddy-current artifacts in unipolar and bipolar diffusion sequences using magnetic field monitoring. <i>Journal of Magnetic Resonance</i> , 2014, 244, 74-84.	2.1	27
141	Self-navigated tissue phase mapping using a golden-angle spiral acquisition—proof of concept in patients with pulmonary hypertension. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 145-155.	3.0	20
142	Exploiting an MRI derived arterial input function to improve the PET simultaneous estimation method: Validation of assumptions. , 2014, , .		2
143	An algorithm for direct 4-D PET image reconstruction/non-rigid motion estimation with limited MRI prior information. , 2014, , .		1
144	Effect of scatter correction when comparing attenuation maps: Application to brain PET/MR. , 2014, , .		10

#	ARTICLE	IF	CITATIONS
145	High throughput CUDA implementation of accurate geometric modelling for iterative reconstruction of PET data. , 2014, , .		6
146	Joint reconstruction of PET-MRI by parallel level sets. , 2014, , .		4
147	Implementation of a Heterogeneous Image Reconstruction System for Clinical Magnetic Resonance. Lecture Notes in Computer Science, 2014, , 469-479.	1.3	1
148	Fast dynamic MRI via nuclear norm minimization and accelerated proximal gradient. , 2013, , .		2
149	In vivo myofibre architecture in the systemic right ventricle. European Heart Journal, 2013, 34, 3640-3640.	2.2	9
150	Motion corrected compressed sensing for free-breathing dynamic cardiac MRI. Magnetic Resonance in Medicine, 2013, 70, 504-516.	3.0	142
151	Global Small Bowel Motility: Assessment with Dynamic MR Imaging. Radiology, 2013, 269, 443-450.	7.3	75
152	Small bowel strictures in Crohn's disease: a quantitative investigation of intestinal motility using MR enterography. Neurogastroenterology and Motility, 2013, 25, 967.	3.0	33
153	Direct parametric reconstruction from undersampled (k, t)-space data in dynamic contrast enhancement MRI. , 2013, , .		0
154	Joint reconstruction of low-rank and sparse components from undersampled (k, t)-space small bowel data. , 2013, , .		1
155	Attenuation Correction Synthesis for Hybrid PET-MR Scanners. Lecture Notes in Computer Science, 2013, 16, 147-154.	1.3	31
156	Respiratory Motion Correction in Dynamic-MRI: Application to Small Bowel Motility Quantification during Free Breathing. Lecture Notes in Computer Science, 2013, 16, 132-140.	1.3	4
157	Global Small Bowel Motility: Assessment with Dynamic MR Imaging. Radiology, 2013, 269, 443-450.	7.3	27
158	Establishing spatial correspondence for the analysis of images from highly deforming anatomy. , 2012, 2012, 3732-5.		0
159	Quantified terminal ileal motility during MR enterography as a potential biomarker of Crohn's disease activity: a preliminary study. European Radiology, 2012, 22, 2494-2501.	4.5	119
160	Continuous assessment of cardiac output during exercise using real time flow with fast GPU reconstruction. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	3.3	0
161	Real time flow with fast GPU reconstruction for continuous assessment of cardiac output. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	3.3	6
162	Real-time flow with fast GPU reconstruction for continuous assessment of cardiac output. Journal of Magnetic Resonance Imaging, 2012, 36, 1477-1482.	3.4	21

#	ARTICLE	IF	CITATIONS
163	Quantitative assessment of small bowel motility by nonrigid registration of dynamic MR images. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 783-793.	3.0	97
164	High-resolution slice-selective Fourier velocity encoding in congenital heart disease using spiral SENSE with velocity unwrap. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1538-1546.	3.0	6
165	Automatic segmentation propagation of the aorta in real-time phase contrast MRI using nonrigid registration. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 232-238.	3.4	43
166	Rapid Flow Assessment of Congenital Heart Disease with High-Spatiotemporal-Resolution Gated Spiral Phase-Contrast MR Imaging. <i>Radiology</i> , 2011, 260, 79-87.	7.3	49
167	Electrical impedance tomography in anisotropic media with known eigenvectors. <i>Inverse Problems</i> , 2011, 27, 065004.	2.0	12
168	A computationally efficient OMP-based compressed sensing reconstruction for dynamic MRI. <i>Physics in Medicine and Biology</i> , 2011, 56, N99-N114.	3.0	12
169	Assessing vascular response to exercise using a combination of real-time spiral phase contrast MR and noninvasive blood pressure measurements. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 997-1003.	3.4	47
170	Model-based reconstruction for cardiac cine MRI without ECG or breath holding. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1247-1257.	3.0	36
171	3D undersampled golden-radial phase encoding for DCE-MRA using inherently regularized iterative SENSE. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 514-526.	3.0	47
172	Split-acquisition real-time CINE phase-contrast MR flow measurements. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1664-1670.	3.0	10
173	Assessing the hemodynamic response to exercise - a novel MR approach. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0
174	Data driven groupwise registration of diffusion weighted images. , 2010, , .		0
175	Image registration using uncertainty coefficients. , 2009, , .		5
176	Optimizing functional parameter accuracy for breath-hold DCE-MRI of liver tumours. <i>Physics in Medicine and Biology</i> , 2009, 54, 2197-2215.	3.0	28
177	Real-Time Reconstruction of Sensitivity Encoded Radial Magnetic Resonance Imaging Using a Graphics Processing Unit. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1974-1985.	8.9	55
178	Motion artifact correction in free-breathing abdominal MRI using overlapping partial samples to recover image deformations. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 440-449.	3.0	22
179	Whole-heart imaging using undersampled radial phase encoding (RPE) and iterative sensitivity encoding (SENSE) reconstruction. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1331-1337.	3.0	25
180	On modelling of anisotropic viscoelasticity for soft tissue simulation: Numerical solution and GPU execution. <i>Medical Image Analysis</i> , 2009, 13, 234-244.	11.6	109

#	ARTICLE	IF	CITATIONS
181	Cartesian SENSE and k_t SENSE reconstruction using commodity graphics hardware. Magnetic Resonance in Medicine, 2008, 59, 463-468.	3.0	76
182	Use of anisotropic modelling in electrical impedance tomography; Description of method and preliminary assessment of utility in imaging brain function in the adult human head. NeuroImage, 2008, 43, 258-268.	4.2	105
183	Computationally efficient vascular input function models for quantitative kinetic modelling using DCE-MRI. Physics in Medicine and Biology, 2008, 53, 1225-1239.	3.0	114
184	Generalized reconstruction by inversion of coupled systems (GRICS) applied to parallel MRI. , 2008, , .		1
185	Robust registration between cardiac MRI images and atlas for segmentation propagation. Proceedings of SPIE, 2008, , .	0.8	25
186	Modelling Anisotropic Viscoelasticity for Real-Time Soft Tissue Simulation. Lecture Notes in Computer Science, 2008, 11, 703-710.	1.3	5
187	Influence of Organ Motion and Contrast Enhancement on Image Registration. Lecture Notes in Computer Science, 2008, 11, 948-955.	1.3	5
188	Bayesian estimation of pharmacokinetic parameters for DCE-MRI with a robust treatment of enhancement onset time. Physics in Medicine and Biology, 2007, 52, 2393-2408.	3.0	34
189	MOTION AND BIOMECHANICAL MODELS FOR IMAGE-GUIDED INTERVENTIONS. , 2007, , .		0
190	Incoherent artefact correction using PPI. NMR in Biomedicine, 2006, 19, 362-367.	2.8	0
191	Beyond the g-factor limit in sensitivity encoding using joint histogram entropy. Magnetic Resonance in Medicine, 2006, 55, 153-160.	3.0	14
192	Nonlinear phase correction of navigated multi-coil diffusion images. Magnetic Resonance in Medicine, 2006, 56, 1135-1139.	3.0	52
193	Measurement of total pulmonary arterial compliance using invasive pressure monitoring and MR flow quantification during MR-guided cardiac catheterization. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 289, H1301-H1306.	3.2	77
194	Retrospective Respiratory Motion Correction for Navigated Cine Velocity Mapping. Journal of Cardiovascular Magnetic Resonance, 2004, 6, 785-792.	3.3	12
195	Coil-based artifact reduction. Magnetic Resonance in Medicine, 2004, 52, 825-830.	3.0	31
196	Artifact Reduction Using Parallel Imaging Methods. Topics in Magnetic Resonance Imaging, 2004, 15, 267-275.	1.2	23
197	Multiple Coils for Reduction of Flow Artefacts in MR Images. Lecture Notes in Computer Science, 2004, , 1097-1098.	1.3	0
198	Reconstruction after rotational motion. Magnetic Resonance in Medicine, 2003, 49, 183-187.	3.0	31

#	ARTICLE	IF	CITATIONS
199	A study of the motion and deformation of the heart due to respiration. IEEE Transactions on Medical Imaging, 2002, 21, 1142-1150.	8.9	232
200	3-D freehand echocardiography for automatic left ventricle reconstruction and analysis based on multiple acoustic windows. IEEE Transactions on Medical Imaging, 2002, 21, 1051-1058.	8.9	36
201	Respiratory motion compensation for 3-D freehand echocardiography. Ultrasound in Medicine and Biology, 2001, 27, 1615-1620.	1.5	18
202	Study of Connectivity in the Brain Using the Full Diffusion Tensor from MRI. Lecture Notes in Computer Science, 2001, , 121-133.	1.3	25
203	Sampling and reconstruction effects due to motion in diffusion-weighted interleaved echo planar imaging. Magnetic Resonance in Medicine, 2000, 44, 101-109.	3.0	101
204	Automatic compensation of motion artifacts in MRI. Magnetic Resonance in Medicine, 1999, 41, 163-170.	3.0	108
205	An autofocus algorithm for the automatic correction of motion artifacts in MR images. Lecture Notes in Computer Science, 1997, , 341-354.	1.3	7
206	Numerical study of 10-cm chirped-fiber grating pairs for dispersion compensation at 10 Gb/s over 600 km of nondispersion shifted fiber. IEEE Photonics Technology Letters, 1996, 8, 1085-1087.	2.5	27
207	10 Gb/s transmission over 700 km of standard single-mode fiber with 10-cm chirped fiber grating compensator and duobinary transmitter. IEEE Photonics Technology Letters, 1996, 8, 1258-1260.	2.5	26
208	Design trade-offs and evaluation of the performance: attainable by GaAs-Al/sub 0.3/Ga/sub 0.7/As asymmetric Fabry-Perot modulators. IEEE Journal of Quantum Electronics, 1995, 31, 927-943.	1.9	21
209	All-solid-state subpicosecond passively mode locked erbium-doped fiber laser. Applied Physics Letters, 1993, 63, 4-6.	3.3	39
210	Passively mode-locked Er ³⁺ fiber laser using a semiconductor nonlinear mirror. IEEE Photonics Technology Letters, 1993, 5, 35-37.	2.5	34
211	Diode-pumped selfstarting passively modelocked neodymium-doped fibre laser. Electronics Letters, 1993, 29, 808.	1.0	9
212	The design and application of III-V multiquantum well optical modulators. Physica Scripta, 1991, T35, 210-214.	2.5	10
213	Modelling of electroabsorption in coupled quantum wells with applications to low voltage optical modulation. Semiconductor Science and Technology, 1990, 5, 516-524.	2.0	40