
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7721229/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Recommendations for a Brief International Cognitive Assessment for Multiple Sclerosis (BICAMS). Multiple Sclerosis Journal, 2012, 18, 891-898.	3.0	654
2	Minimal Neuropsychological Assessment of MS Patients: A Consensus Approach. Clinical Neuropsychologist, 2002, 16, 381-397.	2.3	556
3	Genomeâ€wide metaâ€analysis identifies novel multiple sclerosis susceptibility loci. Annals of Neurology, 2011, 70, 897-912.	5.3	314
4	Cognition in multiple sclerosis. Current Opinion in Neurology, 2011, 24, 244-249.	3.6	310
5	Brief International Cognitive Assessment for MS (BICAMS): international standards for validation. BMC Neurology, 2012, 12, 55.	1.8	275
6	Integration of genetic risk factors into a clinical algorithm for multiple sclerosis susceptibility: a weighted genetic risk score. Lancet Neurology, The, 2009, 8, 1111-1119.	10.2	233
7	Treatment of cognitive impairment in multiple sclerosis: position paper. Journal of Neurology, 2013, 260, 1452-1468.	3.6	189
8	Executive Function and Language in Deaf Children. Journal of Deaf Studies and Deaf Education, 2008, 13, 362-377.	1.2	144
9	Cerebellar contributions to working memory. NeuroImage, 2007, 36, 943-954.	4.2	134
10	Unmet needs, burden of treatment, and patient engagement in multiple sclerosis: A combined perspective from the MS in the 21st Century Steering Group. Multiple Sclerosis and Related Disorders, 2018, 19, 153-160.	2.0	101
11	A longitudinal study of cognition in primary progressive multiple sclerosis. Brain, 2005, 128, 2891-2898.	7.6	99
12	The brief international cognitive assessment for multiple sclerosis (BICAMS): normative values with gender, age and education corrections in the Italian population. BMC Neurology, 2014, 14, 171.	1.8	99
13	High-intensity interval exercise improves cognitive performance and reduces matrix metalloproteinases-2 serum levels in persons with multiple sclerosis: A randomized controlled trial. Multiple Sclerosis Journal, 2018, 24, 1635-1644.	3.0	93
14	Relationship between early clinical characteristics and long term disability outcomes: 16 year cohort study (follow-up) of the pivotal interferon β-1b trial in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 282-287.	1.9	87
15	Achieving patient engagement in multiple sclerosis: A perspective from the multiple sclerosis in the 21st Century Steering Group. Multiple Sclerosis and Related Disorders, 2015, 4, 202-218.	2.0	85
16	How does cognition relate to employment in multiple sclerosis? A systematic review. Multiple Sclerosis and Related Disorders, 2018, 26, 183-191.	2.0	85
17	The Cognition and Behaviour of Children with Cochlear Implants, Children with Hearing Aids and Their Hearing Peers: A Comparison. Audiology and Neuro-Otology, 2005, 10, 117-126.	1.3	75
18	The Hungarian validation of the Brief International Cognitive Assessment for Multiple Sclerosis (BICAMS) battery and the correlation of cognitive impairment with fatigue and quality of life. Multiple Sclerosis and Related Disorders, 2015, 4, 499-504.	2.0	67

#	Article	IF	CITATIONS
19	Identifying Progression in Multiple Sclerosis: New Perspectives. Annals of Neurology, 2020, 88, 438-452.	5.3	67
20	A Systematic Review and Meta-Analysis of the Brief Cognitive Assessment for Multiple Sclerosis (BICAMS). Neurology and Therapy, 2018, 7, 287-306.	3.2	62
21	Evaluating more naturalistic outcome measures. Neurology: Neuroimmunology and NeuroInflammation, 2015, 2, e162.	6.0	57
22	Triple dissociation of attention networks in stroke according to lesion location. Neurology, 2013, 81, 812-820.	1.1	50
23	The Role of the Left Hemisphere in Verbal and Spatial Reasoning Tasks. Cortex, 2000, 36, 691-702.	2.4	48
24	The role of the cerebellum in multiple sclerosis—150 years after Charcot. Neuroscience and Biobehavioral Reviews, 2018, 89, 85-98.	6.1	48
25	The effect of self-assessed fatigue and subjective cognitive impairment on work capacity: The case of multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 740-749.	3.0	45
26	Multiple sclerosis patients' understanding and preferences for risks and benefits of disease-modifying drugs: A systematic review. Journal of the Neurological Sciences, 2017, 375, 107-122.	0.6	37
27	The abstraction of numerical relations: A role for the right hemisphere in arithmetic?. Journal of the International Neuropsychological Society, 1997, 3, 260-268.	1.8	35
28	Long-term follow-up of the original interferon-β1b trial in multiple sclerosis: Design and lessons from a 16-year observational study. Clinical Therapeutics, 2009, 31, 1724-1736.	2.5	35
29	Does including the full CVLT-II and BVMT-R improve BICAMS? Evidence from a Belgian (Dutch) validation study. Multiple Sclerosis and Related Disorders, 2017, 18, 33-40.	2.0	34
30	A Videogame-Based Digital Therapeutic to Improve Processing Speed in People with Multiple Sclerosis: A Feasibility Study. Neurology and Therapy, 2019, 8, 135-145.	3.2	31
31	Verbal and Spatial Analogical Reasoning in Deaf and Hearing Children: The Role of Grammar and Vocabulary. Journal of Deaf Studies and Deaf Education, 2011, 16, 189-197.	1.2	29
32	Usability of Health Information Websites Designed for Adolescents: Systematic Review, Neurodevelopmental Model, and Design Brief. Journal of Medical Internet Research, 2019, 21, e11584.	4.3	29
33	Validation of the brief international cognitive assessment for multiple sclerosis (BICAMS) in the Portuguese population with multiple sclerosis. BMC Neurology, 2018, 18, 172.	1.8	28
34	Exploration of the cognitive and behavioural consequences of paediatric cochlear implantation. Cochlear Implants International, 2006, 7, 61-76.	1.2	26
35	The phenomenology of body image in men living with HIV. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 1560-1567.	1.2	26
36	Factors affecting adherence to disease-modifying therapies in multiple sclerosis: systematic review. Journal of Neurology, 2022, 269, 1861-1872.	3.6	24

#	Article	IF	CITATIONS
37	Cognitive impairment in pediatric-onset multiple sclerosis is detected by the Brief International Cognitive Assessment for Multiple Sclerosis and computerized cognitive testing. Multiple Sclerosis Journal, 2018, 24, 512-519.	3.0	23
38	Patient Power Revolution in Multiple Sclerosis: Navigating the New Frontier. Neurology and Therapy, 2018, 7, 179-187.	3.2	23
39	Predictive validity of NEDA in the 16- and 21-year follow-up from the pivotal trial of interferon beta-1b. Multiple Sclerosis Journal, 2019, 25, 837-847.	3.0	23
40	Persons with secondary progressive and relapsing remitting multiple sclerosis reveal different responses of tryptophan metabolism to acute endurance exercise and training. Journal of Neuroimmunology, 2018, 314, 101-105.	2.3	21
41	A novel in-home digital treatment to improve processing speed in people with multiple sclerosis: A pilot study. Multiple Sclerosis Journal, 2021, 27, 778-789.	3.0	21
42	Joint Healthcare Professional and Patient Development of Communication Tools to Improve the Standard of MS Care. Advances in Therapy, 2019, 36, 3238-3252.	2.9	20
43	Cognitive rehabilitation, self-management, psychotherapeutic and caregiver support interventions in progressive neurodegenerative conditions: A scoping review. NeuroRehabilitation, 2019, 43, 443-471.	1.3	19
44	The mathematical abilities of children with cochlear implants. Child Neuropsychology, 2013, 19, 127-142.	1.3	18
45	Learning ability correlates with brain atrophy and disability progression in RRMS. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 38-43.	1.9	18
46	Disease Progression in Multiple Sclerosis: A Literature Review Exploring Patient Perspectives. Patient Preference and Adherence, 2021, Volume 15, 15-27.	1.8	18
47	Does the Spelling Dyslexic Read by Recognizing Orally Spelled Words? An Investigation of a Letter-by-letter Reader. Neurocase, 2002, 8, 210-218.	0.6	17
48	Constructing vignettes to investigate anger in multiple sclerosis. Nurse Researcher, 2010, 17, 60-73.	0.5	17
49	Influence of nationality on the Brief International Cognitive Assessment for Multiple Sclerosis (BICAMS). Clinical Neuropsychologist, 2018, 32, 54-62.	2.3	17
50	Validation of the Brief International Cognitive Assessment for Multiple Sclerosis in Japan. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2017, 3, 205521731774897.	1.0	16
51	Future-directed thinking and depression in relapsing-remitting multiple sclerosis. British Journal of Health Psychology, 2006, 11, 663-675.	3.5	15
52	Health-Related Quality of Life in People with Multiple Sclerosis Undergoing Inpatient Rehabilitation. Neurorehabilitation and Neural Repair, 1996, 10, 185-194.	2.9	14
53	Cognitive Impairment in Multiple Sclerosis - Recent Advances and Future Prospects. European Neurological Review, 2010, 5, 69.	0.5	14
54	The contribution of short-term memory capacity to reading ability in adolescents with cochlear implants. International Journal of Pediatric Otorhinolaryngology, 2016, 90, 37-42.	1.0	13

#	Article	IF	CITATIONS
55	Baseline characteristics and effects of fingolimod on cognitive performance in patients with relapsingâ€remitting multiple sclerosis. European Journal of Neurology, 2021, 28, 4135-4145.	3.3	13
56	Interventions to support risk and benefit understanding of disease-modifying drugs in Multiple Sclerosis patients: A systematic review. Patient Education and Counseling, 2017, 100, 1031-1048.	2.2	10
57	Reliability and validity of Arabic version of the brief international cognitive assessment for multiple sclerosis: Egyptian dialect. Egyptian Journal of Neurology, Psychiatry and Neurosurgery, 2021, 57, .	1.0	10
58	Treatment satisfaction, safety, and tolerability of cladribine tablets in patients with highly active relapsing multiple sclerosis: CLARIFY-MS study 6-month interim analysis. Multiple Sclerosis and Related Disorders, 2022, 57, 103385.	2.0	8
59	Relation of impairment to everyday competence in visual disorientation syndrome: Evidence from a single case study. Archives of Physical Medicine and Rehabilitation, 2000, 81, 686-691.	0.9	7
60	A useful annual review of cognition in relapsing MS is beyond most neurologists – NO. Multiple Sclerosis Journal, 2016, 22, 728-730.	3.0	7
61	Best Methods of Communicating Clinical Trial Data to Improve Understanding of Treatments for Patients with Multiple Sclerosis. Value in Health, 2018, 21, 762-766.	0.3	7
62	Knowledge Is Power, but Is Ignorance Bliss? Optimising Conversations About Disease Progression in Multiple Sclerosis. Neurology and Therapy, 2020, 9, 1-10.	3.2	7
63	Cognitive assessment in MS. Neurodegenerative Disease Management, 2015, 5, 43-45.	2.2	6
64	Reports of Patients and Relatives from the CogniCIS Study about Cognition in Clinically Isolated Syndrome: What Are Our Patients Telling Us?. European Neurology, 2013, 69, 346-351.	1.4	5
65	Cognitive Impairment Impacts Exercise Effects on Cognition in Multiple Sclerosis. Frontiers in Neurology, 2020, 11, 619500.	2.4	5
66	Functional training is a senseless strategy in MS cognitive rehabilitation: Strategy training is the only useful approach – NO. Multiple Sclerosis Journal, 2017, 23, 930-932.	3.0	3
67	State of the Art and Future Challenges in Multiple Sclerosis Research and Medical Management: An Insight into the 5th International Porto Congress of Multiple Sclerosis. Neurology and Therapy, 2020, 9, 281-300.	3.2	3
68	What would improve MS clinic services for cognition? – A stakeholder panel and survey exploration. Multiple Sclerosis and Related Disorders, 2022, 63, 103930.	2.0	2
69	Cognition with magnetic resonance imaging findings and social activities in patients with multiple sclerosis in a Japanese cohort. Clinical and Experimental Neuroimmunology, 2019, 10, 41-48.	1.0	1
70	Improving MS patients' understanding of treatment risks and benefits in clinical consultations: A randomised crossover trial. Multiple Sclerosis and Related Disorders, 2021, 49, 102737.	2.0	1
71	Experiences of living with postural tachycardia syndrome. Chronic Illness, 2021, , 174239532110540.	1.5	1
72	Cognitive Assessment in Multiple Sclerosis. European Neurological Review, 2018, 13, 12.	0.5	0