

# Zhi-xian Cao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/77227/publications.pdf>

Version: 2024-02-01

74  
papers

1,950  
citations

236925

25  
h-index

265206

42  
g-index

83  
all docs

83  
docs citations

83  
times ranked

1102  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantifying multiple uncertainties in modelling shallow water-sediment flows: A stochastic Galerkin framework with Haar wavelet expansion and an operator-splitting approach. <i>Applied Mathematical Modelling</i> , 2022, 106, 259-275.	4.2	3
2	A GPU-Accelerated and LTS-Based Finite Volume Shallow Water Model. <i>Water (Switzerland)</i> , 2022, 14, 922.	2.7	2
3	Coupled modelling of flow and non-capacity sediment transport in sewer flushing channel. <i>Water Research</i> , 2022, 219, 118557.	11.3	3
4	Coupled modeling of rainfall-induced floods and sediment transport at the catchment scale. <i>International Journal of Sediment Research</i> , 2022, 37, 715-728.	3.5	3
5	A new two-phase shallow water hydro-sediment-morphodynamic model based on the HLLC solver and the hybrid LTS/GMaTS approach. <i>Advances in Water Resources</i> , 2022, 166, 104254.	3.8	3
6	Dredging Volume Estimation and Dredging Timing for Waterway Maintenance: A Case Study Using a Depth-Averaged Hydro-sediment-Morphodynamic Model with Transient Dredging Effects. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2022, 148, .	1.2	1
7	A 2D well-balanced, coupled model of water flow, sediment transport, and bed evolution based on unstructured grids with efficient variable storage strategy. <i>International Journal of Sediment Research</i> , 2021, 36, 151-160.	3.5	1
8	Hydro-sediment-morphodynamic processes of the baige landslide-induced barrier Lake, Jinsha River, China. <i>Journal of Hydrology</i> , 2021, 596, 126134.	5.4	24
9	Impacts of massive pumping on flood processes in polders with a case study on Lannihu basin in the Dongting Lake District, China. <i>Hydrological Processes</i> , 2021, 35, e14365.	2.6	2
10	Uncertainty quantification in shallow water-sediment flows: A stochastic Galerkin shallow water hydro-sediment-morphodynamic model. <i>Applied Mathematical Modelling</i> , 2021, 99, 458-477.	4.2	7
11	Role of bar-channel interactions in a dominant branch shift: The Taipingkou waterway, Yangtze River, China. <i>River Research and Applications</i> , 2021, 37, 494-508.	1.7	12
12	Morphodynamic processes in rivers with cascade movable weirs - a case study of the middle Fen River. <i>Journal of Hydrology</i> , 2021, 603, 127133.	5.4	2
13	Barrier lake formation due to landslide impacting a river: A numerical study using a double layer-averaged two-phase flow model. <i>Applied Mathematical Modelling</i> , 2020, 80, 574-601.	4.2	23
14	A 2D hydrodynamic model for shallow water flows with significant infiltration losses. <i>Hydrological Processes</i> , 2020, 34, 2263-2280.	2.6	19
15	Grain-energy release governs mobility of debris flow due to solid-liquid mass release. <i>Earth Surface Processes and Landforms</i> , 2020, 45, 2912-2926.	2.5	2
16	A New Flash Flood Warning Scheme Based on Hydrodynamic Modelling. <i>Water (Switzerland)</i> , 2019, 11, 1221.	2.7	7
17	Improved Local Time Step for 2D Shallow-Water Modeling Based on Unstructured Grids. <i>Journal of Hydraulic Engineering</i> , 2019, 145, .	1.5	15
18	Computationally efficient modeling of hydro-sediment-morphodynamic processes using a hybrid local time step/global maximum time step. <i>Advances in Water Resources</i> , 2019, 127, 26-38.	3.8	34

#	ARTICLE	IF	CITATIONS
19	Waves and Sediment Transport Due to Granular Landslides Impacting Reservoirs. <i>Water Resources Research</i> , 2019, 55, 495-518.	4.2	14
20	A depth-averaged two-phase model for fluvial sediment-laden flows over erodible beds. <i>Advances in Water Resources</i> , 2019, 129, 338-353.	3.8	7
21	Mathematical modeling of shallow-water flows on steep slopes. <i>Journal of Hydrology and Hydromechanics</i> , 2019, 67, 252-259.	2.0	10
22	Approximate Solutions for Ideal Dam-Break Sediment-Laden Flows on Uniform Slopes. <i>Water Resources Research</i> , 2018, 54, 2731-2748.	4.2	5
23	Enhanced bed load sediment transport by unsteady flows in a degrading channel. <i>International Journal of Sediment Research</i> , 2018, 33, 327-339.	3.5	11
24	New experimental dataset for partial dam-break floods over mobile beds. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2018, 56, 124-135.	1.7	11
25	A depth-averaged two-phase model for debris flows over fixed beds. <i>International Journal of Sediment Research</i> , 2018, 33, 462-477.	3.5	14
26	A depth-averaged two-phase model for debris flows over erodible beds. <i>Earth Surface Processes and Landforms</i> , 2018, 43, 817-839.	2.5	45
27	A quasi single-phase model for debris flows and its comparison with a two-phase model. <i>Journal of Mountain Science</i> , 2018, 15, 1071-1089.	2.0	14
28	Numerical modelling of alternate bar formation, development and sediment sorting in straight channels. <i>Earth Surface Processes and Landforms</i> , 2017, 42, 555-574.	2.5	48
29	Shallow Water Hydro-Sediment-Morphodynamic Equations for Fluvial Processes. <i>Journal of Hydraulic Engineering</i> , 2017, 143, .	1.5	32
30	Numerical algorithms for solving shallow water hydro-sediment-morphodynamic equations. <i>Engineering Computations</i> , 2017, 34, 2836-2861.	1.4	7
31	Characterizing vertical migration of <i>Microcystis aeruginosa</i> and conditions for algal bloom development based on a light-driven migration model. <i>Ecological Research</i> , 2017, 32, 961-969.	1.5	11
32	Limitations of empirical sediment transport formulas for shallow water and their consequences for swash zone modelling. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2017, 55, 114-120.	1.7	6
33	Non-capacity transport of non-uniform bed load sediment in alluvial rivers. <i>Journal of Mountain Science</i> , 2016, 13, 377-396.	2.0	18
34	Graded and uniform bed load sediment transport in a degrading channel. <i>International Journal of Sediment Research</i> , 2016, 31, 376-385.	3.5	13
35	Derivation of operation rules for reservoirs in parallel with joint water demand. <i>Water Resources Research</i> , 2015, 51, 9539-9563.	4.2	26
36	Whole-Process Modeling of Reservoir Turbidity Currents by a Double Layer-Averaged Model. <i>Journal of Hydraulic Engineering</i> , 2015, 141, .	1.5	36

#	ARTICLE	IF	CITATIONS
37	Modelling roll waves with shallow water equations and turbulent closure. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2015, 53, 161-177.	1.7	38
38	Well-balanced numerical modelling of non-uniform sediment transport in alluvial rivers. <i>International Journal of Sediment Research</i> , 2015, 30, 117-130.	3.5	35
39	Full 2D hydrodynamic modelling of rainfall-induced flash floods. <i>Journal of Mountain Science</i> , 2015, 12, 1203-1218.	2.0	15
40	Experimental investigations of graded sediment transport under unsteady flow hydrographs. <i>International Journal of Sediment Research</i> , 2015, 30, 306-320.	3.5	27
41	Coupled flood and sediment transport modelling with adaptive mesh refinement. <i>Science China Technological Sciences</i> , 2015, 58, 1425-1438.	4.0	18
42	Coupled 2D hydrodynamic and sediment transport modeling of megaflood due to glacier dam-break in Altai Mountains, Southern Siberia. <i>Journal of Mountain Science</i> , 2014, 11, 1442-1453.	2.0	21
43	Numerical analysis of adaptation-to-capacity length for fluvial sediment transport. <i>Journal of Mountain Science</i> , 2014, 11, 1491-1498.	2.0	3
44	Numerical modelling of riverbed grain size stratigraphic evolution. <i>International Journal of Sediment Research</i> , 2014, 29, 329-343.	3.5	26
45	A double layer-averaged model for dam-break flows over mobile bed. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2013, 51, 518-534.	1.7	52
46	Non-capacity or capacity model for fluvial sediment transport. <i>Water Management</i> , 2012, 165, 193-211.	1.2	24
47	Coupled modelling of flood due to natural landslide dam breach. <i>Water Management</i> , 2012, 165, 525-542.	1.2	9
48	Well-balanced two-dimensional coupled modelling of submarine turbidity currents. <i>Proceedings of the Institution of Civil Engineers: Maritime Engineering</i> , 2012, 165, 169-188.	0.2	6
49	Dam-break flows over mobile beds: experiments and benchmark tests for numerical models. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2012, 50, 364-375.	1.7	91
50	Numerical modelling of turbidity currents in the Xiaolangdi reservoir, Yellow River, China. <i>Journal of Hydrology</i> , 2012, 464-465, 41-53.	5.4	58
51	Landslide dam failure and flood hydraulics. Part I: experimental investigation. <i>Natural Hazards</i> , 2011, 59, 1003-1019.	3.4	75
52	Landslide dam failure and flood hydraulics. Part II: coupled mathematical modelling. <i>Natural Hazards</i> , 2011, 59, 1021-1045.	3.4	71
53	Multiple time scales of fluvial processes – theory and applications. <i>Theoretical and Applied Mechanics Letters</i> , 2011, 1, 052001.	2.8	1
54	Multiple Time Scales of Fluvial Processes with Bed Load Sediment and Implications for Mathematical Modeling. <i>Journal of Hydraulic Engineering</i> , 2011, 137, 267-276.	1.5	36

#	ARTICLE	IF	CITATIONS
55	Modelling of urban flooding due to Yangtze River dike break. <i>Water Management</i> , 2011, 164, 3-14.	1.2	5
56	Reconciled bedload sediment transport rates in ephemeral and perennial rivers. <i>Earth Surface Processes and Landforms</i> , 2010, 35, 1655-1665.	2.5	13
57	Experimental Study of Landslide Dam-Break Flood Over Erodible Bed in Open Channels. <i>Journal of Hydrodynamics</i> , 2009, 21, 124-130.	3.2	27
58	Fully coupled mathematical modeling of turbidity currents over erodible bed. <i>Advances in Water Resources</i> , 2009, 32, 1-15.	3.8	51
59	Two-dimensional coupled mathematical modeling of fluvial processes with intense sediment transport and rapid bed evolution. <i>Science in China Series C: Physics, Mechanics and Astronomy</i> , 2008, 51, 1427-1438.	0.2	22
60	Comment on "Long waves in erodible channels and morphodynamic influence" by Stefano Lanzoni et al.. <i>Water Resources Research</i> , 2008, 44, .	4.2	3
61	Comments on the paper by Guy Simpson and Sebastien Castelltort, "Coupled model of surface water flow, sediment transport and morphological evolution", <i>Computers &amp; Geosciences</i> 32 (2006) 1600-1614. <i>Computers and Geosciences</i> , 2007, 33, 976-978.	4.2	3
62	Multiple time scales of alluvial rivers carrying suspended sediment and their implications for mathematical modeling. <i>Advances in Water Resources</i> , 2007, 30, 715-729.	3.8	50
63	Pointwise and Upwind Discretizations of Source Terms in Open-Channel Flood Routing. <i>Journal of Hydrodynamics</i> , 2006, 18, 379-386.	3.2	2
64	Shallow water hydrodynamic models for hyperconcentrated sediment-laden floods over erodible bed. <i>Advances in Water Resources</i> , 2006, 29, 546-557.	3.8	65
65	Flow Resistance and Momentum Flux in Compound Open Channels. <i>Journal of Hydraulic Engineering</i> , 2006, 132, 1272-1282.	1.5	30
66	Further perspectives on the evolution of bed material waves in alluvial rivers. <i>Earth Surface Processes and Landforms</i> , 2005, 30, 115-120.	2.5	3
67	Computational Dam-Break Hydraulics over Erodible Sediment Bed. <i>Journal of Hydraulic Engineering</i> , 2004, 130, 689-703.	1.5	288
68	Flow reversal over a natural pool-riffle sequence: a computational study. <i>Earth Surface Processes and Landforms</i> , 2003, 28, 689-705.	2.5	60
69	On evolution of bed material waves in alluvial rivers. <i>Earth Surface Processes and Landforms</i> , 2003, 28, 437-441.	2.5	20
70	Role of suspended-sediment particle size in modifying velocity profiles in open channel flows. <i>Water Resources Research</i> , 2003, 39, .	4.2	53
71	Discussion of "Impact of Turbidity Currents on Reservoir Sedimentation" by Giovanni De Cesare, Anton Schleiss, and Felix Hermann. <i>Journal of Hydraulic Engineering</i> , 2002, 128, 644-645.	1.5	4
72	Turbulent flow across a natural compound channel. <i>Water Resources Research</i> , 2002, 38, 6-1-6-11.	4.2	47

#	ARTICLE	IF	CITATIONS
73	Coupled and Decoupled Numerical Modeling of Flow and Morphological Evolution in Alluvial Rivers. Journal of Hydraulic Engineering, 2002, 128, 306-321.	1.5	107
74	Effect of tributary inflow on reservoir turbidity current. Environmental Fluid Mechanics, 0, , .	1.6	0