

David Bilton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7724812/publications.pdf>

Version: 2024-02-01

130
papers

5,897
citations

101543

36
h-index

79698

73
g-index

131
all docs

131
docs citations

131
times ranked

6841
citing authors

#	ARTICLE	IF	CITATIONS
1	Cryptic lineages, cryptic barriers: historical seascapes and oceanic fronts drive genetic diversity in supralittoral rockpool beetles (Coleoptera: Hydraenidae). <i>Zoological Journal of the Linnean Society</i> , 2022, 196, 740-756.	2.3	5
2	A new species of <i>Protozantaena</i> Perkins, 1997 from the Great Escarpment of South Africa (Coleoptera, Tj ETQq0 0,0 rgBT /Overlock 10 Tf 3	0.5	3
3	Loss of heat acclimation capacity could leave subterranean specialists highly sensitive to climate change. <i>Animal Conservation</i> , 2021, 24, 482-490.	2.9	25
4	<i>Riberazantaena</i> , a new hydraenid genus from the Eastern Arc Mountains of Tanzania (Coleoptera, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	4
5	Plasticity of thermal performance curves in a narrow range endemic water beetle. <i>Journal of Thermal Biology</i> , 2021, 102, 103113.	2.5	5
6	The structure of tardigrade communities at fine spatial scales in an Andean <i>Polylepis</i> forest. <i>Neotropical Biodiversity</i> , 2021, 7, 443-454.	0.5	3
7	Do differences in developmental mode shape the potential for local adaptation?. <i>Ecology</i> , 2020, 101, e02942.	3.2	6
8	Universal metabolic constraints shape the evolutionary ecology of diving in animals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200488.	2.6	18
9	The call of the squeak beetle: bioacoustics of <i>Hygrobia hermanni</i> (Fabricius, 1775) revisited (Coleoptera: Hygrobidae). <i>Aquatic Insects</i> , 2020, 41, 131-144.	0.9	2
10	What should we call the Levant mole? Unravelling the systematics and demography of <i>Talpa levantis</i> Thomas, 1906 sensu lato (Mammalia: Talpidae). <i>Mammalian Biology</i> , 2020, 100, 1-18.	1.5	4
11	Taxonomic revision of the Afrotropical <i>Agabus raffrayi</i> species group with the description of four new species (Coleoptera, Dytiscidae). <i>ZooKeys</i> , 2020, 963, 45-79.	1.1	1
12	Phylogenomics of the superfamily Dytiscoidea (Coleoptera: Adephaga) with an evaluation of phylogenetic conflict and systematic error. <i>Molecular Phylogenetics and Evolution</i> , 2019, 135, 270-285.	2.7	36
13	Two new Mesoceratran Janssens, 1967 from the Piketberg, South Africa (Coleoptera, Hydraenidae). <i>Zootaxa</i> , 2019, 4555, 268.	0.5	2
14	Water Beetles as Models in Ecology and Evolution. <i>Annual Review of Entomology</i> , 2019, 64, 359-377.	11.8	39
15	Deeper knowledge of shallow waters: reviewing the invertebrate fauna of southern African temporary wetlands. <i>Hydrobiologia</i> , 2019, 827, 89-121.	2.0	41
16	Does plasticity in thermal tolerance trade off with inherent tolerance? The influence of setal tracheal gills on thermal tolerance and its plasticity in a group of European diving beetles. <i>Journal of Insect Physiology</i> , 2018, 106, 163-171.	2.0	24
17	A new humicolous <i>Parhydraena</i> dâ€™Orchymont, 1937 from South Africa (Coleoptera, Hydraenidae). <i>Zootaxa</i> , 2018, 4378, 284-288.	0.5	1
18	A new species of <i>Leielmis</i> DelÃve, 1964, with a revised key to members of the genus (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	1

#	ARTICLE	IF	CITATIONS
19	Micro-habitat distribution drives patch quality for sub-tropical rocky plateau amphibians in the northern Western Ghats, India. PLoS ONE, 2018, 13, e0194810.	2.5	12
20	A revision of the South African riffle beetle genus <i>Leielmis</i> Delève, 1964 (Coleoptera: Elmidae). Zootaxa, 2017, 4254, 255.	0.5	3
21	Water beetles from the Bokkeveld Plateau: a semi-arid hotspot of freshwater biodiversity in the Northern Cape of South Africa. Zootaxa, 2017, 4268, 191.	0.5	6
22	Metabolic and reproductive plasticity of core and marginal populations of the eurythermic saline water bug <i>Sigara selecta</i> (Hemiptera: Corixidae) in a climate change context. Journal of Insect Physiology, 2017, 98, 59-66.	2.0	16
23	Pleistocene range shifts, refugia and the origin of widespread species in western Palaearctic water beetles. Molecular Phylogenetics and Evolution, 2017, 114, 122-136.	2.7	18
24	Three new species of <i>Crenitis</i> Bedel, 1881 from South Africa, with a revised key to African species (Coleoptera: Hydrophilidae). Aquatic Insects, 2017, 38, 101-113.	0.9	2
25	The chicken or the egg? Adaptation to desiccation and salinity tolerance in a lineage of water beetles. Molecular Ecology, 2017, 26, 5614-5628.	3.9	18
26	Diversity and distribution of polyphagan water beetles (Coleoptera) in the Lake St Lucia system, South Africa. ZooKeys, 2017, 656, 51-84.	1.1	6
27	A revision of <i>Meladema</i> diving beetles (Coleoptera, Dytiscidae), with the description of a new species from the central Mediterranean based on molecules and morphology. ZooKeys, 2017, 702, 45-112.	1.1	4
28	Frequent discordance between morphology and mitochondrial DNA in a species group of European water beetles (Coleoptera: Dytiscidae). PeerJ, 2017, 5, e3076.	2.0	2
29	Reconstructing ancient Mediterranean crossroads in <i>Deronectes</i> diving beetles. Journal of Biogeography, 2016, 43, 1533-1545.	3.0	23
30	Stable isotopes and mtDNA reveal niche segregation but no evidence of intergradation along a habitat gradient in the Lesser Whitethroat complex (<i>Sylvia curruca</i> ; Passeriformes; Aves). Journal of Ornithology, 2016, 157, 1017-1027.	1.1	6
31	Two new water beetles from the South African Cape (Coleoptera, Hydraenidae). Zootaxa, 2016, 4137, 585-91.	0.5	7
32	A new species of <i>Anacaena</i> Thomson, 1859 from South Africa (Coleoptera: Hydrophilidae). Zootaxa, 2016, 4139, 593.	0.5	1
33	Sexual dimorphism and sexual conflict in the diving beetle <i>Agabus uliginosus</i> (L.) (Coleoptera: Tj ETQq1 1 0.784314 ₁ rgBT /Overlock 10		
34	Physiological niche and geographical range in European diving beetles (Coleoptera: Dytiscidae). Biology Letters, 2016, 12, 20160130.	2.3	11
35	Molecular phylogeny of the highly disjunct cliff water beetles from South Africa and China (Coleoptera: Aspidytidae). Zoological Journal of the Linnean Society, 2016, 176, 537-546.	2.3	19
36	Predaceous water beetles (Coleoptera, Hydradephaga) of the Lake St Lucia system, South Africa: biodiversity, community ecology and conservation implications. ZooKeys, 2016, 595, 85-135.	1.1	13

#	ARTICLE	IF	CITATIONS
37	Observed shifts in the contact zone between two forms of the diving beetle <i>Hydroporus memnonius</i> are consistent with predictions from sexual conflict. PeerJ, 2016, 4, e2089.	2.0	8
38	Aquatic insects dealing with dehydration: do desiccation resistance traits differ in species with contrasting habitat preferences?. PeerJ, 2016, 4, e2382.	2.0	22
39	A review of the <i>Canthyporus exilis</i> group, with the description of two new species (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	5
40	The Comparative Osmoregulatory Ability of Two Water Beetle Genera Whose Species Span the Fresh-Hypersaline Gradient in Inland Waters (Coleoptera: Dytiscidae, Hydrophilidae). PLoS ONE, 2015, 10, e0124299.	2.5	33
41	A new species of <i>Yola</i> Gozis, 1886 from the Western Cape of South Africa (Coleoptera: Dytiscidae: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	2
42	New species and new records of <i>Mesoceration</i> Janssens, 1967 from South Africa (Coleoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542	0.5	9
43	Oxygen limited thermal tolerance is seen in a plastron breathing insect, and can be induced in a bimodal gas exchanger. Journal of Experimental Biology, 2015, 218, 2083-8.	1.7	41
44	Home advantage? Decomposition across the freshwater-estuarine transition zone varies with litter origin and local salinity. Marine Environmental Research, 2015, 110, 1-7.	2.5	14
45	How well do protected area networks support taxonomic and functional diversity in non-target taxa? The case of Iberian freshwaters. Biological Conservation, 2015, 187, 134-144.	4.1	29
46	<i>Capelatus prykei</i> gen. et sp.n. (Coleoptera: Dytiscidae: Copelatinae) – a phylogenetically isolated diving beetle from the Western Cape of South Africa. Systematic Entomology, 2015, 40, 520-531.	3.9	15
47	Two New Species of Madicolous Water Beetle from South Africa (Coleoptera: Hydraenidae). African Invertebrates, 2015, 56, 181-190.	0.5	5
48	Ecological Approaches to Coastal Risk Mitigation. , 2015, , 171-236.		6
49	New species and new records of <i>Pterosthetops</i>: eumadicolous water beetles of the South African Cape (Coleoptera, Hydraenidae) . Zootaxa, 2014, 3811, 438.	0.5	10
50	<p><i>Laccobius leopardus</i> sp. nov. from the Western Cape of South Africa (Coleoptera: Hydrophilidae)</p> . Zootaxa, 2014, 3835, 397.	0.5	5
51	Two new water beetles from the Hantamsberg, an inselberg in the Northern Cape of South Africa (Coleoptera, Hydraenidae). Zootaxa, 2014, 3887, 471-80.	0.5	9
52	Thermal niche evolution and geographical range expansion in a species complex of western Mediterranean diving beetles. BMC Evolutionary Biology, 2014, 14, 187.	3.2	27
53	Intercolony movement of pre-breeding seabirds over oceanic scales: implications of cryptic age-classes for conservation and metapopulation dynamics. Diversity and Distributions, 2014, 20, 160-168.	4.1	25
54	The consequences of doing nothing: The effects of seawater flooding on coastal zones. Coastal Engineering, 2014, 87, 169-182.	4.0	55

#	ARTICLE	IF	CITATIONS
55	Whatâ€™s in a name? What have taxonomy and systematics ever done for us?. Journal of Biological Education, 2014, 48, 116-118.	1.5	15
56	The Conservation of Predaceous Diving Beetles: Knowns, Unknowns and Anecdotes. , 2014, , 437-462.		19
57	Dispersal in Dytiscidae. , 2014, , 387-407.		24
58	Riding the storm: the response of <i>Plantago lanceolata</i> to simulated tidal flooding. Journal of Coastal Conservation, 2013, 17, 799-803.	1.6	10
59	Consistency of fuzzy rules in an ecological context. Ecological Modelling, 2013, 251, 187-198.	2.5	4
60	Respiratory control in aquatic insects dictates their vulnerability to global warming. Biology Letters, 2013, 9, 20130473.	2.3	111
61	Does Ecophysiology Determine Invasion Success? A Comparison between the Invasive Boatman <i>Trichocorixa verticalis verticalis</i> and the Native <i>Sigara lateralis</i> (Hemiptera, Corixidae) in South-West Spain. PLoS ONE, 2013, 8, e63105.	2.5	20
62	&i>Hydraena lotti&i> sp. nov., a new member of the â€œ&i>Haenhydra&i>â€ lineage from the Peloponnese (Greece), with additional records of &i>Hydraena&i> species in the region (Coleoptera, Hydraenidae). Zootaxa, 2013, 3637, 29-38.	0.5	4
63	<i>Prosthetops wolfbergensis</i> sp. nov.â€”a giant amongst the â€”minute moss beetlesâ€™, with new data on other members of the genus (Coleoptera, Hydraenidae). Zootaxa, 2013, 3666, 345.	0.5	6
64	&strong&&em>Crenitis bicolor&/em> sp. n. from the Kamiesberg of South Africa (Coleoptera: Hydrophilidae)&/strong>. Zootaxa, 2013, 3626, 589-592.	0.5	8
65	Description of the male of Sebasthetops omaliniformis JÃch, 1998 â€”a phylogenetically isolated water beetle from South Africa, with notes on its ecology (Coleoptera,) Tj ETQq1 1 0.784314 rgBT /@verlock 10 TF	0.5	4
66	&p class="HeadingRunIn">&strong&&em>A taxonomic revision of South African &em>Sharphydrus&/em>, with the description of two new species (Coleoptera: Dytiscidae:) Tj ETQq0 0 0.784314 rgBT /Overlock 10 TF	0.5	4
67	The Effect of Geographical Scale of Sampling on DNA Barcoding. Systematic Biology, 2012, 61, 851-869.	5.6	386
68	The Larva of<i>Hydroporus zimmermanni</i>. MÃ¼ller, 1926 (Coleoptera: Dytiscidae: Hydroporinae), with Notes on Its Ecology and a Review of Described Larvae of<i>Hydroporus</i> Clairville. The Coleopterists Bulletin, 2012, 66, 81-91.	0.2	0
69	Life-history and thermal tolerance traits display different thermal plasticities and relationships with temperature in the marine polychaete <i>Ophryotrocha labronica</i> La Greca and Bacci (Dorvilleidae). Journal of Experimental Marine Biology and Ecology, 2012, 438, 109-117.	1.5	18
70	Assessing the Congruence of Thermal Niche Estimations Derived from Distribution and Physiological Data. A Test Using Diving Beetles. PLoS ONE, 2012, 7, e48163.	2.5	33
71	<i>Stictonectes rebecca</i> sp. n. from the Iberian Peninsula, with notes on its phylogenetic position (Coleoptera, Dytiscidae). Zootaxa, 2012, 3188, 42.	0.5	2
72	Two new species of Parhydraenini from South Africa (Coleoptera: Hydraenidae). Zootaxa, 2012, 3342, 51.	0.5	2

#	ARTICLE	IF	CITATIONS
73	The comparative biology of diving in two genera of European Dytiscidae (Coleoptera). <i>Journal of Evolutionary Biology</i> , 2012, 25, 329-341.	1.7	12
74	Evaluating drivers of vulnerability to climate change: a guide for insect conservation strategies. <i>Global Change Biology</i> , 2012, 18, 2135-2146.	9.5	63
75	Dispersal ability rather than ecological tolerance drives differences in range size between lentic and lotic water beetles (Coleoptera: Hydrophilidae). <i>Journal of Biogeography</i> , 2012, 39, 984-994.	3.0	94
76	Water beetle biodiversity in Mediterranean standing waters: assemblage composition, environmental drivers and nestedness patterns. <i>Insect Conservation and Diversity</i> , 2012, 5, 146-158.	3.0	24
77	Population genetic structure and long-distance dispersal among seabird populations: Implications for colony persistence. <i>Molecular Ecology</i> , 2012, 21, 2863-2876.	3.9	46
78	Oxygen supply in aquatic ectotherms: Partial pressure and solubility together explain biodiversity and size patterns. <i>Ecology</i> , 2011, 92, 1565-1572.	3.2	254
79	Can Oxygen Set Thermal Limits in an Insect and Drive Gigantism?. <i>PLoS ONE</i> , 2011, 6, e22610.	2.5	90
80	Spatio-temporal nested patterns in macroinvertebrate assemblages across a pond network with a wide hydroperiod range. <i>Oecologia</i> , 2011, 166, 469-483.	2.0	42
81	Characterisation and predicted genome locations of Leach's storm-petrel (<i>Oceanodroma leucorhoa</i>) microsatellite loci (Procellariidae, Aves). <i>Conservation Genetics Resources</i> , 2011, 3, 711-716.	0.8	2
82	Effects of formalin preservation on stable carbon and nitrogen isotope signatures in Calanoid copepods: implications for the use of Continuous Plankton Recorder Survey samples in stable isotope analyses. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 1794-1800.	1.5	25
83	A heuristic approach to predicting water beetle diversity in temporary and fluctuating waters. <i>Ecological Modelling</i> , 2010, 221, 1451-1462.	2.5	27
84	What determines a species' geographical range? Thermal biology and latitudinal range size relationships in European diving beetles (Coleoptera: Dytiscidae). <i>Journal of Animal Ecology</i> , 2010, 79, 194-204.	2.8	280
85	Reduced salinities compromise the thermal tolerance of hypersaline specialist diving beetles. <i>Physiological Entomology</i> , 2010, 35, 265-273.	1.5	28
86	Ecology and conservation status of temporary and fluctuating ponds in two areas of southern England. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2009, 19, 134-146.	2.0	32
87	Macrophysiology: A Conceptual Reunification. <i>American Naturalist</i> , 2009, 174, 595-612.	2.1	298
88	Detection of fungal 18S rRNA sequences in conjunction with marine nematode 18S rRNA amplicons. <i>Aquatic Biology</i> , 2009, 5, 149-155.	1.4	14
89	Thermal tolerance and geographical range size in the <i>Agabus brunneus</i> group of European diving beetles (Coleoptera: Dytiscidae). <i>Journal of Biogeography</i> , 2008, 35, 295-305.	3.0	39
90	Evaluation of combined morphological and molecular techniques for marine nematode (<i>Terschellingia</i> spp.) identification. <i>Marine Biology</i> , 2008, 154, 509-518.	1.5	82

#	ARTICLE	IF	CITATIONS
91	Inter- and intrasexual dimorphism in the diving beetle <i>Hydroporus memnonius</i> Nicolai (Coleoptera: Tj ETQq1 1 0.784314 rgBT ₁₇ /Overloch	1.6	17
92	Thermal tolerance, acclimatory capacity and vulnerability to global climate change. <i>Biology Letters</i> , 2008, 4, 99-102.	2.3	292
93	Are the endemic water beetles of the Iberian Peninsula and the Balearic Islands effectively protected?. <i>Biological Conservation</i> , 2008, 141, 1612-1627.	4.1	75
94	PHYLOGENETIC RELATEDNESS AND ECOLOGICAL INTERACTIONS DETERMINE ANTIPREDATOR BEHAVIOR. <i>Ecology</i> , 2007, 88, 2462-2467.	3.2	47
95	By wind, wings or water: body size, dispersal and range size in aquatic invertebrates. , 2007, , 186-209.		35
96	Exploitation of archived marine nematodes ? a hot lysis DNA extraction protocol for molecular studies. <i>Zoologica Scripta</i> , 2007, 36, 93-98.	1.7	22
97	Range size in North American <i>Enallagma</i> damselflies correlates with wing size. <i>Freshwater Biology</i> , 2007, 52, 471-477.	2.4	60
98	Do developmental mode and dispersal shape abundance?occupancy relationships in marine macroinvertebrates?. <i>Journal of Animal Ecology</i> , 2007, 76, 695-702.	2.8	43
99	The diving response of a diving beetle: effects of temperature and acidification. <i>Journal of Zoology</i> , 2007, 273, 289-297.	1.7	23
100	How wide to cast the net? Cross-taxon congruence of species richness, community similarity and indicator taxa in ponds. <i>Freshwater Biology</i> , 2006, 51, 578-590.	2.4	129
101	Can taxonomic distinctness assess anthropogenic impacts in inland waters? A case study from a Mediterranean river basin. <i>Freshwater Biology</i> , 2006, 51, 1744-1756.	2.4	67
102	Development and evaluation of a DNA-barcoding approach for the rapid identification of nematodes. <i>Marine Ecology - Progress Series</i> , 2006, 320, 1-9.	1.9	138
103	Combined morphological and molecular analysis of individual nematodes through short-term preservation in formalin. <i>Molecular Ecology Notes</i> , 2005, 5, 965-968.	1.7	8
104	Questioning attitudes in freshwater ecology?. <i>Global Ecology and Biogeography</i> , 2005, 14, 295-296.	5.8	0
105	Unravelling nestedness and spatial pattern in pond assemblages. <i>Journal of Animal Ecology</i> , 2005, 74, 41-49.	2.8	98
106	Does macrophyte fractal complexity drive invertebrate diversity, biomass and body size distributions?. <i>Oikos</i> , 2005, 111, 279-290.	2.7	159
107	Larval Morphology of Aspidytidae (Coleoptera: Adepfaga) and Its Phylogenetic Implications. <i>Annals of the Entomological Society of America</i> , 2005, 98, 417-430.	2.5	29
108	Evolution, mitochondrial DNA phylogeny and systematic position of the Macaronesian endemic <i>Hydrotarsus Falkenstr�m</i> (Coleoptera: Dytiscidae). <i>Systematic Entomology</i> , 2003, 28, 493-508.	3.9	27

#	ARTICLE	IF	CITATIONS
109	The net result: evaluating species richness extrapolation techniques for littoral pond invertebrates. <i>Freshwater Biology</i> , 2003, 48, 1756-1764.	2.4	58
110	Mitochondrial DNA phylogeography and population history of <i>Meladema</i> diving beetles on the Atlantic Islands and in the Mediterranean basin (Coleoptera, Dytiscidae). <i>Molecular Ecology</i> , 2002, 12, 153-167.	3.9	52
111	Are distribution patterns linked to dispersal mechanism? An investigation using pond invertebrate assemblages. <i>Freshwater Biology</i> , 2002, 47, 1571-1581.	2.4	93
112	Genetic population structure and dispersal in Atlantic Island caddisflies. <i>Freshwater Biology</i> , 2002, 47, 1642-1650.	2.4	26
113	Dispersal, Genetic Differentiation and Speciation in Estuarine Organisms. <i>Estuarine, Coastal and Shelf Science</i> , 2002, 55, 937-952.	2.1	198
114	Dispersal in Freshwater Invertebrates. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2001, 32, 159-181.	6.7	716
115	Population structure and dispersal in the Canary Island caddisfly <i>Mesophylax aspersus</i> (Trichoptera.) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 5</i>	2.6	36
116	Larval Morphology of <i>Hydrotarsus falkenströmii</i> : Generic Characteristics, Description of <i>H. Compunctus</i> (Wollaston), and Analysis of Relationships with Other Members of the Tribe Hydroporini (Coleoptera: Dytiscidae, Hydroporinae). <i>The Coleopterists Bulletin</i> , 2001, 55, 341-349.	0.2	6
117	Size, permanence and the proportion of predators in ponds. <i>Fundamental and Applied Limnology</i> , 2001, 151, 451-458.	0.7	40
118	Global and regional patterns in lotic meiofauna. <i>Freshwater Biology</i> , 2000, 44, 123-134.	2.4	43
119	Genetic differentiation and natural hybridization between two morphological forms of the common woodlouse, <i>Oniscus asellus</i> Linnaeus 1758. <i>Heredity</i> , 1999, 82, 462-469.	2.6	7
120	The impact of encroachment and bankside development on the habitat complexity and supralittoral invertebrate communities of the Thames Estuary foreshore. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1999, 9, 237-247.	2.0	31
121	Mediterranean Europe as an area of endemism for small mammals rather than a source for northwards postglacial colonization. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1998, 265, 1219-1226.	2.6	278
122	A North African "European transition fauna: water beetles (Coleoptera) from the Ebro delta and other Mediterranean coastal wetlands in the Iberian peninsula. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1996, 6, 121-140.	2.0	11
123	Phylogeography and recent historical biogeography of <i>Hydroporus glabriusculus</i> Aubl. (Coleoptera: Dytiscidae). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 5</i>	1.6	11
124	Intraspecific variation in the terrestrial isopod <i>Oniscus asellus</i> Linnaeus, 1758 (Crustacea: Isopoda: Oniscidae). <i>Tj ETQq0 0 0 rgBT / Overlock 10 Tf 5</i>	2.3	4
125	Sex chromosome systems of European noterid beetles (Coleoptera, Adephaga: Noteridae). <i>Insect Systematics and Evolution</i> , 1992, 23, 115-119.	0.7	5
126	Genetic population structure of the Postglacial relict diving beetle <i>Hydroporus glabriusculus</i> Aubl. (Coleoptera: Dytiscidae). <i>Heredity</i> , 1992, 69, 503-511.	2.6	24

#	ARTICLE	IF	CITATIONS
127	A new species of <i>Oniscus</i> Linnaeus, 1758 (Crustacea: Isopoda: Oniscidea) from northern Spain, with a revised key to members of the genus. <i>Zoological Journal of the Linnean Society</i> , 1992, 104, 117-125.	2.3	3
128	A classification and evaluation of Irish water beetle assemblages. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1992, 2, 185-208.	2.0	55
129	Classification of water beetle assemblages in arable fenland and ranking of sites in relation to conservation value. <i>Freshwater Biology</i> , 1989, 22, 343-354.	2.4	94
130	Differentiation of South African coastal rock pool <i>Ochthebius</i> is associated with major ocean currents (Coleoptera: Hydraenidae). <i>Acta Entomologica Musei Nationalis Pragae</i> , 0, , 253-260.	0.5	3