

Gerald Larrouy-Maumus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/772772/publications.pdf>

Version: 2024-02-01

67
papers

2,325
citations

218677

26
h-index

243625

44
g-index

84
all docs

84
docs citations

84
times ranked

2998
citing authors

#	ARTICLE	IF	CITATIONS
1	High Content Phenotypic Cell-Based Visual Screen Identifies Mycobacterium tuberculosis Acyltrehalose-Containing Glycolipids Involved in Phagosome Remodeling. <i>PLoS Pathogens</i> , 2010, 6, e1001100.	4.7	158
2	Mycobacterium tuberculosis Exploits Asparagine to Assimilate Nitrogen and Resist Acid Stress during Infection. <i>PLoS Pathogens</i> , 2014, 10, e1003928.	4.7	148
3	The mannose cap of mycobacterial lipoarabinomannan does not dominate the Mycobacterium–host interaction. <i>Cellular Microbiology</i> , 2008, 10, 930-944.	2.1	124
4	Metabolomic strategies for the identification of new enzyme functions and metabolic pathways. <i>EMBO Reports</i> , 2014, 15, 657-669.	4.5	104
5	Mycobacterium tuberculosis nitrogen assimilation and host colonization require aspartate. <i>Nature Chemical Biology</i> , 2013, 9, 674-676.	8.0	95
6	Mitochondria mediate septin cage assembly to promote autophagy of <i>Shigella</i> . <i>EMBO Reports</i> , 2016, 17, 1029-1043.	4.5	91
7	The immunomodulatory lipoglycans, lipoarabinomannan and lipomannan, are exposed at the mycobacterial cell surface. <i>Tuberculosis</i> , 2008, 88, 560-565.	1.9	86
8	Activity of acetyltransferase toxins involved in Salmonella–persister formation during macrophage infection. <i>Nature Communications</i> , 2018, 9, 1993.	12.8	84
9	TbD1 deletion as a driver of the evolutionary success of modern epidemic Mycobacterium tuberculosis lineages. <i>Nature Communications</i> , 2020, 11, 684.	12.8	68
10	Rapid detection and discrimination of chromosome- and MCR-plasmid-mediated resistance to polymyxins by MALDI-TOF MS in Escherichia coli: the MALDIxin test. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 3359-3367.	3.0	66
11	The antibiotic bedaquiline activates host macrophage innate immune resistance to bacterial infection. <i>ELife</i> , 2020, 9, .	6.0	66
12	Biosynthesis and Translocation of Unsulfated Acyltrehaloses in Mycobacterium tuberculosis. <i>Journal of Biological Chemistry</i> , 2014, 289, 27952-27965.	3.4	62
13	Septins Recognize and Entrap Dividing Bacterial Cells for Delivery to Lysosomes. <i>Cell Host and Microbe</i> , 2018, 24, 866-874.e4.	11.0	62
14	Metabolomics in infectious diseases and drug discovery. <i>Molecular Omics</i> , 2021, 17, 376-393.	2.8	62
15	AftD, a novel essential arabinofuranosyltransferase from mycobacteria. <i>Glycobiology</i> , 2009, 19, 1235-1247.	2.5	61
16	Rapid detection of colistin resistance in Acinetobacter baumannii using MALDI-TOF-based lipidomics on intact bacteria. <i>Scientific Reports</i> , 2018, 8, 16910.	3.3	61
17	Discovery of a glycerol 3-phosphate phosphatase reveals glycerophospholipid polar head recycling in <i>Mycobacterium tuberculosis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11320-11325.	7.1	56
18	Cell-Envelope Remodeling as a Determinant of Phenotypic Antibacterial Tolerance in <i>Mycobacterium tuberculosis</i> . <i>ACS Infectious Diseases</i> , 2016, 2, 352-360.	3.8	52

#	ARTICLE	IF	CITATIONS
19	Protective efficacy of a lipid antigen vaccine in a guinea pig model of tuberculosis. <i>Vaccine</i> , 2017, 35, 1395-1402.	3.8	51
20	Deciphering sulfoglycolipids of <i>Mycobacterium tuberculosis</i> . <i>Journal of Lipid Research</i> , 2011, 52, 1098-1110.	4.2	49
21	Direct detection of lipid A on intact Gram-negative bacteria by MALDI-TOF mass spectrometry. <i>Journal of Microbiological Methods</i> , 2016, 120, 68-71.	1.6	46
22	Biosynthetic Origin of the Galactosamine Substituent of Arabinogalactan in <i>Mycobacterium tuberculosis</i> . <i>Journal of Biological Chemistry</i> , 2010, 285, 41348-41355.	3.4	38
23	Detection of Colistin Resistance in <i>Escherichia coli</i> by Use of the MALDI Biotyper Sirius Mass Spectrometry System. <i>Journal of Clinical Microbiology</i> , 2019, 57, .	3.9	38
24	Deciphering the molecular basis of mycobacteria and lipoglycan recognition by the C-type lectin Dectin-2. <i>Scientific Reports</i> , 2018, 8, 16840.	3.3	34
25	Optimization of the MALDIxin test for the rapid identification of colistin resistance in <i>Klebsiella pneumoniae</i> using MALDI-TOF MS. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 110-116.	3.0	33
26	MALDI-TOF mass spectrometry on intact bacteria combined with a refined analysis framework allows accurate classification of MSSA and MRSA. <i>PLoS ONE</i> , 2019, 14, e0218951.	2.5	30
27	Mechanism of Feedback Allosteric Inhibition of ATP Phosphoribosyltransferase. <i>Biochemistry</i> , 2012, 51, 8027-8038.	2.5	28
28	Initiation of Methylglucose Lipopolysaccharide Biosynthesis in <i>Mycobacteria</i> . <i>PLoS ONE</i> , 2009, 4, e5447.	2.5	28
29	A Small Multidrug Resistance-like Transporter Involved in the Arabinosylation of Arabinogalactan and Lipoarabinomannan in <i>Mycobacteria</i> . <i>Journal of Biological Chemistry</i> , 2012, 287, 39933-39941.	3.4	27
30	<i>Mycobacterial envelope lipids fingerprint from direct MALDI-TOF MS analysis of intact bacilli. Tuberculosis</i> , 2015, 95, 75-85.	1.9	27
31	Hybrid Mass Spectrometry Approaches to Determine How L-Histidine Feedback Regulates the Enzyme MtATP-Phosphoribosyltransferase. <i>Structure</i> , 2017, 25, 730-738.e4.	3.3	22
32	Lipoteichoic Acid in <i>Streptomyces hygroscopicus</i> : Structural Model and Immunomodulatory Activities. <i>PLoS ONE</i> , 2011, 6, e26316.	2.5	20
33	ISAbal1-dependent overexpression of <i>eptA</i> in clinical strains of <i>Acinetobacter baumannii</i> resistant to colistin. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 2544-2550.	3.0	19
34	Detection of Species-Specific Lipids by Routine MALDI TOF Mass Spectrometry to Unlock the Challenges of Microbial Identification and Antimicrobial Susceptibility Testing. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 621452.	3.9	19
35	Metabolic fluxes for nutritional flexibility of <i>Mycobacterium tuberculosis</i> . <i>Molecular Systems Biology</i> , 2021, 17, e10280.	7.2	19
36	Functional assignment of <i>Mycobacterium tuberculosis</i> proteome revealed by genome-scale fold-recognition. <i>Tuberculosis</i> , 2013, 93, 40-46.	1.9	18

#	ARTICLE	IF	CITATIONS
37	A requirement for septins and the autophagy receptor p62 in the proliferation of intracellular <i>Shigella</i> . Cytoskeleton, 2019, 76, 163-172.	2.0	17
38	Colistin resistance in <i>Escherichia coli</i> confers protection of the cytoplasmic but not outer membrane from the polymyxin antibiotic. Microbiology (United Kingdom), 2021, 167, .	1.8	15
39	Discrimination of bovine milk from non-dairy milk by lipids fingerprinting using routine matrix-assisted laser desorption ionization mass spectrometry. Scientific Reports, 2020, 10, 5160.	3.3	14
40	The clue is in the lipid A: Rapid detection of colistin resistance. PLoS Pathogens, 2020, 16, e1008331.	4.7	13
41	<i>Mycobacterium marinum</i> MMAR_2380, a predicted transmembrane acyltransferase, is essential for the presence of the mannose cap on lipoarabinomannan. Microbiology (United Kingdom), 2010, 156, 3492-3502.	1.8	13
42	Lipoglycans Contribute to Innate Immune Detection of Mycobacteria. PLoS ONE, 2011, 6, e28476.	2.5	13
43	The presence of a galactosamine substituent on the arabinogalactan of <i>Mycobacterium tuberculosis</i> abrogates full maturation of human peripheral blood monocyte-derived dendritic cells and increases secretion of IL-10. Tuberculosis, 2015, 95, 476-489.	1.9	12
44	Mass spectrometry analysis of intact <i>Francisella</i> bacteria identifies lipid A structure remodeling in response to acidic pH stress. Biochimie, 2017, 141, 16-20.	2.6	12
45	Detection of Colistin Resistance in <i>Salmonella enterica</i> Using MALDIxin Test on the Routine MALDI Biotyper Sirius Mass Spectrometer. Frontiers in Microbiology, 2020, 11, 1141.	3.5	12
46	Performance of lipid fingerprint-based MALDI-ToF for the diagnosis of mycobacterial infections. Clinical Microbiology and Infection, 2021, 27, 912.e1-912.e5.	6.0	12
47	Detection of Colistin Resistance in <i>Pseudomonas aeruginosa</i> Using the MALDIxin Test on the Routine MALDI Biotyper Sirius Mass Spectrometer. Frontiers in Microbiology, 2021, 12, 725383.	3.5	12
48	Expression of a novel mycobacterial phosphodiesterase successfully lowers cAMP levels resulting in reduced tolerance to cell wall-targeting antimicrobials. Journal of Biological Chemistry, 2022, 298, 102151.	3.4	12
49	NaCl triggers the CRP-dependent increase of cAMP in <i>Mycobacterium tuberculosis</i> . Tuberculosis, 2019, 116, 8-16.	1.9	11
50	Lipids as Biomarkers of Cancer and Bacterial Infections. Current Medicinal Chemistry, 2019, 26, 1924-1932.	2.4	11
51	<i>Bacillus subtilis</i> YngB contributes to wall teichoic acid glucosylation and glycolipid formation during anaerobic growth. Journal of Biological Chemistry, 2021, 296, 100384.	3.4	10
52	Cholesterol acquisition by <i>Mycobacterium tuberculosis</i> . Virulence, 2015, 6, 412-413.	4.4	9
53	An Improved Method for Rapid Detection of <i>Mycobacterium abscessus</i> Complex Based on Species-Specific Lipid Fingerprint by Routine MALDI-TOF. Frontiers in Chemistry, 2021, 9, 715890.	3.6	9
54	A glycomic approach reveals a new mycobacterial polysaccharide. Glycobiology, 2015, 25, 1163-1171.	2.5	7

#	ARTICLE	IF	CITATIONS
55	Nitazoxanide Analogs Require Nitroreduction for Antimicrobial Activity in <i>Mycobacterium smegmatis</i> . <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7425-7433.	6.4	6
56	Metabolomics reveals that the cAMP receptor protein regulates nitrogen and peptidoglycan synthesis in <i>Mycobacterium tuberculosis</i> . <i>RSC Advances</i> , 2020, 10, 26212-26219.	3.6	6
57	Emergent expression of fitness-conferring genes by phenotypic selection. , 0, , .		5
58	Rapid glycosylâ€inositolâ€phosphoâ€ceramide fingerprint from filamentous fungal pathogens using the MALDI Biotyper Sirius system. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8904.	1.5	4
59	Chemical Mechanism of Glycerol 3-Phosphate Phosphatase: pH-Dependent Changes in the Rate-Limiting Step. <i>Biochemistry</i> , 2014, 53, 143-151.	2.5	3
60	Early detection of metabolic changes in drug-induced steatosis using metabolomics approaches. <i>RSC Advances</i> , 2020, 10, 41047-41057.	3.6	3
61	Intact Cell Lipidomics Reveal Changes to the Ratio of Cardiolipins to Phosphatidylinositols in Response to Kanamycin in HeLa and Primary Cells. <i>Chemical Research in Toxicology</i> , 2018, 31, 688-696.	3.3	2
62	Shotgun Bacterial Lipid A Analysis Using Routine MALDI-TOF Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2021, 2306, 275-283.	0.9	2
63	GNATâ€toxins evolve toward narrow tRNA target specificities. <i>Nucleic Acids Research</i> , 2022, 50, 5807-5817.	14.5	2
64	Modulation of cAMP levels by a conserved actinobacteria phosphodiesterase enzyme reduces antimicrobial tolerance in mycobacteria. <i>Access Microbiology</i> , 2020, 2, .	0.5	1
65	Biogenesis of mycobacterial cell envelope glycoconjugates. <i>FASEB Journal</i> , 2012, 26, 358.3.	0.5	0
66	Understanding the evolution of <i>Mycobacterium tuberculosis</i> lineages using an integrated genomics and metabolomics approach. <i>Access Microbiology</i> , 2020, 2, .	0.5	0
67	Lipids and glycolipids as biomarkers of mycobacterial infections. , 2022, , 83-104.		0