Dagmar Amtmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7728126/publications.pdf

Version: 2024-02-01

145106 60403 7,887 105 33 85 citations g-index h-index papers 107 107 107 10975 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Mobility with a lower limb prosthesis: experiences of users with high levels ofÂfunctional ability. Disability and Rehabilitation, 2022, 44, 3236-3244.	0.9	11
2	Psychometric examination of short forms from the University of Washington pain-related self-efficacy and concerns about pain item banks in patients with low back pain. Quality of Life Research, 2022, 31, 621-631.	1.5	2
3	Validation of PROMIS-29 domain scores among adult burn survivors: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Trauma and Acute Care Surgery, 2022, 92, 213-222.	1.1	16
4	Clinical Resources for Assessing Mobility of People with Lower-Limb Amputation: Interviews with Rehabilitation Clinicians. Journal of Prosthetics and Orthotics, 2022, 34, 69-78.	0.2	4
5	Extension and Evaluation of the PROMIS Sexual Function and Satisfaction Measures for Use in Adults Living with Multiple Sclerosis. Journal of Sexual Medicine, 2022, 19, 719-728.	0.3	1
6	80 Validation of PROMIS-25 Among Children Living with Burn Injuries. Journal of Burn Care and Research, 2022, 43, S53-S53.	0.2	0
7	The validity, responsiveness, and score interpretation of the PROMISnq Physical Function – Multiple Sclerosis 15a short form in multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 62, 103753.	0.9	2
8	A comparison of the measurement properties of the PROMIS-Fatigue (MS) 8a against legacy fatigue questionnaires. Multiple Sclerosis and Related Disorders, 2022, , 104048.	0.9	6
9	Fenfluramine treatment for dravet syndrome: Real-world benefits on quality of life from the caregiver perspective. Epilepsy Research, 2022, 185, 106976.	0.8	10
10	Mortality prognostication scores do not predict long-term, health-related quality of life after burn: A burn model system national database study. Burns, 2021, 47, 42-51.	1.1	2
11	Development of Proxy and Self-report Burn Model System Pediatric Itch Interference Scales: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Burn Care and Research, 2021, 42, 212-219.	0.2	O
12	" <i>Living Well</i> à―After Burn Injury: Using Case Reports to Illustrate Significant Contributions From the Burn Model System Research Program. Journal of Burn Care and Research, 2021, 42, 398-407.	0.2	7
13	Clinical outcome assessment in clinical trials of chronic pain treatments. Pain Reports, 2021, 6, e784.	1.4	42
14	Agreement between proxy- and self-report scores on PROMIS health-related quality of life domains in pediatric burn survivors: a National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Quality of Life Research, 2021, 30, 2071-2080.	1.5	11
15	4 Validation of PROMIS-29 Among Adult Burn Survivors. Journal of Burn Care and Research, 2021, 42, S8-S9.	0.2	O
16	Linking scores on the 4- and 5-item versions of the Satisfaction with Life Scale in people with traumatic brain, spinal cord, or burn injury: a National Institute on Disability, Independent Living, and Rehabilitation Research Model System study. Journal of Patient-Reported Outcomes, 2021, 5, 59.	0.9	2
17	Standardizing fatigue measurement in multiple sclerosis: the validity, responsiveness and score interpretation of the PROMIS SF v1.0 – Fatigue (MS) 8a. Multiple Sclerosis and Related Disorders, 2021, 54, 103117.	0.9	10
18	Evaluation of the Psychometric Properties of the Burn Specific Health Scale-Brief: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Burn Care and Research, 2021, , .	0.2	0

#	Article	IF	Citations
19	Translation and cultural validation of the University of Washington Caregiver Stress and Benefit Scales. Journal of Patient-Reported Outcomes, 2021, 5, 113.	0.9	O
20	National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System: Review of Program and Database. Archives of Physical Medicine and Rehabilitation, 2020, 101, S5-S15.	0.5	23
21	Satisfaction With Life Over Time in People With Burn Injury: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Archives of Physical Medicine and Rehabilitation, 2020, 101, S63-S70.	0.5	14
22	Factors Associated with Attrition of Adult Participants in a Longitudinal Database: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Burn Care and Research, 2020, 41, 270-279.	0.2	12
23	Development and validation of the University of Washington caregiver stress and benefit scales for caregivers of children with or without serious health conditions. Quality of Life Research, 2020, 29, 1361-1371.	1.5	7
24	637 Disparities in Discharge Disposition: A Burn Model Systems National Database Study. Journal of Burn Care and Research, 2020, 41, S163-S164.	0.2	0
25	Pain across traumatic injury groups: A National Institute on Disability, Independent Living, and Rehabilitation Research model systems study. Journal of Trauma and Acute Care Surgery, 2020, 89, 829-833.	1.1	4
26	The Concerns About Pain (CAP) Scale: A Patient-Reported Outcome Measure of Pain Catastrophizing. Journal of Pain, 2020, 21, 1198-1211.	0.7	17
27	Reproductive Health in Women with Physical Disability: A Conceptual Framework for the Development of New Patient-Reported Outcome Measures. Journal of Women's Health, 2020, 29, 1427-1436.	1.5	15
28	25 Social Integration in the First 2 Years After Moderate to Severe Burn Injury: A Burn Model System National Database Study. Journal of Burn Care and Research, 2020, 41, S19-S20.	0.2	3
29	110 Self-reported Health Measures in Burn Survivors Undergoing Burn Surgery Following Acute Hospitalization. Journal of Burn Care and Research, 2020, 41, S73-S74.	0.2	0
30	Cross-lagged longitudinal analysis of pain intensity and sleep disturbance. Disability and Health Journal, 2020, 13, 100908.	1.6	11
31	mHealth and patient generated health data: stakeholder perspectives on opportunities and barriers for transforming healthcare. MHealth, 2020, 6, 8-8.	0.9	45
32	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	2.4	113
33	Development of a resilience item bank and short forms Rehabilitation Psychology, 2020, 65, 145-157.	0.7	16
34	Use of patient-generated health data across healthcare settings: implications for health systems. JAMIA Open, 2020, 3, 70-76.	1.0	20
35	Development and validation of an interpretive guide for PROMIS scores. Journal of Patient-Reported Outcomes, 2020, 4, 16.	0.9	86
36	Satisfaction with social role participation in adults living with chronic conditions: Comparison to a US general population sample. Cogent Psychology, 2019, 6, 1588696.	0.6	2

#	Article	IF	CITATIONS
37	Factors associated with disease self-efficacy in individuals aging with a disability. Psychology, Health and Medicine, 2019, 24, 1171-1181.	1.3	7
38	Impact of Burn-Related Amputations on Return to Work: Findings From the Burn Injury Model System National Database. Journal of Burn Care and Research, 2019, 40, 21-28.	0.2	16
39	Hospital-acquired complications alter quality of life in adult burn survivors: Report from a burn model system. Burns, 2019, 45, 42-47.	1.1	21
40	Psychometric Properties of the Satisfaction With Life Scale in People With Traumatic Brain, Spinal Cord, or Burn Injury: A National Institute on Disability, Independent Living, and Rehabilitation Research Model System Study. Assessment, 2019, 26, 695-705.	1.9	24
41	Association Between Sleep Problems and Perceived Cognitive Dysfunction Over 12 Months in Individuals with Multiple Sclerosis. Behavioral Sleep Medicine, 2018, 16, 79-91.	1.1	14
42	Association of self-reported cognitive concerns with mobility in people with lower limb loss. Disability and Rehabilitation, 2018, 40, 96-103.	0.9	13
43	People with multiple sclerosis report significantly worse symptoms and health related quality of life than the US general population as measured by PROMIS and NeuroQoL outcome measures. Disability and Health Journal, 2018, 11, 99-107.	1.6	79
44	A comparison of computerized adaptive testing and fixed-length short forms for the Prosthetic Limb Users Survey of Mobility (PLUS-MTM). Prosthetics and Orthotics International, 2018, 42, 476-482.	0.5	16
45	Measuring Pain Catastrophizing and Pain-Related Self-Efficacy: Expert Panels, Focus Groups, and Cognitive Interviews. Patient, 2018, 11, 107-117.	1.1	24
46	Trends 10 years after burn injury: A Burn Model System National Database study. Burns, 2018, 44, 1882-1886.	1.1	21
47	Grooming a CAT: customizing CAT administration rules to increase response efficiency in specific research and clinical settings. Quality of Life Research, 2018, 27, 2403-2413.	1.5	5
48	Reduced Postburn Hypertrophic Scarring and Improved Physical Recovery With Yearlong Administration of Oxandrolone and Propranolol. Annals of Surgery, 2018, 268, 431-441.	2.1	26
49	Modifying and Validating a Measure of Chronic Stress for People With Aphasia. Journal of Speech, Language, and Hearing Research, 2018, 61, 2934-2949.	0.7	19
50	Psychometric Properties of the Modified 5-D Itch Scale in a Burn Model System Sample of People With Burn Injury. Journal of Burn Care and Research, 2017, 38, e402-e408.	0.2	15
51	Resilience and Function in Adults With Physical Disabilities: An Observational Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1158-1164.	0.5	54
52	Life impact of caregiving for severe childhood epilepsy: Results of expert panels and caregiver focus groups. Epilepsy and Behavior, 2017, 74, 135-143.	0.9	48
53	The National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System. Journal of Burn Care and Research, 2017, 38, e240-e253.	0.2	53
54	Cross-Sectional Assessment of Factors Related to Pain Intensity and Pain Interference in Lower Limb Prosthesis Users. Archives of Physical Medicine and Rehabilitation, 2017, 98, 105-113.	0.5	49

#	Article	IF	CITATIONS
55	Construct Validity of the Prosthetic Limb Users Survey of Mobility (PLUS-M) in Adults With Lower Limb Amputation. Archives of Physical Medicine and Rehabilitation, 2017, 98, 277-285.	0.5	135
56	Do measures of depressive symptoms function differently in people with spinal cord injury versus primary care patients: the CES-D, PHQ-9, and PROMIS®-D. Quality of Life Research, 2017, 26, 139-148.	1.5	21
57	Comparison of Sleep Problems in Individuals with Spinal Cord Injury and Multiple Sclerosis. Journal of Clinical Sleep Medicine, 2016, 12, 695-701.	1.4	9
58	Minimally important differences for Patient Reported Outcomes Measurement Information System pain interference for individuals with back pain. Journal of Pain Research, 2016, 9, 251.	0.8	107
59	Differential item function analysis of a scale measuring worry about affording healthcare in multiple sclerosis Rehabilitation Psychology, 2016, 61, 430-434.	0.7	3
60	A PROMIS Measure of Neuropathic Pain Quality. Value in Health, 2016, 19, 623-630.	0.1	39
61	Letter to the Editor #2: Description of the Burn Model System National Database sample. Burns, 2016, 42, 704-705.	1.1	1
62	BMS Letter to the Editor #1: Introduction to the Burn Model System Centers Program. Burns, 2016, 42, 944-946.	1.1	4
63	Variables Associated With Communicative Participation After Head and Neck Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2016, 142, 1145.	1.2	26
64	Testing the measurement invariance of the University of Washington Self-Efficacy Scale short form across four diagnostic subgroups. Quality of Life Research, 2016, 25, 2559-2564.	1.5	15
65	Self-Reported Cognitive Concerns in People With Lower Limb Loss. Archives of Physical Medicine and Rehabilitation, 2016, 97, 912-918.	0.5	18
66	Characterizing mobility from the prosthetic limb user's perspective. Prosthetics and Orthotics International, 2016, 40, 582-590.	0.5	49
67	A psychometric examination of multimorbidity and mental health in older adults. Aging and Mental Health, 2016, 20, 309-317.	1.5	20
68	Use of and confidence in administering outcome measures among clinical prosthetists. Prosthetics and Orthotics International, 2015, 39, 314-321.	0.5	39
69	Comparison of Self-Report Sleep Measures for Individuals With Multiple Sclerosis and Spinal CordÂlnjury. Archives of Physical Medicine and Rehabilitation, 2015, 96, 478-483.	0.5	14
70	Health-Related Profiles of People With Lower Limb Loss. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1474-1483.	0.5	88
71	Self-Efficacy as a Longitudinal Predictor of Perceived Cognitive Impairment in Individuals With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 913-919.	0.5	27
72	A comparison of multiple patient reported outcome measures in identifying major depressive disorder in people with multiple sclerosis. Journal of Psychosomatic Research, 2015, 79, 550-557.	1.2	26

#	Article	IF	CITATIONS
73	Efficacy of a Telephone-Delivered Self-Management Intervention for Persons With Multiple Sclerosis: A Randomized Controlled Trial With a One-Year Follow-Up. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1945-1958.e2.	0.5	96
74	Experiences and Perspectives of Pregnancy in Women with Multiple Sclerosis. Sexuality and Disability, 2015, 33, 47-52.	0.4	2
75	Using item response theory to enrich and expand the PROMIS® pediatric self report banks. Health and Quality of Life Outcomes, 2014, 12, 160.	1.0	92
76	Comparing CESD-10, PHQ-9, and PROMIS depression instruments in individuals with multiple sclerosis Rehabilitation Psychology, 2014, 59, 220-229.	0.7	202
77	Prevalence and Impact of Pain in Adults Aging With a Physical Disability. Clinical Journal of Pain, 2014, 30, 307-315.	0.8	38
78	Focus Article Report of the NIH Task Force on Research Standards for Chronic Low Back Pain. Clinical Journal of Pain, 2014, 30, 701-712.	0.8	31
79	What Do Healthcare Providers Advise Women with Multiple Sclerosis Regarding Pregnancy?. Multiple Sclerosis International, 2014, 2014, 1-5.	0.4	18
80	Why Disability and Rehabilitation Specialists Should Lead the Way in Patient-Reported Outcomes. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1419-1422.	0.5	10
81	Use of cognitive interviews in the development of the PLUS-M item bank. Quality of Life Research, 2014, 23, 1767-1775.	1.5	31
82	Personal Experiences of Pregnancy and Fertility in Individuals with Spinal Cord Injury. Sexuality and Disability, 2014, 32, 65-74.	0.4	16
83	Report of the National Institutes of Health Task Force on Research Standards for Chronic Low Back Pain. Journal of Manipulative and Physiological Therapeutics, 2014, 37, 449-467.	0.4	29
84	Negative Affect and Sleep Disturbance May Be Associated With Response to Epidural Steroid Injections for Spine-Related Pain. Archives of Physical Medicine and Rehabilitation, 2014, 95, 309-315.	0.5	24
85	Symptoms and quality of life indicators among children with chronic medical conditions. Disability and Health Journal, 2014, 7, 96-104.	1.6	33
86	Obesity and symptoms and quality of life indicators of individuals with disabilities. Disability and Health Journal, 2014, 7, 124-130.	1.6	20
87	Communicative participation restrictions in multiple sclerosis: Associated variables and correlation with social functioning. Journal of Communication Disorders, 2014, 52, 196-206.	0.8	54
88	Symptom Profiles in Individuals Aging with Postâ€Polio Syndrome. Journal of the American Geriatrics Society, 2013, 61, 1813-1815.	1.3	2
89	Upper-Extremity and Mobility Subdomains From the Patient-Reported Outcomes Measurement Information System (PROMIS) Adult Physical Functioning Item Bank. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2291-2296.	0.5	107
90	Psychometric Evaluation of the Perceived Stress Scale in Multiple Sclerosis. ISRN Rehabilitation, 2013, 2013, 1-9.	0.6	54

#	Article	IF	CITATIONS
91	Comparison of the psychometric properties of two fatigue scales in multiple sclerosis Rehabilitation Psychology, 2012, 57, 159-166.	0.7	131
92	A PROMIS fatigue short form for use by individuals who have multiple sclerosis. Quality of Life Research, 2012, 21, 1021-1030.	1.5	50
93	Satisfaction with participation in multiple sclerosis and spinal cord injury. Disability and Rehabilitation, 2012, 34, 747-753.	0.9	27
94	Six Patient-Reported Outcome Measurement Information System Short Form Measures Have Negligible Age- or Diagnosis-Related Differential Item Functioning in Individuals With Disabilities. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1289-1291.	0.5	61
95	University of Washington Self-Efficacy Scale: A New Self-Efficacy Scale for People With Disabilities. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1757-1765.	0.5	99
96	Developing a Contemporary Patient-Reported Outcomes Measure for Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2011, 92, S44-S51.	0.5	75
97	The PROMIS Initiative: Involvement of Rehabilitation Stakeholders in Development and Examples of Applications in Rehabilitation Research. Archives of Physical Medicine and Rehabilitation, 2011, 92, S12-S19.	0.5	95
98	Development of a PROMIS item bank to measure pain interference. Pain, 2010, 150, 173-182.	2.0	787
99	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005–2008. Journal of Clinical Epidemiology, 2010, 63, 1179-1194.	2.4	3,521
100	Development and psychometric analysis of the PROMIS pain behavior item bank. Pain, 2009, 146, 158-169.	2.0	190
101	Having a fit: impact of number of items and distribution of data on traditional criteria for assessing IRT's unidimensionality assumption. Quality of Life Research, 2009, 18, 447-460.	1.5	234
102	Letting the CAT out of the Bag. Spine, 2008, 33, 1378-1383.	1.0	46
103	Mixture growth models of RAN and RAS row by row: insight into the reading system at work over time. Reading and Writing, 2007, 20, 785-813.	1.0	38
104	Increasing access to higher education through the use of the Internet. Technology and Disability, 1998, 8, 133-139.	0.3	2
105	The Internet and information technologies and consumer empowerment. Technology and Disability, 1998, 8, 107-113.	0.3	4