

# Chantal Michel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7738930/publications.pdf>

Version: 2024-02-01

84  
papers

1,829  
citations

331670

21  
h-index

289244

40  
g-index

99  
all docs

99  
docs citations

99  
times ranked

2049  
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychometric properties of the Kessler psychological scales in a Swiss young adult community sample indicate poor suitability for community screening for mental disorders. <i>Microbial Biotechnology</i> , 2023, 17, 85-95.	1.7	1
2	The impact of school-based screening on service use in adolescents at risk for mental health problems and risk-behaviour. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1745-1754.	4.7	3
3	An ecological momentary assessment study of age effects on perceptive and non-perceptive clinical high-risk symptoms of psychosis. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1841-1852.	4.7	3
4	Childhood Maltreatment and Its Association with Cognitive Ability in Young People Suspected to Be at Clinical High Risk of Psychosis. <i>Psychopathology</i> , 2023, 56, 17-28.	1.5	2
5	The Bern Early Recognition and Intervention Centre for mental crisis (<sc>FETZ</sc> Bern) – An 8-year evaluation. <i>Microbial Biotechnology</i> , 2022, 16, 289-301.	1.7	9
6	Positive psychotic symptoms in childhood and adolescence. <i>Current Opinion in Psychology</i> , 2022, 45, 101287.	4.9	4
7	Traumatic experiences in childhood and the development of psychosis spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 211-213.	4.7	6
8	Clinical high-risk criteria of psychosis in 17-year-old community subjects and inpatients not suspected of developing psychosis. <i>World Journal of Psychiatry</i> , 2022, 12, 425-449.	2.7	9
9	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	11.0	6
10	Clinical high-risk of and conversion to psychosis in the community: A 3-year follow-up of a cohort study. <i>Schizophrenia Research</i> , 2021, 228, 616-618.	2.0	5
11	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	11.0	125
12	The Important Role of Stereotypes in the relation between Mental Health Literacy and Stigmatization of Depression and Psychosis in the Community. <i>Community Mental Health Journal</i> , 2021, , 1.	2.0	6
13	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	11.0	74
14	Predictors of help-seeking behaviour in people with mental health problems: a 3-year prospective community study. <i>BMC Psychiatry</i> , 2021, 21, 432.	2.6	20
15	Psychoserisikosyndrome im Kindes- und Jugendalter. <i>Springer Reference Medizin</i> , 2021, , 1-12.	0.0	1
16	Basic symptoms and gray matter volumes of patients at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2021, 51, 2666-2674.	4.5	5
17	Editorial: Clinical High Risk for Psychosis: From Epidemiological Findings to Neurobiological Underpinnings of Treatment Response and Outcome. <i>Frontiers in Psychiatry</i> , 2021, 12, 790810.	2.6	0
18	Introducing a Group Therapy Program (PLAN D) for Young Outpatients with Derealization and Depersonalization: A Pilot Study. <i>Psychopathology</i> , 2021, , 1-7.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Age effects on basic symptoms in the community: A route to gain new insight into the neurodevelopment of psychosis?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 311-324.	3.2	19
20	Trapped in a Glass Bell Jar: Neural Correlates of Depersonalization and Derealization in Subjects at Clinical High-Risk of Psychosis and Depersonalization/Derealization Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 535652.	2.6	2
21	What are the limitations of the non-patient-specific implant in titanium reconstruction of the orbit?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2020, 58, e80-e85.	0.8	22
22	O10.5. CLINICAL HIGH RISK (CHR) CRITERIA IN CHILDREN AND ADOLESCENTS NOT SUSPECTED TO DEVELOP PSYCHOSIS: NO TRANSDIAGNOSTIC SEVERITY MARKER OF MENTAL HEALTH PROBLEMS. <i>Schizophrenia Bulletin</i> , 2020, 46, S26-S26.	4.3	0
23	Subjective disturbances in emerging psychosis. , 2020, , 59-80.		1
24	Twelve-month service use, suicidality and mental health problems of European adolescents after a school-based screening for current suicidality. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1.	4.7	7
25	Effects of age and sex on clinical high-risk for psychosis in the community. <i>World Journal of Psychiatry</i> , 2020, 10, 101-124.	2.7	16
26	Coping as a mediator between locus of control, competence beliefs, and mental health: A systematic review and structural equation modelling meta-analysis. <i>Behaviour Research and Therapy</i> , 2019, 121, 103442.	3.1	58
27	Associations of psychosis-risk symptoms with quality of life and self-rated health in the Community. <i>European Psychiatry</i> , 2019, 62, 116-123.	0.2	6
28	Functional and structural correlates of abnormal involuntary movements in psychosis risk and first episode psychosis. <i>Schizophrenia Research</i> , 2019, 212, 196-203.	2.0	20
29	The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter. <i>Schizophrenia Research</i> , 2019, 210, 188-196.	2.0	27
30	The trait-state distinction between schizotypy and clinical high risk: results from a one-year follow-up. <i>World Psychiatry</i> , 2019, 18, 108-109.	10.4	15
31	Clinical High Risk for Psychosis Syndromes Among Swiss and German Youth and Young Adults: Early Identification and Intervention. , 2019, , 115-142.		0
32	The interplay of etiological knowledge and mental illness stigma on healthcare utilisation in the community: A structural equation model. <i>European Psychiatry</i> , 2018, 51, 48-56.	0.2	23
33	Demographic and clinical characteristics of diagnosed and non-diagnosed psychotic disorders in the community. <i>Microbial Biotechnology</i> , 2018, 12, 87-90.	1.7	5
34	Course of clinical high-risk states for psychosis beyond conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 39-48.	3.2	59
35	What Is the Incidence of Implant Malpositioning and Revision Surgery After Orbital Repair?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018, 76, 146-153.	1.2	22
36	Prevalence and clinical relevance of interview-assessed psychosis-risk symptoms in the young adult community. <i>Psychological Medicine</i> , 2018, 48, 1167-1178.	4.5	45

#	ARTICLE	IF	CITATIONS
37	O11.8. PREVALENCE AND PREDICTORS OF INTERVIEW-ASSESSED CLINICAL HIGH-RISK SYMPTOMS IN THE GENERAL POPULATION. Schizophrenia Bulletin, 2018, 44, S109-S109.	4.3	0
38	F26. THE NATURE OF CLINICAL HIGH-RISK SYMPTOMS: NEW INSIGHTS GAINED FROM AGE EFFECTS. Schizophrenia Bulletin, 2018, 44, S228-S229.	4.3	0
39	S211. SCHIZOTYPY IN PATIENTS FROM A CLINICAL HIGH RISK SERVICE: TRAIT OR STATE?. Schizophrenia Bulletin, 2018, 44, S407-S408.	4.3	2
40	Striatal cerebral blood flow, executive functioning, and fronto-striatal functional connectivity in clinical high risk for psychosis. Schizophrenia Research, 2018, 201, 231-236.	2.0	21
41	Functioning mediates help-seeking for mental problems in the general population. European Psychiatry, 2018, 54, 1-9.	0.2	22
42	Convergent and concurrent validity of the Frankfurt Complaint Questionnaire as a screener for psychosis risk. Journal of Risk Research, 2017, 20, 1480-1496.	2.6	9
43	Clinical evaluation of the iterative metal artefact reduction algorithm for post-operative CT examination after maxillofacial surgery. Dentomaxillofacial Radiology, 2017, 46, 20160355.	2.7	15
44	Development of stimulus material for research in alcohol use disorders. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	14
45	Age effect on prevalence of ultra-high risk for psychosis symptoms: replication in a clinical sample of an early detection of psychosis service. European Child and Adolescent Psychiatry, 2017, 26, 1401-1405.	4.7	28
46	The Impact of Age on the Prevalence and Clinical Relevance of Attenuated Psychotic Symptoms in Patients of an Early Detection Service. European Psychiatry, 2017, 41, S84-S84.	0.2	0
47	Clinical High Risk Symptoms and Criteria in the Community: Prevalence, Clinical Significance and Risk Factors for Their Occurrence. European Psychiatry, 2017, 41, S226-S226.	0.2	1
48	Basic Symptoms in the Community and their Association with Age. European Psychiatry, 2017, 41, S84-S85.	0.2	1
49	Mediators Linking Childhood Adversities and Trauma to Suicidality in Individuals at Risk for Psychosis. Frontiers in Psychiatry, 2017, 8, 242.	2.6	17
50	Estados clínicos de alto riesgo para esquizofrenia y otras formas de psicosis: una breve revisión. Revista De Neuro-psiquiatria, 2017, 80, 42.	0.2	2
51	Monitoring Adolescents'™ Distress using Social Web data as a Source: the InsideOut Project. , 2017, , 20-29.		1
52	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. Frontiers in Psychiatry, 2016, 7, 9.	2.6	62
53	Abnormal involuntary movements are linked to psychosis-risk in children and adolescents: Results of a population-based study. Schizophrenia Research, 2016, 174, 58-64.	2.0	33
54	Psychosis-predictive value of self-reported schizotypy in a clinical high-risk sample.. Journal of Abnormal Psychology, 2016, 125, 923-932.	1.9	59

#	ARTICLE	IF	CITATIONS
55	Predictors for DSM-5 nonsuicidal self-injury in female adolescent inpatients: The role of childhood maltreatment, alexithymia, and dissociation. <i>Psychiatry Research</i> , 2016, 239, 346-352.	3.3	35
56	The Course of Risk Symptoms for Psychosis in the General Population: 2.5-year Follow-up of the Bern Epidemiological At-risk (Bear) Study. <i>European Psychiatry</i> , 2015, 30, 746.	0.2	1
57	Age matters in the prevalence and clinical significance of ultra-high-risk for psychosis symptoms and criteria in the general population: Findings from the BEAR and BEARS-kid studies. <i>World Psychiatry</i> , 2015, 14, 189-197.	10.4	110
58	The Predictive Power of the Wisconsin Scales of Schizophrenia Proneness in Patients of an Early Detection Service. <i>European Psychiatry</i> , 2015, 30, 922.	0.2	0
59	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-416.	0.2	318
60	Duration of unspecific prodromal and clinical high risk states, and early help-seeking in first-admission psychosis patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1831-1841.	3.1	56
61	Poster #T160 A STRATIFIED MODEL FOR PSYCHOSIS PREDICTION IN CLINICAL PRACTICE. <i>Schizophrenia Research</i> , 2014, 153, S346-S347.	2.0	0
62	Is a black eye a useful sign of facial fractures in patients with minor head injuries? A retrospective analysis in a level I trauma centre over 10 years. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014, 52, 518-522.	0.8	14
63	Poster #S127 PREVALENCE OF AT-RISK CRITERIA OF PSYCHOSIS IN CHILDREN AND ADOLESCENTS, AND IN YOUNG ADULTS: RESULTS FROM TWO SWISS COMMUNITY SAMPLES. <i>Schizophrenia Research</i> , 2014, 153, S134.	2.0	0
64	Reliability of telephone assessments of at-risk criteria of psychosis: A comparison to face-to-face interviews. <i>Schizophrenia Research</i> , 2014, 153, 251-253.	2.0	15
65	EPA-0765 "Coping, self-efficacy, and control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. <i>European Psychiatry</i> , 2014, 29, 1.	0.2	0
66	EPA-0827 - Prevalence and burden of at-risk criteria of psychosis and help-seeking behaviour: Design and response of a population survey. <i>European Psychiatry</i> , 2014, 29, 1.	0.2	0
67	EPA-0828 - Axis-I disorders and at-risk criteria of psychosis in the general population: Preliminary results from a telephone survey. <i>European Psychiatry</i> , 2014, 29, 1.	0.2	0
68	Screening instruments in child and adolescent psychiatry: general and methodological considerations. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 725-727.	4.7	16
69	A Stratified Model for Psychosis Prediction in Clinical Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, 1533-1542.	4.3	59
70	Prevalence and Clinical Significance of DSM-5 "Attenuated Psychosis Syndrome in Adolescents and Young Adults in the General Population: The Bern Epidemiological At-Risk (BEAR) Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1499-1508.	4.3	79
71	Poster #T212 MENTAL HEALTH LITERACY ON PSYCHOSIS AND DEPRESSION: DO LABELING AND CAUSAL ATTRIBUTION AFFECT TREATMENT RECOMMENDATIONS?. <i>Schizophrenia Research</i> , 2014, 153, S364-S365.	2.0	0
72	Poster #M187 NEUROCOGNITIVE IMPAIRMENTS IN ADOLESCENTS WITH AND WITHOUT AT-RISK STATES OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2014, 153, S258.	2.0	0

#	ARTICLE	IF	CITATIONS
73	Poster #T234 SLEEP DISRUPTION IN CHILDREN AND ADOLESCENTS AT-RISK FOR PSYCHOSIS: A PRELIMINARY STUDY. Schizophrenia Research, 2014, 153, S372.	2.0	0
74	Differences in coping, self-efficacy, and external control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. Psychiatry Research, 2014, 219, 95-102.	3.3	36
75	Poster #S126 MENTAL HEALTH LITERACY: DESIGN OF AND RESPONSE TO AN ADD-ON QUESTIONNAIRE STUDY TO A POPULATION SURVEY. Schizophrenia Research, 2014, 153, S134.	2.0	0
76	Poster #M154 PREVALENCE OF PSYCHOSIS-RISK CRITERIA AND SYMPTOMS IN AN INPATIENT AND GENERAL POPULATION SAMPLE OF CHILDREN AND ADOLESCENTS. Schizophrenia Research, 2014, 153, S246.	2.0	0
77	“A Rose Is a Rose Is a Rose”, but At-Risk Criteria Differ. Psychopathology, 2013, 46, 75-87.	1.5	54
78	Poster #92 PSYCHOPATHOLOGICAL SIGNIFICANCE OF AT-RISK CRITERIA OF PSYCHOSIS IN THE GENERAL POPULATION: PRELIMINARY RESULTS FROM A TELEPHONE SURVEY. Schizophrenia Research, 2012, 136, S313.	2.0	0
79	Poster #93 AT-RISK CRITERIA OF PSYCHOSIS AND QUALITY OF LIFE IN THE GENERAL POPULATION: PRELIMINARY RESULTS FROM A TELEPHONE SURVEY. Schizophrenia Research, 2012, 136, S313-S314.	2.0	0
80	Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. Schizophrenia Research, 2012, 140, 31-36.	2.0	14
81	Personality disorders and accentuations in at-risk persons with and without conversion to first-episode psychosis. Microbial Biotechnology, 2012, 6, 389-398.	1.7	41
82	What percentage of people in the general population satisfies the current clinical at-risk criteria of psychosis?. Schizophrenia Research, 2011, 125, 99-100.	2.0	47
83	Prevalence and Burden of at-Risk Criteria of Psychosis and Help-Seeking Behaviour - a Population Survey. European Psychiatry, 2011, 26, 1128-1128.	0.2	0
84	Prediction and Early Detection of First-Episode Psychosis. , 2011, , 207-267.		3