
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7744436/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Renal cell carcinoma. Nature Reviews Disease Primers, 2017, 3, 17009.	30.5	1,727
2	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 541-550.	2.5	908
3	Colorectal-Cancer Incidence and Mortality with Screening Flexible Sigmoidoscopy. New England Journal of Medicine, 2012, 366, 2345-2357.	27.0	851
4	Genome-wide association study of circulating vitamin D levels. Human Molecular Genetics, 2010, 19, 2739-2745.	2.9	700
5	Human oral microbiome and prospective risk for pancreatic cancer: a population-based nested case-control study. Gut, 2018, 67, 120-127.	12.1	536
6	Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658.	21.4	519
7	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984.	21.4	493
8	Cigarette smoking and the oral microbiome in a large study of American adults. ISME Journal, 2016, 10, 2435-2446.	9.8	445
9	Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. International Journal of Epidemiology, 2010, 39, 166-181.	1.9	322
10	Association between Class III Obesity (BMI of 40–59 kg/m2) and Mortality: A Pooled Analysis of 20 Prospective Studies. PLoS Medicine, 2014, 11, e1001673.	8.4	299
11	Oral Microbiome Composition Reflects Prospective Risk for Esophageal Cancers. Cancer Research, 2017, 77, 6777-6787.	0.9	279
12	Cigarette Smoking and Variations in Systemic Immune and Inflammation Markers. Journal of the National Cancer Institute, 2014, 106, .	6.3	255
13	Serum Vitamin D Concentration and Prostate Cancer Risk: A Nested Case-Control Study. Journal of the National Cancer Institute, 2008, 100, 796-804.	6.3	250
14	International Trends in the Incidence of Testicular Cancer, 1973-2002. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1151-1159.	2.5	244
15	Genome-wide association study of glioma and meta-analysis. Human Genetics, 2012, 131, 1877-1888.	3.8	222
16	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. Nature Genetics, 2011, 43, 60-65.	21.4	220
17	Cigarette, Cigar, and Pipe Smoking and the Risk of Head and Neck Cancers: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. American Journal of Epidemiology, 2013, 178, 679-690.	3.4	220
18	Association of Oral Microbiome With Risk for Incident Head and Neck Squamous Cell Cancer. JAMA Oncology, 2018, 4, 358.	7.1	218

#	Article	IF	CITATIONS
19	Recent Trends in Incidence of Cutaneous Melanoma among US Caucasian Young Adults. Journal of Investigative Dermatology, 2008, 128, 2905-2908.	0.7	214
20	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. International Journal of Epidemiology, 2010, 39, 182-196.	1.9	210
21	Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. Journal of the National Cancer Institute, 2019, 111, 158-169.	6.3	199
22	International patterns and trends in testis cancer incidence. International Journal of Cancer, 2005, 115, 822-827.	5.1	190
23	Genome-Wide Meta-Analysis Identifies Regions on 7p21 (AHR) and 15q24 (CYP1A2) As Determinants of Habitual Caffeine Consumption. PLoS Genetics, 2011, 7, e1002033.	3.5	187
24	Circulating 25-Hydroxyvitamin D and Risk of Pancreatic Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 81-93.	3.4	181
25	Genome-wide association study identifies two susceptibility loci for osteosarcoma. Nature Genetics, 2013, 45, 799-803.	21.4	181
26	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. Nature Genetics, 2013, 45, 868-876.	21.4	179
27	Drinking alcohol is associated with variation in the human oral microbiome in a large study of American adults. Microbiome, 2018, 6, 59.	11.1	172
28	Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. International Journal of Cancer, 2007, 120, 642-649.	5.1	171
29	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. Nature Genetics, 2010, 42, 661-664.	21.4	152
30	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	6.3	152
31	Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. Thyroid, 2016, 26, 306-318.	4.5	148
32	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. Nature Genetics, 2014, 46, 1233-1238.	21.4	147
33	Total Exposure and Exposure Rate Effects for Alcohol and Smoking and Risk of Head and Neck Cancer: A Pooled Analysis of Case-Control Studies. American Journal of Epidemiology, 2009, 170, 937-947.	3.4	143
34	Tobacco, alcohol use and risk of hepatocellular carcinoma and intrahepatic cholangiocarcinoma: The Liver Cancer Pooling Project. British Journal of Cancer, 2018, 118, 1005-1012.	6.4	142
35	Serum Levels of Vitamin D Metabolites and Breast Cancer Risk in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 889-894.	2.5	139
36	Genome-wide association study identifies multiple loci associated with bladder cancer risk. Human Molecular Genetics, 2014, 23, 1387-1398.	2.9	137

#	Article	lF	CITATIONS
37	Tumor Necrosis Factor (TNF) and Lymphotoxin-Â (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. American Journal of Epidemiology, 2010, 171, 267-276.	3.4	128
38	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. International Journal of Epidemiology, 2015, 44, 169-185.	1.9	128
39	Central adiposity, obesity during early adulthood, and pancreatic cancer mortality in a pooled analysis of cohort studies. Annals of Oncology, 2015, 26, 2257-2266.	1.2	126
40	Impaired lung function and lung cancer incidence in a cohort of Swedish construction workers. Thorax, 2007, 62, 51-56.	5.6	121
41	Long-term Variation in Serum 25-Hydroxyvitamin D Concentration among Participants in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 927-931.	2.5	121
42	Body Mass Index, Waist Circumference, Diabetes, and Risk of Liver Cancer for U.S. Adults. Cancer Research, 2016, 76, 6076-6083.	0.9	119
43	Hypertension and Risk of Renal Cell Carcinoma Among White and Black Americans. Epidemiology, 2011, 22, 797-804.	2.7	117
44	Polymorphisms in immune function genes and risk of non-Hodgkin lymphoma: findings from the New South Wales non-Hodgkin Lymphoma Study. Carcinogenesis, 2007, 28, 704-712.	2.8	116
45	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. Cancer Causes and Control, 2012, 23, 69-88.	1.8	116
46	Correlates of Circulating 25-Hydroxyvitamin D: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 21-35.	3.4	114
47	Telomere Length in White Blood Cell DNA and Lung Cancer: A Pooled Analysis of Three Prospective Cohorts. Cancer Research, 2014, 74, 4090-4098.	0.9	112
48	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 caseâ€control studies from 27 countries. International Journal of Cancer, 2015, 136, 1125-1139.	5.1	112
49	Cigarette smoking, alcohol intake, and thyroid cancer risk: a pooled analysis of five prospective studies in the United States. Cancer Causes and Control, 2012, 23, 1615-1624.	1.8	107
50	Common Genetic Polymorphisms Modify the Effect of Smoking on Absolute Risk of Bladder Cancer. Cancer Research, 2013, 73, 2211-2220.	0.9	107
51	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. Nature Communications, 2017, 8, 15724.	12.8	106
52	Genome-wide association study identifies common variants associated with circulating vitamin E levels. Human Molecular Genetics, 2011, 20, 3876-3883.	2.9	102
53	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497.	6.2	101
54	A genome-wide association study of bladder cancer identifies a new susceptibility locus within SLC14A1, a urea transporter gene on chromosome 18q12.3. Human Molecular Genetics, 2011, 20, 4282-4289.	2.9	100

#	Article	lF	CITATIONS
55	Circulating 25-Hydroxyvitamin D and Risk of Kidney Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 47-57.	3.4	98
56	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. American Journal of Human Genetics, 2014, 95, 462-471.	6.2	96
57	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. Nature Communications, 2016, 7, 10933.	12.8	94
58	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. PLoS Genetics, 2011, 7, e1001378.	3.5	93
59	Serum Concentrations of Per- and Polyfluoroalkyl Substances and Risk of Renal Cell Carcinoma. Journal of the National Cancer Institute, 2021, 113, 580-587.	6.3	92
60	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. British Journal of Haematology, 2014, 166, 667-676.	2.5	90
61	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
62	Evaluation of Multiplexed Cytokine and Inflammation Marker Measurements: a Methodologic Study. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1902-1911.	2.5	89
63	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. Oncotarget, 2016, 7, 66328-66343.	1.8	88
64	Common Gene Variants in the Tumor Necrosis Factor (TNF) and TNF Receptor Superfamilies and NF-kB Transcription Factors and Non-Hodgkin Lymphoma Risk. PLoS ONE, 2009, 4, e5360.	2.5	88
65	High-resolution metabolomics of occupational exposure to trichloroethylene. International Journal of Epidemiology, 2016, 45, 1517-1527.	1.9	87
66	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. Nature Communications, 2016, 7, 11843.	12.8	86
67	Type of Alcoholic Beverage and Risk of Head and Neck Cancer—A Pooled Analysis Within the INHANCE Consortium. American Journal of Epidemiology, 2009, 169, 132-142.	3.4	85
68	The proportion of cancer attributable to occupational exposures. Annals of Epidemiology, 2015, 25, 188-192.	1.9	83
69	Vitamin D Receptor Polymorphisms and Breast Cancer Risk: Results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 297-305.	2.5	82
70	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. Human Molecular Genetics, 2012, 21, 456-462.	2.9	81
71	Common genetic variants in the <i>PSCA</i> gene influence gene expression and bladder cancer risk. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 4974-4979.	7.1	79
72	Body Mass Index, Physical Activity, and Serum Markers of Inflammation, Immunity, and Insulin Resistance. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2840-2849.	2.5	79

MARK P PURDUE

#	Article	IF	CITATIONS
73	Kinetics of the Human Papillomavirus Type 16 E6 Antibody Response Prior to Oropharyngeal Cancer. Journal of the National Cancer Institute, 2017, 109, .	6.3	77
74	Racial difference in histologic subtype of renal cell carcinoma. Cancer Medicine, 2013, 2, 744-749.	2.8	76
75	A pooled investigation of Toll-like receptor gene variants and risk of non-Hodgkin lymphoma. Carcinogenesis, 2009, 30, 275-281.	2.8	75
76	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. Nature Communications, 2017, 8, 14175.	12.8	75
77	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. Nature Communications, 2020, 11, 3353.	12.8	75
78	Etiologic and Other Factors Predicting Nevus-Associated Cutaneous Malignant Melanoma. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2015-2022.	2.5	74
79	Coffee and Tea Intake and Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1723-1736.	2.5	74
80	NSAID Use and Risk of Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma: The Liver Cancer Pooling Project. Cancer Prevention Research, 2015, 8, 1156-1162.	1.5	74
81	Rising Melanoma Incidence Rates of the Trunk among Younger Women in the United States. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2401-2406.	2.5	73
82	Circulating 25-Hydroxyvitamin D and Risk of Esophageal and Gastric Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 94-106.	3.4	72
83	Mapping of the UGT1A locus identifies an uncommon coding variant that affects mRNA expression and protects from bladder cancer. Human Molecular Genetics, 2012, 21, 1918-1930.	2.9	71
84	A prospective investigation of serum 25â€hydroxyvitamin D and risk of lymphoid cancers. International Journal of Cancer, 2009, 124, 979-986.	5.1	70
85	Circulating 25-Hydroxyvitamin D and the Risk of Rarer Cancers: Design and Methods of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 10-20.	3.4	70
86	Body Mass Index, Diabetes and Intrahepatic Cholangiocarcinoma Risk: The Liver Cancer Pooling Project and Meta-analysis. American Journal of Gastroenterology, 2018, 113, 1494-1505.	0.4	70
87	Occupational exposures and head and neck cancers among Swedish construction workers. Scandinavian Journal of Work, Environment and Health, 2006, 32, 270-275.	3.4	70
88	Prediagnostic Serum Concentrations of Organochlorine Compounds and Risk of Testicular Germ Cell Tumors. Environmental Health Perspectives, 2009, 117, 1514-1519.	6.0	69
89	Prediagnostic Serum Levels of Cytokines and Other Immune Markers and Risk of Non-Hodgkin Lymphoma. Cancer Research, 2011, 71, 4898-4907.	0.9	69
90	An approach for normalization and quality control for NanoString RNA expression data. Briefings in Bioinformatics, 2021, 22, .	6.5	67

#	Article	IF	CITATIONS
91	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. European Journal of Epidemiology, 2014, 29, 35-48.	5.7	66
92	A prospective study of serum soluble CD30 concentration and risk of non-Hodgkin lymphoma. Blood, 2009, 114, 2730-2732.	1.4	65
93	Circulating 25-Hydroxyvitamin D and Risk of Non-Hodgkin Lymphoma: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 58-69.	3.4	65
94	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. British Journal of Cancer, 2020, 123, 1456-1463.	6.4	65
95	A prospective study of 67 serum immune and inflammation markers and risk of non-Hodgkin lymphoma. Blood, 2013, 122, 951-957.	1.4	64
96	Body Mass Index, Cigarette Smoking, and Alcohol Consumption and Cancers of the Oral Cavity, Pharynx, and Larynx: Modeling Odds Ratios in Pooled Case-Control Data. American Journal of Epidemiology, 2010, 171, 1250-1261.	3.4	63
97	The Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial and Its Associated Research Resource. Journal of the National Cancer Institute, 2013, 105, 1684-1693.	6.3	62
98	An investigation of risk factors for renal cell carcinoma by histologic subtype in two case ontrol studies. International Journal of Cancer, 2013, 132, 2640-2647.	5.1	61
99	Risk of Non–Hodgkin Lymphoma Associated with Germline Variation in Genes that Regulate the Cell Cycle, Apoptosis, and Lymphocyte Development. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1259-1270.	2.5	59
100	Associations of Coffee Drinking with Systemic Immune and Inflammatory Markers. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1052-1060.	2.5	59
101	The influence of obesity-related factors in the etiology of renal cell carcinoma—A mendelian randomization study. PLoS Medicine, 2019, 16, e1002724.	8.4	59
102	A prospective study of circulating adipokine levels and risk of multiple myeloma. Blood, 2012, 120, 4418-4420.	1.4	58
103	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. Nature Communications, 2015, 6, 5751.	12.8	58
104	Is high vitamin B12 status a cause of lung cancer?. International Journal of Cancer, 2019, 145, 1499-1503.	5.1	58
105	Serum leptin and adiponectin levels and risk of renal cell carcinoma. Obesity, 2013, 21, 1478-1485.	3.0	57
106	Association of Immune Marker Changes With Progression of Monoclonal Gammopathy of Undetermined Significance to Multiple Myeloma. JAMA Oncology, 2019, 5, 1293.	7.1	57
107	Body Mass Index and Risk of Second Obesity-Associated Cancers After Colorectal Cancer: A Pooled Analysis of Prospective Cohort Studies. Journal of Clinical Oncology, 2014, 32, 4004-4011.	1.6	56
108	Circulating 25-Hydroxyvitamin D and Risk of Epithelial Ovarian Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 70-80.	3.4	55

MARK P PURDUE

#	Article	IF	CITATIONS
109	Occupational Lead Exposure and Associations with Selected Cancers: The Shanghai Men's and Women's Health Study Cohorts. Environmental Health Perspectives, 2016, 124, 97-103.	6.0	55
110	Common variation at 2q22.3 (ZEB2) influences the risk of renal cancer. Human Molecular Genetics, 2013, 22, 825-831.	2.9	54
111	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 683-689.	2.5	54
112	History of Diabetes and Risk of Head and Neck Cancer: A Pooled Analysis from the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 294-304.	2.5	53
113	Serum 25â€hydroxyvitamin D, vitamin D binding protein and risk of colorectal cancer in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. International Journal of Cancer, 2015, 136, E654-64.	5.1	53
114	Polymorphisms in DNA repair genes and risk of non-Hodgkin's lymphoma in New South Wales, Australia. Haematologica, 2007, 92, 1180-1185.	3.5	52
115	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. Human Molecular Genetics, 2016, 25, 1663-1676.	2.9	52
116	Sex-specific gene and pathway modeling of inherited glioma risk. Neuro-Oncology, 2019, 21, 71-82.	1.2	52
117	A Case–Control Study of Occupational Exposure to Trichloroethylene and Non-Hodgkin Lymphoma. Environmental Health Perspectives, 2011, 119, 232-238.	6.0	51
118	Genome-wide interaction study of smoking and bladder cancer risk. Carcinogenesis, 2014, 35, 1737-1744.	2.8	50
119	Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. Carcinogenesis, 2010, 31, 1592-1596.	2.8	48
120	An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 case–control studies. Cancer Causes and Control, 2011, 22, 1217-1231.	1.8	48
121	Body Mass Index and Physical Activity at Different Ages and Risk of Multiple Myeloma in the NIH-AARP Diet and Health Study. American Journal of Epidemiology, 2013, 177, 776-786.	3.4	48
122	GBV-C Infection and Risk of NHL among U.S. Adults. Cancer Research, 2014, 74, 5553-5560.	0.9	48
123	Polybrominated Diphenyl Ethers and Thyroid Cancer Risk in the Prostate, Colorectal, Lung, and Ovarian Cancer Screening Trial Cohort. American Journal of Epidemiology, 2015, 181, 883-888.	3.4	48
124	Coffee Consumption and Risk of Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma by Sex: The Liver Cancer Pooling Project. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1398-1406.	2.5	47
125	Improved imputation of common and uncommon SNPs with a new reference set. Nature Genetics, 2012, 44, 6-7.	21.4	45
126	Meat-cooking mutagens and risk of renal cell carcinoma. British Journal of Cancer, 2011, 105, 1096-1104.	6.4	44

#	Article	IF	CITATIONS
127	Cholesterol Auxotrophy as a Targetable Vulnerability in Clear Cell Renal Cell Carcinoma. Cancer Discovery, 2021, 11, 3106-3125.	9.4	44
128	Exploring the Genetic Architecture of Circulating 25â€Hydroxyvitamin D. Genetic Epidemiology, 2013, 37, 92-98.	1.3	43
129	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. British Journal of Haematology, 2016, 175, 87-101.	2.5	43
130	Mortality in a cohort of US firefighters from San Francisco, Chicago and Philadelphia: an update. Occupational and Environmental Medicine, 2020, 77, 84-93.	2.8	43
131	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. Blood, 2009, 114, 264-267.	1.4	42
132	Prediagnostic circulating adipokine concentrations and risk of renal cell carcinoma in male smokers. Carcinogenesis, 2013, 34, 109-112.	2.8	42
133	Lead exposure in US worksites: A literature review and development of an occupational lead exposure database from the published literature. American Journal of Industrial Medicine, 2015, 58, 605-616.	2.1	42
134	Computer-based coding of free-text job descriptions to efficiently identify occupations in epidemiological studies. Occupational and Environmental Medicine, 2016, 73, 417-424.	2.8	42
135	Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. Cancer Causes and Control, 2007, 18, 989-999.	1.8	41
136	One-carbon metabolism gene polymorphisms and risk of non-Hodgkin lymphoma in Australia. Human Genetics, 2007, 122, 525-533.	3.8	41
137	Impact of pesticide exposure misclassification on estimates of relative risks in the Agricultural Health Study. Occupational and Environmental Medicine, 2011, 68, 537-541.	2.8	41
138	Prediagnosis biomarkers of insulin-like growth factor-1, insulin, and interleukin-6 dysregulation and multiple myeloma risk in the Multiple Myeloma Cohort Consortium. Blood, 2012, 120, 4929-4937.	1.4	41
139	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. Environmental Health Perspectives, 2016, 124, 396-405.	6.0	41
140	A Case-Control Study of Peripheral Blood Mitochondrial DNA Copy Number and Risk of Renal Cell Carcinoma. PLoS ONE, 2012, 7, e43149.	2.5	41
141	Intra-individual variability over time in serum cytokine levels among participants in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. Cytokine, 2011, 56, 145-148.	3.2	40
142	Comparison of hematological alterations and markers of B-cell activation in workers exposed to benzene, formaldehyde and trichloroethylene. Carcinogenesis, 2016, 37, 692-700.	2.8	40
143	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. International Journal of Epidemiology, 2016, 45, 835-845.	1.9	40
144	Circulating Folate, Vitamin B6, and Methionine in Relation to Lung Cancer Risk in the Lung Cancer Cohort Consortium (LC3). Journal of the National Cancer Institute, 2018, 110, 57-67.	6.3	40

#	Article	IF	CITATIONS
145	A nested case–control study of leukocyte mitochondrial DNA copy number and renal cell carcinoma in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. Carcinogenesis, 2014, 35, 1028-1031.	2.8	39
146	Chronic Kidney Disease and Risk of Renal Cell Carcinoma. Epidemiology, 2015, 26, 59-67.	2.7	39
147	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. European Urology, 2017, 72, 747-754.	1.9	39
148	Association of Leukocyte Mitochondrial DNA Copy Number with Colorectal Cancer Risk: Results from the Shanghai Women's Health Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2357-2365.	2.5	38
149	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. Human Molecular Genetics, 2016, 25, 1203-1214.	2.9	38
150	The chromosome 2p21 region harbors a complex genetic architecture for association with risk for renal cell carcinoma. Human Molecular Genetics, 2012, 21, 1190-1200.	2.9	37
151	Rare germline variants in known melanoma susceptibility genes in familial melanoma. Human Molecular Genetics, 2017, 26, 4886-4895.	2.9	37
152	Risk of Germ Cell Tumors among Men with HIV/Acquired Immunodeficiency Syndrome. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1266-1269.	2.5	36
153	Circulating 25-Hydroxyvitamin D and Risk of Endometrial Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 36-46.	3.4	36
154	Genetic Variation in the Vitamin D Pathway in Relation to Risk of Prostate Cancer—Results from the Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 688-696.	2.5	36
155	Circulating high sensitivity C reactive protein concentrations and risk of lung cancer: nested case-control study within Lung Cancer Cohort Consortium. BMJ: British Medical Journal, 2019, 364, k4981.	2.3	36
156	Large-Scale Pathway-Based Analysis of Bladder Cancer Genome-Wide Association Data from Five Studies of European Background. PLoS ONE, 2012, 7, e29396.	2.5	36
157	Dietary factors and risk of non-Hodgkin lymphoma by histologic subtype: a case-control analysis. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1665-76.	2.5	36
158	Genetic susceptibility for chronic lymphocytic leukemia among Chinese in Hong Kong. European Journal of Haematology, 2010, 85, 492-495.	2.2	35
159	Risk of kidney cancer and chronic kidney disease in relation to hepatitis C virus infection. European Journal of Cancer Prevention, 2011, 20, 326-330.	1.3	35
160	The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. Occupational and Environmental Medicine, 2011, 68, 391-399.	2.8	35
161	Racial disparities in overall survival among renal cell carcinoma patients with young age and small tumors. Cancer Medicine, 2016, 5, 200-208.	2.8	35
162	Genetic variation in Th1/Th2 pathway genes and risk of nonâ€Hodgkin lymphoma: a pooled analysis of three populationâ€based case ontrol studies. British Journal of Haematology, 2011, 153, 341-350.	2.5	34

#	Article	IF	CITATIONS
163	PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. Blood, 2012, 120, 4645-4648.	1.4	34
164	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. Cancer Research, 2018, 78, 4086-4096.	0.9	34
165	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 876-885.	2.5	33
166	Hormone Replacement Therapy, Reproductive History, and Colorectal Adenomas: Data from the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial (United States). Cancer Causes and Control, 2005, 16, 965-973.	1.8	32
167	A Prospective Evaluation of C-reactive Protein Levels and Colorectal Adenoma Development. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 537-544.	2.5	32
168	Anthropometry and head and neck cancer:a pooled analysis of cohort data. International Journal of Epidemiology, 2015, 44, 673-681.	1.9	32
169	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. Oral Oncology, 2019, 94, 47-57.	1.5	32
170	Elevated urinary levels of kidney injury molecule-1 among Chinese factory workers exposed to trichloroethylene. Carcinogenesis, 2012, 33, 1538-1541.	2.8	31
171	Personal History of Diabetes, Genetic Susceptibility to Diabetes, and Risk of Brain Glioma: A Pooled Analysis of Observational Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 47-54.	2.5	31
172	Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. Cancer Research, 2019, 79, 3973-3982.	0.9	31
173	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. Oral Diseases, 2021, 27, 73-93.	3.0	31
174	Prospective Study of Genomic Hypomethylation of Leukocyte DNA and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2014-2021.	2.5	30
175	Pathologic validation of renal cell carcinoma histology in the Surveillance, Epidemiology, and End Results program. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 23.e9-23.e13.	1.6	30
176	Mouthwash use and cancer of the head and neck: a pooled analysis from the International Head and Neck Cancer Epidemiology Consortium. European Journal of Cancer Prevention, 2016, 25, 344-348.	1.3	30
177	Racial disparities in renal cell carcinoma: a singleâ€payer healthcare experience. Cancer Medicine, 2016, 5, 2101-2108.	2.8	30
178	Low Levels of Circulating Adiponectin Are Associated with Multiple Myeloma Risk in Overweight and Obese Individuals. Cancer Research, 2016, 76, 1935-1941.	0.9	30
179	A pooled analysis of three studies evaluating genetic variation in innate immunity genes and nonâ€Hodgkin lymphoma risk. British Journal of Haematology, 2011, 152, 721-726.	2.5	29
180	Diabetes prevalence is associated with serum 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D in US middle-aged Caucasian men and women: a cross-sectional analysis within the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. British Journal of Nutrition, 2011, 106, 339-344.	2.3	29

#	Article	IF	CITATIONS
181	Circulating adipokine concentrations and risk of five obesityâ€related cancers: A Mendelian randomization study. International Journal of Cancer, 2021, 148, 1625-1636.	5.1	29
182	Body Mass Index and Renal Cell Cancer. Epidemiology, 2012, 23, 821-828.	2.7	28
183	Telomere length and risk of glioma. Cancer Epidemiology, 2013, 37, 935-938.	1.9	28
184	Genetic overlap between autoimmune diseases and nonâ€Hodgkin lymphoma subtypes. Genetic Epidemiology, 2019, 43, 844-863.	1.3	28
185	Vitamin D receptor gene polymorphisms and risk of non-Hodgkin's lymphoma. Haematologica, 2007, 92, 1145-1146.	3.5	27
186	Vitamin or mineral supplement intake and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. International Journal of Cancer, 2012, 131, 1686-1699.	5.1	27
187	The association between chronic renal failure and renal cell carcinoma may differ between black and white Americans. Cancer Causes and Control, 2013, 24, 167-174.	1.8	27
188	Alterations in serum immunoglobulin levels in workers occupationally exposed to trichloroethylene. Carcinogenesis, 2013, 34, 799-802.	2.8	27
189	Survival among Black and White patients with renal cell carcinoma in an equal-access health care system. Cancer Causes and Control, 2015, 26, 1019-1026.	1.8	27
190	Mitochondrial DNA Copy Number and Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Risk in Two Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 148-153.	2.5	27
191	Sex specific associations in genome wide association analysis of renal cell carcinoma. European Journal of Human Genetics, 2019, 27, 1589-1598.	2.8	27
192	Predictors of Sun Protection in Canadian Adults. Canadian Journal of Public Health, 2002, 93, 470-474.	2.3	26
193	Etiologic factors associated with p53 immunostaining in cutaneousmalignant melanoma. International Journal of Cancer, 2005, 117, 486-493.	5.1	26
194	Chemical exposures and risk of chronic lymphocytic leukaemia. British Journal of Haematology, 2007, 139, 753-761.	2.5	26
195	Association between adult height, genetic susceptibility and risk of glioma. International Journal of Epidemiology, 2012, 41, 1075-1085.	1.9	26
196	Multiple myeloma and occupation: A pooled analysis by the International Multiple Myeloma Consortium. Cancer Epidemiology, 2013, 37, 300-305.	1.9	26
197	A Pooled Analysis of Body Mass Index and Pancreatic Cancer Mortality in African Americans. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2119-2125.	2.5	26
198	LINE1 methylation levels in pre-diagnostic leukocyte DNA and future renal cell carcinoma risk. Epigenetics, 2015, 10, 282-292.	2.7	26

MARK P PURDUE

#	Article	IF	CITATIONS
199	Antihypertensive medication use and risk of renal cell carcinoma. Cancer Causes and Control, 2017, 28, 289-297.	1.8	26
200	A Case-Control Investigation of Immune Function Gene Polymorphisms and Risk of Testicular Germ Cell Tumors. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 77-83.	2.5	25
201	Circulating Soluble CD30 and Future Risk of Lymphoma; Evidence from Two Prospective Studies in the General Population. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1925-1927.	2.5	25
202	Serum Vitamin D and Risk of Bladder Cancer in the Prostate, Lung, Colorectal, and Ovarian (PLCO) Cancer Screening Trial. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1222-1225.	2.5	25
203	IL10 and TNF variants and risk of non-Hodgkin lymphoma among three Asian populations. International Journal of Hematology, 2013, 97, 793-799.	1.6	25
204	Reproductive Factors and Kidney Cancer Risk in 2 US Cohort Studies, 1993-2010. American Journal of Epidemiology, 2013, 177, 1368-1377.	3.4	25
205	Occupational exposure to trichloroethylene and serum concentrations of ILâ€6, ILâ€10, and TNFâ€alpha. Environmental and Molecular Mutagenesis, 2013, 54, 450-454.	2.2	25
206	A Pooled Analysis of Body Mass Index and Mortality among African Americans. PLoS ONE, 2014, 9, e111980.	2.5	25
207	Identifying gender differences in reported occupational information from three US population-based case–control studies. Occupational and Environmental Medicine, 2014, 71, 855-864.	2.8	25
208	Body Mass Index and Risk of Death in Asian Americans. American Journal of Public Health, 2014, 104, 520-525.	2.7	25
209	A prospective study of alcohol consumption and renal cell carcinoma risk. International Journal of Cancer, 2015, 137, 238-242.	5.1	25
210	Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. Occupational and Environmental Medicine, 2009, 66, 23-31.	2.8	24
211	Bone marrow angiogenesis in myeloma and its precursor disease: a prospective clinical trial. Leukemia, 2014, 28, 413-416.	7.2	24
212	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. Cancer Research, 2014, 74, 5808-5818.	0.9	24
213	Occupational Exposure to Benzene and Non-Hodgkin Lymphoma in a Population-Based Cohort: The Shanghai Women's Health Study. Environmental Health Perspectives, 2015, 123, 971-977.	6.0	24
214	Obesity and renal cell carcinoma risk by histologic subtype: A nested case-control study and meta-analysis. Cancer Epidemiology, 2018, 56, 31-37.	1.9	24
215	Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. Epigenetics, 2019, 14, 1112-1124.	2.7	24
216	Abdominal and gluteofemoral size and risk of liver cancer: The liver cancer pooling project. International Journal of Cancer, 2020, 147, 675-685.	5.1	24

#	Article	IF	CITATIONS
217	The renal lineage factor PAX8 controls oncogenic signalling in kidney cancer. Nature, 2022, 606, 999-1006.	27.8	24
218	Family history of cancer and renal cell cancer risk in Caucasians and African Americans. British Journal of Cancer, 2010, 102, 1676-1680.	6.4	23
219	Variation in innate immunity genes and risk of multiple myeloma. Hematological Oncology, 2011, 29, 42-46.	1.7	23
220	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. Cancer Causes and Control, 2013, 24, 1885-1891.	1.8	23
221	Telomere Length Varies by DNA Extraction Method: Implications for Epidemiologic Research—Letter. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1129-1130.	2.5	23
222	Genetic polymorphism ofNFKB1andNFKBIAgenes and liver cancer risk: a nested case–control study in Shanghai, China. BMJ Open, 2014, 4, e004427.	1.9	23
223	Serologic markers of viral infection and risk of nonâ€ <scp>H</scp> odgkin lymphoma: A pooled study of three prospective cohorts in <scp>C</scp> hina and <scp>S</scp> ingapore. International Journal of Cancer, 2018, 143, 570-579.	5.1	23
224	Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Liver Cancer Among Postmenopausal Women. Hepatology, 2020, 72, 535-547.	7.3	23
225	Predictors of Sunburn among Canadian Adults. Preventive Medicine, 2001, 33, 305-312.	3.4	22
226	Cigarette Smoking and Renal Cell Carcinoma Risk among Black and White Americans: Effect Modification by Hypertension and Obesity. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 770-779.	2.5	22
227	Known glioma risk loci are associated with glioma with a family history of brain tumours—A case–control gene association study. International Journal of Cancer, 2013, 132, 2464-2468.	5.1	22
228	Association of Coffee and Tea Intake with the Oral Microbiome: Results from a Large Cross-Sectional Study. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 814-821.	2.5	22
229	Common single nucleotide polymorphisms in immunoregulatory genes and multiple myeloma risk among women in Connecticut. American Journal of Hematology, 2010, 85, 560-563.	4.1	21
230	Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. Occupational and Environmental Medicine, 2012, 69, 793-801.	2.8	21
231	Elevated serum sCD23 and sCD30 up to two decades prior to diagnosis associated with increased risk of non-Hodgkin lymphoma. Leukemia, 2015, 29, 1429-1431.	7.2	21
232	Multiple Myeloma Mortality in Relation to Obesity Among African Americans. Journal of the National Cancer Institute, 2016, 108, djw120.	6.3	21
233	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). International Journal of Cancer, 2020, 146, 2394-2405.	5.1	21
234	Hysterectomy and kidney cancer risk: A metaâ€analysis. International Journal of Cancer, 2014, 134, 405-410.	5.1	20

#	Article	IF	CITATIONS
235	A Genome-Wide Association Study of Renal Cell Carcinoma among African Americans. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 209-214.	2.5	20
236	Uric acid correlates to oxidation and inflammation in opposite directions in women. Biomarkers, 2015, 20, 225-231.	1.9	20
237	Circulating levels of obesity-related markers and risk of renal cell carcinoma in the PLCO cancer screening trial. Cancer Causes and Control, 2017, 28, 801-807.	1.8	20
238	Occupational exposure to chlorinated solvents and kidney cancer: a case–control study. Occupational and Environmental Medicine, 2017, 74, 268-274.	2.8	20
239	Exogenous hormone use, reproductive factors and risk of intrahepatic cholangiocarcinoma among women: results from cohort studies in the Liver Cancer Pooling Project and theÂUK Biobank. British Journal of Cancer, 2020, 123, 316-324.	6.4	20
240	A Pooled Analysis of Alcohol Consumption and Risk of Multiple Myeloma in the International Multiple Myeloma Consortium. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1620-1627.	2.5	19
241	Further Confirmation of Germline Glioma Risk Variant rs78378222 in <i>TP53</i> and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. Human Mutation, 2015, 36, 684-688.	2.5	19
242	Common Variation at 1q24.1 (ALDH9A1) Is a Potential Risk Factor for Renal Cancer. PLoS ONE, 2015, 10, e0122589.	2.5	19
243	Polymorphisms in DNA repair genes and risk of nonâ€Hodgkin lymphoma in a pooled analysis of three studies. British Journal of Haematology, 2010, 151, 239-244.	2.5	18
244	Risk of renal cell carcinoma in relation to blood telomere length in a population-based case–control study. British Journal of Cancer, 2011, 105, 1772-1775.	6.4	17
245	A Pooled Analysis of Cigarette Smoking and Risk of Multiple Myeloma from the International Multiple Myeloma Consortium. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 631-634.	2.5	17
246	Circulating Adiponectin Levels Differ Between Patients with Multiple Myeloma and its Precursor Disease. Obesity, 2017, 25, 1317-1320.	3.0	17
247	Renal cell carcinoma risk associated with lower intake of micronutrients. Cancer Medicine, 2018, 7, 4087-4097.	2.8	17
248	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. Human Molecular Genetics, 2020, 29, 70-79.	2.9	17
249	Leukocyte telomere length and renal cell carcinoma survival in two studies. British Journal of Cancer, 2017, 117, 752-755.	6.4	17
250	A case–control study of occupation/industry and renal cell carcinoma risk. BMC Cancer, 2012, 12, 344.	2.6	16
251	Impact of freeze-thaw cycles on circulating inflammation marker measurements. Cytokine, 2017, 95, 113-117.	3.2	16
252	Ethnic disparities in renal cell carcinoma: An analysis of Hispanic patients in a singleâ€payer healthcare system. International Journal of Urology, 2017, 24, 765-770.	1.0	16

#	Article	IF	CITATIONS
253	A Prospective Study of Leukocyte Telomere Length and Risk of Renal Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 997-1000.	2.5	15
254	Soluble levels of <scp>CD</scp> 27 and <scp>CD</scp> 30 are associated with risk of nonâ€ <scp>H</scp> odgkin lymphoma in three <scp>C</scp> hinese prospective cohorts. International Journal of Cancer, 2015, 137, 2688-2695.	5.1	15
255	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. Lupus Science and Medicine, 2017, 4, e000187.	2.7	15
256	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. Nature Communications, 2018, 9, 4182.	12.8	15
257	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). International Journal of Epidemiology, 2018, 47, 1760-1771.	1.9	15
258	Aspirin, ibuprofen, and reduced risk of advanced colorectal adenoma incidence and recurrence and colorectal cancer in the PLCO Cancer Screening Trial. Cancer, 2021, 127, 3145-3155.	4.1	15
259	Body Size at Different Ages and Risk of 6 Cancers: A Mendelian Randomization and Prospective Cohort Study. Journal of the National Cancer Institute, 2022, 114, 1296-1300.	6.3	15
260	Genetic Variation in the Inhibin Pathway and Risk of Testicular Germ Cell Tumors. Cancer Research, 2008, 68, 3043-3048.	0.9	14
261	Pooled Analysis of Mitochondrial DNA Copy Number and Lung Cancer Risk in Three Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2977-2980.	2.5	14
262	Association between Regular Aspirin Use and Circulating Markers of Inflammation: A Study within the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 825-832.	2.5	14
263	Circulating inflammation markers and colorectal adenoma risk. Carcinogenesis, 2019, 40, 765-770.	2.8	14
264	A case–control study of reproductive factors and renal cell carcinoma among black and white women in the United States. Cancer Causes and Control, 2011, 22, 1537-1544.	1.8	13
265	Pre-diagnostic serum concentrations of organochlorines and risk of acute myeloid leukemia: A nested case-control study in the Norwegian Janus Serum Bank Cohort. Environment International, 2019, 125, 229-235.	10.0	13
266	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1074-1078.	2.5	13
267	A large cohort study of nonsteroidal anti-inflammatory drugs and renal cell carcinoma incidence in the National Institutes of Health–AARP Diet and Health Study. Cancer Causes and Control, 2013, 24, 1865-1873.	1.8	12
268	Relation of allium vegetables intake with head and neck cancers: Evidence from the INHANCE consortium. Molecular Nutrition and Food Research, 2015, 59, 1641-1650.	3.3	12
269	Circulating resistin levels and risk of multiple myeloma in three prospective cohorts. British Journal of Cancer, 2017, 117, 1241-1245.	6.4	12
270	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. Occupational and Environmental Medicine, 2018, 75, 798-806.	2.8	12

#	Article	IF	CITATIONS
271	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). Cancer Epidemiology, 2019, 63, 101615.	1.9	12
272	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. Journal of Hepatology, 2020, 73, 863-872.	3.7	12
273	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. Frontiers in Oncology, 2011, 1, 13.	2.8	11
274	CKD and Risk of Renal Cell Carcinoma. Journal of the American Society of Nephrology: JASN, 2014, 25, 2147-2148.	6.1	11
275	Analgesic use and risk of renal cell carcinoma: A case-control, cohort and meta-analytic assessment. International Journal of Cancer, 2016, 139, 584-592.	5.1	11
276	Trichloroethylene and Cancer. Journal of the National Cancer Institute, 2013, 105, 844-846.	6.3	10
277	Evaluation of Automatically Assigned Job-Specific Interview Modules. Annals of Occupational Hygiene, 2016, 60, 885-899.	1.9	10
278	Logistic Bayesian LASSO for genetic association analysis of data from complex sampling designs. Journal of Human Genetics, 2017, 62, 819-829.	2.3	10
279	A Prospective Study of Circulating Chemokines and Angiogenesis Markers and Risk of Multiple Myeloma and Its Precursor. JNCI Cancer Spectrum, 2020, 4, pkz104.	2.9	10
280	Pooling Prospective Studies to Investigate the Etiology of Second Cancers. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1598-1608.	2.5	9
281	Farm Characteristics, Allergy Symptoms, and Risk of Non-Hodgkin Lymphoid Neoplasms in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 587-594.	2.5	9
282	Evaluating predictors of lead exposure for activities disturbing materials painted with or containing lead using historic published data from U.S. workplaces. American Journal of Industrial Medicine, 2017, 60, 189-197.	2.1	9
283	Case-control investigation of occupational exposure to chlorinated solvents and non-Hodgkin's lymphoma. Occupational and Environmental Medicine, 2018, 75, 415-420.	2.8	9
284	Alterations in immune and renal biomarkers among workers occupationally exposed to low levels of trichloroethylene below current regulatory standards. Occupational and Environmental Medicine, 2019, 76, 376-381.	2.8	9
285	Extended Mortality Follow-up of a Cohort of Dry Cleaners. Epidemiology, 2019, 30, 285-290.	2.7	9
286	Altered regulation of DPF3, a member of the SWI/SNF complexes, underlies the 14q24 renal cancer susceptibility locus. American Journal of Human Genetics, 2021, 108, 1590-1610.	6.2	9
287	Prediagnostic Serum Vitamin D, Vitamin D Binding Protein Isoforms, and Cancer Survival. JNCI Cancer Spectrum, 2022, 6, .	2.9	9
288	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. Oral Diseases, 2023, 29, 1565-1578.	3.0	9

#	Article	IF	CITATIONS
289	Assessing Disease Risk in Genome-wide Association Studies Using Family History. Epidemiology, 2012, 23, 616-622.	2.7	8
290	Systematically Extracting Metal- and Solvent-Related Occupational Information from Free-Text Responses to Lifetime Occupational History Questionnaires. Annals of Occupational Hygiene, 2014, 58, 612-24.	1.9	8
291	A case–control study of occupational sunlight exposure and renal cancer risk. International Journal of Cancer, 2016, 138, 1626-1633.	5.1	8
292	Evaluating Exposure–Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. Annals of Work Exposures and Health, 2017, 61, 56-66.	1.4	8
293	Decision rule approach applied to estimate occupational lead exposure in a case ontrol study of kidney cancer. American Journal of Industrial Medicine, 2018, 61, 901-910.	2.1	8
294	Case-control investigation of occupational lead exposure and kidney cancer. Occupational and Environmental Medicine, 2019, 76, 433-440.	2.8	8
295	Prediagnostic blood levels of organochlorines and risk of nonâ€Hodgkin lymphoma in three prospective cohorts in China and Singapore. International Journal of Cancer, 2020, 146, 839-849.	5.1	8
296	Understanding racial disparities in renal cell carcinoma incidence: estimates of population attributable risk in two US populations. Cancer Causes and Control, 2020, 31, 85-93.	1.8	8
297	Coffee consumption and risk of renal cell carcinoma in the NIH-AARP Diet and Health Study. International Journal of Epidemiology, 2021, 50, 1473-1481.	1.9	8
298	Occupation and multiple myeloma: An occupation and industry analysis. American Journal of Industrial Medicine, 2010, 53, 768-779.	2.1	7
299	Historical Occupational Trichloroethylene Air Concentrations Based on Inspection Measurements From Shanghai, China. Annals of Occupational Hygiene, 2014, 59, 62-78.	1.9	7
300	Associations between self-reported diabetes and 78 circulating markers of inflammation, immunity, and metabolism among adults in the United States. PLoS ONE, 2017, 12, e0182359.	2.5	7
301	Circulating sCD27 and sCD30 in preâ€diagnostic samples collected fifteen years apart and future nonâ€Hodgkin lymphoma risk. International Journal of Cancer, 2019, 144, 1780-1785.	5.1	7
302	Blood lead levels and lung cancer mortality: An updated analysis of NHANES II and III. Cancer Medicine, 2021, 10, 4066-4074.	2.8	7
303	Coffee consumption and risk of renal cancer: a meta-analysis of cohort evidence. Cancer Causes and Control, 2021, , 1.	1.8	7
304	Physical activity and renal cell carcinoma among black and white Americans: a case-control study. BMC Cancer, 2014, 14, 707.	2.6	6
305	Alcohol consumption and risk of multiple myeloma in the NIHâ€AARP Diet and Health Study. International Journal of Cancer, 2019, 144, 43-48.	5.1	6
306	Association between occupational exposure to trichloroethylene and serum levels of microRNAs: a cross-sectional molecular epidemiology study in China. International Archives of Occupational and Environmental Health, 2019, 92, 1077-1085.	2.3	6

#	Article	IF	CITATIONS
307	Pathway Analysis of Renal Cell Carcinoma Genome-Wide Association Studies Identifies Novel Associations. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2065-2069.	2.5	6
308	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. Frontiers in Oncology, 2019, 9, 1539.	2.8	6
309	Large-scale cross-cancer fine-mapping of the 5p15.33 region reveals multiple independent signals. Human Genetics and Genomics Advances, 2021, 2, 100041.	1.7	6
310	Asthma history, occupational exposure to pesticides and the risk of non-Hodgkin's lymphoma. International Journal of Cancer, 2006, 118, 3174-3176.	5.1	5
311	Validity of Expert Assigned Retrospective Estimates of Occupational Polychlorinated Biphenyl Exposure. Annals of Occupational Hygiene, 2015, 59, 609-15.	1.9	5
312	Family History of Cancer and Risk of Biliary Tract Cancers: Results from the Biliary Tract Cancers Pooling Project. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 348-351.	2.5	5
313	Differences in risk factors for molecular subtypes of clear cell renal cell carcinoma. International Journal of Cancer, 2021, 149, 1448-1454.	5.1	5
314	Workshop report: environmental exposures and cancer prevention Environmental Health Perspectives, 2003, 111, 105-108.	6.0	4
315	Degreasing and risk of non-Hodgkin lymphoma. Occupational and Environmental Medicine, 2009, 66, 557-560.	2.8	4
316	Clearing the Air: Summarizing the Smoking-related Relative Risks of Bladder and Kidney Cancer. European Urology, 2016, 70, 467-468.	1.9	4
317	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Case–Control Study of Non-Hodgkin Lymphoma. Annals of Work Exposures and Health, 2019, 63, 842-855.	1.4	4
318	Prediagnostic serum sCD27 and sCD30 in serial samples and risks of nonâ€Hodgkin lymphoma subtypes. International Journal of Cancer, 2020, 146, 3312-3319.	5.1	4
319	Carcinogenicity of 1,1,1-trichloroethane and four other industrial chemicals. Lancet Oncology, The, 2021, 22, 1661-1662.	10.7	4
320	Re: Determinants of BRAF Mutations in Primary Melanomas. Journal of the National Cancer Institute, 2005, 97, 401-402.	6.3	3
321	Differences in Tumor VHL Mutation and Hypoxia-inducible Factor 2α Expression Between African American and White Patients with Clear Cell Renal Cell Carcinoma. European Urology, 2019, 75, 882-884.	1.9	3
322	Occupational trichloroethylene exposure and antinuclear antibodies: a cross-sectional study in China. Occupational and Environmental Medicine, 2022, 79, 717-720.	2.8	3
323	MGUS prevalence in a cohort of AML patients. Blood, 2013, 122, 294-295.	1.4	2
324	Potential Susceptibility Loci Identified for Renal Cell Carcinoma by Targeting Obesity-Related Genes. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1436-1442.	2.5	2

#	Article	IF	CITATIONS
32	5 Validity of retrospective occupational exposure estimates of lead and manganese in a case–control study. Occupational and Environmental Medicine, 2019, 76, 680-687.	2.8	2
32	Body mass index and risk of progression from monoclonal gammopathy of undetermined significance 6 to multiple myeloma: Results from the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. Blood Cancer Journal, 2022, 12, 51.	6.2	2
32	Sex- and Subtype-Specific Analysis of H2AFX Polymorphisms in Non-Hodgkin Lymphoma. PLoS ONE, 2013, 8, e74619.	2.5	1
32	⁸ Multilevel-analysis identify a cis-expression quantitative trait locus associated with risk of renal cell carcinoma. Oncotarget, 2015, 6, 4097-4109.	1.8	1
32	Abstract 5071: A genome-wide association study suggests evidence of variants at 6p21.32 associated with marginal zone lymphoma. , 2014, , .		1
33	Inflammatory markers in women with reported benign gynecologic pathology: an analysis of the prostate, lung, colorectal and ovarian cancer screening trial Annals of Epidemiology, 2022, 68, 1-8.	1.9	1
33	1 OUP accepted manuscript. International Journal of Epidemiology, 2022, , .	1.9	1
33	2 Glucocorticoid use and skin cancers. British Journal of Cancer, 2003, 89, 951-952.	6.4	0
33	An unusual suspect: an uncommon human-specific synonymous coding variant within the UGT1A6 gene explains a GWAS signal and protects against bladder cancer. Genome Biology, 2011, 12, .	8.8	0
33	A novel functional variant in 8q24 is associated with regulation of prostate stem cell antigen (PSCA) gene expression and bladder cancer risk. Genome Biology, 2011, 12, .	8.8	0
33	Improved Imputation of Common and Uncommon Single Nucleotide Polymorphisms (SNPs) with a New Reference Set. Nature Precedings, 2011, , .	0.1	0
33	⁶ Common variation at 2q22.3 (ZEB2) influences the risk of renal cancer. Human Molecular Genetics, 2013, 22, 2128-2128.	2.9	0
33	Laboratory Detective Work Identifies a Mishandling Problem in Sample Aliquoting. Biopreservation and Biobanking, 2014, 12, 430-432.	1.0	0
33	⁸ MP36-02 VALIDATION AND GENOMIC INTERROGATION OF THE MET VARIANT RS11762213 AS A PREDICTOR OF ADVERSE OUTCOMES IN CLEAR CELL RENAL CELL CARCINOMA. Journal of Urology, 2014, 191, .	0.4	0
33	0324†Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai0324†Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai. Occupational and Environmental Medicine. 2014. 71. A40.3-A41.	2.8	0
34	0 The authors respond. Epidemiology, 2015, 26, e49.	2.7	0
34	P194â€Recommendations for prioritising expert review of free-text job descriptions that underwent computer-based coding using the soccer algorithm. , 2016, , .		0
34	2 O08-2â€Occupational exposure to benzene and alterations in immune/inflammatory markers. , 2016, , .		0

#	Article	IF	CITATIONS
343	O47-3â€Using published data from us workplaces to predict historical air and blood lead concentrations for activities related to lead-based paints and cutting and joining metals. , 2016, , .		о
344	Abstract 4593: Genome-wide association study identifies novel loci associated with osteosarcoma , 2013, , .		0
345	Abstract 4824: Serum vitamin D, vitamin D binding protein, and incident colorectal cancer in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial (PLCO) cohort , 2013, , .		0
346	Abstract 5073: Serum sCD23 and sCD30 associated with non-Hodgkin lymphoma risk as far as 15 to 23 years after blood collection. , 2014, , .		0
347	Abstract 5072: Meta-analysis of genome-wide association studies identifies novel susceptibility loci for follicular lymphoma. , 2014, , .		Ο
348	Abstract 4143: Oral microbiome and risk of head and neck cancer, a nested case-control study. , 2014, , .		0
349	Abstract 2159: A prospective study of non-steroidal anti-inflammatory drug use and colorectal adenoma and colorectal cancer. , 2014, , .		0