

# Mark P Purdue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7744436/publications.pdf>

Version: 2024-02-01

349  
papers

22,941  
citations

11235

73  
h-index

13635

134  
g-index

354  
all docs

354  
docs citations

354  
times ranked

33660  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. <i>Oral Diseases</i> , 2023, 29, 1565-1578.	1.5	9
2	Inflammatory markers in women with reported benign gynecologic pathology: an analysis of the prostate, lung, colorectal and ovarian cancer screening trial.. <i>Annals of Epidemiology</i> , 2022, 68, 1-8.	0.9	1
3	OUP accepted manuscript. <i>International Journal of Epidemiology</i> , 2022, , .	0.9	1
4	Prediagnostic Serum Vitamin D, Vitamin D Binding Protein Isoforms, and Cancer Survival. <i>JNCI Cancer Spectrum</i> , 2022, 6, .	1.4	9
5	Body mass index and risk of progression from monoclonal gammopathy of undetermined significance to multiple myeloma: Results from the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>Blood Cancer Journal</i> , 2022, 12, 51.	2.8	2
6	Body Size at Different Ages and Risk of 6 Cancers: A Mendelian Randomization and Prospective Cohort Study. <i>Journal of the National Cancer Institute</i> , 2022, 114, 1296-1300.	3.0	15
7	Occupational trichloroethylene exposure and antinuclear antibodies: a cross-sectional study in China. <i>Occupational and Environmental Medicine</i> , 2022, 79, 717-720.	1.3	3
8	The renal lineage factor PAX8 controls oncogenic signalling in kidney cancer. <i>Nature</i> , 2022, 606, 999-1006.	13.7	24
9	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021, 27, 73-93.	1.5	31
10	Circulating adipokine concentrations and risk of five obesity-related cancers: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2021, 148, 1625-1636.	2.3	29
11	An approach for normalization and quality control for NanoString RNA expression data. <i>Briefings in Bioinformatics</i> , 2021, 22, .	3.2	67
12	Serum Concentrations of Per- and Polyfluoroalkyl Substances and Risk of Renal Cell Carcinoma. <i>Journal of the National Cancer Institute</i> , 2021, 113, 580-587.	3.0	92
13	Coffee consumption and risk of renal cell carcinoma in the NIH-AARP Diet and Health Study. <i>International Journal of Epidemiology</i> , 2021, 50, 1473-1481.	0.9	8
14	Blood lead levels and lung cancer mortality: An updated analysis of NHANES II and III. <i>Cancer Medicine</i> , 2021, 10, 4066-4074.	1.3	7
15	Aspirin, ibuprofen, and reduced risk of advanced colorectal adenoma incidence and recurrence and colorectal cancer in the PLCO Cancer Screening Trial. <i>Cancer</i> , 2021, 127, 3145-3155.	2.0	15
16	Differences in risk factors for molecular subtypes of clear cell renal cell carcinoma. <i>International Journal of Cancer</i> , 2021, 149, 1448-1454.	2.3	5
17	Cholesterol Auxotrophy as a Targetable Vulnerability in Clear Cell Renal Cell Carcinoma. <i>Cancer Discovery</i> , 2021, 11, 3106-3125.	7.7	44
18	Large-scale cross-cancer fine-mapping of the 5p15.33 region reveals multiple independent signals. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100041.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Altered regulation of DPF3, a member of the SWI/SNF complexes, underlies the 14q24 renal cancer susceptibility locus. <i>American Journal of Human Genetics</i> , 2021, 108, 1590-1610.	2.6	9
20	Coffee consumption and risk of renal cancer: a meta-analysis of cohort evidence. <i>Cancer Causes and Control</i> , 2021, , 1.	0.8	7
21	Carcinogenicity of 1,1,1-trichloroethane and four other industrial chemicals. <i>Lancet Oncology</i> , The, 2021, 22, 1661-1662.	5.1	4
22	Prediagnostic blood levels of organochlorines and risk of non-Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020, 146, 839-849.	2.3	8
23	Prediagnostic serum sCD27 and sCD30 in serial samples and risks of non-Hodgkin lymphoma subtypes. <i>International Journal of Cancer</i> , 2020, 146, 3312-3319.	2.3	4
24	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. <i>Human Molecular Genetics</i> , 2020, 29, 70-79.	1.4	17
25	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020, 146, 2394-2405.	2.3	21
26	Abdominal and gluteofemoral size and risk of liver cancer: The liver cancer pooling project. <i>International Journal of Cancer</i> , 2020, 147, 675-685.	2.3	24
27	Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Liver Cancer Among Postmenopausal Women. <i>Hepatology</i> , 2020, 72, 535-547.	3.6	23
28	Understanding racial disparities in renal cell carcinoma incidence: estimates of population attributable risk in two US populations. <i>Cancer Causes and Control</i> , 2020, 31, 85-93.	0.8	8
29	Pathway Analysis of Renal Cell Carcinoma Genome-Wide Association Studies Identifies Novel Associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2065-2069.	1.1	6
30	A Prospective Study of Circulating Chemokines and Angiogenesis Markers and Risk of Multiple Myeloma and Its Precursor. <i>JNCI Cancer Spectrum</i> , 2020, 4, plz104.	1.4	10
31	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020, 123, 1456-1463.	2.9	65
32	Exogenous hormone use, reproductive factors and risk of intrahepatic cholangiocarcinoma among women: results from cohort studies in the Liver Cancer Pooling Project and theAUK Biobank. <i>British Journal of Cancer</i> , 2020, 123, 316-324.	2.9	20
33	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. <i>Nature Communications</i> , 2020, 11, 3353.	5.8	75
34	Mortality in a cohort of US firefighters from San Francisco, Chicago and Philadelphia: an update. <i>Occupational and Environmental Medicine</i> , 2020, 77, 84-93.	1.3	43
35	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	1.1	13
36	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020, 73, 863-872.	1.8	12

#	ARTICLE	IF	CITATIONS
37	Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. <i>Journal of the National Cancer Institute</i> , 2019, 111, 158-169.	3.0	199
38	Alcohol consumption and risk of multiple myeloma in the NIHâ€AARP Diet and Health Study. <i>International Journal of Cancer</i> , 2019, 144, 43-48.	2.3	6
39	Sex-specific gene and pathway modeling of inherited glioma risk. <i>Neuro-Oncology</i> , 2019, 21, 71-82.	0.6	52
40	Genetic overlap between autoimmune diseases and nonâ€Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
41	Association of Immune Marker Changes With Progression of Monoclonal Gammopathy of Undetermined Significance to Multiple Myeloma. <i>JAMA Oncology</i> , 2019, 5, 1293.	3.4	57
42	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019, 27, 1589-1598.	1.4	27
43	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). <i>Cancer Epidemiology</i> , 2019, 63, 1016-15.	0.8	12
44	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Caseâ€Control Study of Non-Hodgkin Lymphoma. <i>Annals of Work Exposures and Health</i> , 2019, 63, 842-855.	0.6	4
45	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019, 94, 47-57.	0.8	32
46	Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. <i>Epigenetics</i> , 2019, 14, 1112-1124.	1.3	24
47	Association between occupational exposure to trichloroethylene and serum levels of microRNAs: a cross-sectional molecular epidemiology study in China. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 1077-1085.	1.1	6
48	Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. <i>Cancer Research</i> , 2019, 79, 3973-3982.	0.4	31
49	Alterations in immune and renal biomarkers among workers occupationally exposed to low levels of trichloroethylene below current regulatory standards. <i>Occupational and Environmental Medicine</i> , 2019, 76, 376-381.	1.3	9
50	Case-control investigation of occupational lead exposure and kidney cancer. <i>Occupational and Environmental Medicine</i> , 2019, 76, 433-440.	1.3	8
51	Pre-diagnostic serum concentrations of organochlorines and risk of acute myeloid leukemia: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Environment International</i> , 2019, 125, 229-235.	4.8	13
52	Circulating inflammation markers and colorectal adenoma risk. <i>Carcinogenesis</i> , 2019, 40, 765-770.	1.3	14
53	Validity of retrospective occupational exposure estimates of lead and manganese in a caseâ€control study. <i>Occupational and Environmental Medicine</i> , 2019, 76, 680-687.	1.3	2
54	Extended Mortality Follow-up of a Cohort of Dry Cleaners. <i>Epidemiology</i> , 2019, 30, 285-290.	1.2	9

#	ARTICLE	IF	CITATIONS
55	The influence of obesity-related factors in the etiology of renal cell carcinoma—A mendelian randomization study. <i>PLoS Medicine</i> , 2019, 16, e1002724.	3.9	59
56	Circulating high sensitivity C reactive protein concentrations and risk of lung cancer: nested case-control study within Lung Cancer Cohort Consortium. <i>BMJ: British Medical Journal</i> , 2019, 364, k4981.	2.4	36
57	Differences in Tumor VHL Mutation and Hypoxia-inducible Factor 2 $\pm$ Expression Between African American and White Patients with Clear Cell Renal Cell Carcinoma. <i>European Urology</i> , 2019, 75, 882-884.	0.9	3
58	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503.	2.3	58
59	Circulating sCD27 and sCD30 in pre-diagnostic samples collected fifteen years apart and future non-Hodgkin lymphoma risk. <i>International Journal of Cancer</i> , 2019, 144, 1780-1785.	2.3	7
60	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
61	Tobacco, alcohol use and risk of hepatocellular carcinoma and intrahepatic cholangiocarcinoma: The Liver Cancer Pooling Project. <i>British Journal of Cancer</i> , 2018, 118, 1005-1012.	2.9	142
62	Family History of Cancer and Risk of Biliary Tract Cancers: Results from the Biliary Tract Cancers Pooling Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 348-351.	1.1	5
63	Association of Oral Microbiome With Risk for Incident Head and Neck Squamous Cell Cancer. <i>JAMA Oncology</i> , 2018, 4, 358.	3.4	218
64	Drinking alcohol is associated with variation in the human oral microbiome in a large study of American adults. <i>Microbiome</i> , 2018, 6, 59.	4.9	172
65	Association of Coffee and Tea Intake with the Oral Microbiome: Results from a Large Cross-Sectional Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 814-821.	1.1	22
66	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579.	2.3	23
67	Case-control investigation of occupational exposure to chlorinated solvents and non-Hodgkin lymphoma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 415-420.	1.3	9
68	Human oral microbiome and prospective risk for pancreatic cancer: a population-based nested case-control study. <i>Gut</i> , 2018, 67, 120-127.	6.1	536
69	Circulating Folate, Vitamin B6, and Methionine in Relation to Lung Cancer Risk in the Lung Cancer Cohort Consortium (LC3). <i>Journal of the National Cancer Institute</i> , 2018, 110, 57-67.	3.0	40
70	Decision rule approach applied to estimate occupational lead exposure in a case-control study of kidney cancer. <i>American Journal of Industrial Medicine</i> , 2018, 61, 901-910.	1.0	8
71	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018, 9, 4182.	5.8	15
72	Body Mass Index, Diabetes and Intrahepatic Cholangiocarcinoma Risk: The Liver Cancer Pooling Project and Meta-analysis. <i>American Journal of Gastroenterology</i> , 2018, 113, 1494-1505.	0.2	70

#	ARTICLE	IF	CITATIONS
73	Renal cell carcinoma risk associated with lower intake of micronutrients. <i>Cancer Medicine</i> , 2018, 7, 4087-4097.	1.3	17
74	Obesity and renal cell carcinoma risk by histologic subtype: A nested case-control study and meta-analysis. <i>Cancer Epidemiology</i> , 2018, 56, 31-37.	0.8	24
75	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34
76	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 798-806.	1.3	12
77	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771.	0.9	15
78	Renal cell carcinoma. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17009.	18.1	1,727
79	Antihypertensive medication use and risk of renal cell carcinoma. <i>Cancer Causes and Control</i> , 2017, 28, 289-297.	0.8	26
80	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 876-885.	1.1	33
81	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	5.8	75
82	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 56-66.	0.6	8
83	Logistic Bayesian LASSO for genetic association analysis of data from complex sampling designs. <i>Journal of Human Genetics</i> , 2017, 62, 819-829.	1.1	10
84	Circulating levels of obesity-related markers and risk of renal cell carcinoma in the PLCO cancer screening trial. <i>Cancer Causes and Control</i> , 2017, 28, 801-807.	0.8	20
85	Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 268-274.	1.3	20
86	Kinetics of the Human Papillomavirus Type 16 E6 Antibody Response Prior to Oropharyngeal Cancer. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	77
87	Potential Susceptibility Loci Identified for Renal Cell Carcinoma by Targeting Obesity-Related Genes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1436-1442.	1.1	2
88	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017, 8, 15724.	5.8	106
89	Circulating Adiponectin Levels Differ Between Patients with Multiple Myeloma and its Precursor Disease. <i>Obesity</i> , 2017, 25, 1317-1320.	1.5	17
90	Evaluating predictors of lead exposure for activities disturbing materials painted with or containing lead using historic published data from U.S. workplaces. <i>American Journal of Industrial Medicine</i> , 2017, 60, 189-197.	1.0	9

#	ARTICLE	IF	CITATIONS
91	Impact of freeze-thaw cycles on circulating inflammation marker measurements. <i>Cytokine</i> , 2017, 95, 113-117.	1.4	16
92	Ethnic disparities in renal cell carcinoma: An analysis of Hispanic patients in a single-payer healthcare system. <i>International Journal of Urology</i> , 2017, 24, 765-770.	0.5	16
93	Rare germline variants in known melanoma susceptibility genes in familial melanoma. <i>Human Molecular Genetics</i> , 2017, 26, 4886-4895.	1.4	37
94	Circulating resistin levels and risk of multiple myeloma in three prospective cohorts. <i>British Journal of Cancer</i> , 2017, 117, 1241-1245.	2.9	12
95	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017, 72, 747-754.	0.9	39
96	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15
97	Oral Microbiome Composition Reflects Prospective Risk for Esophageal Cancers. <i>Cancer Research</i> , 2017, 77, 6777-6787.	0.4	279
98	Associations between self-reported diabetes and 78 circulating markers of inflammation, immunity, and metabolism among adults in the United States. <i>PLoS ONE</i> , 2017, 12, e0182359.	1.1	7
99	Leukocyte telomere length and renal cell carcinoma survival in two studies. <i>British Journal of Cancer</i> , 2017, 117, 752-755.	2.9	17
100	P194...Recommendations for prioritising expert review of free-text job descriptions that underwent computer-based coding using the soccer algorithm. , 2016, , .		0
101	Occupational Lead Exposure and Associations with Selected Cancers: The Shanghai Men's and Women's Health Study Cohorts. <i>Environmental Health Perspectives</i> , 2016, 124, 97-103.	2.8	55
102	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016, 7, 66328-66343.	0.8	88
103	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016, 124, 396-405.	2.8	41
104	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016, 175, 87-101.	1.2	43
105	Mouthwash use and cancer of the head and neck: a pooled analysis from the International Head and Neck Cancer Epidemiology Consortium. <i>European Journal of Cancer Prevention</i> , 2016, 25, 344-348.	0.6	30
106	Analgesic use and risk of renal cell carcinoma: A case-control, cohort and meta-analytic assessment. <i>International Journal of Cancer</i> , 2016, 139, 584-592.	2.3	11
107	Computer-based coding of free-text job descriptions to efficiently identify occupations in epidemiological studies. <i>Occupational and Environmental Medicine</i> , 2016, 73, 417-424.	1.3	42
108	O08-2...Occupational exposure to benzene and alterations in immune/inflammatory markers. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
109	Clearing the Air: Summarizing the Smoking-related Relative Risks of Bladder and Kidney Cancer. <i>European Urology</i> , 2016, 70, 467-468.	0.9	4
110	Multiple Myeloma Mortality in Relation to Obesity Among African Americans. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw120.	3.0	21
111	Comparison of hematological alterations and markers of B-cell activation in workers exposed to benzene, formaldehyde and trichloroethylene. <i>Carcinogenesis</i> , 2016, 37, 692-700.	1.3	40
112	High-resolution metabolomics of occupational exposure to trichloroethylene. <i>International Journal of Epidemiology</i> , 2016, 45, 1517-1527.	0.9	87
113	Racial disparities in renal cell carcinoma: a single-payer healthcare experience. <i>Cancer Medicine</i> , 2016, 5, 2101-2108.	1.3	30
114	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843.	5.8	86
115	Body Mass Index, Waist Circumference, Diabetes, and Risk of Liver Cancer for U.S. Adults. <i>Cancer Research</i> , 2016, 76, 6076-6083.	0.4	119
116	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
117	O47-3â€¦Using published data from us workplaces to predict historical air and blood lead concentrations for activities related to lead-based paints and cutting and joining metals. , 2016, , .		0
118	Evaluation of Automatically Assigned Job-Specific Interview Modules. <i>Annals of Occupational Hygiene</i> , 2016, 60, 885-899.	1.9	10
119	A case-control study of occupational sunlight exposure and renal cancer risk. <i>International Journal of Cancer</i> , 2016, 138, 1626-1633.	2.3	8
120	Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. <i>Thyroid</i> , 2016, 26, 306-318.	2.4	148
121	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
122	Cigarette smoking and the oral microbiome in a large study of American adults. <i>ISME Journal</i> , 2016, 10, 2435-2446.	4.4	445
123	Racial disparities in overall survival among renal cell carcinoma patients with young age and small tumors. <i>Cancer Medicine</i> , 2016, 5, 200-208.	1.3	35
124	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214.	1.4	38
125	Low Levels of Circulating Adiponectin Are Associated with Multiple Myeloma Risk in Overweight and Obese Individuals. <i>Cancer Research</i> , 2016, 76, 1935-1941.	0.4	30
126	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 835-845.	0.9	40

#	ARTICLE	IF	CITATIONS
127	A prospective study of alcohol consumption and renal cell carcinoma risk. International Journal of Cancer, 2015, 137, 238-242.	2.3	25
128	Relation of allium vegetables intake with head and neck cancers: Evidence from the INHANCE consortium. Molecular Nutrition and Food Research, 2015, 59, 1641-1650.	1.5	12
129	Lead exposure in US worksites: A literature review and development of an occupational lead exposure database from the published literature. American Journal of Industrial Medicine, 2015, 58, 605-616.	1.0	42
130	The authors respond. Epidemiology, 2015, 26, e49.	1.2	0
131	Further Confirmation of Germline Glioma Risk Variant rs78378222 in <i>TP53</i> and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. Human Mutation, 2015, 36, 684-688.	1.1	19
132	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	3.0	152
133	Soluble levels of $CD_{27}$ and $CD_{30}$ are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. International Journal of Cancer, 2015, 137, 2688-2695.	2.3	15
134	Multilevel-analysis identify a cis-expression quantitative trait locus associated with risk of renal cell carcinoma. Oncotarget, 2015, 6, 4097-4109.	0.8	1
135	Occupational Exposure to Benzene and Non-Hodgkin Lymphoma in a Population-Based Cohort: The Shanghai Women's Health Study. Environmental Health Perspectives, 2015, 123, 971-977.	2.8	24
136	Chronic Kidney Disease and Risk of Renal Cell Carcinoma. Epidemiology, 2015, 26, 59-67.	1.2	39
137	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. Nature Communications, 2015, 6, 5751.	5.8	58
138	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. International Journal of Cancer, 2015, 136, 1125-1139.	2.3	112
139	Associations of Coffee Drinking with Systemic Immune and Inflammatory Markers. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1052-1060.	1.1	59
140	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497.	2.6	101
141	Farm Characteristics, Allergy Symptoms, and Risk of Non-Hodgkin Lymphoid Neoplasms in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 587-594.	1.1	9
142	Anthropometry and head and neck cancer: a pooled analysis of cohort data. International Journal of Epidemiology, 2015, 44, 673-681.	0.9	32
143	NSAID Use and Risk of Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma: The Liver Cancer Pooling Project. Cancer Prevention Research, 2015, 8, 1156-1162.	0.7	74
144	LINE1 methylation levels in pre-diagnostic leukocyte DNA and future renal cell carcinoma risk. Epigenetics, 2015, 10, 282-292.	1.3	26

#	ARTICLE	IF	CITATIONS
145	A Pooled Analysis of Cigarette Smoking and Risk of Multiple Myeloma from the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 631-634.	1.1	17
146	Coffee Consumption and Risk of Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma by Sex: The Liver Cancer Pooling Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1398-1406.	1.1	47
147	Elevated serum sCD23 and sCD30 up to two decades prior to diagnosis associated with increased risk of non-Hodgkin lymphoma. <i>Leukemia</i> , 2015, 29, 1429-1431.	3.3	21
148	Polybrominated Diphenyl Ethers and Thyroid Cancer Risk in the Prostate, Colorectal, Lung, and Ovarian Cancer Screening Trial Cohort. <i>American Journal of Epidemiology</i> , 2015, 181, 883-888.	1.6	48
149	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015, 44, 169-185.	0.9	128
150	Association between Regular Aspirin Use and Circulating Markers of Inflammation: A Study within the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 825-832.	1.1	14
151	Validity of Expert Assigned Retrospective Estimates of Occupational Polychlorinated Biphenyl Exposure. <i>Annals of Occupational Hygiene</i> , 2015, 59, 609-15.	1.9	5
152	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 683-689.	1.1	54
153	Survival among Black and White patients with renal cell carcinoma in an equal-access health care system. <i>Cancer Causes and Control</i> , 2015, 26, 1019-1026.	0.8	27
154	Uric acid correlates to oxidation and inflammation in opposite directions in women. <i>Biomarkers</i> , 2015, 20, 225-231.	0.9	20
155	Central adiposity, obesity during early adulthood, and pancreatic cancer mortality in a pooled analysis of cohort studies. <i>Annals of Oncology</i> , 2015, 26, 2257-2266.	0.6	126
156	Mitochondrial DNA Copy Number and Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Risk in Two Prospective Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 148-153.	1.1	27
157	The proportion of cancer attributable to occupational exposures. <i>Annals of Epidemiology</i> , 2015, 25, 188-192.	0.9	83
158	Serum 25-hydroxyvitamin D, vitamin D binding protein and risk of colorectal cancer in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>International Journal of Cancer</i> , 2015, 136, E654-64.	2.3	53
159	Common Variation at 1q24.1 (ALDH9A1) Is a Potential Risk Factor for Renal Cancer. <i>PLoS ONE</i> , 2015, 10, e0122589.	1.1	19
160	A Pooled Analysis of Body Mass Index and Mortality among African Americans. <i>PLoS ONE</i> , 2014, 9, e111980.	1.1	25
161	Physical activity and renal cell carcinoma among black and white Americans: a case-control study. <i>BMC Cancer</i> , 2014, 14, 707.	1.1	6
162	Bone marrow angiogenesis in myeloma and its precursor disease: a prospective clinical trial. <i>Leukemia</i> , 2014, 28, 413-416.	3.3	24

#	ARTICLE	IF	CITATIONS
163	A Pooled Analysis of Body Mass Index and Pancreatic Cancer Mortality in African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2119-2125.	1.1	26
164	Historical Occupational Trichloroethylene Air Concentrations Based on Inspection Measurements From Shanghai, China. <i>Annals of Occupational Hygiene</i> , 2014, 59, 62-78.	1.9	7
165	Association between Class III Obesity (BMI of 40â€“59 kg/m2) and Mortality: A Pooled Analysis of 20 Prospective Studies. <i>PLoS Medicine</i> , 2014, 11, e1001673.	3.9	299
166	Systematically Extracting Metal- and Solvent-Related Occupational Information from Free-Text Responses to Lifetime Occupational History Questionnaires. <i>Annals of Occupational Hygiene</i> , 2014, 58, 612-24.	1.9	8
167	Laboratory Detective Work Identifies a Mishandling Problem in Sample Aliquoting. <i>Biopreservation and Biobanking</i> , 2014, 12, 430-432.	0.5	0
168	Telomere Length Varies by DNA Extraction Method: Implications for Epidemiologic Researchâ€”Letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1129-1130.	1.1	23
169	Genetic polymorphism ofNFkB1andNFkBIAgenes and liver cancer risk: a nested caseâ€“control study in Shanghai, China. <i>BMJ Open</i> , 2014, 4, e004427.	0.8	23
170	A nested caseâ€“control study of leukocyte mitochondrial DNA copy number and renal cell carcinoma in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>Carcinogenesis</i> , 2014, 35, 1028-1031.	1.3	39
171	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. <i>British Journal of Haematology</i> , 2014, 166, 667-676.	1.2	90
172	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	1.4	90
173	Hysterectomy and kidney cancer risk: A metaâ€“analysis. <i>International Journal of Cancer</i> , 2014, 134, 405-410.	2.3	20
174	Cigarette Smoking and Variations in Systemic Immune and Inflammation Markers. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	255
175	Pooling Prospective Studies to Investigate the Etiology of Second Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1598-1608.	1.1	9
176	Identifying gender differences in reported occupational information from three US population-based caseâ€“control studies. <i>Occupational and Environmental Medicine</i> , 2014, 71, 855-864.	1.3	25
177	Pooled Analysis of Mitochondrial DNA Copy Number and Lung Cancer Risk in Three Prospective Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2977-2980.	1.1	14
178	Pathologic validation of renal cell carcinoma histology in the Surveillance, Epidemiology, and End Results program. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 23.e9-23.e13.	0.8	30
179	MP36-02 VALIDATION AND GENOMIC INTERROGATION OF THE MET VARIANT RS11762213 AS A PREDICTOR OF ADVERSE OUTCOMES IN CLEAR CELL RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
180	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014, 35, 1737-1744.	1.3	50

#	ARTICLE	IF	CITATIONS
181	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014, 23, 1387-1398.	1.4	137
182	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014, 29, 35-48.	2.5	66
183	Personal History of Diabetes, Genetic Susceptibility to Diabetes, and Risk of Brain Glioma: A Pooled Analysis of Observational Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 47-54.	1.1	31
184	A Genome-Wide Association Study of Renal Cell Carcinoma among African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 209-214.	1.1	20
185	Association of Leukocyte Mitochondrial DNA Copy Number with Colorectal Cancer Risk: Results from the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2357-2365.	1.1	38
186	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. <i>Cancer Research</i> , 2014, 74, 5808-5818.	0.4	24
187	GBV-C Infection and Risk of NHL among U.S. Adults. <i>Cancer Research</i> , 2014, 74, 5553-5560.	0.4	48
188	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147
189	Body Mass Index and Risk of Second Obesity-Associated Cancers After Colorectal Cancer: A Pooled Analysis of Prospective Cohort Studies. <i>Journal of Clinical Oncology</i> , 2014, 32, 4004-4011.	0.8	56
190	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	2.6	96
191	CKD and Risk of Renal Cell Carcinoma. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2147-2148.	3.0	11
192	Body Mass Index, Physical Activity, and Serum Markers of Inflammation, Immunity, and Insulin Resistance. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2840-2849.	1.1	79
193	Telomere Length in White Blood Cell DNA and Lung Cancer: A Pooled Analysis of Three Prospective Cohorts. <i>Cancer Research</i> , 2014, 74, 4090-4098.	0.4	112
194	Occupational exposure to benzene and risk of non-Hodgkin lymphoma in a population-based cohort study of Chinese women in Shanghai. <i>Occupational and Environmental Medicine</i> , 2014, 71, A40.3-A41.	1.3	0
195	Body Mass Index and Risk of Death in Asian Americans. <i>American Journal of Public Health</i> , 2014, 104, 520-525.	1.5	25
196	Abstract 5073: Serum sCD23 and sCD30 associated with non-Hodgkin lymphoma risk as far as 15 to 23 years after blood collection. , 2014, , .		0
197	Abstract 5072: Meta-analysis of genome-wide association studies identifies novel susceptibility loci for follicular lymphoma. , 2014, , .		0
198	Abstract 5071: A genome-wide association study suggests evidence of variants at 6p21.32 associated with marginal zone lymphoma. , 2014, , .		1

#	ARTICLE	IF	CITATIONS
199	Abstract 4143: Oral microbiome and risk of head and neck cancer, a nested case-control study. , 2014, , .		0
200	Abstract 2159: A prospective study of non-steroidal anti-inflammatory drug use and colorectal adenoma and colorectal cancer. , 2014, , .		0
201	IL10 and TNF variants and risk of non-Hodgkin lymphoma among three Asian populations. International Journal of Hematology, 2013, 97, 793-799.	0.7	25
202	A large cohort study of nonsteroidal anti-inflammatory drugs and renal cell carcinoma incidence in the National Institutes of Healthâ€œAARP Diet and Health Study. Cancer Causes and Control, 2013, 24, 1865-1873.	0.8	12
203	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. Cancer Causes and Control, 2013, 24, 1885-1891.	0.8	23
204	Common Genetic Polymorphisms Modify the Effect of Smoking on Absolute Risk of Bladder Cancer. Cancer Research, 2013, 73, 2211-2220.	0.4	107
205	Telomere length and risk of glioma. Cancer Epidemiology, 2013, 37, 935-938.	0.8	28
206	The Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial and Its Associated Research Resource. Journal of the National Cancer Institute, 2013, 105, 1684-1693.	3.0	62
207	Known glioma risk loci are associated with glioma with a family history of brain tumoursâ€œA caseâ€œcontrol gene association study. International Journal of Cancer, 2013, 132, 2464-2468.	2.3	22
208	Genome-wide association study identifies two susceptibility loci for osteosarcoma. Nature Genetics, 2013, 45, 799-803.	9.4	181
209	Prediagnostic circulating adipokine concentrations and risk of renal cell carcinoma in male smokers. Carcinogenesis, 2013, 34, 109-112.	1.3	42
210	The association between chronic renal failure and renal cell carcinoma may differ between black and white Americans. Cancer Causes and Control, 2013, 24, 167-174.	0.8	27
211	Exploring the Genetic Architecture of Circulating 25â€œHydroxyvitamin D. Genetic Epidemiology, 2013, 37, 92-98.	0.6	43
212	Multiple myeloma and occupation: A pooled analysis by the International Multiple Myeloma Consortium. Cancer Epidemiology, 2013, 37, 300-305.	0.8	26
213	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. Nature Genetics, 2013, 45, 868-876.	9.4	179
214	Serum leptin and adiponectin levels and risk of renal cell carcinoma. Obesity, 2013, 21, 1478-1485.	1.5	57
215	Common variation at 2q22.3 (ZEB2) influences the risk of renal cancer. Human Molecular Genetics, 2013, 22, 2128-2128.	1.4	0
216	Trichloroethylene and Cancer. Journal of the National Cancer Institute, 2013, 105, 844-846.	3.0	10

#	ARTICLE	IF	CITATIONS
217	Reproductive Factors and Kidney Cancer Risk in 2 US Cohort Studies, 1993-2010. American Journal of Epidemiology, 2013, 177, 1368-1377.	1.6	25
218	A Pooled Analysis of Alcohol Consumption and Risk of Multiple Myeloma in the International Multiple Myeloma Consortium. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1620-1627.	1.1	19
219	Alterations in serum immunoglobulin levels in workers occupationally exposed to trichloroethylene. Carcinogenesis, 2013, 34, 799-802.	1.3	27
220	Common variation at 2q22.3 (ZEB2) influences the risk of renal cancer. Human Molecular Genetics, 2013, 22, 825-831.	1.4	54
221	A Prospective Study of Leukocyte Telomere Length and Risk of Renal Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 997-1000.	1.1	15
222	Cigarette, Cigar, and Pipe Smoking and the Risk of Head and Neck Cancers: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. American Journal of Epidemiology, 2013, 178, 679-690.	1.6	220
223	Genetic Variation in the Vitamin D Pathway in Relation to Risk of Prostate Cancer—Results from the Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 688-696.	1.1	36
224	An investigation of risk factors for renal cell carcinoma by histologic subtype in two case-control studies. International Journal of Cancer, 2013, 132, 2640-2647.	2.3	61
225	Racial difference in histologic subtype of renal cell carcinoma. Cancer Medicine, 2013, 2, 744-749.	1.3	76
226	Occupational exposure to trichloroethylene and serum concentrations of IL-6, IL-10, and TNF- $\alpha$ . Environmental and Molecular Mutagenesis, 2013, 54, 450-454.	0.9	25
227	Body Mass Index and Physical Activity at Different Ages and Risk of Multiple Myeloma in the NIH-AARP Diet and Health Study. American Journal of Epidemiology, 2013, 177, 776-786.	1.6	48
228	A prospective study of 67 serum immune and inflammation markers and risk of non-Hodgkin lymphoma. Blood, 2013, 122, 951-957.	0.6	64
229	MGUS prevalence in a cohort of AML patients. Blood, 2013, 122, 294-295.	0.6	2
230	Sex- and Subtype-Specific Analysis of H2AFX Polymorphisms in Non-Hodgkin Lymphoma. PLoS ONE, 2013, 8, e74619.	1.1	1
231	Abstract 4593: Genome-wide association study identifies novel loci associated with osteosarcoma., 2013, , .		0
232	Abstract 4824: Serum vitamin D, vitamin D binding protein, and incident colorectal cancer in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial (PLCO) cohort., 2013, , .		0
233	Elevated urinary levels of kidney injury molecule-1 among Chinese factory workers exposed to trichloroethylene. Carcinogenesis, 2012, 33, 1538-1541.	1.3	31
234	Mapping of the UGT1A locus identifies an uncommon coding variant that affects mRNA expression and protects from bladder cancer. Human Molecular Genetics, 2012, 21, 1918-1930.	1.4	71

#	ARTICLE	IF	CITATIONS
235	Cigarette Smoking and Renal Cell Carcinoma Risk among Black and White Americans: Effect Modification by Hypertension and Obesity. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 770-779.	1.1	22
236	Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. <i>Occupational and Environmental Medicine</i> , 2012, 69, 793-801.	1.3	21
237	Body Mass Index and Renal Cell Cancer. <i>Epidemiology</i> , 2012, 23, 821-828.	1.2	28
238	Assessing Disease Risk in Genome-wide Association Studies Using Family History. <i>Epidemiology</i> , 2012, 23, 616-622.	1.2	8
239	Association between adult height, genetic susceptibility and risk of glioma. <i>International Journal of Epidemiology</i> , 2012, 41, 1075-1085.	0.9	26
240	Improved imputation of common and uncommon SNPs with a new reference set. <i>Nature Genetics</i> , 2012, 44, 6-7.	9.4	45
241	Common genetic variants in the <i>PSCA</i> gene influence gene expression and bladder cancer risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4974-4979.	3.3	79
242	History of Diabetes and Risk of Head and Neck Cancer: A Pooled Analysis from the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 294-304.	1.1	53
243	Serum Vitamin D and Risk of Bladder Cancer in the Prostate, Lung, Colorectal, and Ovarian (PLCO) Cancer Screening Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1222-1225.	1.1	25
244	The chromosome 2p21 region harbors a complex genetic architecture for association with risk for renal cell carcinoma. <i>Human Molecular Genetics</i> , 2012, 21, 1190-1200.	1.4	37
245	Prediagnosis biomarkers of insulin-like growth factor-1, insulin, and interleukin-6 dysregulation and multiple myeloma risk in the Multiple Myeloma Cohort Consortium. <i>Blood</i> , 2012, 120, 4929-4937.	0.6	41
246	PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. <i>Blood</i> , 2012, 120, 4645-4648.	0.6	34
247	A prospective study of circulating adipokine levels and risk of multiple myeloma. <i>Blood</i> , 2012, 120, 4418-4420.	0.6	58
248	Prospective Study of Genomic Hypomethylation of Leukocyte DNA and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2014-2021.	1.1	30
249	Genome-wide association study of glioma and meta-analysis. <i>Human Genetics</i> , 2012, 131, 1877-1888.	1.8	222
250	Colorectal-Cancer Incidence and Mortality with Screening Flexible Sigmoidoscopy. <i>New England Journal of Medicine</i> , 2012, 366, 2345-2357.	13.9	851
251	Cigarette smoking, alcohol intake, and thyroid cancer risk: a pooled analysis of five prospective studies in the United States. <i>Cancer Causes and Control</i> , 2012, 23, 1615-1624.	0.8	107
252	A case-control study of occupation/industry and renal cell carcinoma risk. <i>BMC Cancer</i> , 2012, 12, 344.	1.1	16

#	ARTICLE	IF	CITATIONS
253	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462.	1.4	81
254	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658.	9.4	519
255	Vitamin or mineral supplement intake and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. <i>International Journal of Cancer</i> , 2012, 131, 1686-1699.	2.3	27
256	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012, 23, 69-88.	0.8	116
257	Large-Scale Pathway-Based Analysis of Bladder Cancer Genome-Wide Association Data from Five Studies of European Background. <i>PLoS ONE</i> , 2012, 7, e29396.	1.1	36
258	A Case-Control Study of Peripheral Blood Mitochondrial DNA Copy Number and Risk of Renal Cell Carcinoma. <i>PLoS ONE</i> , 2012, 7, e43149.	1.1	41
259	An unusual suspect: an uncommon human-specific synonymous coding variant within the UGT1A6 gene explains a GWAS signal and protects against bladder cancer. <i>Genome Biology</i> , 2011, 12, .	3.8	0
260	A novel functional variant in 8q24 is associated with regulation of prostate stem cell antigen (PSCA) gene expression and bladder cancer risk. <i>Genome Biology</i> , 2011, 12, .	3.8	0
261	Intra-individual variability over time in serum cytokine levels among participants in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Cytokine</i> , 2011, 56, 145-148.	1.4	40
262	Improved Imputation of Common and Uncommon Single Nucleotide Polymorphisms (SNPs) with a New Reference Set. <i>Nature Precedings</i> , 2011, , .	0.1	0
263	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. <i>Frontiers in Oncology</i> , 2011, 1, 13.	1.3	11
264	Genome-Wide Meta-Analysis Identifies Regions on 7p21 (AHR) and 15q24 (CYP1A2) As Determinants of Habitual Caffeine Consumption. <i>PLoS Genetics</i> , 2011, 7, e1002033.	1.5	187
265	Risk of kidney cancer and chronic kidney disease in relation to hepatitis C virus infection. <i>European Journal of Cancer Prevention</i> , 2011, 20, 326-330.	0.6	35
266	Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. <i>British Journal of Haematology</i> , 2011, 153, 341-350.	1.2	34
267	A pooled analysis of three studies evaluating genetic variation in innate immunity genes and non-Hodgkin lymphoma risk. <i>British Journal of Haematology</i> , 2011, 152, 721-726.	1.2	29
268	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65.	9.4	220
269	Evaluation of Multiplexed Cytokine and Inflammation Marker Measurements: a Methodologic Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1902-1911.	1.1	89
270	An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 case-control studies. <i>Cancer Causes and Control</i> , 2011, 22, 1217-1231.	0.8	48

#	ARTICLE	IF	CITATIONS
271	A case-control study of reproductive factors and renal cell carcinoma among black and white women in the United States. <i>Cancer Causes and Control</i> , 2011, 22, 1537-1544.	0.8	13
272	Variation in innate immunity genes and risk of multiple myeloma. <i>Hematological Oncology</i> , 2011, 29, 42-46.	0.8	23
273	Diabetes prevalence is associated with serum 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D in US middle-aged Caucasian men and women: a cross-sectional analysis within the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>British Journal of Nutrition</i> , 2011, 106, 339-344.	1.2	29
274	Prediagnostic Serum Levels of Cytokines and Other Immune Markers and Risk of Non-Hodgkin Lymphoma. <i>Cancer Research</i> , 2011, 71, 4898-4907.	0.4	69
275	Genome-wide association study identifies common variants associated with circulating vitamin E levels. <i>Human Molecular Genetics</i> , 2011, 20, 3876-3883.	1.4	102
276	The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. <i>Occupational and Environmental Medicine</i> , 2011, 68, 391-399.	1.3	35
277	Impact of pesticide exposure misclassification on estimates of relative risks in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 537-541.	1.3	41
278	Meat-cooking mutagens and risk of renal cell carcinoma. <i>British Journal of Cancer</i> , 2011, 105, 1096-1104.	2.9	44
279	Risk of renal cell carcinoma in relation to blood telomere length in a population-based case-control study. <i>British Journal of Cancer</i> , 2011, 105, 1772-1775.	2.9	17
280	A genome-wide association study of bladder cancer identifies a new susceptibility locus within SLC14A1, a urea transporter gene on chromosome 18q12.3. <i>Human Molecular Genetics</i> , 2011, 20, 4282-4289.	1.4	100
281	A Prospective Evaluation of C-reactive Protein Levels and Colorectal Adenoma Development. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 537-544.	1.1	32
282	A Case-Control Study of Occupational Exposure to Trichloroethylene and Non-Hodgkin Lymphoma. <i>Environmental Health Perspectives</i> , 2011, 119, 232-238.	2.8	51
283	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	1.5	93
284	Circulating Soluble CD30 and Future Risk of Lymphoma; Evidence from Two Prospective Studies in the General Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1925-1927.	1.1	25
285	Hypertension and Risk of Renal Cell Carcinoma Among White and Black Americans. <i>Epidemiology</i> , 2011, 22, 797-804.	1.2	117
286	Genetic susceptibility for chronic lymphocytic leukemia among Chinese in Hong Kong. <i>European Journal of Haematology</i> , 2010, 85, 492-495.	1.1	35
287	Common single nucleotide polymorphisms in immunoregulatory genes and multiple myeloma risk among women in Connecticut. <i>American Journal of Hematology</i> , 2010, 85, 560-563.	2.0	21
288	Occupation and multiple myeloma: An occupation and industry analysis. <i>American Journal of Industrial Medicine</i> , 2010, 53, 768-779.	1.0	7

#	ARTICLE	IF	CITATIONS
289	Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma in a pooled analysis of three studies. <i>British Journal of Haematology</i> , 2010, 151, 239-244.	1.2	18
290	Family history of cancer and renal cell cancer risk in Caucasians and African Americans. <i>British Journal of Cancer</i> , 2010, 102, 1676-1680.	2.9	23
291	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	9.4	152
292	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 978-984.	9.4	493
293	Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. <i>International Journal of Epidemiology</i> , 2010, 39, 166-181.	0.9	322
294	Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. <i>Carcinogenesis</i> , 2010, 31, 1592-1596.	1.3	48
295	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. <i>International Journal of Epidemiology</i> , 2010, 39, 182-196.	0.9	210
296	International Trends in the Incidence of Testicular Cancer, 1973-2002. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1151-1159.	1.1	244
297	Genome-wide association study of circulating vitamin D levels. <i>Human Molecular Genetics</i> , 2010, 19, 2739-2745.	1.4	700
298	Body Mass Index, Cigarette Smoking, and Alcohol Consumption and Cancers of the Oral Cavity, Pharynx, and Larynx: Modeling Odds Ratios in Pooled Case-Control Data. <i>American Journal of Epidemiology</i> , 2010, 171, 1250-1261.	1.6	63
299	Tumor Necrosis Factor (TNF) and Lymphotoxin- $\alpha$ (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010, 171, 267-276.	1.6	128
300	Rising Melanoma Incidence Rates of the Trunk among Younger Women in the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2401-2406.	1.1	73
301	Circulating 25-Hydroxyvitamin D and Risk of Endometrial Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 36-46.	1.6	36
302	Circulating 25-Hydroxyvitamin D and the Risk of Rarer Cancers: Design and Methods of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 10-20.	1.6	70
303	Circulating 25-Hydroxyvitamin D and Risk of Kidney Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 47-57.	1.6	98
304	Circulating 25-Hydroxyvitamin D and Risk of Epithelial Ovarian Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 70-80.	1.6	55
305	Correlates of Circulating 25-Hydroxyvitamin D: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 21-35.	1.6	114
306	Circulating 25-Hydroxyvitamin D and Risk of Non-Hodgkin Lymphoma: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 58-69.	1.6	65

#	ARTICLE	IF	CITATIONS
307	Long-term Variation in Serum 25-Hydroxyvitamin D Concentration among Participants in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 927-931.	1.1	121
308	Circulating 25-Hydroxyvitamin D and Risk of Esophageal and Gastric Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 94-106.	1.6	72
309	Coffee and Tea Intake and Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1723-1736.	1.1	74
310	Circulating 25-Hydroxyvitamin D and Risk of Pancreatic Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 81-93.	1.6	181
311	Risk of Non-Hodgkin Lymphoma Associated with Germline Variation in Genes that Regulate the Cell Cycle, Apoptosis, and Lymphocyte Development. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1259-1270.	1.1	59
312	Degreasing and risk of non-Hodgkin lymphoma. <i>Occupational and Environmental Medicine</i> , 2009, 66, 557-560.	1.3	4
313	Prediagnostic Serum Concentrations of Organochlorine Compounds and Risk of Testicular Germ Cell Tumors. <i>Environmental Health Perspectives</i> , 2009, 117, 1514-1519.	2.8	69
314	Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. <i>Occupational and Environmental Medicine</i> , 2009, 66, 23-31.	1.3	24
315	Total Exposure and Exposure Rate Effects for Alcohol and Smoking and Risk of Head and Neck Cancer: A Pooled Analysis of Case-Control Studies. <i>American Journal of Epidemiology</i> , 2009, 170, 937-947.	1.6	143
316	Type of Alcoholic Beverage and Risk of Head and Neck Cancer—A Pooled Analysis Within the INHANCE Consortium. <i>American Journal of Epidemiology</i> , 2009, 169, 132-142.	1.6	85
317	A prospective investigation of serum 25-hydroxyvitamin D and risk of lymphoid cancers. <i>International Journal of Cancer</i> , 2009, 124, 979-986.	2.3	70
318	Vitamin D Receptor Polymorphisms and Breast Cancer Risk: Results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 297-305.	1.1	82
319	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. <i>Blood</i> , 2009, 114, 264-267.	0.6	42
320	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 541-550.	1.1	908
321	A pooled investigation of Toll-like receptor gene variants and risk of non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2009, 30, 275-281.	1.3	75
322	A prospective study of serum soluble CD30 concentration and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2009, 114, 2730-2732.	0.6	65
323	Common Gene Variants in the Tumor Necrosis Factor (TNF) and TNF Receptor Superfamilies and NF- $\kappa$ B Transcription Factors and Non-Hodgkin Lymphoma Risk. <i>PLoS ONE</i> , 2009, 4, e5360.	1.1	88
324	Recent Trends in Incidence of Cutaneous Melanoma among US Caucasian Young Adults. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2905-2908.	0.3	214

#	ARTICLE	IF	CITATIONS
325	Genetic Variation in the Inhibin Pathway and Risk of Testicular Germ Cell Tumors. <i>Cancer Research</i> , 2008, 68, 3043-3048.	0.4	14
326	Serum Levels of Vitamin D Metabolites and Breast Cancer Risk in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 889-894.	1.1	139
327	Serum Vitamin D Concentration and Prostate Cancer Risk: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2008, 100, 796-804.	3.0	250
328	Risk of Germ Cell Tumors among Men with HIV/Acquired Immunodeficiency Syndrome. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1266-1269.	1.1	36
329	Polymorphisms in immune function genes and risk of non-Hodgkin lymphoma: findings from the New South Wales non-Hodgkin Lymphoma Study. <i>Carcinogenesis</i> , 2007, 28, 704-712.	1.3	116
330	A Case-Control Investigation of Immune Function Gene Polymorphisms and Risk of Testicular Germ Cell Tumors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 77-83.	1.1	25
331	Impaired lung function and lung cancer incidence in a cohort of Swedish construction workers. <i>Thorax</i> , 2007, 62, 51-56.	2.7	121
332	Polymorphisms in DNA repair genes and risk of non-Hodgkin's lymphoma in New South Wales, Australia. <i>Haematologica</i> , 2007, 92, 1180-1185.	1.7	52
333	Vitamin D receptor gene polymorphisms and risk of non-Hodgkin's lymphoma. <i>Haematologica</i> , 2007, 92, 1145-1146.	1.7	27
334	Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. <i>International Journal of Cancer</i> , 2007, 120, 642-649.	2.3	171
335	Chemical exposures and risk of chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2007, 139, 753-761.	1.2	26
336	Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2007, 18, 989-999.	0.8	41
337	One-carbon metabolism gene polymorphisms and risk of non-Hodgkin lymphoma in Australia. <i>Human Genetics</i> , 2007, 122, 525-533.	1.8	41
338	Asthma history, occupational exposure to pesticides and the risk of non-Hodgkin's lymphoma. <i>International Journal of Cancer</i> , 2006, 118, 3174-3176.	2.3	5
339	Occupational exposures and head and neck cancers among Swedish construction workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 270-275.	1.7	70
340	International patterns and trends in testis cancer incidence. <i>International Journal of Cancer</i> , 2005, 115, 822-827.	2.3	190
341	Etiologic factors associated with p53 immunostaining in cutaneous malignant melanoma. <i>International Journal of Cancer</i> , 2005, 117, 486-493.	2.3	26
342	Hormone Replacement Therapy, Reproductive History, and Colorectal Adenomas: Data from the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial (United States). <i>Cancer Causes and Control</i> , 2005, 16, 965-973.	0.8	32

#	ARTICLE	IF	CITATIONS
343	Re: Determinants of BRAF Mutations in Primary Melanomas. Journal of the National Cancer Institute, 2005, 97, 401-402.	3.0	3
344	Etiologic and Other Factors Predicting Nevus-Associated Cutaneous Malignant Melanoma. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2015-2022.	1.1	74
345	Dietary factors and risk of non-Hodgkin lymphoma by histologic subtype: a case-control analysis. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1665-76.	1.1	36
346	Glucocorticoid use and skin cancers. British Journal of Cancer, 2003, 89, 951-952.	2.9	0
347	Workshop report: environmental exposures and cancer prevention.. Environmental Health Perspectives, 2003, 111, 105-108.	2.8	4
348	Predictors of Sun Protection in Canadian Adults. Canadian Journal of Public Health, 2002, 93, 470-474.	1.1	26
349	Predictors of Sunburn among Canadian Adults. Preventive Medicine, 2001, 33, 305-312.	1.6	22