

Nan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7745250/publications.pdf>

Version: 2024-02-01

72
papers

5,158
citations

94433

37
h-index

88630

70
g-index

79
all docs

79
docs citations

79
times ranked

8843
citing authors

#	ARTICLE	IF	CITATIONS
1	Circular RNA circMTO1 acts as the sponge of microRNA-9 to suppress hepatocellular carcinoma progression. <i>Hepatology</i> , 2017, 66, 1151-1164.	7.3	972
2	Tet2 is required to resolve inflammation by recruiting Hdac2 to specifically repress IL-6. <i>Nature</i> , 2015, 525, 389-393.	27.8	600
3	Hepatic RIG-I Predicts Survival and Interferon- γ Therapeutic Response in Hepatocellular Carcinoma. <i>Cancer Cell</i> , 2014, 25, 49-63.	16.8	182
4	Tet2 promotes pathogen infection-induced myelopoiesis through mRNA oxidation. <i>Nature</i> , 2018, 554, 123-127.	27.8	164
5	Methyltransferase Dnmt3a upregulates HDAC9 to deacetylate the kinase TBK1 for activation of antiviral innate immunity. <i>Nature Immunology</i> , 2016, 17, 806-815.	14.5	157
6	TLR4 is essential for dendritic cell activation and anti-tumor T-cell response enhancement by DAMPs released from chemically stressed cancer cells. <i>Cellular and Molecular Immunology</i> , 2014, 11, 150-159.	10.5	154
7	Immune Responsive Gene 1 (IRG1) Promotes Endotoxin Tolerance by Increasing A20 Expression in Macrophages through Reactive Oxygen Species. <i>Journal of Biological Chemistry</i> , 2013, 288, 16225-16234.	3.4	146
8	Tumor-Induced Generation of Splenic Erythroblast-like Ter-Cells Promotes Tumor Progression. <i>Cell</i> , 2018, 173, 634-648.e12.	28.9	118
9	IFN- γ Primes Macrophage Activation by Increasing Phosphatase and Tensin Homolog via Downregulation of miR-3473b. <i>Journal of Immunology</i> , 2014, 193, 3036-3044.	0.8	99
10	A Comparative Study of Antiviral Therapy After Resection of Hepatocellular Carcinoma in the Immune-Active Phase of Hepatitis B Virus Infection. <i>Annals of Surgical Oncology</i> , 2010, 17, 179-185.	1.5	96
11	Identification of an HLA-A*0201-restricted CD8+ T-cell epitope SSp-1 of SARS-CoV spike protein. <i>Blood</i> , 2004, 104, 200-206.	1.4	90
12	A Novel Human Phosphatidylethanolamine-binding Protein Resists Tumor Necrosis Factor α -induced Apoptosis by Inhibiting Mitogen-activated Protein Kinase Pathway Activation and Phosphatidylethanolamine Externalization. <i>Journal of Biological Chemistry</i> , 2004, 279, 45855-45864.	3.4	87
13	Notch1 Signaling Sensitizes Tumor Necrosis Factor-related Apoptosis-inducing Ligand-induced Apoptosis in Human Hepatocellular Carcinoma Cells by Inhibiting Akt/Hdm2-mediated p53 Degradation and Up-regulating p53-dependent DR5 Expression. <i>Journal of Biological Chemistry</i> , 2009, 284, 16183-16190.	3.4	85
14	An <i>In Vivo</i> Method to Identify microRNA Targets Not Predicted by Computation Algorithms: p21 Targeting by miR-92a in Cancer. <i>Cancer Research</i> , 2015, 75, 2875-2885.	0.9	79
15	NAD + dependent deacetylase Sirtuin 5 rescues the innate inflammatory response of endotoxin tolerant macrophages by promoting acetylation of p65. <i>Journal of Autoimmunity</i> , 2017, 81, 120-129.	6.5	79
16	ICAM-1-Related Noncoding RNA in Cancer Stem Cells Maintains ICAM-1 Expression in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2016, 22, 2041-2050.	7.0	76
17	The noncoding RNA HOXD-AS1 is a critical regulator of the metastasis and apoptosis phenotype in human hepatocellular carcinoma. <i>Molecular Cancer</i> , 2017, 16, 125.	19.2	76
18	ER-residential Nogo-B accelerates NAFLD-associated HCC mediated by metabolic reprogramming of oxLDL lipophagy. <i>Nature Communications</i> , 2019, 10, 3391.	12.8	75

#	ARTICLE	IF	CITATIONS
19	hPEBP4 Resists TRAIL-induced Apoptosis of Human Prostate Cancer Cells by Activating Akt and Deactivating ERK1/2 Pathways. <i>Journal of Biological Chemistry</i> , 2007, 282, 4943-4950.	3.4	68
20	Chemerin suppresses hepatocellular carcinoma metastasis through CMKLR1-PTEN-Akt axis. <i>British Journal of Cancer</i> , 2018, 118, 1337-1348.	6.4	62
21	A Novel Endogenous Human CaMKII Inhibitory Protein Suppresses Tumor Growth by Inducing Cell Cycle Arrest via p27 Stabilization. <i>Journal of Biological Chemistry</i> , 2008, 283, 11565-11574.	3.4	61
22	Demethylase Kdm6a epigenetically promotes IL-6 and IFN- γ production in macrophages. <i>Journal of Autoimmunity</i> , 2017, 80, 85-94.	6.5	61
23	Hsp70-Like Protein 1 Fusion Protein Enhances Induction of Carcinoembryonic Antigen-Specific CD8+ CTL Response by Dendritic Cell Vaccine. <i>Cancer Research</i> , 2005, 65, 4947-4954.	0.9	59
24	H3K4me3 Demethylase Kdm5a Is Required for NK Cell Activation by Associating with p50 to Suppress SOCS1. <i>Cell Reports</i> , 2016, 15, 288-299.	6.4	56
25	Hepatic IFIT3 predicts interferon- γ therapeutic response in patients of hepatocellular carcinoma. <i>Hepatology</i> , 2017, 66, 152-166.	7.3	56
26	Silencing of Human Phosphatidylethanolamine-Binding Protein 4 Sensitizes Breast Cancer Cells to Tumor Necrosis Factor- α -Induced Apoptosis and Cell Growth Arrest. <i>Clinical Cancer Research</i> , 2005, 11, 7545-7553.	7.0	55
27	Cytoplasmic STAT4 Promotes Antiviral Type I IFN Production by Blocking CHIP-Mediated Degradation of RIG-I. <i>Journal of Immunology</i> , 2016, 196, 1209-1217.	0.8	55
28	Adaptor Protein LAPF Recruits Phosphorylated p53 to Lysosomes and Triggers Lysosomal Destabilization in Apoptosis. <i>Cancer Research</i> , 2007, 67, 11176-11185.	0.9	52
29	KAT8 selectively inhibits antiviral immunity by acetylating IRF3. <i>Journal of Experimental Medicine</i> , 2019, 216, 772-785.	8.5	52
30	Endovascular Stent Placement for Treatment of Spontaneous Isolated Dissection of the Superior Mesenteric Artery. <i>Annals of Vascular Surgery</i> , 2014, 28, 445-451.	0.9	51
31	Revealing Missing Human Protein Isoforms Based on Ab Initio Prediction, RNA-seq and Proteomics. <i>Scientific Reports</i> , 2015, 5, 10940.	3.3	51
32	Ca ²⁺ /Calmodulin-dependent Protein Kinase II Promotes Cell Cycle Progression by Directly Activating MEK1 and Subsequently Modulating p27 Phosphorylation. <i>Journal of Biological Chemistry</i> , 2009, 284, 3021-3027.	3.4	49
33	RasGRP3 limits Toll-like receptor-triggered inflammatory response in macrophages by activating Rap1 small GTPase. <i>Nature Communications</i> , 2014, 5, 4657.	12.8	49
34	The methyltransferase NSD3 promotes antiviral innate immunity via direct lysine methylation of IRF3. <i>Journal of Experimental Medicine</i> , 2017, 214, 3597-3610.	8.5	49
35	Survival benefit of hepatic resection versus transarterial chemoembolization for hepatocellular carcinoma with portal vein tumor thrombus: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2017, 17, 902.	2.6	48
36	The methyltransferase PRMT6 attenuates antiviral innate immunity by blocking TBK1-IRF3 signaling. <i>Cellular and Molecular Immunology</i> , 2019, 16, 800-809.	10.5	47

#	ARTICLE	IF	CITATIONS
37	NEAT1 paraspeckle promotes human hepatocellular carcinoma progression by strengthening IL-6/STAT3 signaling. <i>Onc Immunology</i> , 2018, 7, e1503913.	4.6	45
38	Hepatocellular carcinoma with main portal vein tumor thrombus: a comparative study comparing hepatectomy with or without neoadjuvant radiotherapy. <i>Hpb</i> , 2016, 18, 549-556.	0.3	42
39	Reciprocal control of miR-197 and IL-6/STAT3 pathway reveals miR-197 as potential therapeutic target for hepatocellular carcinoma. <i>Onc Immunology</i> , 2015, 4, e1031440.	4.6	38
40	Multidisciplinary management of hepatocellular carcinoma with portal vein tumor thrombus - Eastern Hepatobiliary Surgical Hospital consensus statement. <i>Oncotarget</i> , 2016, 7, 40816-40829.	1.8	38
41	Vacuolar Protein Sorting 33B Is a Tumor Suppressor in Hepatocarcinogenesis. <i>Hepatology</i> , 2018, 68, 2239-2253.	7.3	37
42	Small GTPase RBJ Mediates Nuclear Entrapment of MEK1/MEK2 in Tumor Progression. <i>Cancer Cell</i> , 2014, 25, 682-696.	16.8	36
43	Hepatitis B virus infection and active replication promote the formation of vascular invasion in hepatocellular carcinoma. <i>BMC Cancer</i> , 2017, 17, 304.	2.6	36
44	Methyltransferase Dot1l preferentially promotes innate IL-6 and IFN- \hat{I}^2 production by mediating H3K79me2/3 methylation in macrophages. <i>Cellular and Molecular Immunology</i> , 2020, 17, 76-84.	10.5	36
45	hPCL3s Promotes Hepatocellular Carcinoma Metastasis by Activating \hat{I}^2 -Catenin Signaling. <i>Cancer Research</i> , 2018, 78, 2536-2549.	0.9	34
46	14-3-3 \hat{I}^1 promotes hepatocellular carcinoma venous metastasis by modulating hypoxia-inducible factor-1 \hat{I}^1 . <i>Oncotarget</i> , 2016, 7, 15854-15867.	1.8	31
47	Rb selectively inhibits innate IFN- \hat{I}^2 production by enhancing deacetylation of IFN- \hat{I}^2 promoter through HDAC1 and HDAC8. <i>Journal of Autoimmunity</i> , 2016, 73, 42-53.	6.5	31
48	Glycolipid iGb3 feedback amplifies innate immune responses via CD1d reverse signaling. <i>Cell Research</i> , 2019, 29, 42-53.	12.0	30
49	Extracellular calcium elicits feedforward regulation of the Toll-like receptor-triggered innate immune response. <i>Cellular and Molecular Immunology</i> , 2017, 14, 180-191.	10.5	29
50	Expression of the chemokine receptor CXCR4 in human hepatocellular carcinoma and its role in portal vein tumor thrombus. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010, 29, 156.	8.6	27
51	Potential of Tumor Necrosis Factor- \hat{I}^1 -induced Tumor Cell Apoptosis by a Small Molecule Inhibitor for Anti-apoptotic Protein hPEBP4. <i>Journal of Biological Chemistry</i> , 2010, 285, 12241-12247.	3.4	26
52	Blockade of Fas Signaling in Breast Cancer Cells Suppresses Tumor Growth and Metastasis via Disruption of Fas Signaling-initiated Cancer-related Inflammation. <i>Journal of Biological Chemistry</i> , 2014, 289, 11522-11535.	3.4	24
53	Integrin CD11b attenuates colitis by strengthening Src-Akt pathway to polarize anti-inflammatory IL-10 expression. <i>Scientific Reports</i> , 2016, 6, 26252.	3.3	24
54	microRNA-199a-3p inhibits hepatic apoptosis and hepatocarcinogenesis by targeting PDCD4. <i>Oncogenesis</i> , 2020, 9, 95.	4.9	24

#	ARTICLE	IF	CITATIONS
55	CCL22 signaling contributes to sorafenib resistance in hepatitis B virus-associated hepatocellular carcinoma. <i>Pharmacological Research</i> , 2020, 157, 104800.	7.1	23
56	Anti-apoptotic hPEBP4 silencing promotes TRAIL-induced apoptosis of human ovarian cancer cells by activating ERK and JNK pathways. <i>International Journal of Molecular Medicine</i> , 2006, 18, 505-10.	4.0	23
57	Zinc Finger Protein 64 Promotes Toll-like Receptor-triggered Proinflammatory and Type I Interferon Production in Macrophages by Enhancing p65 Subunit Activation*. <i>Journal of Biological Chemistry</i> , 2013, 288, 24600-24608.	3.4	22
58	Condensin Smc4 promotes inflammatory innate immune response by epigenetically enhancing NEMO transcription. <i>Journal of Autoimmunity</i> , 2018, 92, 67-76.	6.5	22
59	Human Phosphatidylethanolamine-binding Protein 4 Promotes Transactivation of Estrogen Receptor $\hat{\pm}$ (ER $\hat{\pm}$) in Human Cancer Cells by Inhibiting Proteasome-dependent ER $\hat{\pm}$ Degradation via Association with Src. <i>Journal of Biological Chemistry</i> , 2010, 285, 21934-21942.	3.4	21
60	Bromodomain protein Brd3 promotes Irfn1 transcription via enhancing IRF3/p300 complex formation and recruitment to Irfn1 promoter in macrophages. <i>Scientific Reports</i> , 2017, 7, 39986.	3.3	20
61	CMRF-35-like Molecule 3 Preferentially Promotes TLR9-Triggered Proinflammatory Cytokine Production in Macrophages by Enhancing TNF Receptor-Associated Factor 6 Ubiquitination. <i>Journal of Immunology</i> , 2011, 187, 4881-4889.	0.8	19
62	An endosomal LAPF is required for macrophage endocytosis and elimination of bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 12958-12963.	7.1	19
63	SARS-CoV-2 Spike protein enhances ACE2 expression via facilitating Interferon effects in bronchial epithelium. <i>Immunology Letters</i> , 2021, 237, 33-41.	2.5	19
64	Cidan inhibits liver cancer cell growth by reducing COX-2 and VEGF expression and cell cycle arrest. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 1709-1718.	1.8	14
65	A modified HLA-A*0201-restricted CTL epitope from human oncoprotein (hPEBP4) induces more efficient antitumor responses. <i>Cellular and Molecular Immunology</i> , 2018, 15, 768-781.	10.5	13
66	Compartmentalized evolution of hepatitis B virus contributes differently to the prognosis of hepatocellular carcinoma. <i>Carcinogenesis</i> , 2021, 42, 461-470.	2.8	11
67	Intracellular HSP70L1 inhibits human dendritic cell maturation by promoting suppressive H3K27me3 and H2AK119Ub1 histone modifications. <i>Cellular and Molecular Immunology</i> , 2020, 17, 85-94.	10.5	7
68	Malignant progression of liver cancer progenitors requires lysine acetyltransferase 7 acetylated and cytoplasmic-translocated G protein G $\hat{\pm}$ S. <i>Hepatology</i> , 2023, 77, 1106-1121.	7.3	7
69	Expression of the Glypican-3 Gene in $\hat{\pm}$ -fetoprotein-negative Human Hepatocellular Carcinoma. <i>Chinese-German Journal of Clinical Oncology</i> , 2005, 4, 262-266.	0.1	3
70	A predictive and prognostic model for hepatocellular carcinoma with microvascular invasion based TCGA database genomics. <i>BMC Cancer</i> , 2021, 21, 1337.	2.6	3
71	Nucleotide variants in hepatitis B virus preS region predict the recurrence of hepatocellular carcinoma. <i>Aging</i> , 2021, 13, 22256-22275.	3.1	2
72	The HBV Specially-Related Long Noncoding RNA HBV-SRL Involved in the Pathogenesis of Hepatocellular Carcinoma. <i>Journal of Oncology</i> , 2022, 2022, 1-11.	1.3	0