

# James B Skeath

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7745483/publications.pdf>

Version: 2024-02-01

45  
papers

2,834  
citations

236925

25  
h-index

243625

44  
g-index

45  
all docs

45  
docs citations

45  
times ranked

2626  
citing authors

#	ARTICLE	IF	CITATIONS
1	Miranda directs Prospero to a daughter cell during <i>Drosophila</i> asymmetric divisions. <i>Nature</i> , 1997, 390, 625-629.	27.8	296
2	Genetic control of <i>Drosophila</i> nerve cord development. <i>Current Opinion in Neurobiology</i> , 2003, 13, 8-15.	4.2	247
3	Ajuba LIM Proteins Are Negative Regulators of the Hippo Signaling Pathway. <i>Current Biology</i> , 2010, 20, 657-662.	3.9	240
4	New neuroblast markers and the origin of the aCC/pCC neurons in the <i>Drosophila</i> central nervous system. <i>Mechanisms of Development</i> , 1995, 53, 393-402.	1.7	191
5	At the nexus between pattern formation and cell-type specification: the generation of individual neuroblast fates in the <i>Drosophila</i> embryonic central nervous system. <i>BioEssays</i> , 1999, 21, 922-931.	2.5	149
6	Numb Inhibits Membrane Localization of Sanpodo, a Four-Pass Transmembrane Protein, to Promote Asymmetric Divisions in <i>Drosophila</i> . <i>Developmental Cell</i> , 2003, 5, 231-243.	7.0	149
7	Expression pattern of a butterfly achaete-scute homolog reveals the homology of butterfly wing scales and insect sensory bristles. <i>Current Biology</i> , 1998, 8, 807-813.	3.9	137
8	<i>Drosophila</i> Homeodomain Protein dHb9 Directs Neuronal Fate via Crossrepressive and Cell-Nonautonomous Mechanisms. <i>Neuron</i> , 2002, 35, 39-50.	8.1	118
9	Neurogenesis in the insect central nervous system. <i>Current Opinion in Neurobiology</i> , 1996, 6, 18-24.	4.2	106
10	The <i>achaete-scute</i> complex: generation of cellular pattern and fate within the <i>Drosophila</i> nervous system. <i>FASEB Journal</i> , 1994, 8, 714-721.	0.5	102
11	<i>Drosophila</i> Lame duck, a novel member of the Gli superfamily, acts as a key regulator of myogenesis by controlling fusion-competent myoblast development. <i>Development (Cambridge)</i> , 2001, 128, 4489-4500.	2.5	91
12	Specification of neuroblast identity in the <i>Drosophila</i> embryonic central nervous system by gooseberry-distal. <i>Nature</i> , 1995, 376, 427-430.	27.8	90
13	zfh-1, the <i>Drosophila</i> Homologue of ZEB, Is a Transcriptional Repressor That Regulates Somatic Myogenesis. <i>Molecular and Cellular Biology</i> , 1999, 19, 7255-7263.	2.3	90
14	The <i>achaete-scute</i> complex proneural genes contribute to neural precursor specification in the <i>Drosophila</i> CNS. <i>Current Biology</i> , 1996, 6, 1146-1152.	3.9	71
15	Loss of the Spectraplakins Short Stop Activates the DLK Injury Response Pathway in <i>Drosophila</i> . <i>Journal of Neuroscience</i> , 2013, 33, 17863-17873.	3.6	65
16	The Sox-domain containing gene <i>Dichaete/fish-hook</i> acts in concert with <i>vnd</i> and <i>ind</i> to regulate cell fate in the <i>Drosophila</i> neuroectoderm. <i>Development (Cambridge)</i> , 2002, 129, 1165-1174.	2.5	64
17	A Requirement for ERK-Dependent Dicer Phosphorylation in Coordinating Oocyte-to-Embryo Transition in <i>C.Ælegans</i> . <i>Developmental Cell</i> , 2014, 31, 614-628.	7.0	63
18	<i>Drosophila</i> homeodomain protein Nkx6 coordinates motoneuron subtype identity and axonogenesis. <i>Development (Cambridge)</i> , 2004, 131, 5233-5242.	2.5	56

#	ARTICLE	IF	CITATIONS
19	The <i>Tribolium</i> columnar genes reveal conservation and plasticity in neural precursor patterning along the embryonic dorsal-ventral axis. <i>Developmental Biology</i> , 2005, 279, 491-500.	2.0	40
20	<i>dbx</i> mediates neuronal specification and differentiation through cross-repressive, lineage-specific interactions with <i>eve</i> and <i>hb9</i> . <i>Development (Cambridge)</i> , 2009, 136, 3257-3266.	2.5	40
21	The extracellular metalloprotease AdamTS-A anchors neural lineages in place within and preserves the architecture of the central nervous system. <i>Development (Cambridge)</i> , 2017, 144, 3102-3113.	2.5	39
22	Neural cell fate in <i>rca1</i> and <i>cycA</i> mutants: the roles of intrinsic and extrinsic factors in asymmetric division in the <i>Drosophila</i> central nervous system. <i>Mechanisms of Development</i> , 1999, 88, 207-219.	1.7	36
23	Molecular Organization of <i>Drosophila</i> Neuroendocrine Cells by Dimmed. <i>Current Biology</i> , 2011, 21, 1515-1524.	3.9	33
24	Cullin-3 regulates pattern formation, external sensory organ development and cell survival during <i>Drosophila</i> development. <i>Mechanisms of Development</i> , 2004, 121, 1495-1507.	1.7	30
25	Biochemical Analysis of Prospero Protein during Asymmetric Cell Division: Cortical Prospero Is Highly Phosphorylated Relative to Nuclear Prospero. <i>Developmental Biology</i> , 1998, 204, 478-487.	2.0	29
26	Genome-wide identification of <i>Drosophila</i> Hb9 targets reveals a pivotal role in directing the transcriptome within eight neuronal lineages, including activation of Nitric oxide synthase and Fd59a/Fox-D. <i>Developmental Biology</i> , 2014, 388, 117-133.	2.0	25
27	The development of normal and ectopic sensilla in the wings of hairy and hairy wing mutants of <i>Drosophila</i> . <i>Mechanisms of Development</i> , 1992, 38, 3-16.	1.7	24
28	Rho1 regulates adherens junction remodeling by promoting recycling endosome formation through activation of myosin II. <i>Molecular Biology of the Cell</i> , 2014, 25, 2956-2969.	2.1	23
29	Transcription factor expression uniquely identifies most postembryonic neuronal lineages in the <i>Drosophila</i> thoracic central nervous system. <i>Development (Cambridge)</i> , 2014, 141, 1011-1021.	2.5	21
30	The identification and expression of achaete-scute genes in the branchiopod crustacean <i>Triops longicaudatus</i> . <i>Gene Expression Patterns</i> , 2005, 5, 695-700.	0.8	20
31	Linking pattern formation to cell-type specification: Dichaete and Ind directly repress achaete gene expression in the <i>Drosophila</i> CNS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3847-3852.	7.1	20
32	Three-dimensional Models of Proteases Involved in Patterning of the <i>Drosophila</i> Embryo. <i>Journal of Biological Chemistry</i> , 2003, 278, 11320-11330.	3.4	19
33	Collaborative Control of Cell Cycle Progression by the RNA Exonuclease Dis3 and Ras Is Conserved Across Species. <i>Genetics</i> , 2016, 203, 749-762.	2.9	19
34	Expression and function of scalloped during <i>Drosophila</i> development. <i>Developmental Dynamics</i> , 2013, 242, 874-885.	1.8	18
35	Rapid generation of hypomorphic mutations. <i>Nature Communications</i> , 2017, 8, 14112.	12.8	15
36	The <i>Drosophila</i> RCC1 homolog, Bjl1, regulates nucleocytoplasmic transport and neural differentiation during <i>Drosophila</i> development. <i>Developmental Biology</i> , 2004, 270, 106-121.	2.0	14

#	ARTICLE	IF	CITATIONS
37	Deletion of Rb1 induces both hyperproliferation and cell death in murine germinal center B cells. <i>Experimental Hematology</i> , 2016, 44, 161-165.e4.	0.4	9
38	<i>Vestigial</i> expression in the <i>Drosophila</i> embryonic central nervous system. <i>Developmental Dynamics</i> , 2008, 237, 2483-2489.	1.8	8
39	Maintenance of Melanocyte Stem Cell Quiescence by GABA-A Signaling in Larval Zebrafish. <i>Genetics</i> , 2019, 213, 555-566.	2.9	7
40	Tag team specification of a neural precursor in the <i>Drosophila</i> embryonic central nervous system. <i>BioEssays</i> , 1995, 17, 829-831.	2.5	4
41	Homeotic Genes Autonomously Specify the Anteroposterior Subdivision of the <i>Drosophila</i> Dorsal Vessel into Aorta and Heart. <i>Developmental Biology</i> , 2002, 251, 307-307.	2.0	4
42	GABA $\alpha$ receptor and mitochondrial TSPO signaling act in parallel to regulate melanocyte stem cell quiescence in larval zebrafish. <i>Pigment Cell and Melanoma Research</i> , 2020, 33, 416-425.	3.3	4
43	A genetic screen for regulators of muscle morphogenesis in <i>Drosophila</i> . <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .	1.8	3
44	Helping others enhances graduate student wellness and mental health. <i>Nature Biotechnology</i> , 2022, 40, 618-619.	17.5	3
45	Fluorescein-specific hybridomas derived from primary mice exhibit more stringent growth requirements than do hybrids from pre-immune animals. <i>Journal of Immunological Methods</i> , 1990, 133, 39-45.	1.4	2