

Thomas Wernberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7748646/publications.pdf>

Version: 2024-02-01

207
papers

21,469
citations

13865

67
h-index

11308

136
g-index

215
all docs

215
docs citations

215
times ranked

15254
citing authors

#	ARTICLE	IF	CITATIONS
1	Biodiversity redistribution under climate change: Impacts on ecosystems and human well-being. <i>Science</i> , 2017, 355, .	12.6	2,026
2	A hierarchical approach to defining marine heatwaves. <i>Progress in Oceanography</i> , 2016, 141, 227-238.	3.2	1,081
3	Longer and more frequent marine heatwaves over the past century. <i>Nature Communications</i> , 2018, 9, 1324.	12.8	1,081
4	Climate-driven regime shift of a temperate marine ecosystem. <i>Science</i> , 2016, 353, 169-172.	12.6	951
5	An extreme climatic event alters marine ecosystem structure in a global biodiversity hotspot. <i>Nature Climate Change</i> , 2013, 3, 78-82.	18.8	925
6	Marine heatwaves threaten global biodiversity and the provision of ecosystem services. <i>Nature Climate Change</i> , 2019, 9, 306-312.	18.8	883
7	The tropicalization of temperate marine ecosystems: climate-mediated changes in herbivory and community phase shifts. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20140846.	2.6	679
8	Global patterns of kelp forest change over the past half-century. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13785-13790.	7.1	511
9	Categorizing and Naming Marine Heatwaves. <i>Oceanography</i> , 2018, 31, .	1.0	368
10	A decade of climate change experiments on marine organisms: procedures, patterns and problems. <i>Global Change Biology</i> , 2012, 18, 1491-1498.	9.5	355
11	Impacts of climate change in a global hotspot for temperate marine biodiversity and ocean warming. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 400, 7-16.	1.5	350
12	Rise of Turfs: A New Battlefield for Globally Declining Kelp Forests. <i>BioScience</i> , 2018, 68, 64-76.	4.9	348
13	A global assessment of marine heatwaves and their drivers. <i>Nature Communications</i> , 2019, 10, 2624.	12.8	337
14	Species traits and climate velocity explain geographic range shifts in an ocean warming hotspot. <i>Ecology Letters</i> , 2015, 18, 944-953.	6.4	334
15	Extreme climatic event drives range contraction of a habitat-forming species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122829.	2.6	330
16	Biological responses to the press and pulse of climate trends and extreme events. <i>Nature Climate Change</i> , 2018, 8, 579-587.	18.8	330
17	Projected Marine Heatwaves in the 21st Century and the Potential for Ecological Impact. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	300
18	Seaweed Communities in Retreat from Ocean Warming. <i>Current Biology</i> , 2011, 21, 1828-1832.	3.9	297

#	ARTICLE	IF	CITATIONS
19	The 'Great Southern Reef': social, ecological and economic value of Australia's neglected kelp forests. <i>Marine and Freshwater Research</i> , 2016, 67, 47.	1.3	285
20	Decreasing resilience of kelp beds along a latitudinal temperature gradient: potential implications for a warmer future. <i>Ecology Letters</i> , 2010, 13, 685-694.	6.4	282
21	Habitat Cascades: The Conceptual Context and Global Relevance of Facilitation Cascades via Habitat Formation and Modification. <i>Integrative and Comparative Biology</i> , 2010, 50, 158-175.	2.0	216
22	Defining and observing stages of climate-mediated range shifts in marine systems. <i>Global Environmental Change</i> , 2014, 26, 27-38.	7.8	207
23	Status and Trends for the World's Kelp Forests. , 2019, , 57-78.		198
24	Keeping pace with marine heatwaves. <i>Nature Reviews Earth & Environment</i> , 2020, 1, 482-493.	29.7	175
25	Continental-scale variation in seaweed host-associated bacterial communities is a function of host condition, not geography. <i>Environmental Microbiology</i> , 2015, 17, 4078-4088.	3.8	160
26	Drivers and impacts of the most extreme marine heatwave events. <i>Scientific Reports</i> , 2020, 10, 19359.	3.3	155
27	Managing consequences of climate-driven species redistribution requires integration of ecology, conservation and social science. <i>Biological Reviews</i> , 2018, 93, 284-305.	10.4	154
28	Tropical herbivores provide resilience to a climate-mediated phase shift on temperate reefs. <i>Ecology Letters</i> , 2015, 18, 714-723.	6.4	142
29	Invasion of <i>Sargassum muticum</i> in Limfjorden (Denmark) and its possible impact on the indigenous macroalgal community. <i>Marine Ecology - Progress Series</i> , 2000, 207, 79-88.	1.9	142
30	Genetic diversity and kelp forest vulnerability to climatic stress. <i>Scientific Reports</i> , 2018, 8, 1851.	3.3	138
31	Satellite-derived SST data as a proxy for water temperature in nearshore benthic ecology. <i>Marine Ecology - Progress Series</i> , 2009, 387, 27-37.	1.9	132
32	Tropicalisation of temperate reefs: Implications for ecosystem functions and management actions. <i>Functional Ecology</i> , 2019, 33, 1000-1013.	3.6	131
33	Distribution models predict large contractions of habitat-forming seaweeds in response to ocean warming. <i>Diversity and Distributions</i> , 2018, 24, 1350-1366.	4.1	129
34	PHYSIOLOGICAL RESPONSES OF <i>ECKLONIA RADIATA</i> (LAMINARIALES) TO A LATITUDINAL GRADIENT IN OCEAN TEMPERATURE. <i>Journal of Phycology</i> , 2009, 45, 91-99.	2.3	128
35	Accelerating Tropicalization and the Transformation of Temperate Seagrass Meadows. <i>BioScience</i> , 2016, 66, 938-948.	4.9	128
36	Central and rear-edge populations can be equally vulnerable to warming. <i>Nature Communications</i> , 2015, 6, 10280.	12.8	125

#	ARTICLE	IF	CITATIONS
37	Differences in kelp morphology between wave sheltered and exposed localities: morphologically plastic or fixed traits?. <i>Marine Biology</i> , 2006, 148, 755-767.	1.5	124
38	Toward a Coordinated Global Observing System for Seagrasses and Marine Macroalgae. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	123
39	Integrating within-species variation in thermal physiology into climate change ecology. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180550.	4.0	118
40	Regional differences in kelp-associated algal assemblages on temperate limestone reefs in south-western Australia. <i>Diversity and Distributions</i> , 2003, 9, 427-441.	4.1	117
41	Impacts of marine invaders on biodiversity depend on trophic position and functional similarity. <i>Marine Ecology - Progress Series</i> , 2014, 495, 39-47.	1.9	117
42	Kelp Forest Restoration in Australia. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	115
43	Socioeconomic impacts of marine heatwaves: Global issues and opportunities. <i>Science</i> , 2021, 374, eabj3593.	12.6	115
44	Modification of the physical environment by an <i>Ecklonia radiata</i> (Laminariales) canopy and implications for associated foliose algae. <i>Aquatic Ecology</i> , 2005, 39, 419-430.	1.5	110
45	The renaissance of Odum's outwelling hypothesis in 'Blue Carbon' science. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 255, 107361.	2.1	107
46	Arctic kelp forests: Diversity, resilience and future. <i>Global and Planetary Change</i> , 2019, 172, 1-14.	3.5	105
47	Detached kelps from distant sources are a food subsidy for sea urchins. <i>Oecologia</i> , 2008, 157, 327-335.	2.0	101
48	Subcontinental heat wave triggers terrestrial and marine, multi-taxa responses. <i>Scientific Reports</i> , 2018, 8, 13094.	3.3	101
49	EVIDENCE FOR IMPACTS OF NONINDIGENOUS MACROALGAE: A META-ANALYSIS OF EXPERIMENTAL FIELD STUDIES ¹ . <i>Journal of Phycology</i> , 2009, 45, 812-819.	2.3	100
50	Resistance, Extinction, and Everything in Between – The Diverse Responses of Seaweeds to Marine Heatwaves. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	98
51	Export of detached macroalgae from reefs to adjacent seagrass beds. <i>Oecologia</i> , 2006, 147, 692-701.	2.0	95
52	A Meta-Analysis of Seaweed Impacts on Seagrasses: Generalities and Knowledge Gaps. <i>PLoS ONE</i> , 2012, 7, e28595.	2.5	93
53	Biogenic habitat structure of seaweeds change along a latitudinal gradient in ocean temperature. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 400, 264-271.	1.5	87
54	Marine heatwaves and the collapse of marginal North Atlantic kelp forests. <i>Scientific Reports</i> , 2020, 10, 13388.	3.3	86

#	ARTICLE	IF	CITATIONS
55	Marine Heatwave Drives Cryptic Loss of Genetic Diversity in Underwater Forests. <i>Current Biology</i> , 2020, 30, 1199-1206.e2.	3.9	86
56	Secondary foundation species enhance biodiversity. <i>Nature Ecology and Evolution</i> , 2018, 2, 634-639.	7.8	85
57	Movement of pulsed resource subsidies from kelp forests to deep fjords. <i>Oecologia</i> , 2018, 187, 291-304.	2.0	85
58	The effect of wave exposure on the morphology of <i>Ecklonia radiata</i> . <i>Aquatic Botany</i> , 2005, 83, 61-70.	1.6	83
59	Patterns of landscape and assemblage structure along a latitudinal gradient in ocean climate. <i>Marine Ecology - Progress Series</i> , 2012, 466, 9-19.	1.9	83
60	Forgotten underwater forests: The key role of fucoids on Australian temperate reefs. <i>Ecology and Evolution</i> , 2017, 7, 8406-8418.	1.9	83
61	A framework to study the context-dependent impacts of marine invasions. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 400, 322-327.	1.5	79
62	Sea temperature shapes seasonal fluctuations in seaweed biomass within the Ningaloo coral reef ecosystem. <i>Limnology and Oceanography</i> , 2014, 59, 156-166.	3.1	77
63	Nearshore and offshore co-occurrence of marine heatwaves and cold-spells. <i>Progress in Oceanography</i> , 2017, 151, 189-205.	3.2	76
64	Form and function of tropical macroalgal reefs in the Anthropocene. <i>Functional Ecology</i> , 2019, 33, 989-999.	3.6	76
65	Biology and Ecology of the Globally Significant Kelp <i>Ecklonia radiata</i> . , 2019, , 265-323.		75
66	Global estimates of the extent and production of macroalgal forests. <i>Global Ecology and Biogeography</i> , 2022, 31, 1422-1439.	5.8	75
67	A broad framework to organize and compare ecological invasion impacts. <i>Environmental Research</i> , 2011, 111, 899-908.	7.5	74
68	Physiological responses of habitat-forming seaweeds to increasing temperatures. <i>Limnology and Oceanography</i> , 2016, 61, 2180-2190.	3.1	74
69	Morphology of <i>Ecklonia radiata</i> (Phaeophyta: Laminariales) along its geographic distribution in south-western Australia and Australasia. <i>Marine Biology</i> , 2003, 143, 47-55.	1.5	73
70	The rise of <i>Laminaria ochroleuca</i> in the Western English Channel (UK) and comparisons with its competitor and assemblage dominant <i>Laminaria hyperborea</i> . <i>Marine Ecology</i> , 2015, 36, 1033-1044.	1.1	73
71	Restore or Redefine: Future Trajectories for Restoration. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	73
72	Epibiota communities of the introduced and indigenous macroalgal relatives <i>Sargassum muticum</i> and <i>Halidrys siliquosa</i> in Limfjorden (Denmark). <i>Helgoland Marine Research</i> , 2004, 58, 154-161.	1.3	70

#	ARTICLE	IF	CITATIONS
73	The effect of thallus size, life stage, aggregation, wave exposure and substratum conditions on the forces required to break or dislodge the small kelp <i>Ecklonia radiata</i> . <i>Botanica Marina</i> , 2004, 47, .	1.2	69
74	Physical disturbance and subtidal habitat structure on open rocky coasts: Effects of wave exposure, extent and intensity. <i>Journal of Sea Research</i> , 2008, 59, 237-248.	1.6	66
75	Substantial blue carbon in overlooked Australian kelp forests. <i>Scientific Reports</i> , 2020, 10, 12341.	3.3	66
76	Contrasting mechanisms of dislodgement and erosion contribute to production of kelp detritus. <i>Limnology and Oceanography</i> , 2013, 58, 1680-1688.	3.1	63
77	Biomass dynamics of exotic <i>Sargassum muticum</i> and native <i>Halidrys siliquosa</i> in Limfjorden, Denmarkâ€™Implications of species replacements on turnover rates. <i>Aquatic Botany</i> , 2005, 83, 31-47.	1.6	62
78	Assemblage turnover and taxonomic sufficiency of subtidal macroalgae at multiple spatial scales. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 384, 76-86.	1.5	61
79	Australia's marine biogeography revisited: Back to the future?. <i>Austral Ecology</i> , 2010, 35, 988-992.	1.5	60
80	Canopy interactions and physical stress gradients in subtidal communities. <i>Ecology Letters</i> , 2015, 18, 677-686.	6.4	59
81	Short-term temporal dynamics of algal species in a subtidal kelp bed in relation to changes in environmental conditions and canopy biomass. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 76, 265-272.	2.1	58
82	Particle grazing efficiency and specific growth efficiency of the rotifer <i>Brachionus plicatilis</i> (Muller). <i>Journal of Experimental Marine Biology and Ecology</i> , 1997, 215, 217-233.	1.5	57
83	Missing the marine forest for the trees. <i>Marine Ecology - Progress Series</i> , 2019, 612, 209-215.	1.9	56
84	Green gravel: a novel restoration tool to combat kelp forest decline. <i>Scientific Reports</i> , 2020, 10, 3983.	3.3	55
85	The effects of light and thallus scour from <i>Ecklonia radiata</i> canopy on an associated foliose algal assemblage: the importance of photoacclimation. <i>Marine Biology</i> , 2004, 144, 1019-1027.	1.5	54
86	Regional-scale variability in the response of benthic macroinvertebrate assemblages to a marine heatwave. <i>Marine Ecology - Progress Series</i> , 2017, 568, 17-30.	1.9	54
87	Tropicalization strengthens consumer pressure on habitat-forming seaweeds. <i>Scientific Reports</i> , 2017, 7, 820.	3.3	53
88	Detrital carbon production and export in high latitude kelp forests. <i>Oecologia</i> , 2020, 192, 227-239.	2.0	53
89	Distinguishing geographical range shifts from artefacts of detectability and sampling effort. <i>Diversity and Distributions</i> , 2015, 21, 13-22.	4.1	52
90	Genetic tropicalisation following a marine heatwave. <i>Scientific Reports</i> , 2020, 10, 12726.	3.3	50

#	ARTICLE	IF	CITATIONS
91	Spatio-temporal distribution patterns of the invasive macroalga <i>Sargassum muticum</i> within a Danish <i>Sargassum</i> -bed. <i>Helgoland Marine Research</i> , 2006, 60, 50-58.	1.3	49
92	Expansion of corals on temperate reefs: direct and indirect effects of marine heatwaves. <i>Coral Reefs</i> , 2017, 36, 947-956.	2.2	48
93	A novel phylogeny of the Gelidiales (Rhodophyta) based on five genes including the nuclear <i>CesA</i> , with descriptions of <i>Orthogonacladia</i> gen. nov. and <i>Orthogonacladiaceae</i> fam. nov.. <i>Molecular Phylogenetics and Evolution</i> , 2016, 101, 359-372.	2.7	45
94	The Silver Lining of Extreme Events. <i>Trends in Ecology and Evolution</i> , 2020, 35, 1065-1067.	8.7	45
95	Herbivory drives kelp recruits into "hiding"™ in a warm ocean climate. <i>Marine Ecology - Progress Series</i> , 2015, 536, 1-9.	1.9	45
96	Comparative Phenology of <i>Sargassum muticum</i> and <i>Halidrys siliquosa</i> (Phaeophyceae: Fucales) in Limfjorden, Denmark. <i>Botanica Marina</i> , 2001, 44, .	1.2	44
97	Habitat structure affect abundances of labrid fishes across temperate reefs in south-western Australia. <i>Environmental Biology of Fishes</i> , 2009, 86, 311-319.	1.0	44
98	Reproductive seasonality and early life temperature sensitivity reflect vulnerability of a seaweed undergoing range reduction. <i>Marine Ecology - Progress Series</i> , 2014, 495, 119-129.	1.9	43
99	Holdfast aggregation in relation to morphology, age, attachment and drag for the kelp <i>Ecklonia radiata</i> . <i>Aquatic Botany</i> , 2005, 82, 168-180.	1.6	42
100	Population structure of turbinid gastropods on wave-exposed subtidal reefs: effects of density, body size and algae on grazing behaviour. <i>Marine Ecology - Progress Series</i> , 2008, 362, 169-179.	1.9	42
101	Miniview: What affects the forces required to break or dislodge macroalgae?. <i>European Journal of Phycology</i> , 2005, 40, 139-148.	2.0	41
102	The spatial arrangement of reefs alters the ecological patterns of fauna between interspersed algal habitats. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 78, 774-782.	2.1	40
103	Reproductive synchrony in a habitat-forming kelp and its relationship with environmental conditions. <i>Marine Biology</i> , 2013, 160, 119-126.	1.5	40
104	A molecular investigation of the genus <i>Ecklonia</i> (Phaeophyceae, Laminariales) with special focus on the Southern Hemisphere. <i>Journal of Phycology</i> , 2015, 51, 236-246.	2.3	40
105	Using Propagules to Restore Coastal Marine Ecosystems. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	40
106	Genotype-Environment mismatch of kelp forests under climate change. <i>Molecular Ecology</i> , 2021, 30, 3730-3746.	3.9	39
107	The Footprint of Continental-Scale Ocean Currents on the Biogeography of Seaweeds. <i>PLoS ONE</i> , 2013, 8, e80168.	2.5	39
108	Ecological observations associated with an anomalous warming event at the Houtman Abrolhos Islands, Western Australia. <i>Coral Reefs</i> , 2012, 31, 441-441.	2.2	38

#	ARTICLE	IF	CITATIONS
109	Biogeographic variation in temperature drives performance of kelp gametophytes during warming. <i>Marine Ecology - Progress Series</i> , 2014, 513, 85-96.	1.9	38
110	Exploring the Influence of Temperature on Aspects of the Reproductive Phenology of Temperate Seaweeds. <i>Frontiers in Marine Science</i> , 2018, 5, .	2.5	38
111	Homogenization and miniaturization of habitat structure in temperate marine forests. <i>Global Change Biology</i> , 2021, 27, 5262-5275.	9.5	38
112	Environmental Influences on Kelp Performance across the Reproductive Period: An Ecological Trade-Off between Gametophyte Survival and Growth?. <i>PLoS ONE</i> , 2013, 8, e65310.	2.5	37
113	Canopy facilitates seaweed recruitment on subtidal temperate reefs. <i>Journal of Ecology</i> , 2014, 102, 1462-1470.	4.0	37
114	Forty years of experiments on aquatic invasive species: are study biases limiting our understanding of impacts?. <i>NeoBiota</i> , 0, 22, 1-22.	1.0	37
115	Sensitivity and Acclimation of Three Canopy-Forming Seaweeds to UVB Radiation and Warming. <i>PLoS ONE</i> , 2015, 10, e0143031.	2.5	36
116	Editorial: Advances in Understanding Marine Heatwaves and Their Impacts. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	36
117	Carbon sequestration potential increased by incomplete anaerobic decomposition of kelp detritus. <i>Marine Ecology - Progress Series</i> , 2021, 660, 53-67.	1.9	35
118	Turning on the Heat: Ecological Response to Simulated Warming in the Sea. <i>PLoS ONE</i> , 2011, 6, e16050.	2.5	35
119	Grazers extend blue carbon transfer by slowing sinking speeds of kelp detritus. <i>Scientific Reports</i> , 2018, 8, 17180.	3.3	34
120	Testing the "abundant centre" hypothesis on endemic reef fishes in south-western Australia. <i>Marine Ecology - Progress Series</i> , 2008, 372, 225-230.	1.9	34
121	CONTRIBUTION OF TEMPORAL AND SPATIAL COMPONENTS TO MORPHOLOGICAL VARIATION IN THE KELP <i>ECKLONIA</i> (LAMINARIALES)1. <i>Journal of Phycology</i> , 2010, 46, 153-161.	2.3	33
122	To include or not to include (the invader in community analyses)? That is the question. <i>Biological Invasions</i> , 2016, 18, 1515-1521.	2.4	33
123	Non-native Seaweeds Drive Changes in Marine Coastal Communities Around the World. , 2016, , 147-185.		32
124	The relative influence of local to regional drivers of variation in reef fishes. <i>Journal of Fish Biology</i> , 2011, 79, 217-234.	1.6	31
125	Novel crab predator causes marine ecosystem regime shift. <i>Scientific Reports</i> , 2018, 8, 4956.	3.3	31
126	Wounded kelps: patterns and susceptibility to breakage. <i>Aquatic Biology</i> , 2012, 17, 223-233.	1.4	30

#	ARTICLE	IF	CITATIONS
127	Proximity to rocky reefs alters the balance between positive and negative effects on seagrass fauna. <i>Marine Ecology - Progress Series</i> , 2010, 405, 175-186.	1.9	30
128	Marine Heatwave Drives Collapse of Kelp Forests in Western Australia. <i>Ecological Studies</i> , 2021, , 325-343.	1.2	29
129	Proximity to reef influences density of small predatory fishes, while type of seagrass influences intensity of their predation on crabs. <i>Marine Ecology - Progress Series</i> , 2007, 340, 235-243.	1.9	29
130	Size, not morphology, determines hydrodynamic performance of a kelp during peak flow. <i>Marine Biology</i> , 2013, 160, 843-851.	1.5	27
131	Screening of seaweeds in the East China Sea as potential bio-monitors of heavy metals. <i>Environmental Science and Pollution Research</i> , 2018, 25, 16640-16651.	5.3	27
132	Stable isotopes reveal a consistent consumerâ€™ diet relationship across hundreds of kilometres. <i>Marine Ecology - Progress Series</i> , 2010, 403, 53-61.	1.9	26
133	Community development on subtidal temperate reefs: the influences of wave energy and the stochastic recruitment of a dominant kelp. <i>Marine Biology</i> , 2011, 158, 1757-1766.	1.5	26
134	Harmful algae are not harmful to everyone. <i>Harmful Algae</i> , 2012, 16, 74-80.	4.8	26
135	Carbon export is facilitated by sea urchins transforming kelp detritus. <i>Oecologia</i> , 2020, 192, 213-225.	2.0	26
136	Alien macroalgae in Denmark â€™ a broad-scale national perspective. <i>Marine Biology Research</i> , 2007, 3, 61-72.	0.7	25
137	Large scale variability in the structure of sessile invertebrate assemblages in artificial habitats reveals the importance of local-scale processes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2017, 494, 10-19.	1.5	25
138	Drift algae, an invasive snail and elevated temperature reduce ecological performance of a warm-temperate seagrass, through additive effects. <i>Marine Ecology - Progress Series</i> , 2012, 450, 67-80.	1.9	23
139	Phenolic concentrations of brown seaweeds and relationships to nearshore environmental gradients in Western Australia. <i>Marine Biology</i> , 2017, 164, 1.	1.5	22
140	Ecological performance and possible origin of a ubiquitous but under-studied gastropod. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 87, 501-509.	2.1	21
141	Priming of Marine Macrophytes for Enhanced Restoration Success and Food Security in Future Oceans. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	21
142	Heterogeneity within and among co-occurring foundation species increases biodiversity. <i>Nature Communications</i> , 2022, 13, 581.	12.8	21
143	Subtidal macroalgal richness, diversity and turnover, at multiple spatial scales, along the southwestern Australian coastline. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 91, 224-231.	2.1	20
144	The Dynamic Biogeography of the Anthropocene: The Speed of Recent Range Shifts in Seaweeds. , 2016, , 63-93.		20

#	ARTICLE	IF	CITATIONS
145	High Latitude Corals Tolerate Severe Cold Spell. <i>Frontiers in Marine Science</i> , 2018, 5, .	2.5	20
146	Cast adrift: Physiology and dispersal of benthic <i>Sargassum spinuligerum</i> in surface rafts. <i>Limnology and Oceanography</i> , 2019, 64, 526-540.	3.1	20
147	Kelp-carbon uptake by Arctic deep-sea food webs plays a noticeable role in maintaining ecosystem structural and functional traits. <i>Journal of Marine Systems</i> , 2020, 203, 103268.	2.1	19
148	Genotypic variation in response to extreme events may facilitate kelp adaptation under future climates. <i>Marine Ecology - Progress Series</i> , 2021, 672, 111-121.	1.9	19
149	Phenological decoupling of mortality from wave forcing in kelp beds. <i>Ecology</i> , 2015, 96, 850-861.	3.2	18
150	Broad-scale patterns of abundance of non-indigenous soft-bottom invertebrates in Denmark. <i>Helgoland Marine Research</i> , 2009, 63, 159-167.	1.3	17
151	Tropicalization unlocks novel trophic pathways and enhances secondary productivity in temperate reefs. <i>Functional Ecology</i> , 2022, 36, 659-673.	3.6	17
152	Complex plant-herbivore-predator interactions in a brackish water seaweed habitat. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 449, 51-56.	1.5	16
153	Spatial and temporal variation of kelp forests and associated macroalgal assemblages along the Portuguese coast. <i>Marine and Freshwater Research</i> , 2016, 67, 113.	1.3	16
154	Overwintering tropical herbivores accelerate detritus production on temperate reefs. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20192046.	2.6	16
155	Effects of human footprint and biophysical factors on the body-size structure of fished marine species. <i>Conservation Biology</i> , 2022, 36, .	4.7	16
156	Colonization of gastropods on subtidal reefs depends on density in adjacent habitats, not on disturbance regime. <i>Journal of Molluscan Studies</i> , 2009, 75, 27-33.	1.2	15
157	Range-extending tropical herbivores increase diversity, intensity and extent of herbivory functions in temperate marine ecosystems. <i>Functional Ecology</i> , 2020, 34, 2411-2421.	3.6	15
158	Turban snails as habitat for foliose algae: contrasting geographical patterns in species richness. <i>Marine and Freshwater Research</i> , 2010, 61, 1237.	1.3	15
159	Gradients in the Number of Species at Reef-Seagrass Ecotones Explained by Gradients in Abundance. <i>PLoS ONE</i> , 2011, 6, e20190.	2.5	15
160	Leveraging the blue economy to transform marine forest restoration. <i>Journal of Phycology</i> , 2022, 58, 198-207.	2.3	15
161	Another Decade of Marine Climate Change Experiments: Trends, Progress and Knowledge Gaps. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	14
162	Distribution and Localised Effects of the Invasive Ascidian <i>Didemnum perlucidum</i> (Monniot 1983) in an Urban Estuary. <i>PLoS ONE</i> , 2016, 11, e0154201.	2.5	14

#	ARTICLE	IF	CITATIONS
163	Disturbance intensity, disturbance extent and ocean climate modulate kelp forest understory communities. <i>Marine Ecology - Progress Series</i> , 2020, 651, 57-69.	1.9	14
164	Persistent thermally driven shift in the functional trait structure of herbivorous fishes: Evidence of top-down control on the rebound potential of temperate seaweed forests?. <i>Global Change Biology</i> , 2022, 28, 2296-2311.	9.5	14
165	Large-scale facilitation of a sessile community by an invasive habitat-forming snail. <i>Helgoland Marine Research</i> , 2013, 67, 789-794.	1.3	13
166	A review of protocols for the experimental release of kelp (Laminariales) zoospores. <i>Ecology and Evolution</i> , 2019, 9, 8387-8398.	1.9	13
167	Resilience of a harvested gastropod, <i>Turbo militaris</i> , to marine heatwaves. <i>Marine Environmental Research</i> , 2019, 151, 104769.	2.5	13
168	Short-term in situ warming influences early development of sessile assemblages. <i>Marine Ecology - Progress Series</i> , 2012, 453, 129-136.	1.9	13
169	Persistence of seaweed forests in the anthropocene will depend on warming and marine heatwave profiles. <i>Journal of Phycology</i> , 2022, 58, 22-35.	2.3	13
170	Modulation of different kelp life stages by herbivory: compensatory growth versus population decimation. <i>Marine Biology</i> , 2017, 164, 1.	1.5	12
171	Genetic and morphological diversity in sympatric kelps with contrasting reproductive strategies. <i>Aquatic Biology</i> , 2018, 27, 65-73.	1.4	12
172	Loss of a globally unique kelp forest from Oman. <i>Scientific Reports</i> , 2022, 12, 5020.	3.3	12
173	On the generality of cascading habitat-formation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20131994.	2.6	11
174	Niche and neutral assembly mechanisms contribute to latitudinal diversity gradients in reef fishes. <i>Journal of Biogeography</i> , 2021, 48, 2683-2698.	3.0	11
175	Embrace kelp forests in the coming decade. <i>Science</i> , 2021, 373, 863-863.	12.6	11
176	Spatial variation in juvenile and adult <i>Ecklonia radiata</i> (Laminariales) sporophytes. <i>Aquatic Botany</i> , 2009, 90, 93-95.	1.6	10
177	The Importance of Marine Research Infrastructures in Capturing Processes and Impacts of Extreme Events. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	10
178	High herbivory despite high sediment loads on a fringing coral reef. <i>Coral Reefs</i> , 2022, 41, 161-173.	2.2	10
179	Probabilistic predictions using a groundwater model informed with airborne EM data. <i>Advances in Water Resources</i> , 2017, 103, 86-98.	3.8	9
180	A Regional Scale Hydrostratigraphy Generated from Geophysical Data of Varying Age, Type, and Quality. <i>Water Resources Management</i> , 2019, 33, 539-553.	3.9	9

#	ARTICLE	IF	CITATIONS
181	Scale of impact determines early post-disturbance assemblage structure in subtidal <i>Fucus</i> beds in the Baltic Sea (Bornholm, Denmark). <i>European Journal of Phycology</i> , 2006, 41, 105-113.	2.0	8
182	Population structure of the purple sea urchin <i>Heliocidaris erythrogramma</i> along a latitudinal gradient in south-west Australia. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1033-1040.	0.8	8
183	Invasions by non-indigenous species. , 0, , 274-332.		8
184	The devil in the detail: harmful seaweeds are not harmful to everyone. <i>Global Change Biology</i> , 2015, 21, 1381-1382.	9.5	8
185	Persistence of tropical herbivores in temperate reefs constrains kelp resilience to cryptic habitats. <i>Journal of Ecology</i> , 2021, 109, 2081-2094.	4.0	8
186	Diversity and abundance of epibiota on invasive and native estuarine gastropods depend on substratum and salinity. <i>Marine and Freshwater Research</i> , 2015, 66, 1191.	1.3	7
187	Artificial light source selection in seaweed production: growth of seaweed and biosynthesis of photosynthetic pigments and soluble protein. <i>PeerJ</i> , 2021, 9, e11351.	2.0	7
188	Multicomponent groundwater transport with chemical equilibrium and kinetics: model development and evaluation. <i>Hydrological Sciences Journal</i> , 1998, 43, 299-317.	2.6	6
189	Misconceptions about analyses of Australian seaweed collections. <i>Phycologia</i> , 2014, 53, 215-220.	1.4	6
190	Bubble Curtains: Herbivore Exclusion Devices for Ecology and Restoration of Marine Ecosystems?. <i>Frontiers in Marine Science</i> , 2017, 4, .	2.5	6
191	Marine Biodiversity and Climate Change. , 2014, , 181-187.		6
192	Annual changes in abundance of non-indigenous marine benthos on a very large spatial scale. <i>Aquatic Invasions</i> , 2008, 3, 133-140.	1.6	6
193	Future trajectories of change for an Arctic deep-sea ecosystem connected to coastal kelp forests. <i>Restoration Ecology</i> , 2021, 29, e13327.	2.9	5
194	Fifteen years in a global warming hotspot: changes in subtidal mobile invertebrate communities. <i>Marine Ecology - Progress Series</i> , 2020, 656, 227-238.	1.9	5
195	Shared patterns of species turnover between seaweeds and seed plants break down at increasing distances from the sea. <i>Ecology and Evolution</i> , 2014, 4, 27-34.	1.9	4
196	Feeding preferences of range-shifting and native herbivorous fishes in temperate ecosystems. <i>Marine Environmental Research</i> , 2021, 172, 105508.	2.5	4
197	Threats to Ecosystem Engineering Macrophytes: Climate Change. , 2016, , 201-218.		3
198	A Glass Half Full: Solutions-Oriented Management under Climate Change. <i>Trends in Ecology and Evolution</i> , 2021, 36, 385-386.	8.7	3

#	ARTICLE	IF	CITATIONS
199	Local flexibility in feeding behaviour and contrasting microhabitat use of an omnivore across latitudes. <i>Oecologia</i> , 2021, 196, 441-453.	2.0	3
200	Ecological Interactions between Marine Plants and Alien Species. , 2016, , 226-249.		3
201	Intergrading reef communities across discrete seaweed habitats in a temperateâ€“tropical transition zone: Lessons for species reshuffling in a warming ocean. <i>Ecology and Evolution</i> , 2022, 12, e8538.	1.9	3
202	Maximization of fitness by phenological and phenotypic plasticity in range expanding rabbitfish (Siganidae). <i>Journal of Animal Ecology</i> , 2022, , .	2.8	3
203	How to quantify algal turf sediments and particulates on tropical and temperate reefs: An overview. <i>Marine Environmental Research</i> , 2022, 179, 105673.	2.5	3
204	Celebrating 25 years of temperate reef science. <i>Marine and Freshwater Research</i> , 2016, 67, i.	1.3	1
205	The mitochondrial and chloroplast genomes of the kelp, <i>Ecklonia radiata</i> . <i>Aquatic Botany</i> , 2022, 178, 103485.	1.6	1
206	What is a plant? and what is aquatic botany?. <i>Aquatic Botany</i> , 2016, 132, iii-iv.	1.6	0
207	The Past and Future Ecologies of Australasian Kelp Forests. , 2019, , 414-430.		0