
Michal Rolinski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7751433/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. Brain, 2019, 142, 744-759. | 7.6 | 636 |
| 2 | Alphaâ€synuclein <scp>RT</scp> â€Qu <scp>IC</scp> in the <scp>CSF</scp> of patients with alphaâ€synucleinopathies. Annals of Clinical and Translational Neurology, 2016, 3, 812-818. | 3.7 | 388 |
| 3 | Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. The Cochrane Library, 2014, 2014, CD006504. | 2.8 | 224 |
| 4 | Functional connectivity in the basal ganglia network differentiates PD patients from controls. Neurology, 2014, 83, 208-214. | 1.1 | 159 |
| 5 | REM sleep behaviour disorder is associated with worse quality of life and other non-motor features in early Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 560-566. | 1.9 | 150 |
| 6 | Prodromal Parkinsonism and Neurodegenerative Risk Stratification in REM Sleep Behavior Disorder. Sleep, 2017, 40, . | 1.1 | 138 |
| 7 | Predictors of cognitive impairment in an early stage Parkinson's disease cohort. Movement Disorders, 2014, 29, 351-359. | 3.9 | 124 |
| 8 | Basal ganglia dysfunction in idiopathic REM sleep behaviour disorder parallels that in early Parkinson's disease. Brain, 2016, 139, 2224-2234. | 7.6 | 119 |
| 9 | Biomarkers of conversion to α-synucleinopathy in isolated rapid-eye-movement sleep behaviour disorder. Lancet Neurology, The, 2021, 20, 671-684. | 10.2 | 116 |
| 10 | Smartphone motor testing to distinguish idiopathic REM sleep behavior disorder, controls, and PD. Neurology, 2018, 91, e1528-e1538. | 1.1 | 91 |
| 11 | Parkinson's Disease Subtypes in the Oxford Parkinson Disease Centre (OPDC) Discovery Cohort. Journal of Parkinson's Disease, 2015, 5, 269-279. | 2.8 | 82 |
| 12 | Challenges in the reproducibility of clinical studies with resting state fMRI: An example in early Parkinson's disease. NeuroImage, 2016, 124, 704-713. | 4.2 | 81 |
| 13 | Mitochondrial dysfunction and increased glycolysis in prodromal and early Parkinson's blood cells. Movement Disorders, 2018, 33, 1580-1590. | 3.9 | 69 |
| 14 | Dopaminergic imaging and clinical predictors for phenoconversion of REM sleep behaviour disorder. Brain, 2021, 144, 278-287. | 7.6 | 68 |
| 15 | Delineating nonmotor symptoms in early Parkinson's disease and firstâ€degree relatives. Movement Disorders, 2015, 30, 1759-1766. | 3.9 | 54 |
| 16 | Aberrant functional connectivity within the basal ganglia of patients with Parkinson's disease. NeuroImage: Clinical, 2015, 8, 126-132. | 2.7 | 45 |
| 17 | Modulation of hippocampal theta and hippocampalâ€prefrontal cortex function by a schizophrenia risk gene. Human Brain Mapping, 2015, 36, 2387-2395. | 3.6 | 44 |
| 18 | Impulse control disorders in Parkinson disease and RBD. Neurology, 2019, 93, e675-e687. | 1.1 | 44 |

MICHAL ROLINSKI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Systematic Review Looking at the Use of Technology to Measure Free-Living Symptom and Activity Outcomes in Parkinson's Disease in the Home or a Home-like Environment. Journal of Parkinson's Disease, 2020, 10, 429-454. | 2.8 | 43 |
| 20 | Visual short-term memory deficits in REM sleep behaviour disorder mirror those in Parkinson's disease. Brain, 2016, 139, 47-53. | 7.6 | 36 |
| 21 | Personality and addictive behaviours in early Parkinson's disease and REM sleep behaviour disorder. Parkinsonism and Related Disorders, 2017, 37, 72-78. | 2.2 | 27 |
| 22 | Continuous Real-World Gait Monitoring in Idiopathic REM Sleep Behavior Disorder. Journal of Parkinson's Disease, 2020, 10, 283-299. | 2.8 | 27 |
| 23 | A Neurologist's Guide to REM Sleep Behavior Disorder. Frontiers in Neurology, 2020, 11, 610. | 2.4 | 26 |
| 24 | The dementia-associated APOE Îμ4 allele is not associated with rapid eye movement sleep behavior disorder. Neurobiology of Aging, 2017, 49, 218.e13-218.e15. | 3.1 | 25 |
| 25 | Exploring variability in basal ganglia connectivity with functional MRI in healthy aging. Brain Imaging and Behavior, 2018, 12, 1822-1827. | 2.1 | 16 |
| 26 | Protocol for PD SENSORS: Parkinson's Disease Symptom Evaluation in a Naturalistic Setting producing Outcome measuRes using SPHERE technology. An observational feasibility study of multi-modal multi-sensor technology to measure symptoms and activities of daily living in Parkinson's disease. BMJ Open, 2020, 10, e041303. | 1.9 | 15 |
| 27 | Cohort profile: the Oxford Parkinson's Disease Centre Discovery Cohort MRI substudy (OPDC-MRI). BMJ Open, 2020, 10, e034110. | 1.9 | 11 |
| 28 | Temporal orienting in Parkinson's disease. European Journal of Neuroscience, 2021, 53, 2713-2725. | 2.6 | 7 |
| 29 | Exploring Motion Boundaries in an End-to-End Network for Vision-based Parkinson's Severity Assessment. , 2021, , . | | 2 |
| 30 | RESTING STATE FMRI DISCERNS EARLY PARKINSON'S FROM CONTROLS. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, e4.118-e4. | 1.9 | 0 |
| 31 | IMPACT & TREATMENT OF NON-MOTOR SYMPTOMS IN EARLY PARKINSON'S DISEASE. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, e4.80-e4. | 1.9 | 0 |