

Michal Rolinski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7751433/publications.pdf>

Version: 2024-02-01

31
papers

2,867
citations

304743

22
h-index

501196

28
g-index

32
all docs

32
docs citations

32
times ranked

4018
citing authors

#	ARTICLE	IF	CITATIONS
1	Dopaminergic imaging and clinical predictors for phenoconversion of REM sleep behaviour disorder. <i>Brain</i> , 2021, 144, 278-287.	7.6	68
2	Exploring Motion Boundaries in an End-to-End Network for Vision-based Parkinson's Severity Assessment. , 2021, , .		2
3	Temporal orienting in Parkinson's disease. <i>European Journal of Neuroscience</i> , 2021, 53, 2713-2725.	2.6	7
4	Biomarkers of conversion to α -synucleinopathy in isolated rapid-eye-movement sleep behaviour disorder. <i>Lancet Neurology</i> , The, 2021, 20, 671-684.	10.2	116
5	Continuous Real-World Gait Monitoring in Idiopathic REM Sleep Behavior Disorder. <i>Journal of Parkinson's Disease</i> , 2020, 10, 283-299.	2.8	27
6	Cohort profile: the Oxford Parkinson's Disease Centre Discovery Cohort MRI substudy (OPDC-MRI). <i>BMJ Open</i> , 2020, 10, e034110.	1.9	11
7	A Neurologist's Guide to REM Sleep Behavior Disorder. <i>Frontiers in Neurology</i> , 2020, 11, 610.	2.4	26
8	Systematic Review Looking at the Use of Technology to Measure Free-Living Symptom and Activity Outcomes in Parkinson's Disease in the Home or a Home-like Environment. <i>Journal of Parkinson's Disease</i> , 2020, 10, 429-454.	2.8	43
9	Protocol for PD SENSORS: Parkinson's Disease Symptom Evaluation in a Naturalistic Setting producing Outcome measures using SPHERE technology. An observational feasibility study of multi-modal multi-sensor technology to measure symptoms and activities of daily living in Parkinson's disease. <i>BMJ Open</i> , 2020, 10, e041303.	1.9	15
10	Impulse control disorders in Parkinson disease and RBD. <i>Neurology</i> , 2019, 93, e675-e687.	1.1	44
11	Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. <i>Brain</i> , 2019, 142, 744-759.	7.6	636
12	Exploring variability in basal ganglia connectivity with functional MRI in healthy aging. <i>Brain Imaging and Behavior</i> , 2018, 12, 1822-1827.	2.1	16
13	Mitochondrial dysfunction and increased glycolysis in prodromal and early Parkinson's blood cells. <i>Movement Disorders</i> , 2018, 33, 1580-1590.	3.9	69
14	Smartphone motor testing to distinguish idiopathic REM sleep behavior disorder, controls, and PD. <i>Neurology</i> , 2018, 91, e1528-e1538.	1.1	91
15	Personality and addictive behaviours in early Parkinson's disease and REM sleep behaviour disorder. <i>Parkinsonism and Related Disorders</i> , 2017, 37, 72-78.	2.2	27
16	Prodromal Parkinsonism and Neurodegenerative Risk Stratification in REM Sleep Behavior Disorder. <i>Sleep</i> , 2017, 40, .	1.1	138
17	The dementia-associated APOE ϵ 4 allele is not associated with rapid eye movement sleep behavior disorder. <i>Neurobiology of Aging</i> , 2017, 49, 218.e13-218.e15.	3.1	25
18	Alpha-synuclein α QuIC in the CSF of patients with alpha-synucleinopathies. <i>Annals of Clinical and Translational Neurology</i> , 2016, 3, 812-818.	3.7	388

#	ARTICLE	IF	CITATIONS
19	Basal ganglia dysfunction in idiopathic REM sleep behaviour disorder parallels that in early Parkinson's disease. <i>Brain</i> , 2016, 139, 2224-2234.	7.6	119
20	Visual short-term memory deficits in REM sleep behaviour disorder mirror those in Parkinson's disease. <i>Brain</i> , 2016, 139, 47-53.	7.6	36
21	Challenges in the reproducibility of clinical studies with resting state fMRI: An example in early Parkinson's disease. <i>NeuroImage</i> , 2016, 124, 704-713.	4.2	81
22	Modulation of hippocampal theta and hippocampal-prefrontal cortex function by a schizophrenia risk gene. <i>Human Brain Mapping</i> , 2015, 36, 2387-2395.	3.6	44
23	Delineating nonmotor symptoms in early Parkinson's disease and first-degree relatives. <i>Movement Disorders</i> , 2015, 30, 1759-1766.	3.9	54
24	Parkinson's Disease Subtypes in the Oxford Parkinson Disease Centre (OPDC) Discovery Cohort. <i>Journal of Parkinson's Disease</i> , 2015, 5, 269-279.	2.8	82
25	IMPACT & TREATMENT OF NON-MOTOR SYMPTOMS IN EARLY PARKINSON'S DISEASE. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, e4.80-e4.	1.9	0
26	Aberrant functional connectivity within the basal ganglia of patients with Parkinson's disease. <i>NeuroImage: Clinical</i> , 2015, 8, 126-132.	2.7	45
27	Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. <i>The Cochrane Library</i> , 2014, 2014, CD006504.	2.8	224
28	Functional connectivity in the basal ganglia network differentiates PD patients from controls. <i>Neurology</i> , 2014, 83, 208-214.	1.1	159
29	Predictors of cognitive impairment in an early stage Parkinson's disease cohort. <i>Movement Disorders</i> , 2014, 29, 351-359.	3.9	124
30	RESTING STATE FMRI DISCERNs EARLY PARKINSON'S FROM CONTROLS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, e4.118-e4.	1.9	0
31	REM sleep behaviour disorder is associated with worse quality of life and other non-motor features in early Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 560-566.	1.9	150