

Jeanne M Clark

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7752533/publications.pdf>

Version: 2024-02-01

269
papers

35,914
citations

8732

75
h-index

3312

184
g-index

275
all docs

275
docs citations

275
times ranked

34727
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonalcoholic fatty liver disease risk and histologic severity are associated with genetic polymorphisms in children. <i>Hepatology</i> , 2023, 77, 197-212.	3.6	8
2	Incidence of Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2023, 21, 1261-1270.	2.4	5
3	Factors Associated with Weight Loss Maintenance and Weight Regain Among African American and White Adults Initially Successful at Weight Loss. <i>Journal of Racial and Ethnic Health Disparities</i> , 2022, 9, 546-565.	1.8	4
4	Racial/ethnic and socioeconomic disparities in the use of newer diabetes medications in the Look AHEAD study. <i>The Lancet Regional Health Americas</i> , 2022, 6, 100111.	1.5	26
5	Changes in the Prevalence of Symptoms of Depression, Loneliness, and Insomnia in U.S. Older Adults With Type 2 Diabetes During the COVID-19 Pandemic: The Look AHEAD Study. <i>Diabetes Care</i> , 2022, 45, 74-82.	4.3	28
6	Association Between Change in Accelerometer-Measured and Self-Reported Physical Activity and Cardiovascular Disease in the Look AHEAD Trial. <i>Diabetes Care</i> , 2022, 45, 742-749.	4.3	10
7	Eating breakfast is associated with weight loss during an intensive lifestyle intervention for overweight/obesity. <i>Obesity</i> , 2022, 30, 378-388.	1.5	1
8	Effects of Intensive Lifestyle Intervention on All-Cause Mortality in Older Adults With Type 2 Diabetes and Overweight/Obesity: Results From the Look AHEAD Study. <i>Diabetes Care</i> , 2022, 45, 1252-1259.	4.3	23
9	Impact of COVID-19 on life experiences reported by a diverse cohort of older adults with diabetes and obesity. <i>Obesity</i> , 2022, , .	1.5	4
10	Clinical Care Among Individuals with Prediabetes in Primary Care: a Retrospective Cohort Study. <i>Journal of General Internal Medicine</i> , 2022, , 1.	1.3	3
11	Validation of the accuracy of the FAST-1 score for detecting patients with at-risk nonalcoholic steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms. <i>PLoS ONE</i> , 2022, 17, e0266859.	1.1	20
12	Adherence to Diet and Meal Timing in a Randomized Controlled Feeding Study of Time-Restricted Feeding. <i>Nutrients</i> , 2022, 14, 2283.	1.7	6
13	Electronic Health Record-Based Recruitment and Retention and Mobile Health App Usage: Multisite Cohort Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e34191.	2.1	12
14	Interaction Between Alcohol Consumption and PNPLA3 Variant in the Prevalence of Hepatic Steatosis in the US Population. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 2606-2614.e4.	2.4	7
15	What influences the "when" of eating and sleeping? A qualitative interview study. <i>Appetite</i> , 2021, 156, 104980.	1.8	7
16	Within-Trial Cost-Effectiveness of a Structured Lifestyle Intervention in Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Action for Health in Diabetes (Look AHEAD) Study. <i>Diabetes Care</i> , 2021, 44, 67-74.	4.3	10
17	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , 2021, 74, 20-30.	1.8	77
18	Increased TLR/MyD88 signaling in patients with obesity: is there a link to COVID-19 disease severity?. <i>International Journal of Obesity</i> , 2021, 45, 1152-1154.	1.6	15

#	ARTICLE	IF	CITATIONS
19	Outpatient metformin use is associated with reduced severity of COVID-19 disease in adults with overweight or obesity. <i>Journal of Medical Virology</i> , 2021, 93, 4273-4279.	2.5	41
20	Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program Outcome Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e4746-e4765.	1.8	4
21	Abstract MP14: The Effect Of Time-restricted Feeding On 24-hour Ambulatory Blood Pressure: Results From The Time-restricted Intake Of Meals (TRIM) Study. <i>Circulation</i> , 2021, 143, .	1.6	2
22	Back Cover Image, Volume 93, Number 7, July 2021. <i>Journal of Medical Virology</i> , 2021, 93, ii.	2.5	0
23	Abstract 017: Meal Intervals And Weight Trajectories In Adults Using The Daily24 Mobile Application: A Prospective Cohort Study. <i>Circulation</i> , 2021, 143, .	1.6	1
24	Exercise and Quality diet After Leukemia (The EQUAL Study): An intervention trial in the Childhood Cancer Survivor Study (CCSS).. <i>Journal of Clinical Oncology</i> , 2021, 39, 10015-10015.	0.8	0
25	Patient Recruitment Into a Multicenter Clinical Cohort Linking Electronic Health Records From 5 Health Systems: Cross-sectional Analysis. <i>Journal of Medical Internet Research</i> , 2021, 23, e24003.	2.1	12
26	Community Testing and SARS-CoV-2 Rates for Latinxs in Baltimore. <i>American Journal of Preventive Medicine</i> , 2021, 60, e281-e286.	1.6	25
27	Development of a Mobile App for Ecological Momentary Assessment of Circadian Data: Design Considerations and Usability Testing. <i>JMIR Formative Research</i> , 2021, 5, e26297.	0.7	7
28	Association between the soluble receptor for advanced glycation end products (sRAGE) and NAFLD in participants in the Atherosclerosis Risk in Communities Study. <i>Digestive and Liver Disease</i> , 2021, 53, 873-878.	0.4	2
29	Changes in mood and health-related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. <i>Obesity</i> , 2021, 29, 1294-1308.	1.5	5
30	Prospective Study of Outcomes in Adults with Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2021, 385, 1559-1569.	13.9	406
31	Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns Hopkins. <i>Translational Behavioral Medicine</i> , 2020, 10, 103-113.	1.2	4
32	Social network factors and cardiovascular health among baltimore public housing residents. <i>Preventive Medicine Reports</i> , 2020, 20, 101192.	0.8	3
33	Parents lose less weight than nonparents in an intensive lifestyle intervention. <i>Obesity Science and Practice</i> , 2020, 6, 494-506.	1.0	1
34	Feasibility and acceptability of a remotely-delivered behavioural health coaching intervention to limit gestational weight gain. <i>Obesity Science and Practice</i> , 2020, 6, 484-493.	1.0	11
35	You are What You Think Your Social Network Eats: Public Housing, Social Networks, and Fast-Food Consumption. <i>Journal of Health Care for the Poor and Underserved</i> , 2020, 31, 1712-1726.	0.4	3
36	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020, 159, 1731-1751.e10.	0.6	49

#	ARTICLE	IF	CITATIONS
37	Provider Advice and Patient Perceptions on Weight Across Five Health Systems. American Journal of Preventive Medicine, 2020, 59, e105-e114.	1.6	0
38	Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look AHEAD Randomized Clinical Trial. Obesity, 2020, 28, 1678-1686.	1.5	47
39	Nonalcoholic fatty liver disease and type 2 diabetes: a burgeoning problem with unclear solutions. Hepatobiliary Surgery and Nutrition, 2020, 9, 514-517.	0.7	2
40	Minority and low-income patients are less likely to have a scale for self-weighting in their home: A survey in primary care. Clinical Obesity, 2020, 10, e12363.	1.1	3
41	Provider Counseling About and Risk Perception for Future Chronic Disease Among Women with Gestational Diabetes and Preeclampsia. Journal of Women's Health, 2020, 29, 1168-1175.	1.5	9
42	Social Network Intervention Reduces Added Sugar Intake Among Baltimore Public Housing Residents: A Feasibility Study. Nutrition and Metabolic Insights, 2020, 13, 117863882090932.	0.8	6
43	Comparing the 5-Year Diabetes Outcomes of Sleeve Gastrectomy and Gastric Bypass. JAMA Surgery, 2020, 155, e200087.	2.2	138
44	Perspectives of pregnant and postpartum women and obstetric providers to promote healthy lifestyle in pregnancy and after delivery: a qualitative in-depth interview study. BMC Women's Health, 2020, 20, 44.	0.8	16
45	Potential for unintended consequences: The association between smoking and body mass index among public housing residents in Baltimore, MD. Preventive Medicine Reports, 2020, 18, 101081.	0.8	1
46	Evaluation of Bedside Delivery of Medications Before Discharge: Effect on 30-Day Readmission. Journal of Managed Care & Specialty Pharmacy, 2020, 26, 296-304.	0.5	1
47	Understanding the Bariatric Patient Perspective in the National Patient-Centered Clinical Research Network (PCORnet) Bariatric Study. Obesity Surgery, 2020, 30, 1837-1847.	1.1	4
48	Interventions and Operations 5 Years After Bariatric Surgery in a Cohort From the US National Patient-Centered Clinical Research Network Bariatric Study. JAMA Surgery, 2020, 155, 194.	2.2	82
49	Multicenter Validation of Association Between Decline in MRI-PDF and Histologic Response in NASH. Hepatology, 2020, 72, 1219-1229.	3.6	79
50	Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. Obesity, 2020, 28, 893-901.	1.5	24
51	Role of Commercial Weight-Loss Programs in Medical Management of Obesity. Endocrinology and Metabolism Clinics of North America, 2020, 49, 275-287.	1.2	7
52	37-OR: Racial and Socioeconomic Disparities in the Use of Newer Classes of Diabetes Medications. Diabetes, 2020, 69, .	0.3	6
53	2007-P: Weight Change and Intentionality of Weight Loss Relate to Mortality Risk in the Postintervention (Years 8-16) Phase of Look AHEAD. Diabetes, 2020, 69, .	0.3	0
54	143-OR: All-Cause Mortality over 16 Years in Look AHEAD. Diabetes, 2020, 69, .	0.3	1

#	ARTICLE	IF	CITATIONS
55	Abstract 14192: Breakfast Consumption is Associated With Weight Loss During an Intensive Lifestyle Intervention for Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Look AHEAD Trial. <i>Circulation</i> , 2020, 142, .	1.6	0
56	Changes in Gut Microbiome after Bariatric Surgery Versus Medical Weight Loss in a Pilot Randomized Trial. <i>Obesity Surgery</i> , 2019, 29, 3239-3245.	1.1	46
57	Understanding Primary Care Patients'™ Self-weighing Habits: Cohort Analysis from the PaTH Clinical Data Research Network. <i>Journal of General Internal Medicine</i> , 2019, 34, 1775-1781.	1.3	2
58	National Survey of Primary Care Physicians'™ Knowledge, Practices, and Perceptions of Prediabetes. <i>Journal of General Internal Medicine</i> , 2019, 34, 2475-2481.	1.3	37
59	Overweight/obesity among social network members has an inverse relationship with Baltimore public housing residents' BMI. <i>Preventive Medicine Reports</i> , 2019, 14, 100809.	0.8	5
60	Long-term retention in an employer-based, commercial weight-loss programme. <i>Clinical Obesity</i> , 2019, 9, e12284.	1.1	2
61	Influence of subsidies and promotional strategies on outcomes in a beneficiary-based commercial weight-loss programme. <i>Clinical Obesity</i> , 2019, 9, e12307.	1.1	1
62	Comparative Effects of Medical Versus Surgical Weight Loss on Body Composition: a Pilot Randomized Trial. <i>Obesity Surgery</i> , 2019, 29, 2503-2510.	1.1	4
63	End-of-Trial Health Outcomes in Look AHEAD Participants who Elected to have Bariatric Surgery. <i>Obesity</i> , 2019, 27, 581-590.	1.5	7
64	Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1877-1885.e5.	2.4	145
65	Relationship between resolution of non-alcoholic steatohepatitis and changes in lipoprotein sub-fractions: a post-hoc analysis of the PIVENS trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1205-1213.	1.9	24
66	Validation of the Use of Electronic Medical Records for Identification of Post-gastric Bypass Hypoglycemia Cases. <i>Obesity Surgery</i> , 2019, 29, 2126-2131.	1.1	2
67	Association of personal vehicle access with lifestyle habits and food insecurity among public housing residents. <i>Preventive Medicine Reports</i> , 2019, 13, 341-345.	0.8	9
68	Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program Outcomes Study. <i>Annals of Internal Medicine</i> , 2019, 170, 682.	2.0	92
69	A Pilot Genome-Wide Analysis Study Identifies Loci Associated With Response to Obeticholic Acid in Patients With NASH. <i>Hepatology Communications</i> , 2019, 3, 1571-1584.	2.0	16
70	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. <i>American Journal of Gastroenterology</i> , 2019, 114, 1626-1635.	0.2	65
71	389-P: Comparison of Hormonal Response to a Mixed-Meal Challenge in Individuals with Hypoglycemia after Sleeve Gastrectomy vs. Gastric Bypass. <i>Diabetes</i> , 2019, 68, 389-P.	0.3	2
72	Changes in metformin use and other antihyperglycemic therapies after insulin initiation in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 139, 221-229.	1.1	6

#	ARTICLE	IF	CITATIONS
73	The incidence and risk factors associated with developing symptoms of hypoglycemia after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 797-802.	1.0	33
74	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2018, 198, 76-83.e2.	0.9	24
75	Clinical and metabolic effects associated with weight changes and obeticholic acid in nonalcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 645-656.	1.9	54
76	Predictors of Insulin Initiation in Patients with Type 2 Diabetes: An Analysis of the Look AHEAD Randomized Trial. <i>Journal of General Internal Medicine</i> , 2018, 33, 839-846.	1.3	10
77	Team-Based Health Information Exchange Use Increased Mammography Documentation and Referral in an Academic Primary Care Practice: An Interrupted Time Series. <i>Journal of General Internal Medicine</i> , 2018, 33, 710-714.	1.3	2
78	The Role of Laboratory Testing in Differentiating Type 1 Diabetes from Type 2 Diabetes in Patients Undergoing Bariatric Surgery. <i>Obesity Surgery</i> , 2018, 28, 25-30.	1.1	10
79	Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1552-1559.	1.7	39
80	Factors associated with early dropout in an employer-based commercial weight-loss program. <i>Obesity Science and Practice</i> , 2018, 4, 545-553.	1.0	13
81	Islet autoantibody positivity in overweight and obese adults with type 2 diabetes. <i>Autoimmunity</i> , 2018, 51, 408-416.	1.2	18
82	Effects of Education and Experience on Primary Care Providers' Perspectives of Obesity Treatments during a Pragmatic Trial. <i>Obesity</i> , 2018, 26, 1532-1538.	1.5	10
83	Perceived Diet and Exercise Behaviors Among Social Network Members With Personal Lifestyle Habits of Public Housing Residents. <i>Health Education and Behavior</i> , 2018, 45, 808-816.	1.3	18
84	Access to a scale and self-weighing habits among public housing residents. <i>Clinical Obesity</i> , 2018, 8, 258-264.	1.1	3
85	Comparative Effects of Medical vs. Surgical Weight Loss on Body Composition in a Randomized Trial. <i>Diabetes</i> , 2018, 67, .	0.3	3
86	Continuous Glucose Monitoring in Patients With or Without Symptoms of Hypoglycemia after Bariatric Surgery. <i>Diabetes</i> , 2018, 67, 376-P.	0.3	0
87	Effects of visceral adipose tissue reduction on CVD risk factors independent of weight loss: The Look AHEAD study. <i>Endocrine Research</i> , 2017, 42, 86-95.	0.6	3
88	Expression of MYD88 in Adipose Tissue of Obese People: Is There Some Role in the Development of Metabolic Syndrome?. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 80-85.	0.5	5
89	Effect of a long-term intensive lifestyle intervention on prevalence of cognitive impairment. <i>Neurology</i> , 2017, 88, 2026-2035.	1.5	59
90	Effects of a long-term lifestyle modification programme on peripheral neuropathy in overweight or obese adults with type 2 diabetes: the Look AHEAD study. <i>Diabetologia</i> , 2017, 60, 980-988.	2.9	82

#	ARTICLE	IF	CITATIONS
91	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017, 187, 141-146.e1.	0.9	91
92	Commercial Programs' Online Weight Loss Claims Compared to Results from Randomized Controlled Trials. <i>Obesity</i> , 2017, 25, 1885-1893.	1.5	10
93	Survey of primary care providers' knowledge of screening for, diagnosing and managing prediabetes. <i>Journal of General Internal Medicine</i> , 2017, 32, 1172-1178.	1.3	57
94	The Effect of Intentional Weight Loss on Fracture Risk in Persons With Diabetes: Results From the Look AHEAD Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 2278-2287.	3.1	57
95	Weight regain in patients with symptoms of post-bariatric surgery hypoglycemia. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 1728-1734.	1.0	45
96	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 127-131.e2.	2.4	66
97	Implementing the Comprehensive Unit-Based Safety Program (CUSP) to Improve Patient Safety in an Academic Primary Care Practice. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2017, 43, 591-597.	0.4	10
98	Prospective Association of <i>GLUL</i> rs10911021 With Cardiovascular Morbidity and Mortality Among Individuals With Type 2 Diabetes: The Look AHEAD Study. <i>Diabetes</i> , 2016, 65, 297-302.	0.3	21
99	A systematic review of commercial weight loss programmes' effect on glycemic outcomes among overweight and obese adults with and without type 2 diabetes mellitus. <i>Obesity Reviews</i> , 2016, 17, 758-769.	3.1	13
100	Benefits of commercial weight-loss programs on blood pressure and lipids: a systematic review. <i>Preventive Medicine</i> , 2016, 90, 86-99.	1.6	20
101	Risk of post-gastric bypass surgery hypoglycemia in nondiabetic individuals: A single center experience. <i>Obesity</i> , 2016, 24, 1342-1348.	1.5	49
102	Direct comparisons of commercial weight-loss programs on weight, waist circumference, and blood pressure: a systematic review. <i>BMC Public Health</i> , 2016, 16, 460.	1.2	12
103	Increased parenchymal damage and steatohepatitis in Caucasian non-alcoholic fatty liver disease patients with common IL1B and IL6 polymorphisms. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 1253-1264.	1.9	23
104	Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>JAMA Pediatrics</i> , 2016, 170, e161971.	3.3	178
105	Guideline-concordant weight loss programs in an urban area are uncommon and difficult to identify through the internet. <i>Obesity</i> , 2016, 24, 583-588.	1.5	16
106	Association of the magnitude of weight loss and changes in physical fitness with long-term cardiovascular disease outcomes in overweight or obese people with type 2 diabetes: a post-hoc analysis of the Look AHEAD randomised clinical trial. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 913-921.	5.5	473
107	In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves Liver Enzymes but Does Not Reduce Disease Activity Scores. <i>Gastroenterology</i> , 2016, 151, 1141-1154.e9.	0.6	100
108	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016, 64, 85-91.	3.6	128

#	ARTICLE	IF	CITATIONS
109	Association of Weight Loss Maintenance and Weight Regain on 4-Year Changes in CVD Risk Factors: the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 1345-1355.	4.3	91
110	941 Birth Weight is an Important Life Stage Factor for Children With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, S1053.	0.6	0
111	Nonalcoholic fatty liver disease is associated with cognitive function in adults. <i>Neurology</i> , 2016, 86, 1136-1142.	1.5	130
112	Cardiovascular and Other Outcomes Postintervention With Insulin Glargine and Omega-3 Fatty Acids (ORIGINALE). <i>Diabetes Care</i> , 2016, 39, 709-716.	4.3	55
113	Effectiveness of an Activity Tracker- and Internet-Based Adaptive Walking Program for Adults: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e34.	2.1	92
114	Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. <i>Obesity</i> , 2015, 23, 282-285.	1.5	4
115	Perceived helpfulness of the individual components of a behavioural weight loss program: results from the Hopkins POWER Trial. <i>Obesity Science and Practice</i> , 2015, 1, 23-32.	1.0	11
116	Self-Reported Gastrointestinal Symptoms in Type 2 Diabetes Improve With an Intensive Lifestyle Intervention: Results From the Action for Health in Diabetes (Look AHEAD) Clinical Trial. <i>Clinical Diabetes</i> , 2015, 33, 181-188.	1.2	6
117	Efficacy of Commercial Weight-Loss Programs. <i>Annals of Internal Medicine</i> , 2015, 163, 399.	2.0	13
118	Role of PCP referral and weight loss in the Hopkins POWER trial. <i>Preventive Medicine Reports</i> , 2015, 2, 968-972.	0.8	5
119	Prospective association of a genetic risk score and lifestyle intervention with cardiovascular morbidity and mortality among individuals with type 2 diabetes: the Look AHEAD randomised controlled trial. <i>Diabetologia</i> , 2015, 58, 1803-1813.	2.9	24
120	Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	8.4	29
121	Prevalence and characteristics of individuals without diabetes and hypertension who underwent bariatric surgery: lessons learned about metabolically healthy obese. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 142-146.	1.0	13
122	Changes in body composition over 8 years in a randomized trial of a lifestyle intervention: The look AHEAD study. <i>Obesity</i> , 2015, 23, 565-572.	1.5	55
123	Prevalence of and risk factors for hypoglycemic symptoms after gastric bypass and sleeve gastrectomy. <i>Obesity</i> , 2015, 23, 1079-1084.	1.5	113
124	Systolic Blood Pressure Control Among Individuals With Type 2 Diabetes: A Comparative Effectiveness Analysis of Three Interventions. <i>American Journal of Hypertension</i> , 2015, 28, 995-1009.	1.0	18
125	Efficacy of Commercial Weight-Loss Programs. <i>Annals of Internal Medicine</i> , 2015, 162, 501-512.	2.0	281
126	Sex Differences Among Career Development Awardees in the Attainment of Independent Research Funding in a Department of Medicine. <i>Journal of Women's Health</i> , 2015, 24, 933-939.	1.5	17

#	ARTICLE	IF	CITATIONS
127	Through a Gender Lens: A View of Gender and Leadership Positions in a Department of Medicine. <i>Journal of Women's Health</i> , 2015, 24, 837-842.	1.5	31
128	Satisfaction with primary care provider involvement is associated with greater weight loss: Results from the practice-based POWER trial. <i>Patient Education and Counseling</i> , 2015, 98, 1099-1105.	1.0	32
129	The association of liver enzymes with biomarkers of subclinical myocardial damage and structural heart disease. <i>Journal of Hepatology</i> , 2015, 62, 841-847.	1.8	37
130	Association between serum uric acid and nonalcoholic fatty liver disease in the US population. <i>Journal of the Formosan Medical Association</i> , 2015, 114, 314-320.	0.8	54
131	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2015, 385, 956-965.	6.3	1,840
132	Effect of zinc supplementation on insulin secretion: interaction between zinc and SLC30A8 genotype in Old Order Amish. <i>Diabetologia</i> , 2015, 58, 295-303.	2.9	34
133	Aging and Physical Function in Type 2 Diabetes: 8 Years of an Intensive Lifestyle Intervention. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 345-353.	1.7	43
134	Implications of Look AHEAD for clinical trials and clinical practice. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 1183-1191.	2.2	12
135	Impact of weight loss on ankle-brachial index and interartery blood pressures. <i>Obesity</i> , 2014, 22, 1032-1041.	1.5	6
136	Prior doctor shopping resulting from differential treatment correlates with differences in current patient-provider relationships. <i>Obesity</i> , 2014, 22, 1952-1955.	1.5	16
137	Greater weight loss with increasing age in the weight loss maintenance trial. <i>Obesity</i> , 2014, 22, 39-44.	1.5	44
138	Racial differences in nonalcoholic fatty liver disease in the U.S. population. <i>Obesity</i> , 2014, 22, 292-299.	1.5	100
139	Prepregnancy body mass index and cardiovascular disease mortality: The child health and development studies. <i>Obesity</i> , 2014, 22, 1149-1156.	1.5	7
140	Effect of improved fitness beyond weight loss on cardiovascular risk factors in individuals with type 2 diabetes in the Look AHEAD study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 608-617.	0.8	38
141	Insights from the POWER Practice-Based Weight Loss Trial: A Focus Group Study on the PCP's Role in Weight Management. <i>Journal of General Internal Medicine</i> , 2014, 29, 50-58.	1.3	34
142	Utilization of Primary and Obstetric Care After Medically Complicated Pregnancies: An Analysis of Medical Claims Data. <i>Journal of General Internal Medicine</i> , 2014, 29, 636-645.	1.3	144
143	Iron Deficiency in Patients With Nonalcoholic Fatty Liver Disease Is Associated With Obesity, Female Gender, and Low Serum Hcpidin. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1170-1178.	2.4	34
144	Physical Activity and Exercise. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, S-92-S-99.	2.4	1

#	ARTICLE	IF	CITATIONS
145	Impact of an Intensive Lifestyle Intervention on Use and Cost of Medical Services Among Overweight and Obese Adults With Type 2 Diabetes: The Action for Health in Diabetes. <i>Diabetes Care</i> , 2014, 37, 2548-2556.	4.3	144
146	Changes in Adipose Tissue Depots and Metabolic Markers Following a 1-Year Diet and Exercise Intervention in Overweight and Obese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2014, 37, 3325-3332.	4.3	45
147	Effect of a long-term behavioural weight loss intervention on nephropathy in overweight or obese adults with type 2 diabetes: a secondary analysis of the Look AHEAD randomised clinical trial. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 801-809.	5.5	247
148	PaTH: towards a learning health system in the Mid-Atlantic region. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2014, 21, 633-636.	2.2	46
149	The Pharmacogenetics of Type 2 Diabetes: A Systematic Review. <i>Diabetes Care</i> , 2014, 37, 876-886.	4.3	95
150	Laboratory Testing for and Diagnosis of Nutritional Deficiencies in Pregnancy Before and After Bariatric Surgery. <i>Journal of Women's Health</i> , 2014, 23, 129-137.	1.5	29
151	Longitudinal Accuracy of Web-Based Self-Reported Weights: Results From the Hopkins POWER Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e173.	2.1	21
152	A Screening Tool to Assess and Manage Behavioral Risk in the Postoperative Bariatric Surgery Patient: The WATCH. <i>Journal of Clinical Psychology in Medical Settings</i> , 2013, 20, 456-463.	0.8	3
153	Meta-analysis: vitamin D and non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 38, 246-254.	1.9	220
154	Screening and Diagnosis of Micronutrient Deficiencies Before and After Bariatric Surgery. <i>Obesity Surgery</i> , 2013, 23, 1581-1589.	1.1	83
155	Early Response to Preventive Strategies in the Diabetes Prevention Program. <i>Journal of General Internal Medicine</i> , 2013, 28, 1629-1636.	1.3	44
156	Oral contraceptive pill use is associated with reduced odds of nonalcoholic fatty liver disease in menstruating women: results from NHANES III. <i>Journal of Gastroenterology</i> , 2013, 48, 1151-1159.	2.3	31
157	Vitamin E and changes in serum alanine aminotransferase levels in patients with nonalcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 38, 134-143.	1.9	163
158	Association Between Variants in or Near PNPLA3, GCKR, and PPP1R3B With Ultrasound-Defined Steatosis Based on Data From the Third National Health and Nutrition Examination Survey. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1183-1190.e2.	2.4	128
159	Prevalence of Nonalcoholic Fatty Liver Disease in the United States: The Third National Health and Nutrition Examination Survey, 1988-1994. <i>American Journal of Epidemiology</i> , 2013, 178, 38-45.	1.6	693
160	Elevated ALT and GGT predict all-cause mortality and hepatocellular carcinoma in Taiwanese male: a case-cohort study. <i>Hepatology International</i> , 2013, 7, 1040-1049.	1.9	29
161	Bariatric Surgery and Diabetes: Access Denied. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, S-83-S-87.	2.4	9
162	Does Bariatric Surgery Affect Urinary Incontinence?. <i>Urology</i> , 2013, 82, 547-551.	0.5	16

#	ARTICLE	IF	CITATIONS
163	Glucagonlike Peptide 1-Based Therapies and Risk of Hospitalization for Acute Pancreatitis in Type 2 Diabetes Mellitus. <i>JAMA Internal Medicine</i> , 2013, 173, 534.	2.6	347
164	The Long-term Effectiveness of a Lifestyle Intervention in Severely Obese Individuals. <i>American Journal of Medicine</i> , 2013, 126, 236-242.e2.	0.6	104
165	Cardiovascular Effects of Intensive Lifestyle Intervention in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2013, 369, 145-154.	13.9	2,294
166	Intensive Weight Loss Intervention in Older Individuals: Results from the Action for Health in Diabetes Type 2 Diabetes Mellitus Trial. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 912-922.	1.3	52
167	Impact of Bariatric Surgery on Health Care Costs of Obese Persons. <i>JAMA Surgery</i> , 2013, 148, 555.	2.2	119
168	Estimation of Fish and ω -3 Fatty Acid Intake in Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 57, 627-633.	0.9	35
169	Liver enzymes, race, gender and diabetes risk: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Diabetic Medicine</i> , 2013, 30, 926-933.	1.2	57
170	Doctor shopping by overweight and obese patients is associated with increased healthcare utilization. <i>Obesity</i> , 2013, 21, 1328-1334.	1.5	36
171	Changes in weight and health behaviors after pregnancies complicated by gestational diabetes mellitus: The CARDIA study. <i>Obesity</i> , 2013, 21, 1269-1275.	1.5	32
172	Genetic Modulation of Lipid Profiles following Lifestyle Modification or Metformin Treatment: The Diabetes Prevention Program. <i>PLoS Genetics</i> , 2012, 8, e1002895.	1.5	29
173	Body Mass Index and Colon Cancer Screening: A Systematic Review and Meta-Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 737-746.	1.1	39
174	Correlation of Vitamin E, Uric Acid, and Diet Composition With Histologic Features of Pediatric NAFLD. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 54, 90-96.	0.9	102
175	Development and Validation of a Model for Predicting Inpatient Hospitalization. <i>Medical Care</i> , 2012, 50, 131-139.	1.1	54
176	Impact of Bariatric Surgery on Health Care Utilization and Costs Among Patients With Diabetes. <i>Medical Care</i> , 2012, 50, 58-65.	1.1	29
177	Association of an Intensive Lifestyle Intervention With Remission of Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 2489.	3.8	571
178	A randomized trial of exercise for blood pressure reduction in type 2 diabetes: Effect on flow-mediated dilation and circulating biomarkers of endothelial function. <i>Atherosclerosis</i> , 2012, 224, 446-453.	0.4	41
179	From efficacy to effectiveness: lessons learned from the Practice-Based Opportunities for Weight Reduction (POWER) trial. <i>Journal of Comparative Effectiveness Research</i> , 2012, 1, 213-216.	0.6	2
180	Risk of complications after bariatric surgery among individuals with and without type 2 diabetes mellitus. <i>Surgery for Obesity and Related Diseases</i> , 2012, 8, 305-330.	1.0	15

#	ARTICLE	IF	CITATIONS
181	nâ€“3 Fatty Acids and Cardiovascular Outcomes in Patients with Dysglycemia. <i>New England Journal of Medicine</i> , 2012, 367, 309-318.	13.9	810
182	Lower serum hepcidin and greater parenchymal iron in nonalcoholic fatty liver disease patients with C282Y<i>HFE</i> mutations. <i>Hepatology</i> , 2012, 56, 1730-1740.	3.6	44
183	Primary care providersâ€™ communication with patients during weight counseling: A focus group study. <i>Patient Education and Counseling</i> , 2012, 89, 152-157.	1.0	34
184	Effect of Exercise on Blood Pressure in Type 2 Diabetes: A Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2012, 27, 1453-1459.	1.3	48
185	Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. <i>Hepatology</i> , 2012, 56, 952-960.	3.6	150
186	Clinical Outcomes after Bariatric Surgery: A Five-Year Matched Cohort Analysis in Seven US States. <i>Obesity Surgery</i> , 2012, 22, 749-763.	1.1	44
187	Sociodemographic Trends in Bariatric Surgery Utilization in the USA. <i>Obesity Surgery</i> , 2012, 22, 838-842.	1.1	23
188	Abstract P009: The Association of Liver Enzymes with Subclinical Myocardial Damage. <i>Circulation</i> , 2012, 125, .	1.6	0
189	Barriers to and Facilitators of Postpartum Follow-Up Care in Women with Recent Gestational Diabetes Mellitus: A Qualitative Study. <i>Journal of Women's Health</i> , 2011, 20, 239-245.	1.5	145
190	Fourâ€“Year Weight Losses in the Look AHEAD Study: Factors Associated With Longâ€“Term Success. <i>Obesity</i> , 2011, 19, 1987-1998.	1.5	356
191	PSY47 WILLINGNESS TO PAY (WTP) FOR WEIGHT LOSS COACHING: RESULTS FROM THE POWER TRIAL. <i>Value in Health</i> , 2011, 14, A67-A68.	0.1	1
192	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011, 43, 1131-1138.	9.4	501
193	Hemochromatosis gene and nonalcoholic fatty liver disease: A systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2011, 55, 1079-1085.	1.8	31
194	Genome-Wide Association Analysis Identifies Variants Associated with Nonalcoholic Fatty Liver Disease That Have Distinct Effects on Metabolic Traits. <i>PLoS Genetics</i> , 2011, 7, e1001324.	1.5	796
195	The Impact of Obesity on Breast Surgery Complications. <i>Plastic and Reconstructive Surgery</i> , 2011, 128, 395e-402e.	0.7	123
196	Morbidity Trajectories as Predictors of Utilization. <i>Medical Care</i> , 2011, 49, 918-923.	1.1	19
197	Surgical Site Infections and Cost in Obese Patients Undergoing Colorectal Surgery. <i>Archives of Surgery</i> , 2011, 146, 1068.	2.3	144
198	Nonalcoholic fatty liver disease across ethnoâ€“racial groups: Do Asianâ€“American adults represent a new atâ€“risk population?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 501-509.	1.4	25

#	ARTICLE	IF	CITATIONS
199	The Long-Term Risk of Venous Thromboembolism Following Bariatric Surgery. <i>Obesity Surgery</i> , 2011, 21, 1371-1376.	1.1	60
200	Diagnostic accuracy and reliability of ultrasonography for the detection of fatty liver: A meta-analysis. <i>Hepatology</i> , 2011, 54, 1082-1090.	3.6	1,128
201	Non-alcoholic fatty liver disease and mortality among US adults: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 343, d6891-d6891.	2.4	314
202	Comparative Effectiveness of Weight-Loss Interventions in Clinical Practice. <i>New England Journal of Medicine</i> , 2011, 365, 1959-1968.	13.9	666
203	Does Genetic Ancestry Explain Higher Values of Glycated Hemoglobin in African Americans?. <i>Diabetes</i> , 2011, 60, 2434-2438.	0.3	41
204	Effect of Vitamin E or Metformin for Treatment of Nonalcoholic Fatty Liver Disease in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1659.	3.8	926
205	The association of arterial shear and flow-mediated dilation in diabetes. <i>Vascular Medicine</i> , 2011, 16, 267-274.	0.8	17
206	Low Glycated Hemoglobin and Liver Disease in the U.S. Population. <i>Diabetes Care</i> , 2011, 34, 2548-2550.	4.3	27
207	Physical Activity Recommendations, Exercise Intensity, and Histological Severity of Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2011, 106, 460-468.	0.2	346
208	Impact of Bariatric Surgery on Hypertensive Disorders in Pregnancy: Retrospective Analysis of Insurance Claims Data. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 615-616.	0.2	0
209	Effect Of A 6-month Exercise Intervention On Flow-mediated Dilation And Endothelial Biomarkers In Adults With Type 2 Diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 649.	0.2	0
210	Impact of bariatric surgery on hypertensive disorders in pregnancy: retrospective analysis of insurance claims data. <i>BMJ: British Medical Journal</i> , 2010, 340, c1662-c1662.	2.4	84
211	Reduced Incidence of Gestational Diabetes with Bariatric Surgery. <i>Journal of the American College of Surgeons</i> , 2010, 211, 169-175.	0.2	72
212	Clinical, laboratory and histological associations in adults with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 52, 913-924.	3.6	397
213	Trends in and Patterns of Obesity Reduction Medication Use in an Insured Cohort. <i>Obesity</i> , 2010, 18, 206-209.	1.5	12
214	Effects of Metformin and Weight Loss on Serum Alanine Aminotransferase Activity in the Diabetes Prevention Program. <i>Obesity</i> , 2010, 18, 1762-1767.	1.5	51
215	Disparity in Physician Perception of Patients' Adherence to Medications by Obesity Status. <i>Obesity</i> , 2010, 18, 1932-1937.	1.5	75
216	Variation in Provider Identification of Obesity by Individual- and Neighborhood-Level Characteristics among an Insured Population. <i>Journal of Obesity</i> , 2010, 2010, 1-7.	1.1	1

#	ARTICLE	IF	CITATIONS
217	Measurement of Weight in Clinical Trials: Is One Day Enough?. <i>Journal of Obesity</i> , 2010, 2010, 1-3.	1.1	1
218	Medication Utilization and Annual Health Care Costs in Patients With Type 2 Diabetes Mellitus Before and After Bariatric Surgery. <i>Archives of Surgery</i> , 2010, 145, 726.	2.3	93
219	Independent but coordinated trials: insights from the Practice-based Opportunities for Weight Reduction Trials Collaborative Research Group. <i>Clinical Trials</i> , 2010, 7, 322-332.	0.7	28
220	Long-term Effects of a Lifestyle Intervention on Weight and Cardiovascular Risk Factors in Individuals With Type 2 Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2010, 170, 1566-75.	4.3	764
221	Development of a Claims-Based Risk Score to Identify Obese Individuals. <i>Population Health Management</i> , 2010, 13, 201-207.	0.8	7
222	Treatment of nonalcoholic fatty liver disease in children: TONIC trial design. <i>Contemporary Clinical Trials</i> , 2010, 31, 62-70.	0.8	73
223	Pioglitazone, Vitamin E, or Placebo for Nonalcoholic Steatohepatitis. <i>New England Journal of Medicine</i> , 2010, 362, 1675-1685.	13.9	2,718
224	Effect of a 12-Month Intensive Lifestyle Intervention on Hepatic Steatosis in Adults With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2156-2163.	4.3	313
225	The Associations of Diabetes with Digestive, Oral, and Liver Disease, and Autonomic Neuropathy. , 2010, , 247-266.		0
226	Obstructive Sleep Apnea, Insulin Resistance, and Steatohepatitis in Severe Obesity. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 179, 228-234.	2.5	184
227	Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): A histologic marker of advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009, 49, 809-820.	3.6	335
228	Quality of life in adults with nonalcoholic fatty liver disease: Baseline data from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009, 49, 1904-1912.	3.6	133
229	Obesity and Mammography: A Systematic Review and Meta-Analysis. <i>Journal of General Internal Medicine</i> , 2009, 24, 665-677.	1.3	119
230	Physician Respect for Patients with Obesity. <i>Journal of General Internal Medicine</i> , 2009, 24, 1236-1239.	1.3	136
231	Prompt Reduction in Use of Medications for Comorbid Conditions After Bariatric Surgery. <i>Obesity Surgery</i> , 2009, 19, 1646-1656.	1.1	94
232	The Association of Obesity and Cervical Cancer Screening: A Systematic Review and Meta-analysis. <i>Obesity</i> , 2009, 17, 375-381.	1.5	137
233	Can imaging modalities diagnose and stage hepatic fibrosis and cirrhosis accurately?. <i>Journal of Hepatology</i> , 2009, 50, 17-35.	1.8	177
234	Comparison of Noninvasive Markers of Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1104-1112.	2.4	1,065

#	ARTICLE	IF	CITATIONS
235	10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. <i>Lancet, The</i> , 2009, 374, 1677-1686.	6.3	2,501
236	Effect of Gastric Bypass Surgery on Kidney Stone Disease. <i>Journal of Urology</i> , 2009, 181, 2573-2577.	0.2	139
237	Quantitative comparison and evaluation of software packages for assessment of abdominal adipose tissue distribution by magnetic resonance imaging. <i>International Journal of Obesity</i> , 2008, 32, 100-111.	1.6	75
238	Hepatic fat and adenosine triphosphate measurement in overweight and obese adults using ¹ H and ³¹ P magnetic resonance spectroscopy. <i>Liver International</i> , 2008, 28, 675-681.	1.9	12
239	Suboptimal control of glycemia, blood pressure, and LDL cholesterol in overweight adults with diabetes: the Look AHEAD Study. <i>Journal of Diabetes and Its Complications</i> , 2008, 22, 1-9.	1.2	71
240	Measurement characteristics of the ankle-brachial index: results from the Action for Health in Diabetes study. <i>Vascular Medicine</i> , 2008, 13, 225-233.	0.8	17
241	Weight Loss Strategies Associated With BMI in Overweight Adults With Type 2 Diabetes at Entry Into the Look AHEAD (Action for Health in Diabetes) Trial. <i>Diabetes Care</i> , 2008, 31, 1299-1304.	4.3	42
242	The Epidemiology of Nonalcoholic Fatty Liver Disease: A Global Perspective. <i>Seminars in Liver Disease</i> , 2008, 28, 339-350.	1.8	624
243	Brief Communication: Clinical Implications of Short-Term Variability in Liver Function Test Results. <i>Annals of Internal Medicine</i> , 2008, 148, 348.	2.0	121
244	The Effect of a Probiotic on Hepatic Steatosis. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 1117-1119.	1.1	49
245	Drawing Conclusions about Short-Term Variability in Liver Function Test Results. <i>Annals of Internal Medicine</i> , 2008, 149, 145.	2.0	0
246	Reduction in Weight and Cardiovascular Disease Risk Factors in Individuals With Type 2 Diabetes: One-year results of the Look AHEAD trial. <i>Diabetes Care</i> , 2007, 30, 1374-1383.	4.3	1,369
247	A Prospective Study of Plasma Ferritin Level and Incident Diabetes: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , 2007, 165, 1047-1054.	1.6	110
248	Lifetime Weight Patterns in Male Physicians: The Effects of Cohort and Selective Survival*. <i>Obesity</i> , 2006, 14, 902-908.	1.5	13
249	Commentary: Coming to America: The Integration of International Medical Graduates into the American Medical Culture. <i>Academic Medicine</i> , 2006, 81, 176-178.	0.8	43
250	A National Collaboration to Disseminate Skills for Outpatient Teaching in Internal Medicine: Program Description and Preliminary Evaluation. <i>Academic Medicine</i> , 2006, 81, 193-202.	0.8	12
251	The epidemiology of nonalcoholic fatty liver disease in adults. <i>Journal of Clinical Gastroenterology</i> , 2006, 40 Suppl 1, S5-10.	1.1	369
252	Weight loss as a treatment for nonalcoholic fatty liver disease. <i>Journal of Clinical Gastroenterology</i> , 2006, 40 Suppl 1, S39-43.	1.1	45

#	ARTICLE	IF	CITATIONS
253	Hepatic 31P magnetic resonance spectroscopy: a hepatologist's user guide. <i>Liver International</i> , 2005, 25, 490-500.	1.9	43
254	Roux-en-Y Gastric Bypass Improves Liver Histology in Patients with Non-Alcoholic Fatty Liver Disease. <i>Obesity</i> , 2005, 13, 1180-1186.	4.0	166
255	Racial and Socioeconomic Differences in the Weight-Loss Experiences of Obese Women. <i>American Journal of Public Health</i> , 2005, 95, 1539-1543.	1.5	68
256	Race and comorbid factors predict nonalcoholic fatty liver disease histopathology in severely obese patients. <i>Surgery for Obesity and Related Diseases</i> , 2005, 1, 6-11.	1.0	47
257	Serum Ferritin and Risk of the Metabolic Syndrome in U.S. Adults. <i>Diabetes Care</i> , 2004, 27, 2422-2428.	4.3	363
258	Teaching the teachers. <i>Journal of General Internal Medicine</i> , 2004, 19, 205-214.	1.3	105
259	Faculty development needs. <i>Journal of General Internal Medicine</i> , 2004, 19, 375-379.	1.3	28
260	Outcomes of a national faculty development program in teaching skills. <i>Journal of General Internal Medicine</i> , 2004, 19, 1220-1227.	1.3	28
261	Negative trials in nonalcoholic steatohepatitis: Why they happen and what they teach us. <i>Hepatology</i> , 2004, 39, 602-603.	3.6	22
262	Nonalcoholic Fatty Liver Disease. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 3000.	3.8	353
263	The prevalence and etiology of elevated aminotransferase levels in the United States. <i>American Journal of Gastroenterology</i> , 2003, 98, 960-967.	0.2	1,164
264	Prevalence and Correlates of Obesity in a Community Sample of Individuals with Severe and Persistent Mental Illness. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 799-805.	0.5	91
265	Factors associated with palliative care knowledge among internal medicine house staff. <i>Journal of Palliative Care</i> , 2003, 19, 253-7.	0.4	6
266	Nonalcoholic fatty liver disease. <i>Gastroenterology</i> , 2002, 122, 1649-1657.	0.6	801
267	Hepatic steatosis and type 2 diabetes mellitus. <i>Current Diabetes Reports</i> , 2002, 2, 210-215.	1.7	97
268	The challenge of obesity-related chronic diseases. <i>Journal of General Internal Medicine</i> , 2000, 15, 828-829.	1.3	27
269	GDF15 and Cortisol Response to Meal Tolerance Test in Post-Sleeve Gastrectomy Patients with Weight Regain. <i>Obesity Surgery</i> , 0, , .	1.1	0