

Steff C Lewis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7760258/publications.pdf>

Version: 2024-02-01

96
papers

7,056
citations

76196

40
h-index

58464

82
g-index

98
all docs

98
docs citations

98
times ranked

9760
citing authors

#	ARTICLE	IF	CITATIONS
1	Core Outcome Measures for Palliative and End-of-Life Research After Severe Stroke: Mixed-Method Delphi Study. <i>Stroke</i> , 2021, 52, 3507-3513.	1.0	5
2	Early computed tomography coronary angiography in patients with suspected acute coronary syndrome: randomised controlled trial. <i>BMJ</i> , The, 2021, 374, n2106.	3.0	47
3	Effects of Antiplatelet Therapy After Stroke Caused by Intracerebral Hemorrhage. <i>JAMA Neurology</i> , 2021, 78, 1179.	4.5	25
4	Effects of oral anticoagulation for atrial fibrillation after spontaneous intracranial haemorrhage in the UK: a randomised, open-label, assessor-masked, pilot-phase, non-inferiority trial. <i>Lancet Neurology</i> , The, 2021, 20, 842-853.	4.9	44
5	Ticagrelor to Reduce Myocardial Injury in Patients With High-Risk Coronary Artery Plaque. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 1549-1560.	2.3	26
6	Sex associations and computed tomography coronary angiography-guided management in patients with stable chest pain. <i>European Heart Journal</i> , 2020, 41, 1337-1345.	1.0	28
7	Update to the FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical analysis plan for the trials and for the individual patient data meta-analysis. <i>Trials</i> , 2020, 21, 971.	0.7	2
8	Defining high probability when making a diagnosis of asthma in primary care: mixed-methods consensus workshop. <i>BMJ Open</i> , 2020, 10, e034559.	0.8	7
9	Characteristics of Early Paget's Disease in <i>SQSTM1</i> Mutation Carriers: Baseline Analysis of the <i>ZIPP</i> Study Cohort. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 1246-1252.	3.1	12
10	Study protocol for POSITIF, a randomised multicentre feasibility trial of a brief cognitive-behavioural intervention plus information versus information alone for the treatment of post-stroke fatigue. <i>Pilot and Feasibility Studies</i> , 2020, 6, 84.	0.5	4
11	Fluoxetine to improve functional outcomes in patients after acute stroke: the FOCUS RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-94.	1.3	10
12	Protocol for the derivation and validation of a clinical prediction model to support the diagnosis of asthma in children and young people in primary care. <i>Wellcome Open Research</i> , 2020, 5, 50.	0.9	5
13	Fluoxetine and Fractures After Stroke. <i>Stroke</i> , 2019, 50, 3280-3282.	1.0	5
14	Systematic review of clinical prediction models to support the diagnosis of asthma in primary care. <i>Npj Primary Care Respiratory Medicine</i> , 2019, 29, 19.	1.1	22
15	Rationale and design of the randomized, controlled Early Valve Replacement Guided by Biomarkers of Left Ventricular Decompensation in Asymptomatic Patients with Severe Aortic Stenosis (EVOLVED) trial. <i>American Heart Journal</i> , 2019, 212, 91-100.	1.2	74
16	Zoledronate in the prevention of Paget's (ZIPP): protocol for a randomised trial of genetic testing and targeted zoledronic acid therapy to prevent <i>SQSTM1</i> -mediated Paget's disease of bone. <i>BMJ Open</i> , 2019, 9, e030689.	0.8	15
17	Associations of Perioperative Variables With the 30-Day Risk of Stroke or Death in Carotid Endarterectomy for Symptomatic Carotid Stenosis. <i>Stroke</i> , 2019, 50, 3439-3448.	1.0	24
18	Penumbra imaging and functional outcome in patients with anterior circulation ischaemic stroke treated with endovascular thrombectomy versus medical therapy: a meta-analysis of individual patient-level data. <i>Lancet Neurology</i> , The, 2019, 18, 46-55.	4.9	276

#	ARTICLE	IF	CITATIONS
19	12â€¦Precision imaging of coronary atherosclerotic microcalcification using 18F-fluoride. , 2018, , .		0
20	Statistical Analysis Plans for Clinical Trialsâ€™Reply. JAMA - Journal of the American Medical Association, 2018, 319, 1938.	3.8	0
21	Data sharing in clinical trials â€™ practical guidance on anonymising trial datasets. Trials, 2018, 19, 25.	0.7	36
22	Measuring the Association Between Body Mass Index and All-Cause Mortality in the Presence of Missing Data: Analyses From the Scottish National Diabetes Register. American Journal of Epidemiology, 2017, 185, 641-649.	1.6	15
23	Guidelines for the Content of Statistical Analysis Plans in Clinical Trials. JAMA - Journal of the American Medical Association, 2017, 318, 2337.	3.8	290
24	A cohort examination to establish reporting of the remit and function of Trial Steering Committees in randomised controlled trials. Trials, 2017, 18, 590.	0.7	1
25	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical and health economic analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2017, 18, 627.	0.7	23
26	A randomised, double-blind, parallel-group trial to assess mercaptopurine versus placebo to prevent or delay recurrence of Crohnâ€™s disease following surgical resection (TOPPIC). Efficacy and Mechanism Evaluation, 2017, 4, 1-60.	0.9	4
27	Gabapentin for the Management of Chronic Pelvic Pain in Women (GaPP1): A Pilot Randomised Controlled Trial. PLoS ONE, 2016, 11, e0153037.	1.1	44
28	Systemic inflammation after critical illness: relationship with physical recovery and exploration of potential mechanisms. Thorax, 2016, 71, 820-829.	2.7	52
29	Mercaptopurine versus placebo to prevent recurrence of Crohn's disease after surgical resection (TOPPIC): a multicentre, double-blind, randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2016, 1, 273-282.	3.7	91
30	The RAPID-CTCA trial (Rapid Assessment of Potential Ischaemic Heart Disease with CTCA) â€™ a multicentre parallel-group randomised trial to compare early computerised tomography coronary angiography versus standard care in patients presenting with suspected or confirmed acute coronary syndrome: study protocol for a randomised controlled trial. Trials, 2016, 17, 579.	0.7	27
31	Persistent inflammation and recovery after intensive care: A systematic review. Journal of Critical Care, 2016, 33, 192-199.	1.0	18
32	Exploring the role and function of trial steering committees: results of an expert panel meeting. Trials, 2015, 16, 597.	0.7	23
33	Observer variability in the assessment of CT coronary angiography and coronary artery calcium score: substudy of the Scottish Computed Tomography of the HEART (SCOT-HEART) trial. Open Heart, 2015, 2, e000234.	0.9	35
34	Trial Steering Committees in randomised controlled trials: A survey of registered clinical trials units to establish current practice and experiences. Clinical Trials, 2015, 12, 664-676.	0.7	24
35	Alteplase for Acute Ischemic Stroke. Stroke, 2015, 46, 746-756.	1.0	74
36	Oxygen saturation targets in infants with bronchiolitis (BIDS): a double-blind, randomised, equivalence trial. Lancet, The, 2015, 386, 1041-1048.	6.3	134

#	ARTICLE	IF	CITATIONS
37	Bronchiolitis of Infancy Discharge Study (BIDS): a multicentre, parallel-group, double-blind, randomised controlled, equivalence trial with economic evaluation. Health Technology Assessment, 2015, 19, 1-172.	1.3	30
38	Quantitative Serial MRI of the Treated Fibroid Uterus. PLoS ONE, 2014, 9, e89809.	1.1	6
39	Reduction of adverse effects from intravenous acetylcysteine treatment for paracetamol poisoning: a randomised controlled trial. Lancet, The, 2014, 383, 697-704.	6.3	172
40	Telemonitoring in the Management of High Blood Pressure. Current Pharmaceutical Design, 2014, 21, 823-827.	0.9	9
41	Scottish and Newcastle Antiemetic Pre-treatment for paracetamol poisoning study (SNAP). BMC Pharmacology & Toxicology, 2013, 14, 20.	1.0	32
42	Meta-analysis and The Cochrane Collaboration: 20 Years of the Cochrane Statistical Methods Group. Systematic Reviews, 2013, 2, 80.	2.5	21
43	Telemonitoring-based service redesign for the management of uncontrolled hypertension (HITS): cost and cost-effectiveness analysis of a randomised controlled trial. BMJ Open, 2013, 3, e002681.	0.8	56
44	Telemonitoring based service redesign for the management of uncontrolled hypertension: multicentre randomised controlled trial. BMJ, The, 2013, 346, f3030-f3030.	3.0	146
45	Restrictive Versus Liberal Transfusion Strategies for Older Mechanically Ventilated Critically Ill Patients. Critical Care Medicine, 2013, 41, 2354-2363.	0.4	109
46	A tool to assess the quality of a meta-analysis. Research Synthesis Methods, 2013, 4, 351-366.	4.2	64
47	Methodological quality of meta-analyses: matched-pairs comparison over time and between industry-sponsored and academic-sponsored reports. Research Synthesis Methods, 2013, 4, 342-350.	4.2	9
48	GaPP: a pilot randomised controlled trial of the efficacy of action of gabapentin for the management of chronic pelvic pain in women: study protocol: Figure 1. BMJ Open, 2012, 2, e001297.	0.8	11
49	The benefits and harms of intravenous thrombolysis with recombinant tissue plasminogen activator within 6 h of acute ischaemic stroke (the third international stroke trial [IST-3]): a randomised controlled trial. Lancet, The, 2012, 379, 2352-2363.	6.3	1,018
50	A randomised controlled trial evaluating a rehabilitation complex intervention for patients following intensive care discharge: the RECOVER study. BMJ Open, 2012, 2, e001475.	0.8	24
51	Graphics for Meta-Analysis. , 2012, , 295-308.		1
52	Making asthma exacerbations routine: Infrequent outcomes in common conditions through routine data collection. Journal of Allergy and Clinical Immunology, 2012, 130, 1325-1326.	1.5	0
53	Role of multidetector computed tomography in the diagnosis and management of patients attending the rapid access chest pain clinic, The Scottish computed tomography of the heart (SCOT-HEART) trial: study protocol for randomized controlled trial. Trials, 2012, 13, 184.	0.7	52
54	Oral Health Care for Patients After Stroke. Stroke, 2011, 42, .	1.0	2

#	ARTICLE	IF	CITATIONS
55	Association of Circulating Inflammatory Markers With Recurrent Vascular Events After Stroke. <i>Stroke</i> , 2011, 42, 10-16.	1.0	77
56	Fatigue after Stroke: Baseline Predictors and Influence on Survival. Analysis of Data from UK Patients Recruited in the International Stroke Trial. <i>PLoS ONE</i> , 2011, 6, e16988.	1.1	84
57	Genetic Effects on Carotid Intima-Media Thickness. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 15-21.	5.1	40
58	Causes of Death by Level of Dependency at 6 Months After Ischemic Stroke in 3 Large Cohorts. <i>Stroke</i> , 2009, 40, 1585-1589.	1.0	50
59	Differences Between Ischemic Stroke Subtypes in Vascular Outcomes Support a Distinct Lacunar Ischemic Stroke Arteriopathy. <i>Stroke</i> , 2009, 40, 3679-3684.	1.0	58
60	Inflammatory Markers and Poor Outcome after Stroke: A Prospective Cohort Study and Systematic Review of Interleukin-6. <i>PLoS Medicine</i> , 2009, 6, e1000145.	3.9	223
61	Anaesthetic techniques for carotid surgery – Authors' reply. <i>Lancet, The</i> , 2009, 373, 807-808.	6.3	3
62	Oxfordshire Community Stroke Project Clinical Stroke Syndrome and Appearances of Tissue and Vascular Lesions on Pretreatment CT in Hyperacute Ischemic Stroke Among the First 510 Patients in the Third International Stroke Trial (IST-3). <i>Stroke</i> , 2009, 40, 743-748.	1.0	31
63	GALA: an international multicentre randomised trial comparing general anaesthesia versus local anaesthesia for carotid surgery. <i>Trials</i> , 2008, 9, 28.	0.7	36
64	The third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke. <i>Trials</i> , 2008, 9, 37.	0.7	86
65	Is Heparin Reversal with Protamine after Carotid Endarterectomy Dangerous?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008, 36, 41-44.	0.8	42
66	General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2008, 372, 2132-2142.	6.3	514
67	Impact of functional status at six months on long term survival in patients with ischaemic stroke: prospective cohort studies. <i>BMJ: British Medical Journal</i> , 2008, 336, 376-379.	2.4	154
68	Association Between Apolipoprotein E Genotype and Carotid Intima-Media Thickness May Suggest a Specific Effect on Large Artery Atherothrombotic Stroke. <i>Stroke</i> , 2008, 39, 48-54.	1.0	56
69	Predicting outcome in hyper-acute stroke: validation of a prognostic model in the Third International Stroke Trial (IST3). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 397-400.	0.9	37
70	Improving Oral Hygiene in Patients After Stroke. <i>Stroke</i> , 2007, 38, 1115-1116.	1.0	9
71	Regression analysis. <i>Practical Neurology</i> , 2007, 7, 259-264.	0.5	20
72	Re sodium cromoglicate: an ineffective drug or meta-analysis misused?. <i>Pharmaceutical Statistics</i> , 2007, 6, 139-140.	0.7	0

#	ARTICLE	IF	CITATIONS
73	Staff-led interventions for improving oral hygiene in patients following stroke. The Cochrane Library, 2006, , CD003864.	1.5	42
74	Previous Use of Aspirin and Baseline Stroke Severity. Stroke, 2006, 37, 1737-1740.	1.0	42
75	Sex-Based Differences in the Effect of Intra-Arterial Treatment of Stroke. Stroke, 2006, 37, 2198-2198.	1.0	4
76	Response to Letter by Sanossian et al. Stroke, 2006, 37, 2661-2661.	1.0	0
77	Senior physicians's estimates of the likely effects of feeding policies on outcomes prior to the completion of the FOOD trials. Age and Ageing, 2006, 35, 185-187.	0.7	1
78	Impact of Stroke Syndrome and Stroke Severity on the Process of Consent in the Third International Stroke Trial. Cerebrovascular Diseases, 2006, 21, 348-352.	0.8	34
79	Systematic review of misdiagnosis of conversion symptoms and "hysteria". BMJ: British Medical Journal, 2005, 331, 989.	2.4	271
80	Carotid stenosis measurement on colour Doppler ultrasound: Agreement of ECST, NASCET and CCA methods applied to ultrasound with intra-arterial angiographic stenosis measurement. European Journal of Radiology, 2005, 56, 205-211.	1.2	40
81	Immediate Computed Tomography Scanning of Acute Stroke Is Cost-Effective and Improves Quality of Life. Stroke, 2004, 35, 2477-2483.	1.0	135
82	Cost-Effectiveness of Thrombolysis With Recombinant Tissue Plasminogen Activator for Acute Ischemic Stroke Assessed by a Model Based on UK NHS Costs. Stroke, 2004, 35, 1490-1497.	1.0	109
83	Performance of a Statistical Model to Predict Stroke Outcome in the Context of a Large, Simple, Randomized, Controlled Trial of Feeding. Stroke, 2003, 34, 127-133.	1.0	42
84	What should we say to patients with symptoms unexplained by disease? The "number needed to offend". BMJ: British Medical Journal, 2002, 325, 1449-1450.	2.4	242
85	Observer Agreement in the Angiographic Assessment of Arteriovenous Malformations of the Brain. Stroke, 2002, 33, 1501-1508.	1.0	49
86	Dose-response relationships between individual nonaspirin nonsteroidal anti-inflammatory drugs (NANSAIDs) and serious upper gastrointestinal bleeding: a meta-analysis based on individual patient data. British Journal of Clinical Pharmacology, 2002, 54, 320-326.	1.1	199
87	Thrombolysis for acute ischemic stroke: still a treatment for the few by the few. Western Journal of Medicine, 2002, 176, 198-199.	0.3	25
88	Prediction of outcome after stroke. Lancet, The, 2001, 358, 1553.	6.3	7
89	Forest plots: trying to see the wood and the trees. BMJ: British Medical Journal, 2001, 322, 1479-1480.	2.4	575
90	Negative Attitudes Among Short-Term Stroke Survivors Predict Worse Long-Term Survival. Stroke, 2001, 32, 1640-1645.	1.0	68

#	ARTICLE	IF	CITATIONS
91	Variations Between Countries in Outcome After Stroke in the International Stroke Trial (IST). Stroke, 2001, 32, 1370-1377.	1.0	69
92	Surgeon experience. Lancet, The, 2000, 355, 932.	6.3	0
93	Combination therapy for HIV; the effect on inpatient activity, morbidity and mortality of a cohort of patients. International Journal of STD and AIDS, 1998, 9, 80-87.	0.5	32
94	Is Visible Infarction on Computed Tomography Associated With an Adverse Prognosis in Acute Ischemic Stroke?. Stroke, 1998, 29, 1315-1319.	1.0	76
95	Attitude survey of adverse drug-reaction reporting by health care professionals across the European Union. European Journal of Clinical Pharmacology, 1997, 52, 423-427.	0.8	176
96	Randomised Controlled Trial of Early CT Coronary Angiography in Patients With Suspected Acute Coronary Syndrome. SSRN Electronic Journal, 0, , .	0.4	1