

Zhiming Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/776281/publications.pdf>

Version: 2024-02-01

46
papers

1,696
citations

471509

17
h-index

345221

36
g-index

49
all docs

49
docs citations

49
times ranked

1810
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Characteristics Predict Recurrence in Borderline Ovarian Tumor Patients with Fertility-Preserving Surgery. <i>International Journal of General Medicine</i> , 2022, Volume 15, 2197-2206.	1.8	1
2	A comprehensive analysis of FOX family in HCC and experimental evidence to support the oncogenic role of FOXH1. <i>Aging</i> , 2022, 14, 2268-2286.	3.1	1
3	Prognostic Nutritional Index and Systemic Immune-Inflammation Index Predict the Prognosis of Patients with HCC. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 421-427.	1.7	94
4	Camrelizumab in Combination with Apatinib in Patients with Advanced Hepatocellular Carcinoma (RESCUE): A Nonrandomized, Open-label, Phase II Trial. <i>Clinical Cancer Research</i> , 2021, 27, 1003-1011.	7.0	334
5	Androgen receptor (AR) decreases HCC cells migration and invasion via miR-325/ACP5 signaling. <i>Journal of Cancer</i> , 2021, 12, 1915-1925.	2.5	8
6	Update on overall survival (OS) of RESCUE: An open-label, phase 2 trial of camrelizumab (C) in combination with apatinib (A) in patients with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 4076-4076.	1.6	7
7	Testicular orphan receptor 4 (TR4) promotes papillary thyroid cancer invasion via activating circ-FNLA/miR-149-5p/MMP9 signaling. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 24, 755-767.	5.1	15
8	Comprehensive Analyses of the Infiltrating Immune Cell Landscape and Its Clinical Significance in Hepatocellular Carcinoma. <i>International Journal of General Medicine</i> , 2021, Volume 14, 4695-4704.	1.8	7
9	Combination of Sorafenib, Camrelizumab, Transcatheter Arterial Chemoembolization, and Stereotactic Body Radiation Therapy as a Novel Downstaging Strategy in Advanced Hepatocellular Carcinoma With Portal Vein Tumor Thrombus: A Case Series Study. <i>Frontiers in Oncology</i> , 2021, 11, 650394.	2.8	16
10	A Bibliometric Analysis of 8,276 Publications During the Past 25 Years on Cholangiocarcinoma by Machine Learning. <i>Frontiers in Oncology</i> , 2021, 11, 687904.	2.8	11
11	BTB/POZ domain-containing protein 7/hypoxia-inducible factor 1 alpha signalling axis modulates hepatocellular carcinoma metastasis. <i>Clinical and Translational Medicine</i> , 2021, 11, e556.	4.0	3
12	Four Surgical Strategies for the Treatment of Cesarean Scar Defect: A Systematic Review and Network Meta-analysis. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 593-602.	0.6	17
13	Snip-electrocoagulation technique versus clamp-crushing technique for parenchyma transection in liver resection: a pilot study. <i>Annals of Translational Medicine</i> , 2020, 8, 744-744.	1.7	0
14	Mining Database for the Expression and Clinical Significance of NF- κ B Family in Hepatocellular Carcinoma. <i>Journal of Oncology</i> , 2020, 2020, 1-13.	1.3	4
15	Clinical Significance, Cellular Function, and Potential Molecular Pathways of CCT7 in Endometrial Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 1468.	2.8	8
16	œLiver parenchyma dissecting-first method facilitates the Glissonean pedicle approach in anatomical laparoscopic hepatectomy. <i>Annals of Translational Medicine</i> , 2020, 8, 940-940.	1.7	2
17	WAVE2 Enhanced Hepatic Stellate Cells Activity in Colorectal Liver Metastases; Cancer Management and Research, 2020, Volume 12, 7671-7680.	1.9	5
18	Development and Validation of an RNA-Binding Protein-Based Prognostic Model for Ovarian Serous Cystadenocarcinoma. <i>Frontiers in Genetics</i> , 2020, 11, 584624.	2.3	1

#	ARTICLE	IF	CITATIONS
19	HIF1A activates the transcription of lncRNA RAET1K to modulate hypoxia-induced glycolysis in hepatocellular carcinoma cells via miR-100-5p. <i>Cell Death and Disease</i> , 2020, 11, 176.	6.3	49
20	SEMA3F Promotes Liver Hepatocellular Carcinoma Metastasis by Activating Focal Adhesion Pathway. <i>DNA and Cell Biology</i> , 2020, 39, 474-483.	1.9	14
21	Preoperative evaluation of microvascular invasion with circulating tumour DNA in operable hepatocellular carcinoma. <i>Liver International</i> , 2020, 40, 1997-2007.	3.9	16
22	Perineural invasion as a prognostic factor for intrahepatic cholangiocarcinoma after curative resection and a potential indication for postoperative chemotherapy: a retrospective cohort study. <i>BMC Cancer</i> , 2020, 20, 270.	2.6	22
23	Prognostic Value of PLXND1 and TGF- β 21 Coexpression and Its Correlation With Immune Infiltrates in Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 604131.	2.8	13
24	Guidelines for the Diagnosis and Treatment of Hepatocellular Carcinoma (2019 Edition). <i>Liver Cancer</i> , 2020, 9, 682-720.	7.7	427
25	Elevated CELSR3 expression is associated with hepatocarcinogenesis and poor prognosis. <i>Oncology Letters</i> , 2020, 20, 1083-1092.	1.8	6
26	Identification of significant genes signatures and prognostic biomarkers in cervical squamous carcinoma via bioinformatic data. <i>PeerJ</i> , 2020, 8, e10386.	2.0	10
27	Diagnosis and Management of Intraabdominal Infection: Guidelines by the Chinese Society of Surgical Infection and Intensive Care and the Chinese College of Gastrointestinal Fistula Surgeons. <i>Clinical Infectious Diseases</i> , 2020, 71, S337-S362.	5.8	9
28	Complete response of early stage hepatocellular carcinoma in a patient treated with combination therapy of camrelizumab (SHR-1210) and apatinib. <i>Digestive and Liver Disease</i> , 2019, 51, 1488-1490.	0.9	9
29	BolA family member 2 enhances cell proliferation and predicts a poor prognosis in hepatocellular carcinoma with tumor hemorrhage. <i>Journal of Cancer</i> , 2019, 10, 4293-4304.	2.5	15
30	Tofacitinib inhibits ox-LDL-induced adhesion of THP-1 monocytes to endothelial cells. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2019, 47, 2775-2782.	2.8	16
31	A Comparative Genomic and Phylogenetic Analysis of the Origin and Evolution of the CCN Gene Family. <i>BioMed Research International</i> , 2019, 2019, 1-12.	1.9	6
32	Should we apply sorafenib in hepatocellular carcinoma patients with microvascular invasion after curative hepatectomy?. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 541-548.	2.0	38
33	<p>Nomogram For Preoperative Prediction Of Microvascular Invasion Risk In Hepatocellular Carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 9037-9045.	1.9	29
34	Preoperative neutrophil-lymphocyte ratio predicts the risk of microvascular invasion in hepatocellular carcinoma: A meta-analysis. <i>International Journal of Biological Markers</i> , 2019, 34, 213-220.	1.8	25
35	Treatment of refractory secondary hemophagocytic lymphohistiocytosis with umbilical cord mesenchymal stem cells. <i>Journal of International Medical Research</i> , 2019, 47, 2135-2144.	1.0	2
36	Preoperative inflammatory markers of NLR and PLR as indicators of poor prognosis in resectable HCC. <i>PeerJ</i> , 2019, 7, e7132.	2.0	70

#	ARTICLE	IF	CITATIONS
37	MiR-574-5p mediates the cell cycle and apoptosis in thyroid cancer cells via Wnt/ β^2 -catenin signaling by repressing the expression of Quaking proteins. <i>Oncology Letters</i> , 2018, 15, 5841-5848.	1.8	25
38	circFBLIM1 act as a ceRNA to promote hepatocellular cancer progression by sponging miR-346. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 172.	8.6	135
39	NEAT1 promotes cell proliferation and invasion in hepatocellular carcinoma by negative regulating miR-613 expression. <i>Biomedicine and Pharmacotherapy</i> , 2017, 94, 612-618.	5.6	44
40	Metabolomics reveals the effect of Xuefu Zhuyu Decoction on plasma metabolism in rats with acute traumatic brain injury. <i>Oncotarget</i> , 2017, 8, 94692-94710.	1.8	24
41	SH3-domain binding protein 1 in the tumor microenvironment promotes hepatocellular carcinoma metastasis through WAVE2 pathway. <i>Oncotarget</i> , 2016, 7, 18356-18370.	1.8	21
42	miR-99b promotes metastasis of hepatocellular carcinoma through inhibition of claudin 11 expression and may serve as a prognostic marker. <i>Oncology Reports</i> , 2015, 34, 1415-1423.	2.6	29
43	Combination Therapy With Sorafenib and Radiofrequency Ablation for BCLC Stage Oâ€“B1 Hepatocellular Carcinoma: A Multicenter Retrospective Cohort Study. <i>American Journal of Gastroenterology</i> , 2014, 109, 1891-1899.	0.4	60
44	Increased expression of EphA2 and E-N cadherin switch in primary hepatocellular carcinoma. <i>Tumori</i> , 2013, 99, 689-696.	1.1	12
45	Negative developing of parathyroid using carbon nanoparticles during thyroid surgery. <i>Gland Surgery</i> , 2013, 2, 100-1.	1.1	12
46	The role of noncoding RNA in thyroid cancer. <i>Gland Surgery</i> , 2012, 1, 146-50.	1.1	23