
Avril Drummond

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7765326/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. Health Technology Assessment, 2020, 24, 1-116. | 2.8 | 62 |
| 2 | What Concerns Workers with Low Back Pain? Findings of a Qualitative Study of Patients Referred for Rehabilitation. Journal of Occupational Rehabilitation, 2010, 20, 472-480. | 2.2 | 56 |
| 3 | Hearing impairment and daily-life fatigue: a qualitative study. International Journal of Audiology, 2019, 58, 408-416. | 1.7 | 52 |
| 4 | Occupational therapy predischarge home visits for patients with a stroke (HOVIS): results of a feasibility randomized controlled trial. Clinical Rehabilitation, 2013, 27, 387-397. | 2.2 | 32 |
| 5 | Ten year follow-up of a randomised controlled trial of care in a stroke rehabilitation unit. BMJ: British Medical Journal, 2005, 331, 491-492. | 2.3 | 30 |
| 6 | Behavioural activation therapy for post-stroke depression: the BEADS feasibility RCT. Health Technology Assessment, 2019, 23, 1-176. | 2.8 | 29 |
| 7 | Effectiveness of cognitive rehabilitation for people with multiple sclerosis: a meta-synthesis of patient perspectives. Neuropsychological Rehabilitation, 2019, 29, 491-512. | 1.6 | 24 |
| 8 | The Nottingham Fatigue After Stroke (NotFAST) study: results from follow-up six months after stroke. Topics in Stroke Rehabilitation, 2017, 24, 592-596. | 1.9 | 21 |
| 9 | Assessment and management of cognitive problems in people with multiple sclerosis: A National Survey of Clinical Practice. International Journal of Clinical Practice, 2019, 73, e13300. | 1.7 | 16 |
| 10 | Group cognitive rehabilitation to reduce the psychological impact of multiple sclerosis on quality of life: the CRAMMS RCT. Health Technology Assessment, 2020, 24, 1-182. | 2.8 | 14 |
| 11 | Cognitive Rehabilitation for Attention and Memory in people with Multiple Sclerosis: study protocol for a randomised controlled trial (CRAMMS). Trials, 2015, 16, 556. | 1.6 | 13 |
| 12 | Hip precautions after total hip replacement and their discontinuation from practice: patient perceptions and experiences. Disability and Rehabilitation, 2021, 43, 2890-2896. | 1.8 | 12 |
| 13 | An extended stroke rehabilitation service for people who have had a stroke: the EXTRAS RCT. Health Technology Assessment, 2020, 24, 1-202. | 2.8 | 12 |
| 14 | Evaluating an extended rehabilitation service for stroke patients (EXTRAS): study protocol for a randomised controlled trial. Trials, 2015, 16, 205. | 1.6 | 11 |
| 15 | Evaluation of hip precautions following total hip replacement: a before and after study. Disability and Rehabilitation, 2021, 43, 2882-2889. | 1.8 | 11 |
| 16 | Home-based rehabilitation programme compared with traditional physiotherapy for patients at risk of poor outcome after knee arthroplasty: the CORKA randomised controlled trial. BMJ Open, 2021, 11, e052598. | 1.9 | 11 |
| 17 | A group memory rehabilitation programme for people with traumatic brain injuries: the ReMemBrIn RCT. Health Technology Assessment, 2019, 23, 1-194. | 2.8 | 11 |
| 18 | What do we tell patients about elective total hip replacement in the UK? An analysis of patient literature. BMC Musculoskeletal Disorders, 2013, 14, 152. | 1.9 | 8 |

Avril Drummond

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118. | 2.8 | 8 |
| 20 | Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. Health Technology Assessment, 2020, 24, 1-408. | 2.8 | 8 |
| 21 | Developing a fatigue programme: Protocol for the Nottingham Fatigue After Stroke (NotFAST2) study. British Journal of Occupational Therapy, 2020, 83, 674-679. | 0.9 | 7 |
| 22 | Total hip and knee replacement and return to work: clinicians' perspectives. Disability and Rehabilitation, 2021, 43, 1247-1254. | 1.8 | 7 |
| 23 | National Institute for Health and Care Excellence stroke rehabilitation guidance – is it useful, usable, and based on best evidence?. Clinical Rehabilitation, 2014, 28, 523-529. | 2.2 | 5 |
| 24 | Post-COVID-19: Issues and challenges for occupational therapy and the need for clinical trials. British Journal of Occupational Therapy, 2020, 83, 721-722. | 0.9 | 5 |
| 25 | Cognitive assessment in multiple sclerosis clinical care: A qualitative evaluation of stakeholder perceptions and preferences. Neuropsychological Rehabilitation, 2021, , 1-19. | 1.6 | 5 |
| 26 | Cognitive measures used in adults with multiple sclerosis: A systematic review. Neuropsychological Rehabilitation, 2022, 32, 2464-2481. | 1.6 | 5 |
| 27 | Recommendations to facilitate the ideal fit note: are they achievable in practice?. BMC Family Practice, 2015, 16, 138. | 2.9 | 4 |
| 28 | Using occupational therapists in vocational clinics in primary care: a feasibility study. BMC Family Practice, 2020, 21, 268. | 2.9 | 4 |
| 29 | Managing post-stroke fatigue: A qualitative study to explore multifaceted clinical perspectives. British Journal of Occupational Therapy, 0, , 030802262110422. | 0.9 | 4 |
| 30 | Experiences of receiving a diagnosis of multiple sclerosis: a meta-synthesis of qualitative studies. Disability and Rehabilitation, 2023, 45, 772-783. | 1.8 | 4 |
| 31 | Clinicians' experiences of discontinuing routine hip precautions following total hip replacement surgery: a qualitative analysis. Disability and Rehabilitation, 2022, 44, 4227-4232. | 1.8 | 3 |
| 32 | Improving occupational therapists' confidence in completing the Allied Health Professions Health and Work Report: Results from the CREATE feasibility study. British Journal of Occupational Therapy, 2021, 84, 516-525. | 0.9 | 3 |
| 33 | The Allied Health Professions Health and Work Report and the fit note: Perspectives of patients and stakeholders. British Journal of Occupational Therapy, 2021, 84, 72-78. | 0.9 | 2 |
| 34 | Return to driving after total hip and knee arthroplasty – the perspective of employed patients. Disability and Rehabilitation, 2021, , 1-7. | 1.8 | 1 |
| 35 | ASSERT (Acute Sacral inSufficiEncy fractuRe augmenTation): randomised controlled, feasibility trial in older people. BMJ Open, 2022, 12, e050535. | 1.9 | 1 |
| 36 | Occupational therapists and physiotherapists could issue fit notes. BMJ, The, 2015, 351, h4559. | 6.0 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Neuropsychological evaluation and rehabilitation in multiple sclerosis (NEuRoMS): protocol for a mixed-methods, multicentre feasibility randomised controlled trial. Pilot and Feasibility Studies, 2022, 8, . | 1.2 | Ο |