

Avril Drummond

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7765326/publications.pdf>

Version: 2024-02-01

37
papers

501
citations

840776

11
h-index

752698

20
g-index

38
all docs

38
docs citations

38
times ranked

786
citing authors

#	ARTICLE	IF	CITATIONS
1	Experiences of receiving a diagnosis of multiple sclerosis: a meta-synthesis of qualitative studies. <i>Disability and Rehabilitation</i> , 2023, 45, 772-783.	1.8	4
2	Clinicians's experiences of discontinuing routine hip precautions following total hip replacement surgery: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2022, 44, 4227-4232.	1.8	3
3	Cognitive measures used in adults with multiple sclerosis: A systematic review. <i>Neuropsychological Rehabilitation</i> , 2022, 32, 2464-2481.	1.6	5
4	ASSERT (Acute Sacral insufficiency fracture augmentation): randomised controlled, feasibility trial in older people. <i>BMJ Open</i> , 2022, 12, e050535.	1.9	1
5	Neuropsychological evaluation and rehabilitation in multiple sclerosis (NEuRoMS): protocol for a mixed-methods, multicentre feasibility randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, .	1.2	0
6	Evaluation of hip precautions following total hip replacement: a before and after study. <i>Disability and Rehabilitation</i> , 2021, 43, 2882-2889.	1.8	11
7	Hip precautions after total hip replacement and their discontinuation from practice: patient perceptions and experiences. <i>Disability and Rehabilitation</i> , 2021, 43, 2890-2896.	1.8	12
8	The Allied Health Professions Health and Work Report and the fit note: Perspectives of patients and stakeholders. <i>British Journal of Occupational Therapy</i> , 2021, 84, 72-78.	0.9	2
9	Total hip and knee replacement and return to work: clinicians's perspectives. <i>Disability and Rehabilitation</i> , 2021, 43, 1247-1254.	1.8	7
10	Cognitive assessment in multiple sclerosis clinical care: A qualitative evaluation of stakeholder perceptions and preferences. <i>Neuropsychological Rehabilitation</i> , 2021, , 1-19.	1.6	5
11	Improving occupational therapists's confidence in completing the Allied Health Professions Health and Work Report: Results from the CREATE feasibility study. <i>British Journal of Occupational Therapy</i> , 2021, 84, 516-525.	0.9	3
12	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-118.	2.8	8
13	Home-based rehabilitation programme compared with traditional physiotherapy for patients at risk of poor outcome after knee arthroplasty: the CORKA randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e052598.	1.9	11
14	Return to driving after total hip and knee arthroplasty – the perspective of employed patients. <i>Disability and Rehabilitation</i> , 2021, , 1-7.	1.8	1
15	Developing a fatigue programme: Protocol for the Nottingham Fatigue After Stroke (NotFAST2) study. <i>British Journal of Occupational Therapy</i> , 2020, 83, 674-679.	0.9	7
16	Post-COVID-19: Issues and challenges for occupational therapy and the need for clinical trials. <i>British Journal of Occupational Therapy</i> , 2020, 83, 721-722.	0.9	5
17	Using occupational therapists in vocational clinics in primary care: a feasibility study. <i>BMC Family Practice</i> , 2020, 21, 268.	2.9	4
18	Group cognitive rehabilitation to reduce the psychological impact of multiple sclerosis on quality of life: the CRAMMS RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-182.	2.8	14

#	ARTICLE	IF	CITATIONS
19	An extended stroke rehabilitation service for people who have had a stroke: the EXTRAS RCT. Health Technology Assessment, 2020, 24, 1-202.	2.8	12
20	Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. Health Technology Assessment, 2020, 24, 1-408.	2.8	8
21	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. Health Technology Assessment, 2020, 24, 1-116.	2.8	62
22	Hearing impairment and daily-life fatigue: a qualitative study. International Journal of Audiology, 2019, 58, 408-416.	1.7	52
23	Assessment and management of cognitive problems in people with multiple sclerosis: A National Survey of Clinical Practice. International Journal of Clinical Practice, 2019, 73, e13300.	1.7	16
24	Effectiveness of cognitive rehabilitation for people with multiple sclerosis: a meta-synthesis of patient perspectives. Neuropsychological Rehabilitation, 2019, 29, 491-512.	1.6	24
25	A group memory rehabilitation programme for people with traumatic brain injuries: the ReMemBrln RCT. Health Technology Assessment, 2019, 23, 1-194.	2.8	11
26	Behavioural activation therapy for post-stroke depression: the BEADS feasibility RCT. Health Technology Assessment, 2019, 23, 1-176.	2.8	29
27	The Nottingham Fatigue After Stroke (NotFAST) study: results from follow-up six months after stroke. Topics in Stroke Rehabilitation, 2017, 24, 592-596.	1.9	21
28	Cognitive Rehabilitation for Attention and Memory in people with Multiple Sclerosis: study protocol for a randomised controlled trial (CRAMMS). Trials, 2015, 16, 556.	1.6	13
29	Recommendations to facilitate the ideal fit note: are they achievable in practice?. BMC Family Practice, 2015, 16, 138.	2.9	4
30	Evaluating an extended rehabilitation service for stroke patients (EXTRAS): study protocol for a randomised controlled trial. Trials, 2015, 16, 205.	1.6	11
31	Occupational therapists and physiotherapists could issue fit notes. BMJ, The, 2015, 351, h4559.	6.0	0
32	National Institute for Health and Care Excellence stroke rehabilitation guidance "is it useful, usable, and based on best evidence?. Clinical Rehabilitation, 2014, 28, 523-529.	2.2	5
33	What do we tell patients about elective total hip replacement in the UK? An analysis of patient literature. BMC Musculoskeletal Disorders, 2013, 14, 152.	1.9	8
34	Occupational therapy pre-discharge home visits for patients with a stroke (HOVIS): results of a feasibility randomized controlled trial. Clinical Rehabilitation, 2013, 27, 387-397.	2.2	32
35	What Concerns Workers with Low Back Pain? Findings of a Qualitative Study of Patients Referred for Rehabilitation. Journal of Occupational Rehabilitation, 2010, 20, 472-480.	2.2	56
36	Ten year follow-up of a randomised controlled trial of care in a stroke rehabilitation unit. BMJ: British Medical Journal, 2005, 331, 491-492.	2.3	30

#	ARTICLE	IF	CITATIONS
37	Managing post-stroke fatigue: A qualitative study to explore multifaceted clinical perspectives. British Journal of Occupational Therapy, 0, , 030802262110422.	0.9	4