

# Nitin P Pature

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/776609/publications.pdf>

Version: 2024-02-01

250  
papers

26,788  
citations

4942

84  
h-index

6630

156  
g-index

256  
all docs

256  
docs citations

256  
times ranked

16662  
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermal Barrier Coatings for Gas-Turbine Engine Applications. <i>Science</i> , 2002, 296, 280-284.	6.0	3,626
2	Advanced structural ceramics in aerospace propulsion. <i>Nature Materials</i> , 2016, 15, 804-809.	13.3	1,134
3	Thermal-barrier coatings for more efficient gas-turbine engines. <i>MRS Bulletin</i> , 2012, 37, 891-898.	1.7	1,079
4	Low-Thermal-Conductivity Rare-Earth Zirconates for Potential Thermal-Barrier-Coating Applications. <i>Journal of the American Ceramic Society</i> , 2002, 85, 3031-3035.	1.9	576
5	In Situ-Toughened Silicon Carbide. <i>Journal of the American Ceramic Society</i> , 1994, 77, 519-523.	1.9	466
6	Synthetic Approaches for Halide Perovskite Thin Films. <i>Chemical Reviews</i> , 2019, 119, 3193-3295.	23.0	454
7	Highly stable and efficient all-inorganic lead-free perovskite solar cells with native-oxide passivation. <i>Nature Communications</i> , 2019, 10, 16.	5.8	430
8	Direct Observation of Ferroelectric Domains in Solution-Processed $\text{CH}_3\text{NH}_3\text{PbI}_3$ Perovskite Thin Films. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 3335-3339.	2.1	411
9	Cesium Titanium(IV) Bromide Thin Films Based Stable Lead-free Perovskite Solar Cells. <i>Joule</i> , 2018, 2, 558-570.	11.7	403
10	Room-temperature crystallization of hybrid-perovskite thin films via solvent-solvent extraction for high-performance solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8178-8184.	5.2	385
11	Methylamine-Gas-Induced Defect-Healing Behavior of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Thin Films for Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9705-9709.	7.2	377
12	Contact-damage-resistant ceramic/single-wall carbon nanotubes and ceramic/graphite composites. <i>Nature Materials</i> , 2004, 3, 539-544.	13.3	369
13	Failure modes in plasma-sprayed thermal barrier coatings. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 342, 120-130.	2.6	348
14	Microstructures of Organometal Trihalide Perovskites for Solar Cells: Their Evolution from Solutions and Characterization. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4827-4839.	2.1	344
15	Low-Thermal-Conductivity Rare-Earth Zirconates for Potential Thermal-Barrier-Coating Applications.. <i>ChemInform</i> , 2003, 34, no.	0.1	334
16	Earth-Abundant Nontoxic Titanium(IV)-based Vacancy-Ordered Double Perovskite Halides with Tunable 1.0 to 1.8 eV Bandgaps for Photovoltaic Applications. <i>ACS Energy Letters</i> , 2018, 3, 297-304.	8.8	314
17	Interfacial toughening with self-assembled monolayers enhances perovskite solar cell reliability. <i>Science</i> , 2021, 372, 618-622.	6.0	313
18	Square-Centimeter Solution-Processed Planar $\text{CH}_3\text{NH}_3\text{PbI}_3$ Perovskite Solar Cells with Efficiency Exceeding 15%. <i>Advanced Materials</i> , 2015, 27, 6363-6370.	11.1	311

#	ARTICLE	IF	CITATIONS
19	Making Ceramics "Ductile". Science, 1994, 263, 1114-1116.	6.0	308
20	Chronic Fine Particulate Matter Exposure Induces Systemic Vascular Dysfunction via NADPH Oxidase and TLR4 Pathways. Circulation Research, 2011, 108, 716-726.	2.0	275
21	Toughness Properties of a Silicon Carbide with an in Situ Induced Heterogeneous Grain Structure. Journal of the American Ceramic Society, 1994, 77, 2518-2522.	1.9	254
22	Novel thermal barrier coatings that are resistant to high-temperature attack by glassy deposits. Acta Materialia, 2007, 55, 6734-6745.	3.8	253
23	Heterojunction-Depleted Lead-Free Perovskite Solar Cells with Coarse-Grained $\text{BaTi}_{1-x}\text{Sn}_x\text{O}_{3-\delta}$ Thin Films. Advanced Energy Materials, 2016, 6, 1601130.	10.2	247
24	Effect of Grain Size on Hertzian Contact Damage in Alumina. Journal of the American Ceramic Society, 1994, 77, 1825-1831.	1.9	230
25	Towards durable thermal barrier coatings with novel microstructures deposited by solution-precursor plasma spray. Acta Materialia, 2001, 49, 2251-2257.	3.8	230
26	Toward Eco-friendly and Stable Perovskite Materials for Photovoltaics. Joule, 2018, 2, 1231-1241.	11.7	224
27	Composition effects of thermal barrier coating ceramics on their interaction with molten Ca-Mg-Al-silicate (CMAS) glass. Acta Materialia, 2012, 60, 5437-5447.	3.8	208
28	Carrier separation and transport in perovskite solar cells studied by nanometre-scale profiling of electrical potential. Nature Communications, 2015, 6, 8397.	5.8	205
29	Jet Engine Coatings for Resisting Volcanic Ash Damage. Advanced Materials, 2011, 23, 2419-2424.	11.1	198
30	Additive-Modulated Evolution of $\text{HC(NH}_2)_2\text{PbI}_3$ Black Polymorph for Mesoscopic Perovskite Solar Cells. Chemistry of Materials, 2015, 27, 7149-7155.	3.2	197
31	Interpenetrating interfaces for efficient perovskite solar cells with high operational stability and mechanical robustness. Nature Communications, 2021, 12, 973.	5.8	189
32	Improved processing and oxidation-resistance of ZrB <sub>2</sub> ultra-high temperature ceramics containing SiC nanodispersoids. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 464, 216-224.	2.6	184
33	Calcium-magnesia-alumina-silicate (CMAS)-induced degradation and failure of air plasma sprayed yttria-stabilized zirconia thermal barrier coatings. Acta Materialia, 2016, 105, 355-366.	3.8	181
34	Exceptional Morphology-Preserving Evolution of Formamidinium Lead Triiodide Perovskite Thin Films via Organic-Cation Displacement. Journal of the American Chemical Society, 2016, 138, 5535-5538.	6.6	178
35	Low Thermal Conductivity in Garnets. Journal of the American Ceramic Society, 1997, 80, 1018-1020.	1.9	166
36	Continuous Grain-Boundary Functionalization for High-Efficiency Perovskite Solar Cells with Exceptional Stability. Chem, 2018, 4, 1404-1415.	5.8	165

#	ARTICLE	IF	CITATIONS
37	Long Minority Carrier Diffusion Length and Low Surface Recombination Velocity in Inorganic Lead-Free CsSnI <sub>3</sub> Perovskite Crystal for Solar Cells. <i>Advanced Functional Materials</i> , 2017, 27, 1604818.	7.8	164
38	Air-plasma-sprayed thermal barrier coatings that are resistant to high-temperature attack by glassy deposits. <i>Acta Materialia</i> , 2010, 58, 6835-6844.	3.8	163
39	Doping and alloying for improved perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17623-17635.	5.2	157
40	Transformative Evolution of Organolead Triiodide Perovskite Thin Films from Strong Room-Temperature Solid Gas Interaction between HPbI <sub>3</sub> -CH <sub>3</sub> NH <sub>2</sub> Precursor Pair. <i>Journal of the American Chemical Society</i> , 2016, 138, 750-753.	6.6	156
41	Low-thermal-conductivity plasma-sprayed thermal barrier coatings with engineered microstructures. <i>Acta Materialia</i> , 2006, 54, 3343-3349.	3.8	155
42	Indentation fatigue. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1993, 68, 1003-1016.	0.8	148
43	A machine learning approach to fracture mechanics problems. <i>Acta Materialia</i> , 2020, 190, 105-112.	3.8	146
44	Thermal Barrier Coatings Made by the Solution Precursor Plasma Spray Process. <i>Journal of Thermal Spray Technology</i> , 2008, 17, 124-135.	1.6	132
45	One-step, solution-processed formamidinium lead trihalide (FAPbI <sub>3</sub> ) for mesoscopic perovskite polymer solar cells. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 19206-19211.	1.3	130
46	Progress in Tandem Solar Cells Based on Hybrid Organic-Inorganic Perovskites. <i>Advanced Energy Materials</i> , 2017, 7, 1602400.	10.2	130
47	Growth control of compact CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> thin films via enhanced solid-state precursor reaction for efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9249-9256.	5.2	128
48	Engineering the resistance to sliding-contact damage through controlled gradients in elastic properties at contact surfaces. <i>Acta Materialia</i> , 1999, 47, 3915-3926.	3.8	127
49	Highly durable thermal barrier coatings made by the solution precursor plasma spray process. <i>Surface and Coatings Technology</i> , 2004, 177-178, 97-102.	2.2	127
50	Vapour-based processing of hole-conductor-free CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite/C <sub>60</sub> fullerene planar solar cells. <i>RSC Advances</i> , 2014, 4, 28964-28967.	1.7	127
51	Hertzian Crack Suppression in Ceramics with Elastic Modulus Graded Surfaces. <i>Journal of the American Ceramic Society</i> , 1998, 81, 2301-2308.	1.9	125
52	Improved interfacial mechanical properties of Al <sub>2</sub> O <sub>3</sub> -13wt%TiO <sub>2</sub> plasma-sprayed coatings derived from nanocrystalline powders. <i>Acta Materialia</i> , 2003, 51, 2959-2970.	3.8	122
53	Towards multifunctional thermal environmental barrier coatings (TEBCs) based on rare-earth pyrosilicate solid-solution ceramics. <i>Scripta Materialia</i> , 2018, 154, 111-117.	2.6	122
54	Mechanisms of ceramic coating deposition in solution-precursor plasma spray. <i>Journal of Materials Research</i> , 2002, 17, 2363-2372.	1.2	121

#	ARTICLE	IF	CITATIONS
55	Mapping the Photoresponse of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Hybrid Perovskite Thin Films at the Nanoscale. Nano Letters, 2016, 16, 3434-3441.	4.5	120
56	Flexible perovskite solar cells with simultaneously improved efficiency, operational stability, and mechanical reliability. Joule, 2021, 5, 1587-1601.	11.7	120
57	High quality, transferrable graphene grown on single crystal Cu(111) thin films on basal-plane sapphire. Applied Physics Letters, 2011, 98, .	1.5	113
58	Environmental-barrier coating ceramics for resistance against attack by molten calcia-magnesia-aluminosilicate (CMAS) glass: Part II, $\text{Yb}_2\text{Si}_2\text{O}_7$ and $\text{Sc}_2\text{Si}_2\text{O}_7$ . Journal of the European Ceramic Society, 2018, 38, 3914-3924.	2.8	112
59	$\text{ZrO}_2\text{-Y}_2\text{O}_3$ Thermal Barrier Coatings Resistant to Degradation by Molten CMAS: Part I, Optical Basicity Considerations and Processing. Journal of the American Ceramic Society, 2014, 97, 3943-3949.	1.9	111
60	Plasma sprayed gadolinium zirconate thermal barrier coatings that are resistant to damage by molten Ca-Mg-Al-silicate glass. Surface and Coatings Technology, 2012, 206, 3911-3916.	2.2	110
61	Damage-resistant alumina-based layer composites. Journal of Materials Research, 1996, 11, 204-210.	1.2	107
62	Multifunctional Composites of Ceramics and Single-Walled Carbon Nanotubes. Advanced Materials, 2009, 21, 1767-1770.	11.1	107
63	Mitigation of damage from molten fly ash to air-plasma-sprayed thermal barrier coatings. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 7214-7221.	2.6	105
64	Bandgap Optimization of Perovskite Semiconductors for Photovoltaic Applications. Chemistry - A European Journal, 2018, 24, 2305-2316.	1.7	103
65	Flaw-Tolerance and Crack-Resistance Properties of Alumina-Aluminum Titanate Composites with Tailored Microstructures. Journal of the American Ceramic Society, 1993, 76, 2312-2320.	1.9	102
66	Crystal chemistry of epitaxial ZnO on (111) MgAl <sub>2</sub> O <sub>4</sub> produced by hydrothermal synthesis. Journal of Crystal Growth, 2003, 259, 103-109.	0.7	102
67	Thick ceramic thermal barrier coatings with high durability deposited using solution-precursor plasma spray. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 405, 313-320.	2.6	102
68	Lead-Free Dion-Jacobson Tin Halide Perovskites for Photovoltaics. ACS Energy Letters, 2019, 4, 276-277.	8.8	101
69	Thermal conductivity of ceramics in the ZrO <sub>2</sub> -GdO <sub>1.5</sub> system. Journal of Materials Research, 2002, 17, 3193-3200.	1.2	100
70	Wear-resistant ultra-fine-grained ceramics. Acta Materialia, 2005, 53, 271-277.	3.8	100
71	Thermo-mechanical behavior of organic-inorganic halide perovskites for solar cells. Scripta Materialia, 2018, 150, 36-41.	2.6	100
72	Improved SnO <sub>2</sub> Electron Transport Layers Solution-Deposited at Near Room Temperature for Rigid or Flexible Perovskite Solar Cells with High Efficiencies. Advanced Energy Materials, 2019, 9, 1900834.	10.2	100

#	ARTICLE	IF	CITATIONS
73	High-Performance Formamidinium-Based Perovskite Solar Cells via Microstructure-Mediated $\tilde{\Gamma}$ -to- $\tilde{\Gamma}$ Phase Transformation. <i>Chemistry of Materials</i> , 2017, 29, 3246-3250.	3.2	99
74	Aqueous colloidal processing of single-wall carbon nanotubes and their composites with ceramics. <i>Nanotechnology</i> , 2006, 17, 1770-1777.	1.3	96
75	High-Performance Lead-Free Solar Cells Based on Tin-Halide Perovskite Thin Films Functionalized by a Divalent Organic Cation. <i>ACS Energy Letters</i> , 2020, 5, 2223-2230.	8.8	96
76	Transmission Electron Microscopy of Halide Perovskite Materials and Devices. <i>Joule</i> , 2019, 3, 641-661.	11.7	94
77	Gradients in elastic modulus for improved contact-damage resistance. Part I: The silicon nitride-oxynitride glass system. <i>Acta Materialia</i> , 2001, 49, 3255-3262.	3.8	93
78	Crystal Morphologies of Organolead Trihalide in Mesoscopic/Planar Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 2292-2297.	2.1	93
79	Lewis Adduct Mediated Grain Boundary Functionalization for Efficient Ideal Bandgap Perovskite Solar Cells with Superior Stability. <i>Advanced Energy Materials</i> , 2018, 8, 1800997.	10.2	93
80	Carrier lifetime enhancement in halide perovskite via remote epitaxy. <i>Nature Communications</i> , 2019, 10, 4145.	5.8	93
81	Environmental degradation of high-temperature protective coatings for ceramic-matrix composites in gas-turbine engines. <i>Npj Materials Degradation</i> , 2019, 3, .	2.6	92
82	Sub-1.4eV bandgap inorganic perovskite solar cells with long-term stability. <i>Nature Communications</i> , 2020, 11, 151.	5.8	92
83	Manipulating Crystallization of Organolead Mixed-Halide Thin Films in Antisolvent Baths for Wide-Bandgap Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 2232-2237.	4.0	91
84	Contact Fatigue of a Silicon Carbide with a Heterogeneous Grain Structure. <i>Journal of the American Ceramic Society</i> , 1995, 78, 1431-1438.	1.9	89
85	Thin Film Transformation of $\text{NH}_4\text{Pb}_3$ to $\text{CH}_3\text{NH}_3\text{Pb}_3$ Perovskite: A Methylamine-Induced Conversion Healing Process. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14723-14727.	7.2	83
86	$2\text{ZrO}_2 \cdot \text{Y}_2\text{O}_3$ Thermal Barrier Coatings Resistant to Degradation by Molten CMAS: Part II, Interactions with Sand and Fly Ash. <i>Journal of the American Ceramic Society</i> , 2014, 97, 3950-3957.	1.9	82
87	Simultaneous Evolution of Uniaxially Oriented Grains and Ultralow-Density Grain-Boundary Network in $\text{CH}_3\text{NH}_3\text{Pb}_3$ Perovskite Thin Films Mediated by Precursor Phase Metastability. <i>ACS Energy Letters</i> , 2017, 2, 2727-2733.	8.8	82
88	Quantum-Dot-Induced Cesium-Rich Surface Imparts Enhanced Stability to Formamidinium Lead Iodide Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2019, 4, 1970-1975.	8.8	82
89	Microstructural design of sliding-wear-resistant liquid-phase-sintered SiC: An overview. <i>Journal of the European Ceramic Society</i> , 2007, 27, 3351-3357.	2.8	80
90	Toward Site-Specific Stamping of Graphene. <i>Advanced Materials</i> , 2009, 21, 1243-1246.	11.1	80

#	ARTICLE	IF	CITATIONS
91	Identification of coating deposition mechanisms in the solution-precursor plasma-spray process using model spray experiments. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 362, 204-212.	2.6	79
92	Mechanical characterization of plasma sprayed ceramic coatings on metal substrates by contact testing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 208, 158-165.	2.6	78
93	Stable Formamidinium-Based Perovskite Solar Cells via In Situ Grain Encapsulation. <i>Advanced Energy Materials</i> , 2018, 8, 1800232.	10.2	78
94	Environmental-barrier coating ceramics for resistance against attack by molten calcia-magnesia-aluminosilicate (CMAS) glass: Part I, $YAlO_3$ and $Y_2Si_2O_7$ . <i>Journal of the European Ceramic Society</i> , 2018, 38, 3905-3913.	2.8	77
95	Model for Toughness Curves in Two-Phase Ceramics: I, Basic Fracture Mechanics. <i>Journal of the American Ceramic Society</i> , 1993, 76, 2235-2240.	1.9	76
96	Effect of microstructural coarsening on Hertzian contact damage in silicon nitride. <i>Journal of Materials Science</i> , 1995, 30, 869-878.	1.7	76
97	Crack Suppression in Strongly Bonded Homogeneous/Heterogeneous Laminates: A Study on Glass/Glass-Ceramic Bilayers. <i>Journal of the American Ceramic Society</i> , 1996, 79, 634-640.	1.9	74
98	A model for microcrack initiation and propagation beneath hertzian contacts in polycrystalline ceramics. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 1683-1693.	1.9	71
99	Processing parameter effects on solution precursor plasma spray process spray patterns. <i>Surface and Coatings Technology</i> , 2004, 183, 51-61.	2.2	70
100	Thermal-gradient testing of thermal barrier coatings under simultaneous attack by molten glassy deposits and its mitigation. <i>Surface and Coatings Technology</i> , 2010, 204, 2683-2688.	2.2	70
101	Homogenous Alloys of Formamidinium Lead Triiodide and Cesium Tin Triiodide for Efficient Ideal-Bandgap Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 12658-12662.	7.2	69
102	Subgrain Special Boundaries in Halide Perovskite Thin Films Restrict Carrier Diffusion. <i>ACS Energy Letters</i> , 2018, 3, 2669-2670.	8.8	68
103	Model for Toughness Curves in Two-Phase Ceramics: II, Microstructural Variables. <i>Journal of the American Ceramic Society</i> , 1993, 76, 2241-2247.	1.9	67
104	Effect of Microstructure on Material-Removal Mechanisms and Damage Tolerance in Abrasive Machining of Silicon Carbide. <i>Journal of the American Ceramic Society</i> , 1995, 78, 2443-2448.	1.9	67
105	Gradients in elastic modulus for improved contact-damage resistance. part ii: the silicon nitride-silicon carbide system. <i>Acta Materialia</i> , 2001, 49, 3263-3268.	3.8	67
106	Coatings of metastable ceramics deposited by solution-precursor plasma spray: I. Binary $ZrO_2$ - $Al_2O_3$ system. <i>Acta Materialia</i> , 2006, 54, 4913-4920.	3.8	67
107	The Compelling Case for Indentation as a Functional Exploratory and Characterization Tool. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2671-2680.	1.9	67
108	Single-wall carbon nanotubes at ceramic grain boundaries. <i>Scripta Materialia</i> , 2007, 56, 461-463.	2.6	66

#	ARTICLE	IF	CITATIONS
109	Enhanced Machinability of Silicon Carbide via Microstructural Design. Journal of the American Ceramic Society, 1995, 78, 215-217.	1.9	65
110	Effect of Microstructure on Sliding Wear Properties of Liquid-Phase-Sintered $\hat{\pm}$ -SiC. Journal of the American Ceramic Society, 2005, 88, 2159-2163.	1.9	65
111	Ions Matter: Description of the Anomalous Electronic Behavior in Methylammonium Lead Halide Perovskite Devices. Advanced Functional Materials, 2017, 27, 1606584.	7.8	65
112	Enhancing Chemical Stability and Suppressing Ion Migration in $\text{CH}_3\text{NH}_3\text{Pb}_3$ Perovskite Solar Cells via Direct Backbone Attachment of Polyesters on Grain Boundaries. Chemistry of Materials, 2020, 32, 5104-5117.	3.2	64
113	Coarsening in liquid-phase-sintered $\hat{\pm}$ -SiC. Acta Materialia, 1999, 47, 481-487.	3.8	62
114	Microstructural Evolution in Liquid-Phase-Sintered SiC: Part I, Effect of Starting Powder. Journal of the American Ceramic Society, 2001, 84, 1578-1584.	1.9	61
115	Sliding-Wear-Resistant Liquid-Phase-Sintered SiC Processed Using $\hat{\pm}$ -SiC Starting Powders. Journal of the American Ceramic Society, 2007, 90, 541-545.	1.9	61
116	In situ Raman spectroscopy studies of high-temperature degradation of thermal barrier coatings by molten silicate deposits. Scripta Materialia, 2014, 76, 29-32.	2.6	59
117	Methylammonium-Mediated Evolution of Mixed Organic-Cation Perovskite Thin Films: A Dynamic Composition-Tuning Process. Angewandte Chemie - International Edition, 2017, 56, 7674-7678.	7.2	59
118	Low thermal conductivity in high-entropy rare-earth pyrosilicate solid-solutions for thermal environmental barrier coatings. Scripta Materialia, 2021, 191, 40-45.	2.6	59
119	Hydrothermal Synthesis of Thin Films of Barium Titanate Ceramic Nano-Tubes at 200°C. Journal of the American Ceramic Society, 2003, 86, 2215-2217.	1.9	58
120	Hertzian Contact Damage in Porous Alumina Ceramics. Journal of the American Ceramic Society, 1997, 80, 1027-1031.	1.9	58
121	Room temperature one-pot-solution synthesis of nanoscale $\text{CsSnI}_3$ orthorhombic perovskite thin films and particles. Materials Letters, 2013, 110, 127-129.	1.3	58
122	Interaction between ceramic powder and molten calcia-magnesia-alumino-silicate (CMAS) glass, and its implication on CMAS-resistant thermal barrier coatings. Scripta Materialia, 2016, 112, 118-122.	2.6	56
123	Anomalous 3D nanoscale photoconduction in hybrid perovskite semiconductors revealed by tomographic atomic force microscopy. Nature Communications, 2020, 11, 3308.	5.8	53
124	Fatigue in ceramics with interconnecting weak interfaces: A study using cyclic Hertzian contacts. Acta Metallurgica Et Materialia, 1995, 43, 1609-1617.	1.9	52
125	Deposition of thermal barrier coatings using the solution precursor plasma spray process. Journal of Materials Science, 2004, 39, 1639-1646.	1.7	51
126	Gas-Induced Formation/Transformation of Organic-Inorganic Halide Perovskites. ACS Energy Letters, 2017, 2, 2166-2176.	8.8	51



#	ARTICLE	IF	CITATIONS
127	Facile healing of cracks in organic-inorganic halide perovskite thin films. <i>Acta Materialia</i> , 2020, 187, 112-121.	3.8	51
128	High-performance methylammonium-free ideal-band-gap perovskite solar cells. <i>Matter</i> , 2021, 4, 1365-1376.	5.0	51
129	Coatings of metastable ceramics deposited by solution-precursor plasma spray: II. Ternary ZrO <sub>2</sub> -Y <sub>2</sub> O <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> system. <i>Acta Materialia</i> , 2006, 54, 4921-4928.	3.8	50
130	Observation of phase-retention behavior of the HC(NH <sub>2</sub> ) <sub>2</sub> PbI <sub>3</sub> black perovskite polymorph upon mesoporous TiO <sub>2</sub> scaffolds. <i>Chemical Communications</i> , 2016, 52, 7273-7275.	2.2	50
131	Densification of liquid-phase-sintered silicon carbide. <i>Journal of Materials Science Letters</i> , 2000, 19, 1011-1014.	0.5	49
132	Deposition mechanisms of thermal barrier coatings in the solution precursor plasma spray process. <i>Surface and Coatings Technology</i> , 2004, 177-178, 103-107.	2.2	49
133	Hybrid Perovskite Quantum Nanostructures Synthesized by Electrospray Antisolvent-Solvent Extraction and Intercalation. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 854-861.	4.0	49
134	Mechanisms of spallation of solution precursor plasma spray thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2004, 188-189, 101-106.	2.2	48
135	Inhomogeneous oxidation of ZrB <sub>2</sub> -SiC ultra-high-temperature ceramic particulate composites and its mitigation. <i>Acta Materialia</i> , 2017, 129, 138-148.	3.8	47
136	Improved Sliding-Wear Resistance in In Situ-Toughened Silicon Carbide. <i>Journal of the American Ceramic Society</i> , 2005, 88, 3531-3534.	1.9	45
137	Fusing Nanowires into Thin Films: Fabrication of Graded Heterojunction Perovskite Solar Cells with Enhanced Performance. <i>Advanced Energy Materials</i> , 2019, 9, 1900243.	10.2	45
138	Enhanced Thermoelectric Performance in Lead-Free Inorganic CsSn <sub>1-x</sub> Ge <sub>x</sub> I <sub>3</sub> Perovskite Semiconductors. <i>Journal of Physical Chemistry C</i> , 2020, 124, 11749-11753.	1.5	45
139	Effect of liquid-phase content on the contact-mechanical properties of liquid-phase-sintered $\hat{I}\pm$ -SiC. <i>Journal of the European Ceramic Society</i> , 2007, 27, 2521-2527.	2.8	44
140	Bipolar resistive switching in individual Au-NiO-Au segmented nanowires. <i>Applied Physics Letters</i> , 2009, 95, .	1.5	44
141	Improved Flaw Tolerance in Alumina Containing 1 vol% Anorthite via Crystallization of the Intergranular Glass. <i>Journal of the American Ceramic Society</i> , 1992, 75, 1870-1875.	1.9	43
142	Quantitative Phase-Composition Analysis of Liquid-Phase-Sintered Silicon Carbide Using the Rietveld Method. <i>Journal of the American Ceramic Society</i> , 2000, 83, 2282-2286.	1.9	41
143	Intercalation crystallization of phase-pure $\hat{I}\pm$ -HC(NH <sub>2</sub> ) <sub>2</sub> PbI <sub>3</sub> upon microstructurally engineered PbI <sub>2</sub> thin films for planar perovskite solar cells. <i>Nanoscale</i> , 2016, 8, 6265-6270.	2.8	41
144	Phase and microstructural stability of solution precursor plasma sprayed thermal barrier coatings. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 381, 189-195.	2.6	40

#	ARTICLE	IF	CITATIONS
145	Encapsulated X-Ray Detector Enabled by All-Inorganic Lead-Free Perovskite Film With High Sensitivity and Low Detection Limit. <i>IEEE Transactions on Electron Devices</i> , 2020, 67, 3191-3198.	1.6	40
146	High-temperature properties of liquid-phase-sintered $\text{SiC}$ . <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 282, 109-114.	2.6	39
147	Comment on "Effect of sintering temperature on a single-wall carbon nanotube-toughened alumina-based composite". <i>Scripta Materialia</i> , 2008, 58, 989-990.	2.6	39
148	Correlations between Electrochemical Ion Migration and Anomalous Device Behaviors in Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2021, 6, 1003-1014.	8.8	39
149	CNT-based bifacial perovskite solar cells toward highly efficient 4-terminal tandem photovoltaics. <i>Energy and Environmental Science</i> , 2022, 15, 1536-1544.	15.6	39
150	Stepwise Graded $\text{Si}_3\text{N}_4$ SiC Ceramics with Improved Wear Properties. <i>Journal of the American Ceramic Society</i> , 2002, 85, 2059-2064.	1.9	38
151	Template-based, near-ambient synthesis of crystalline metal-oxide nanotubes, nanowires and coaxial nanotubes. <i>Acta Materialia</i> , 2007, 55, 3007-3014.	3.8	38
152	Nanostructured, Infrared Transparent Magnesium Aluminate Spinel with Superior Mechanical Properties. <i>International Journal of Applied Ceramic Technology</i> , 2012, 9, 83-90.	1.1	38
153	Asymmetric alkyl diamine based Dion-Jacobson low-dimensional perovskite solar cells with efficiency exceeding 15%. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9919-9926.	5.2	38
154	Effect of sintering atmosphere on the mechanical properties of liquid-phase-sintered SiC. <i>Journal of the European Ceramic Society</i> , 2004, 24, 3245-3249.	2.8	37
155	Coal Ash Deposition on Nozzle Guide Vanes Part I: Experimental Characteristics of Four Coal Ash Types. <i>Journal of Turbomachinery</i> , 2013, 135, .	0.9	37
156	In situ direct observation of toughening in isotropic nanocomposites of alumina ceramic and multiwall carbon nanotubes. <i>Acta Materialia</i> , 2017, 127, 203-210.	3.8	37
157	Crystallization behavior of air-plasma-sprayed ytterbium-silicate-based environmental barrier coatings. <i>Journal of the European Ceramic Society</i> , 2021, 41, 3696-3705.	2.8	37
158	Creep-resistant composites of alumina and single-wall carbon nanotubes. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	36
159	High-temperature creep deformation of coarse-grained boron carbide ceramics. <i>Journal of the European Ceramic Society</i> , 2015, 35, 1423-1429.	2.8	36
160	High-Toughness Inorganic Solid Electrolytes via the Use of Reduced Graphene Oxide. <i>Matter</i> , 2020, 3, 212-229.	5.0	36
161	In Situ Processing of Silicon Carbide Layer Structures. <i>Journal of the American Ceramic Society</i> , 1995, 78, 3160-3162.	1.9	35
162	Fracture, fatigue, and sliding-wear behavior of nanocomposites of alumina and reduced graphene-oxide. <i>Acta Materialia</i> , 2020, 186, 29-39.	3.8	35

#	ARTICLE	IF	CITATIONS
163	Nanotubes Patterned Thin Films of Barium-strontium Titanate. Journal of Materials Research, 2005, 20, 2140-2147.	1.2	34
164	Direct in situ observation of toughening mechanisms in nanocomposites of silicon nitride and reduced graphene-oxide. Scripta Materialia, 2018, 149, 40-43.	2.6	33
165	Exceptional Grain Growth in Formamidinium Lead Iodide Perovskite Thin Films Induced by the $\Gamma$ -to- $\Gamma_2$ Phase Transformation. ACS Energy Letters, 2018, 3, 63-64.	8.8	33
166	The Synergism of DMSO and Diethyl Ether for Highly Reproducible and Efficient MA <sub>0.5</sub> FA <sub>0.5</sub> PbI <sub>3</sub> Perovskite Solar Cells. Advanced Energy Materials, 2020, 10, 2001300.	10.2	33
167	Effect of Grain Size on the Fracture Behavior of Organic-Inorganic Halide Perovskite Thin Films for Solar Cells. Scripta Materialia, 2020, 185, 47-50.	2.6	32
168	Microstructural Evolution in Liquid-Phase-Sintered SiC: Part III, Effect of Nitrogen-Gas Sintering Atmosphere. Journal of the American Ceramic Society, 2002, 85, 1835-1840.	1.9	31
169	Resistance of ZrO <sub>2</sub> ·Y <sub>2</sub> O <sub>3</sub> top coat in thermal/environmental barrier coatings to calcium-magnesia-aluminosilicate attack at 1500°C. Journal of the American Ceramic Society, 2017, 100, 3175-3187.	1.9	30
170	Rare-earth pyrosilicate solid-solution environmental-barrier coating ceramics for resistance against attack by molten calcium-magnesia-aluminosilicate (CMAS) glass. Journal of Materials Research, 2020, 35, 2373-2384.	1.2	30
171	Flaw-insensitive ceramics. Philosophical Magazine Letters, 1991, 64, 191-195.	0.5	29
172	Engineered metal-oxide-metal heterojunction nanowires. Journal of Materials Research, 2005, 20, 2613-2617.	1.2	29
173	Individually addressable crystalline conducting polymer nanowires in a microelectrode sensor array. Nanotechnology, 2007, 18, 424021.	1.3	29
174	Strengthening of transparent spinel/Si <sub>3</sub> N <sub>4</sub> nanocomposites. Acta Materialia, 2012, 60, 1570-1575.	3.8	28
175	Effect of Grain Boundaries on Charge Transport in Methylammonium Lead Iodide Perovskite Thin Films. Journal of Physical Chemistry C, 2019, 123, 5321-5325.	1.5	28
176	Microstructural Evolution in Liquid-Phase-Sintered SiC: Part II, Effects of Planar Defects and Seeds in the Starting Powder. Journal of the American Ceramic Society, 2001, 84, 1585-1590.	1.9	27
177	Transparent-conducting, gas-sensing nanostructures (nanotubes, nanowires, and thin films) of titanium oxide synthesized at near-ambient conditions. Journal of Materials Research, 2006, 21, 2894-2903.	1.2	27
178	Template-directed synthesis, characterization and electrical properties of Au-TiO <sub>2</sub> -Au heterojunction nanowires. Nanotechnology, 2007, 18, 155204.	1.3	27
179	Microstructural effects on the sliding wear of transparent magnesium-aluminate spinel. Journal of the European Ceramic Society, 2012, 32, 3143-3149.	2.8	27
180	Challenges in the ambient Raman spectroscopy characterization of methylammonium lead triiodide perovskite thin films. Frontiers of Optoelectronics, 2016, 9, 81-86.	1.9	27

#	ARTICLE	IF	CITATIONS
181	Mechanisms of exceptional grain growth and stability in formamidinium lead triiodide thin films for perovskite solar cells. <i>Acta Materialia</i> , 2020, 193, 10-18.	3.8	27
182	Lithium-ion battery electrolyte mobility at nano-confined graphene interfaces. <i>Nature Communications</i> , 2016, 7, 12693.	5.8	26
183	Mechanical properties of solution-precursor plasma-sprayed thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2008, 202, 4976-4979.	2.2	25
184	Ohmic contact formation between metal and AlGaIn/GaN heterostructure via graphene insertion. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	25
185	Integration of a functionalized graphene nano-network into a planar perovskite absorber for high-efficiency large-area solar cells. <i>Materials Horizons</i> , 2018, 5, 868-873.	6.4	25
186	Quantitative polytype-composition analyses of SiC using X-ray diffraction: a critical comparison between the polymorphic and the Rietveld methods. <i>Journal of the European Ceramic Society</i> , 2001, 21, 1237-1248.	2.8	24
187	Effect of MoSi <sub>2</sub> content on the lubricated sliding-wear resistance of ZrO <sub>2</sub> -MoSi <sub>2</sub> composites. <i>Journal of the European Ceramic Society</i> , 2011, 31, 877-882.	2.8	24
188	CMAS-Resistant Plasma Sprayed Thermal Barrier Coatings Based on Y <sub>2</sub> O <sub>3</sub> -Stabilized ZrO <sub>2</sub> with Al <sup>3+</sup> and Ti <sup>4+</sup> Solute Additions. <i>Journal of Thermal Spray Technology</i> , 2014, 23, 708-715.	1.6	23
189	The role of ceramic and glass science research in meeting societal challenges: Report from an NSF-sponsored workshop. <i>Journal of the American Ceramic Society</i> , 2017, 100, 1777-1803.	1.9	23
190	High-temperature chemical stability of low thermal conductivity ZrO <sub>2</sub> -GdO <sub>1.5</sub> thermal-barrier ceramics in contact with $\alpha$ -Al <sub>2</sub> O <sub>3</sub> . <i>Scripta Materialia</i> , 2004, 50, 1315-1318.	2.6	21
191	Effect of the nature of the intergranular phase on sliding-wear resistance of liquid-phase-sintered $\alpha$ -SiC. <i>Scripta Materialia</i> , 2007, 57, 505-508.	2.6	21
192	Knowledge extraction and transfer in data-driven fracture mechanics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	21
193	Direct Characterization of Carrier Diffusion in Halide-Perovskite Thin Films Using Transient Photoluminescence Imaging. <i>ACS Photonics</i> , 2019, 6, 2375-2380.	3.2	19
194	<i>In situ</i> transfer of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> single crystals in mesoporous scaffolds for efficient perovskite solar cells. <i>Chemical Science</i> , 2020, 11, 474-481.	3.7	19
195	Perovskite Solar Cells with Enhanced Fill Factors Using Polymer-Capped Solvent Annealing. <i>ACS Applied Energy Materials</i> , 2020, 3, 7231-7238.	2.5	19
196	High toughness carbon-nanotube-reinforced ceramics via ion-beam engineering of interfaces. <i>Carbon</i> , 2020, 163, 169-177.	5.4	19
197	Lead-Free Flexible Perovskite Solar Cells with Interfacial Native Oxide Have >10% Efficiency and Simultaneously Enhanced Stability and Reliability. <i>ACS Energy Letters</i> , 2022, 7, 2256-2264.	8.8	19
198	Microstructural Effects on the Creep Deformation of Alumina/Single-Wall Carbon Nanotubes Composites. <i>Journal of the American Ceramic Society</i> , 2010, 93, 2042-2047.	1.9	18

#	ARTICLE	IF	CITATIONS
199	Template-Directed, Near-Ambient Synthesis of Au@TiO <sub>2</sub> @Au Heterojunction Nanowires Mediated by Self-Assembled Monolayers (SAMs). <i>Materials Letters</i> , 2007, 61, 182-185.	1.3	17
200	Thin-Film Transformation of NH <sub>4</sub> PbI <sub>3</sub> to CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite: A Methylamine-Induced Conversion-Healing Process. <i>Angewandte Chemie</i> , 2016, 128, 14943-14947.	1.6	17
201	Linking melem with conjugated Schiff-base bonds to boost photocatalytic efficiency of carbon nitride for overall water splitting. <i>Nanoscale</i> , 2021, 13, 9315-9321.	2.8	17
202	Comprehensive Elucidation of Ion Transport and Its Relation to Hysteresis in Methylammonium Lead Iodide Perovskite Thin Films. <i>Journal of Physical Chemistry C</i> , 2019, 123, 4029-4034.	1.5	16
203	Electron-beam-induced cracking in organic-inorganic halide perovskite thin films. <i>Scripta Materialia</i> , 2020, 187, 88-92.	2.6	16
204	Characterization and Electrical Properties of Individual Au@NiO@Au Heterojunction Nanowires. <i>IEEE Nanotechnology Magazine</i> , 2007, 6, 676-681.	1.1	15
205	Flaw tolerance and toughness curves in two-phase particulate composites: SiC/glass system. <i>Journal of the European Ceramic Society</i> , 1994, 13, 149-157.	2.8	14
206	Local piezoelectric and ferroelectric responses in nanotube-patterned thin films of BaTiO <sub>3</sub> synthesized hydrothermally at 200 °C. <i>Journal of Materials Research</i> , 2006, 21, 547-551.	1.2	14
207	Low-temperature gas sensing in individual metal@oxide@metal heterojunction nanowires. <i>Journal of Materials Research</i> , 2008, 23, 2047-2052.	1.2	14
208	High-temperature materials for power generation in gas turbines. , 2020, , 3-62.		13
209	Arrays of Plasmonic Nanostructures for Absorption Enhancement in Perovskite Thin Films. <i>Nanomaterials</i> , 2020, 10, 1342.	1.9	13
210	Methylammonium-Mediated Evolution of Mixed Organic-Cation Perovskite Thin Films: A Dynamic Composition-Tuning Process. <i>Angewandte Chemie</i> , 2017, 129, 7782-7786.	1.6	12
211	Fabrication of compact and stable perovskite films with optimized precursor composition in the fast-growing procedure. <i>Science China Materials</i> , 2017, 60, 608-616.	3.5	12
212	Rate-dependent deformation of amorphous sulfide glass electrolytes for solid-state batteries. <i>Cell Reports Physical Science</i> , 2022, 3, 100845.	2.8	12
213	Comprehensive control of optical polarization anisotropy in semiconducting nanowires. <i>Applied Physics Letters</i> , 2011, 99, .	1.5	11
214	The effect of atmosphere on the flash-sintering of nanoscale titania ceramics. <i>Scripta Materialia</i> , 2021, 199, 113894.	2.6	10
215	On the constrained crystallization of synthetic anorthite (CaO · Al <sub>2</sub> O <sub>3</sub> · 2SiO <sub>2</sub> ). <i>Journal of Materials Research</i> , 1992, 7, 170-177.	1.2	10
216	Defect states and disorder in charge transport in semiconductor nanowires. <i>Journal of Applied Physics</i> , 2013, 114, .	1.1	9

#	ARTICLE	IF	CITATIONS
217	Magnetoresistance characteristics in individual Fe <sub>3</sub> O <sub>4</sub> single crystal nanowire. Journal of Applied Physics, 2015, 117, 17E115.	1.1	9
218	Real-Time Investigation of Sn(II) Oxidation in Pb-Free Halide Perovskites by X-ray Absorption and Mössbauer Spectroscopy. ACS Applied Energy Materials, 2021, 4, 4327-4332.	2.5	9
219	Crystallization kinetics of a glass in the Y <sub>2</sub> O <sub>3</sub> -Fe <sub>2</sub> O <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> system using differential thermal analysis. Journal of Materials Science Letters, 1991, 10, 269-271.	0.5	8
220	Lead removal at trace concentrations from water by inactive yeast cells. Communications Earth & Environment, 2022, 3, .	2.6	8
221	Surface-layered Silicon Carbide for Enhanced Contact-damage Resistance. Journal of Materials Science Letters, 1998, 17, 999-1002.	0.5	7
222	Physical chemistry of hybrid perovskite solar cells. Physical Chemistry Chemical Physics, 2016, 18, 27024-27025.	1.3	7
223	Interfacial toughness of diamond-like nanocomposite (DLN) thin films on silicon nitride substrates. Journal of Materials Science Letters, 2003, 22, 1261-1262.	0.5	6
224	Sea-salt-induced moderate-temperature degradation of thermally-sprayed MCrAlY bond-coats. Surface and Coatings Technology, 2020, 404, 126459.	2.2	6
225	Superior thermal barrier coatings using solution precursor plasma spray. , 2004, 13, 57.		6
226	High-temperature mechanical behavior of Al <sub>2</sub> O <sub>3</sub> /graphite composites. Journal of the European Ceramic Society, 2009, 29, 3205-3209.	2.8	5
227	Jet Engine Coatings: Jet Engine Coatings for Resisting Volcanic Ash Damage (Adv. Mater. 21/2011). Advanced Materials, 2011, 23, 2388-2388.	11.1	5
228	Site-specific stamping of graphene micro-patterns over large areas using flexible stamps. Nanotechnology, 2012, 23, 235603.	1.3	5
229	Heterojunction metal-oxide-metal Au-Fe <sub>3</sub> O <sub>4</sub> -Au single nanowire device for spintronics. Journal of Applied Physics, 2015, 117, 17D710.	1.1	5
230	Time-resolved vibrational-pump visible-probe spectroscopy for thermal conductivity measurement of metal-halide perovskites. Review of Scientific Instruments, 2022, 93, .	0.6	5
231	Template-directed synthesis, characterization and electrical properties of Au/TiO <sub>2</sub> /Au heterojunction nanowires. Nanotechnology, 2007, 18, 319001-319001.	1.3	4
232	On the multiplying factor for the estimation of the average grain size in thin films. Scripta Materialia, 2021, 196, 113748.	2.6	4
233	Delineation and Passivation of Grain Boundary Channels in Metal Halide Perovskite Thin Films for Solar Cells. Advanced Materials Interfaces, 2022, 9, .	1.9	4
234	Homogenous Alloys of Formamidinium Lead Triiodide and Cesium Tin Triiodide for Efficient Ideal Bandgap Perovskite Solar Cells. Angewandte Chemie, 2017, 129, 12832-12836.	1.6	3

#	ARTICLE	IF	CITATIONS
235	p-d orbital interaction via magnesium isovalent doping enhances optoelectronic properties of halide perovskites. <i>Chemical Communications</i> , 2020, 56, 15639-15642.	2.2	3
236	Understanding and Engineering Grain Boundaries for High-Performance Halide Perovskite Photovoltaics. , 2020, , .		3
237	Postfailure subsidiary cracking from indentation flaws in brittle materials. <i>Journal of Materials Research</i> , 1993, 8, 1411-1417.	1.2	2
238	Chemically synthesized metal-oxide-metal segmented nanowires with high ferroelectric response. <i>Nanotechnology</i> , 2010, 21, 335601.	1.3	2
239	Materials in the Aircraft Industry. , 2018, , 271-346.		2
240	High-temperature interactions between Yttria-stabilized zirconia thermal barrier coatings and Na-Rich calcia-magnesia-aluminosilicate deposits. <i>Ceramics International</i> , 2021, 47, 19505-19514.	2.3	2
241	The Solution Precursor Plasma Spray Process for Making Durable Thermal Barrier Coatings. , 2005, , .		2
242	Aplicaci3n del m3todo de Rietveld al an3lisis cuantitativo SiC sinterizado en fase l3quida. <i>Boletin De La Sociedad Espanola De Ceramica Y Vidrio</i> , 2000, 39, 347-350.	0.9	2
243	The Role of Crystallization of an Intergranular Glassy Phase in Determining Grain Boundary Residual Stresses in Debased Aluminas. <i>Materials Research Society Symposia Proceedings</i> , 1989, 170, 245.	0.1	1
244	Formation of self-assembled Cu-3-Al 2 O 3 nanocomposite. <i>Philosophical Magazine Letters</i> , 2003, 83, 135-142.	0.5	1
245	GRADED CERAMICS FOR IMPROVED CONTACT-DAMAGE RESISTANCE: A REVIEW. <i>International Journal of Computational Engineering Science</i> , 2004, 05, 731-752.	0.1	1
246	Frontispiece: Bandgap Optimization of Perovskite Semiconductors for Photovoltaic Applications. <i>Chemistry - A European Journal</i> , 2018, 24, .	1.7	1
247	Perovskite Solar Cells: Stable Formamidinium-Based Perovskite Solar Cells via In Situ Grain Encapsulation ( <i>Adv. Energy Mater.</i> 22/2018). <i>Advanced Energy Materials</i> , 2018, 8, 1870101.	10.2	1
248	Graded Ceramics for Improved Contact-Damage Resistance. <i>Materials Science Forum</i> , 2003, 423-425, 125-130.	0.3	0
249	R3cktitelbild: Homogenous Alloys of Formamidinium Lead Triiodide and Cesium Tin Triiodide for Efficient Ideal3Bandgap Perovskite Solar Cells ( <i>Angew. Chem.</i> 41/2017). <i>Angewandte Chemie</i> , 2017, 129, 12966-12966.	1.6	0
250	Fracture Behavior of Organic-Inorganic Halide Perovskite Thin Films for Solar Cells. , 0, , .		0