

# Raoul Belzeaux

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7766170/publications.pdf>

Version: 2024-02-01

38  
papers

634  
citations

516710

16  
h-index

642732

23  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1210  
citing authors

#	ARTICLE	IF	CITATIONS
1	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of Expertise). <i>Journal of Affective Disorders</i> , 2022, 306, 223-231.	4.1	3
2	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	2.6	4
3	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. <i>Journal of Affective Disorders</i> , 2021, 282, 812-819.	4.1	12
4	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fundamental Advanced Centres of Expertise. <i>Journal of Affective Disorders</i> , 2021, 287, 196-203.	4.1	5
5	RNA therapeutics for mood disorders: current evidence toward clinical trials. <i>Expert Opinion on Investigational Drugs</i> , 2021, 30, 721-736.	4.1	2
6	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. <i>Journal of Affective Disorders</i> , 2021, 286, 309-319.	4.1	4
7	Blood cytokines differentiate bipolar disorder and major depressive disorder during a major depressive episode: Initial discovery and independent sample replication. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2021, 13, 100232.	2.5	6
8	Pharmacological treatment profiles in the FACE-BD cohort: Treatment description and complete data for bipolar subtypes. <i>Data in Brief</i> , 2021, 36, 107004.	1.0	0
9	Suicide and suicide behaviors: A review of transcriptomics and multiomics studies in psychiatric disorders. <i>Journal of Neuroscience Research</i> , 2020, 98, 601-615.	2.9	14
10	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020, 262, 182-188.	4.1	9
11	Neural and molecular correlates of psychological pain during major depression, and its link with suicidal ideas. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 100, 109909.	4.8	15
12	GPR56/ADGRG1 is associated with response to antidepressant treatment. <i>Nature Communications</i> , 2020, 11, 1635.	12.8	38
13	Childhood-maltreatment subtypes in bipolar patients with suicidal behavior: systematic review and meta-analysis. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 558-567.	1.7	13
14	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , 2019, 49, 519-527.	4.5	19
15	Integrated genome-wide methylation and expression analyses reveal functional predictors of response to antidepressants. <i>Translational Psychiatry</i> , 2019, 9, 254.	4.8	33
16	Pharmacotherapy for the peripartum management of bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 1731-1741.	1.8	11
17	Predicting Worsening Suicidal Ideation With Clinical Features and Peripheral Expression of Messenger RNA and MicroRNA During Antidepressant Treatment. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	2.2	16

#	ARTICLE	IF	CITATIONS
19	Focusing on the Opioid System for Addiction Biomarker Discovery. <i>Trends in Molecular Medicine</i> , 2018, 24, 206-220.	6.7	22
20	Serotonin transporter gene expression predicts the worsening of suicidal ideation and suicide attempts along a long-term follow-up of a Major Depressive Episode. <i>European Neuropsychopharmacology</i> , 2018, 28, 401-414.	0.7	18
21	Transcriptomic and epigenomic biomarkers of antidepressant response. <i>Journal of Affective Disorders</i> , 2018, 233, 36-44.	4.1	31
22	Association between binge eating disorder and psychiatric comorbidity profiles in patients with obesity seeking bariatric surgery. <i>Comprehensive Psychiatry</i> , 2018, 87, 79-83.	3.1	7
23	Using Epigenetic Tools to Investigate Antidepressant Response. <i>Progress in Molecular Biology and Translational Science</i> , 2018, 158, 255-272.	1.7	15
24	Antidepressive effects of targeting ELK-1 signal transduction. <i>Nature Medicine</i> , 2018, 24, 591-597.	30.7	33
25	Biomarker development: Current issues and perspectives. <i>Psychoneuroendocrinology</i> , 2017, 78, 253-254.	2.7	0
26	Potential Use of MicroRNA for Monitoring Therapeutic Response to Antidepressants. <i>CNS Drugs</i> , 2017, 31, 253-262.	5.9	33
27	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2017, 211, 381-387.	2.8	30
28	Modeling a linkage between blood transcriptional expression and activity in brain regions to infer the phenotype of schizophrenia patients. <i>NPJ Schizophrenia</i> , 2017, 3, 25.	3.6	8
29	Alcohol use and bipolar disorders: Risk factors associated with their co-occurrence and sequence of onsets. <i>Drug and Alcohol Dependence</i> , 2017, 179, 205-212.	3.2	30
30	Translational Identification of Transcriptional Signatures of Major Depression and Antidepressant Response. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 248.	2.9	29
31	Neuropsychological functioning, age, and medication adherence in bipolar disorder. <i>PLoS ONE</i> , 2017, 12, e0184313.	2.5	22
32	Predisposition to treatment response in major depressive episode: A peripheral blood gene coexpression network analysis. <i>Journal of Psychiatric Research</i> , 2016, 81, 119-126.	3.1	29
33	Mood disorders are associated with a more severe hypovitaminosis D than schizophrenia. <i>Psychiatry Research</i> , 2015, 229, 613-616.	3.3	30
34	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015, 184, 60-66.	4.1	19
35	Mood Disorders are Highly Prevalent but Underdiagnosed Among Patients Seeking Bariatric Surgery. <i>Obesity Surgery</i> , 2015, 25, 543-544.	2.1	6
36	Longitudinal Monitoring of the Serotonin Transporter Gene Expression to Assess Major Depressive Episode Evolution. <i>Neuropsychobiology</i> , 2014, 70, 220-227.	1.9	6

#	ARTICLE	IF	CITATIONS
37	Monitoring candidate gene expression variations before, during and after a first major depressive episode in a 51-year-old man. <i>BMC Psychiatry</i> , 2014, 14, 73.	2.6	8
38	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2013, 151, 1009-1015.	4.1	45