

Carolyn A Ecelbarger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7766339/publications.pdf>

Version: 2024-02-01

96
papers

3,354
citations

126907

33
h-index

144013

57
g-index

139
all docs

139
docs citations

139
times ranked

2544
citing authors

#	ARTICLE	IF	CITATIONS
1	Diabetic Kidney Disease Represents a Locus of Opportunity. <i>Frontiers in Physiology</i> , 2021, 12, 650503.	2.8	0
2	Insulin receptor (InsR) deletion from renal tubule reduces kidney size and upregulates gluconeogenic capacity of the proximal tubule in mice. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
3	Caloric Restriction and Cardiovascular Health: the Good, the Bad, and the Renin-Angiotensin System. <i>Physiology</i> , 2021, 36, 220-234.	3.1	2
4	DHT causes liver steatosis via transcriptional regulation of SCAP in normal weight female mice. <i>Journal of Endocrinology</i> , 2021, 250, 49-65.	2.6	17
5	P2Y2 Receptor Promotes High-Fat Diet-Induced Obesity. <i>Frontiers in Endocrinology</i> , 2020, 11, 341.	3.5	23
6	Refining insulin signaling in the proximal tubule at the level of the substrate. <i>Kidney International</i> , 2020, 97, 256-258.	5.2	5
7	miR-451 Loaded Exosomes Are Released by the Renal Cells in Response to Injury and Associated With Reduced Kidney Function in Human. <i>Frontiers in Physiology</i> , 2020, 11, 234.	2.8	19
8	Deletion of insulin receptor in the proximal tubule and fasting augment albumin excretion. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 10688-10696.	2.6	12
9	Inducible renal tubule insulin receptor (IR) knockout affects sodium transporter/channel expression and activity in a sex-dependent manner. <i>FASEB Journal</i> , 2019, 33, 864.7.	0.5	0
10	The increased expression of microRNAs 451, 638 and 362 in Urinary Exosomes of Human Subjects profiled as Diabetic and Hypertensive. <i>FASEB Journal</i> , 2019, 33, 716.5.	0.5	0
11	Single-tubule RNA-Seq uncovers signaling mechanisms that defend against hyponatremia in SIADH. <i>Kidney International</i> , 2018, 93, 128-146.	5.2	23
12	Chronic Insulin Infusion Down-Regulates Circulating and Urinary Nitric Oxide (NO) Levels Despite Molecular Changes in the Kidney Predicting Greater Endothelial NO Synthase Activity in Mice. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2880.	4.1	8
13	<i>Molecular Biology and Gene Regulation</i> . , 2018, , 95-116.		0
14	Reduced Insulin Receptor Expression Enhances Proximal Tubule Gluconeogenesis. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 276-285.	2.6	29
15	Prasugrel suppresses development of lithium-induced nephrogenic diabetes insipidus in mice. <i>Purinergic Signalling</i> , 2017, 13, 239-248.	2.2	10
16	<i>Sex Differences in Renal Physiology and Pathophysiology</i> . , 2016, , 105-124.		3
17	Urinary Exosomal microRNA-451-5p Is a Potential Early Biomarker of Diabetic Nephropathy in Rats. <i>PLoS ONE</i> , 2016, 11, e0154055.	2.5	77
18	Azilsartan Improves Salt Sensitivity by Modulating the Proximal Tubular Na ⁺ -H ⁺ Exchanger-3 in Mice. <i>PLoS ONE</i> , 2016, 11, e0147786.	2.5	13

#	ARTICLE	IF	CITATIONS
19	Absence of renal enlargement in fructose-fed proximal-tubule-select insulin receptor (IR), insulin-like-growth factor receptor (IGF1R) double knockout mice. <i>Physiological Reports</i> , 2016, 4, e13052.	1.7	8
20	Insulin Regulates Nitric Oxide Production in the Kidney Collecting Duct Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 5582-5591.	3.4	26
21	Targeting renal purinergic signalling for the treatment of lithium-induced nephrogenic diabetes insipidus. <i>Acta Physiologica</i> , 2015, 214, 176-188.	3.8	28
22	Clopidogrel attenuates lithium-induced alterations in renal water and sodium channels/transporters in mice. <i>Purinergic Signalling</i> , 2015, 11, 507-518.	2.2	17
23	Role of insulin and insulin-like-growth factor (IGF) receptors in renal proximal tubule (PT) phosphorus handling. <i>FASEB Journal</i> , 2015, 29, 970.1.	0.5	0
24	Effects of fructose feeding on mice with dual knockout of the insulin and insulin-like-growth factor, type 1 (IGF1) receptors from proximal-tubule. <i>FASEB Journal</i> , 2015, 29, 961.4.	0.5	0
25	P2Y2 Receptor Facilitates High-fat diet Induced Insulin Resistance. <i>FASEB Journal</i> , 2015, 29, 805.7.	0.5	2
26	Increase in renal proximal tubule GLUT5 and ketohexokinase in male mice, but not female mice, in response to high-fructose feeding may contribute to sex differences in renal responses (1135.3). <i>FASEB Journal</i> , 2014, 28, 1135.3.	0.5	1
27	Effects of 17 β -estradiol replacement in a model of renal ischemia in the ovariectomized female apolipoprotein E knockout mouse (1135.2). <i>FASEB Journal</i> , 2014, 28, 1135.2.	0.5	0
28	Deletion of the Insulin Receptor in the Proximal Tubule Promotes Hyperglycemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1209-1214.	6.1	73
29	Regulation of ENaC in mice lacking renal insulin receptors in the collecting duct. <i>FASEB Journal</i> , 2013, 27, 2723-2732.	0.5	41
30	Altered thick ascending limb function in aging female mice consuming high quantities of fructose-sweetened water. <i>FASEB Journal</i> , 2013, 27, 1115.13.	0.5	0
31	Role of the collecting duct insulin receptor in fluid homeostasis in response to high- and low-NaCl diets. <i>FASEB Journal</i> , 2013, 27, 911.9.	0.5	0
32	Role of the sex chromosomal complement (XX or XY) to impact blood pressure and natriuresis in the model of aldosterone escape. <i>FASEB Journal</i> , 2012, 26, 1096.6.	0.5	0
33	Impaired kidney function and anatomy in dietarily-rescued calcineurin (alpha isoform) knockout mice. <i>FASEB Journal</i> , 2012, 26, 868.19.	0.5	0
34	Sex Chromosome Effects Unmasked in Angiotensin II-Induced Hypertension. <i>Hypertension</i> , 2010, 55, 1275-1282.	2.7	120
35	Molecular Biology and Gene Regulation of Vasopressin. , 2009, , 225-248.		3
36	Sex and Age Result in Differential Regulation of the Renal Thiazide-Sensitive NaCl Cotransporter and the Epithelial Sodium Channel in Angiotensin II-Infused Mice. <i>American Journal of Nephrology</i> , 2009, 30, 554-562.	3.1	30

#	ARTICLE	IF	CITATIONS
37	Candesartan Differentially Regulates Epithelial Sodium Channel in Cortex Versus Medulla of Streptozotocin-Induced Diabetic Rats. <i>Journal of Epithelial Biology & Pharmacology</i> , 2009, 2, 23-29.	1.2	7
38	Candesartan restored the altered renal insulin receptor protein and cytokine profile, and reduces nephropathy in the obese Zucker rat despite its propensity to worsen diabetes. <i>FASEB Journal</i> , 2009, 23, 604.2.	0.5	0
39	Time course of AQP-2 and ENaC regulation in the kidney in response to PPAR agonists associated with marked edema in rats. <i>Pharmacological Research</i> , 2008, 57, 383-392.	7.1	30
40	Impaired sodium excretion and increased blood pressure in mice with targeted deletion of renal epithelial insulin receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6469-6474.	7.1	75
41	Chronic Rosiglitazone Therapy Normalizes Expression of ACE1, SCD1 and other Genes in the Kidney of Obese Zucker Rats as Determined by Microarray Analysis. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008, 116, 315-325.	1.2	22
42	Insulin's impact on renal sodium transport and blood pressure in health, obesity, and diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F974-F984.	2.7	102
43	Reduced Expression of Insulin Receptors in the Kidneys of Insulin-Resistant Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2661-2671.	6.1	80
44	Trafficking of ENaC subunits in response to acute insulin in mouse kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F178-F185.	2.7	59
45	Sex Differences in Renal Nitric Oxide Synthase, NAD(P)H Oxidase, and Blood Pressure in Obese Zucker Rats. <i>Gender Medicine</i> , 2007, 4, 214-229.	1.4	14
46	Increased systolic blood pressure and defective pressure-dependent natriuresis in mice lacking the insulin receptor in the thick ascending limb through collecting duct. <i>FASEB Journal</i> , 2007, 21, A1194.	0.5	1
47	Candesartan differentially regulates distal sodium transporters and channel subunits in cortex versus medulla in streptozotocin-induced diabetic rats.. <i>FASEB Journal</i> , 2007, 21, A1331.	0.5	0
48	The abundance of medullary Na ⁺ /K ⁺ /2Cl cotransporter (NKCC2) is increased by high-fat feeding and reduced by Tempol in Fisher 344 X Brown Norway (F344BN, F1) rats.. <i>FASEB Journal</i> , 2007, 21, A1195.	0.5	0
49	Sex differences in sodium transporter and channel expression in mice after angiotensin II infusion.. <i>FASEB Journal</i> , 2007, 21, A1416.	0.5	0
50	Sex and body-type interactions in the regulation of renal sodium transporter levels, urinary excretion, and activity in lean and obese zucker rats. <i>Gender Medicine</i> , 2006, 3, 309-327.	1.4	27
51	Renal ENaC subunit, Na ⁺ /K ⁺ /2Cl and Na ⁺ /Cl cotransporter abundances in aged, water-restricted F344 Brown Norway rats. <i>Kidney International</i> , 2006, 69, 304-312.	5.2	33
52	Role of the aldosterone-sensitive distal nephron in the sodium retention associated with liver cirrhosis. <i>Kidney International</i> , 2006, 69, 10-12.	5.2	4
53	17- β Estradiol attenuates streptozotocin-induced diabetes and regulates the expression of renal sodium transporters. <i>Kidney International</i> , 2006, 69, 471-480.	5.2	44
54	Sodium transporters in the distal nephron and disease implications. <i>Current Hypertension Reports</i> , 2006, 8, 158-165.	3.5	24

#	ARTICLE	IF	CITATIONS
55	Rosiglitazone Regulates ENaC and Na-K-2Cl Cotransporter (NKCC ₂) Abundance in the Obese Zucker Rat. American Journal of Nephrology, 2006, 26, 245-257.	3.1	36
56	Regulation of blood pressure, the epithelial sodium channel (ENaC), and other key renal sodium transporters by chronic insulin infusion in rats. American Journal of Physiology - Renal Physiology, 2006, 290, F1055-F1064.	2.7	82
57	Lithium treatment and remodeling of the collecting duct. American Journal of Physiology - Renal Physiology, 2006, 291, F37-F38.	2.7	9
58	Aldosterone infusion with high-NaCl diet increases blood pressure in obese but not lean Zucker rats. American Journal of Physiology - Renal Physiology, 2006, 291, F597-F605.	2.7	36
59	Increased renal $\hat{\pm}$ -ENaC and NCC abundance and elevated blood pressure are independent of hyperaldosteronism in vasopressin escape. American Journal of Physiology - Renal Physiology, 2006, 291, F49-F57.	2.7	24
60	Insulin receptor localization and regulation in rat kidney. FASEB Journal, 2006, 20, A1169.	0.5	3
61	Metabolic, renal, and cardiovascular effects of selective estrogen receptor agonists. FASEB Journal, 2006, 20, A1169.	0.5	0
62	Sex differences in the renal and cardiovascular responses to aldosterone: role of nitric oxide. FASEB Journal, 2006, 20, A1194.	0.5	0
63	Acute insulin infusion effects on ENaC subunits in mice. FASEB Journal, 2006, 20, A1225.	0.5	0
64	Sex and Age Differences in Renal Ability to Conserve Water and Sodium in F344 x Brown Norway Rats. FASEB Journal, 2006, 20, A338.	0.5	0
65	Sex differences in blood pressure and kidney sodium transporters and channels in response to high salt diet in lean and obese Zucker rats. FASEB Journal, 2006, 20, A338.	0.5	2
66	Rosiglitazone induces renal cellular acidosis.. FASEB Journal, 2006, 20, A1223.	0.5	2
67	Regulation of the renal thiazide-sensitive Na-Cl cotransporter, blood pressure, and natriuresis in obese Zucker rats treated with rosiglitazone. American Journal of Physiology - Renal Physiology, 2005, 289, F442-F450.	2.7	51
68	Diabetic nephropathy is associated with decreased circulating estradiol levels and imbalance in the expression of renal estrogen receptors. Gender Medicine, 2005, 2, 227-237.	1.4	78
69	Targeted proteomics using immunoblotting technique for studying dysregulation of ion transporters in renal disorders. Expert Review of Proteomics, 2004, 1, 219-227.	3.0	5
70	Rosiglitazone Activates Renal Sodium- and Water-Reabsorptive Pathways and Lowers Blood Pressure in Normal Rats. Journal of Pharmacology and Experimental Therapeutics, 2004, 308, 426-433.	2.5	128
71	Increased blood pressure, aldosterone activity, and regional differences in renal ENaC protein during vasopressin escape. American Journal of Physiology - Renal Physiology, 2004, 287, F1076-F1083.	2.7	42
72	Effects of dietary fat, NaCl, and fructose on renal sodium and water transporter abundances and systemic blood pressure. American Journal of Physiology - Renal Physiology, 2004, 287, F1204-F1212.	2.7	55

#	ARTICLE	IF	CITATIONS
73	Increased renal ENaC subunit and sodium transporter abundances in streptozotocin-induced type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, F1125-F1137.	2.7	55
74	Proteomics and Sodium Transport. , 2003, 141, 124-141.		4
75	Chapter 6 Regulation of renal salt and water transporters during vasopressin escape. <i>Progress in Brain Research</i> , 2002, 139, 75-84.	1.4	13
76	Dysregulation of renal salt and water transport proteins in diabetic Zucker rats. <i>Kidney International</i> , 2002, 61, 2099-2110.	5.2	62
77	Regulation of the Abundance of Renal Sodium Transporters and Channels by Vasopressin. <i>Experimental Neurology</i> , 2001, 171, 227-234.	4.1	116
78	Increased renal Na-K-ATPase, NCC, and I^2 -ENaC abundance in obese Zucker rats. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F639-F648.	2.7	89
79	Expression of salt and urea transporters in rat kidney during cisplatin-induced polyuria. <i>Kidney International</i> , 2001, 60, 2274-2282.	5.2	31
80	Regulation of Potassium Channel Kir 1.1 (ROMK) Abundance in the Thick Ascending Limb of Henle's Loop. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 10-18.	6.1	54
81	Increased Abundance of Distal Sodium Transporters in Rat Kidney during Vasopressin Escape. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 207-217.	6.1	60
82	Vasopressin-mediated regulation of epithelial sodium channel abundance in rat kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F46-F53.	2.7	203
83	Generation and phenotype of mice harboring a nonsense mutation in the V2 vasopressin receptor gene. <i>Journal of Clinical Investigation</i> , 2000, 106, 1361-1371.	8.2	106
84	Detection of Na ⁺ Transporter Proteins in Urine. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 2128-2132.	6.1	76
85	Temporal adjustment of the juxtaglomerular apparatus during sustained inhibition of proximal reabsorption. <i>Journal of Clinical Investigation</i> , 1999, 104, 1149-1158.	8.2	55
86	Kidney Aquaporin-2 Expression during Escape from Antidiuresis Is Not Related to Plasma or Tissue Osmolality. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 2067-2075.	6.1	22
87	Regulation of Thick Ascending Limb Transport by Vasopressin. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 628-634.	6.1	84
88	Regulation of Thick Ascending Limb Ion Transporter Abundance in Response to Altered Acid/Base Intake. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 935-942.	6.1	93
89	Impaired aquaporin and urea transporter expression in rats with adriamycin-induced nephrotic syndrome. See Editorial by Berl, p 1418. <i>Kidney International</i> , 1998, 53, 1244-1253.	5.2	67
90	Concentrating defect in experimental nephrotic syndrome: Altered expression of aquaporins and thick ascending limb Na ⁺ transporters. <i>Kidney International</i> , 1998, 54, 170-179.	5.2	105

#	ARTICLE	IF	CITATIONS
91	Congestive heart failure in rats is associated with increased expression and targeting of aquaporin-2 water channel in collecting duct. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 5450-5455.	7.1	182
92	Renal aquaporins. Kidney International, 1996, 49, 1712-1717.	5.2	140
93	Importance of kidney function and duration of exposure on aluminum accumulation in mature rats. Nutrition Research, 1994, 14, 577-586.	2.9	14
94	Aluminum retention by aged rats fed aluminum and treated with desferrioxamine. Toxicology Letters, 1994, 73, 249-257.	0.8	10
95	Tissue Aluminum Accumulation and Toxic Consequences in Rats Chronically Fed Aluminum with and without Citrate. Journal of Agricultural and Food Chemistry, 1994, 42, 2220-2224.	5.2	18
96	Dietary Citrate and Kidney Function Affect Aluminum, Zinc and Iron Utilization in Rats. Journal of Nutrition, 1991, 121, 1755-1762.	2.9	29