
## Raymond John Playford

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7772533/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Newly identified genetic risk variants for celiac disease related to the immune response. Nature<br>Genetics, 2008, 40, 395-402.   | 21.4 | 599       |
| 2  | A genome-wide association study for celiac disease identifies risk variants in the region harboring IL2 and IL21. Nature Genetics, 2007, 39, 827-829.  | 21.4 | 592       |
| 3  | CAMPYLOBACTER PYLORI AND DUODENAL ULCERS: THE GASTRIN LINK. Lancet, The, 1989, 333, 1167-1168.   | 13.7 | 333       |
| 4  | Colostrum and milk-derived peptide growth factors for the treatment of gastrointestinal disorders.<br>American Journal of Clinical Nutrition, 2000, 72, 5-14.  | 4.7  | 330       |
| 5  | Muramyl dipeptide and toll-like receptor sensitivity in NOD2-associated Crohn's disease. Lancet, The, 2005, 365, 1794-1796.  | 13.7 | 305       |
| 6  | Epidermal Growth Factor Enemas with Oral Mesalamine for Mild-to-Moderate Left-Sided Ulcerative Colitis or Proctitis. New England Journal of Medicine, 2003, 349, 350-357.  | 27.0 | 296       |
| 7  | Characterization and Clinical Application of Human CD34 <sup>+</sup> Stem/Progenitor Cell<br>Populations Mobilized into the Blood by Granulocyte Colonyâ€Stimulating Factor. Stem Cells, 2006, 24,<br>1822-1830.   | 3.2  | 267       |
| 8  | Reprogramming of intestinal differentiation and intercalary regeneration in <i>Cdx2</i> mutant<br>mice. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96,<br>7318-7323.   | 7.1  | 262       |
| 9  | Human spasmolytic polypeptide is a cytoprotective agent that stimulates cell migration.<br>Gastroenterology, 1995, 108, 108-116.   | 1.3  | 251       |
| 10 | New British Society of Gastroenterology (BSG) guidelines for the diagnosis and management of Barrett's oesophagus. Gut, 2006, 55, 442-442.   | 12.1 | 222       |
| 11 | Transgenic mice that overexpress the human trefoil peptide pS2 have an increased resistance to<br>intestinal damage Proceedings of the National Academy of Sciences of the United States of America,<br>1996, 93, 2137-2142.   | 7.1  | 168       |
| 12 | The epidermal growth factor receptor (EGF-R) is present on the basolateral, but not the apical, surface of enterocytes in the human gastrointestinal tract Gut, 1996, 39, 262-266.   | 12.1 | 150       |
| 13 | Synergistic enhancement of Toll-like receptor responses by NOD1 activation. European Journal of Immunology, 2005, 35, 2471-2476.   | 2.9  | 135       |
| 14 | Bovine colostrum is a health food supplement which prevents NSAID induced gut damage. Gut, 1999, 44, 653-658.  | 12.1 | 126       |
| 15 | Expression of catenins and E-cadherin during epithelial restitution in inflammatory bowel disease. ,<br>1998, 185, 413-418.  |      | 121       |
| 16 | The nutriceutical bovine colostrum truncates the increase in gut permeability caused by heavy exercise in athletes. American Journal of Physiology - Renal Physiology, 2011, 300, G477-G484.   | 3.4  | 118       |
| 17 | Mutated epithelial cadherin is associated with increased tumorigenicity and loss of adhesion and of responsiveness to the motogenic trefoil factor 2 in colon carcinoma cells. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 2316-2321. | 7.1  | 117       |
| 18 | Epidermal growth factor is digested to smaller, less active forms in acidic gastric juice.<br>Gastroenterology, 1995, 108, 92-101.   | 1.3  | 111       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Synergy between TLR9 and NOD2 innate immune responses is lost in genetic Crohn's disease. Gut, 2005, 54, 1553-1557.   | 12.1 | 111       |
| 20 | Effect of luminal growth factor preservation on intestinal growth. Lancet, The, 1993, 341, 843-848.   | 13.7 | 107       |
| 21 | Comparison of cytokine modulation by natural peroxisome proliferator–activated receptor γ ligands<br>with synthetic ligands in intestinal-like Caco-2 cells and human dendritic cells—potential for dietary<br>modulation of peroxisome proliferator–activated receptor γ in intestinal inflammation. American<br>lournal of Clinical Nutrition. 2008. 87. 939-948. | 4.7  | 107       |
| 22 | Combined Intestinal Trefoil Factor and Epidermal Growth Factor is Prophylactic against<br>Indomethacin-Induced Gastric Damage in the Rat. Clinical Science, 1995, 88, 401-403.  | 4.3  | 102       |
| 23 | Bovine Colostrum: Its Constituents and Uses. Nutrients, 2021, 13, 265.  | 4.1  | 102       |
| 24 | Genetic Variation in Myosin IXB Is Associated With Ulcerative Colitis. Gastroenterology, 2006, 131, 1768-1774.  | 1.3  | 95        |
| 25 | Peptides and gastrointestinal mucosal integrity Gut, 1995, 37, 595-597.   | 12.1 | 92        |
| 26 | Co-administration of the health food supplement, bovine colostrum, reduces the acute non-steroidal anti-inflammatory drug-induced increase in intestinal permeability. Clinical Science, 2001, 100, 627-633.  | 4.3  | 90        |
| 27 | Effects of Mouse and Human Lipocalin Homologues 24p3/lcn2 and Neutrophil Gelatinase–Associated<br>Lipocalin on Gastrointestinal Mucosal Integrity and Repair. Gastroenterology, 2006, 131, 809-817.   | 1.3  | 90        |
| 28 | Why is epidermal growth factor present in the gut lumen?. Gut, 1996, 38, 303-305.   | 12.1 | 89        |
| 29 | Zinc carnosine, a health food supplement that stabilises small bowel integrity and stimulates gut repair processes. Gut, 2007, 56, 168-175.   | 12.1 | 88        |
| 30 | Probiotics in inflammatory bowel disease: is it all gut flora modulation?. Gut, 2004, 53, 620-622.  | 12.1 | 83        |
| 31 | Use of the â€~nutriceutical', bovine colostrum, for the treatment of distal colitis: results from an initial study. Alimentary Pharmacology and Therapeutics, 2002, 16, 1917-1922.  | 3.7  | 79        |
| 32 | A common CTLA4 haplotype associated with coeliac disease. European Journal of Human Genetics, 2005, 13, 440-444.  | 2.8  | 76        |
| 33 | Prophylactic Use of Epidermal Growth Factor Reduces Ischemia/Reperfusion Intestinal Damage.<br>American Journal of Pathology, 2002, 161, 373-379.   | 3.8  | 73        |
| 34 | Dimerization of human pS2 (TFF1) plays a key role in its protective/healing effects. , 1998, 185, 153-158.  |      | 72        |
| 35 | Bioactive natural compounds for the treatment of gastrointestinal disorders. Clinical Science, 2003, 104, 547-556.  | 4.3  | 72        |
| 36 | Modulation of dendritic cell phenotype and functionin an <i>in vitro </i> model of the intestinal epithelium. European Journal of Immunology, 2006, 36, 864-874.  | 2.9  | 71        |

RAYMOND JOHN PLAYFORD

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Preliminary report: role of peptide YY in defence against diarrhoea. Lancet, The, 1990, 335, 1555-1557.   | 13.7 | 69        |
| 38 | Reparative properties of a commercial fish protein hydrolysate preparation. Gut, 2005, 54, 775-781.   | 12.1 | 69        |
| 39 | The trefoil peptide TFF1 inhibits the growth of the human gastric adenocarcinoma cell line AGS. , 1999, 188, 312-317.   |      | 68        |
| 40 | Peptide gene expression in gastrointestinal mucosal ulceration: ordered sequence or redundancy?.<br>Gut, 2000, 46, 286-292.   | 12.1 | 68        |
| 41 | Gastrointestinal cell proliferation and crypt fission are separate but complementary means of increasing tissue mass following infusion of epidermal growth factor in rats. Gut, 2001, 48, 803-807.                             | 12.1 | 67        |
| 42 | Intestinal fatty acid-binding protein and gut permeability responses to exercise. European Journal of<br>Applied Physiology, 2017, 117, 931-941.  | 2.5  | 62        |
| 43 | Human Pancreatic Secretory Trypsin Inhibitor. Digestion, 1998, 59, 167-174.   | 2.3  | 58        |
| 44 | Lack of association of MYO9B genetic variants with coeliac disease in a British cohort. Gut, 2006, 55, 969-972.   | 12.1 | 58        |
| 45 | Zinc carnosine works with bovine colostrum in truncating heavy exercise–induced increase in gut permeability in healthy volunteers. American Journal of Clinical Nutrition, 2016, 104, 526-536.                                 | 4.7  | 57        |
| 46 | Bismuth induced encephalopathy caused by tri potassium dicitrato bismuthate in a patient with chronic renal failure Gut, 1990, 31, 359-360.   | 12.1 | 55        |
| 47 | Current practice in surveillance strategy for patients with Barrett's oesophagus in the UK. Alimentary<br>Pharmacology and Therapeutics, 2003, 17, 1319-1324.   | 3.7  | 54        |
| 48 | Integration of <i>ERG</i> gene mapping and geneâ€expression profiling identifies distinct categories of human prostate cancer. BJU International, 2009, 103, 1256-1269.   | 2.5  | 54        |
| 49 | Suppression of Helicobacter pylori reduces gastrin releasing peptide stimulated gastrin release in<br>duodenal ulcer patients Gut, 1992, 33, 601-603.   | 12.1 | 52        |
| 50 | Trial of trefoil factor 3 enemas, in combination with oral 5â€aminosalicylic acid, for the treatment of<br>mildâ€ŧoâ€moderate leftâ€sided ulcerative colitis. Alimentary Pharmacology and Therapeutics, 2005, 21,<br>1357-1364. | 3.7  | 52        |
| 51 | Co-administration of the health food supplement, bovine colostrum, reduces the acute non-steroidal<br>anti-inflammatory drug-induced increase in intestinal permeability. Clinical Science, 2001, 100, 627.                     | 4.3  | 51        |
| 52 | Bone Marrow–Derived Stromal Cells Express Lineage-Related Messenger RNA Species. Cancer Research,<br>2006, 66, 1265-1269.   | 0.9  | 51        |
| 53 | Ten years' experience of screening patients with Barrett's oesophagus in a university teaching<br>hospital. Gut, 1997, 41, 303-307.   | 12.1 | 47        |
| 54 | The mucous neck cell in the human gastric corpus: a distinctive, functional cell lineage. Journal of<br>Pathology, 1999, 187, 331-337.  | 4.5  | 46        |

RAYMOND JOHN PLAYFORD

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Synergistic effects of systemic trefoil factor family 1 (TFF1) peptide and epidermal growth factor in a rat model of colitis. Peptides, 2004, 25, 793-801.  | 2.4  | 46        |
| 56 | Is thiopurine therapy in ulcerative colitis as effective as in Crohn's disease?. Gut, 2006, 55, 6-8.  | 12.1 | 46        |
| 57 | Clinical trial: protective effect of a commercial fish protein hydrolysate against indomethacin<br>(NSAID)â€induced small intestinal injury. Alimentary Pharmacology and Therapeutics, 2008, 28, 799-804. | 3.7  | 46        |
| 58 | Effect of Ectopic Expression of Rat Trefoil Factor Family 3 (Intestinal Trefoil Factor) in the Jejunum of Transgenic Mice. Journal of Biological Chemistry, 2001, 276, 24088-24096.                       | 3.4  | 45        |
| 59 | Epidermal growth factor reduces multiorgan failure induced by thioacetamide. Gut, 2001, 48, 34-40.  | 12.1 | 44        |
| 60 | Effects of keratinocyte growth factor (KGF) on gut growth and repair. , 1998, 184, 316-322.   |      | 43        |
| 61 | GERD 2003 – A Consensus on the Way Ahead. Digestion, 2003, 67, 111-117.   | 2.3  | 41        |
| 62 | Pancreatic secretory trypsin inhibitor in gastrointestinal mucosa and gastric juice Gut, 1990, 31, 1318-1323.   | 12.1 | 40        |
| 63 | Peptide YY and neuropeptide Y: two peptides intimately involved in electrolyte homeostasis. Trends in<br>Pharmacological Sciences, 1996, 17, 436-438.   | 8.7  | 38        |
| 64 | Dietary microparticles implicated in Crohn's disease can impair macrophage phagocytic activity and act<br>as adjuvants in the presence of bacterial stimuli. Inflammation Research, 2007, 56, 353-361.    | 4.0  | 38        |
| 65 | Luminal Epidermal Growth Factor is Trophic to the Small Intestine of Parenterally Fed Rats. Clinical Science, 1995, 89, 117-120.  | 4.3  | 37        |
| 66 | Comparison of the Effects of Transforming Growth Factor $\hat{I}_{\pm}$ and Epidermal Growth Factor on Gastrointestinal Proliferation and Hormone Release. Digestion, 1996, 57, 362-367.                  | 2.3  | 31        |
| 67 | Potency and stability of C terminal truncated human epidermal growth factor. Gut, 2000, 47, 622-627.  | 12.1 | 30        |
| 68 | Interfering with interferons in inflammatory bowel disease. Gut, 2005, 55, 1071-1073.   | 12.1 | 29        |
| 69 | Intestinal Growth in Parenterallyâ€Fed Rats Induced by the Combined Effects of Glucagonâ€ŀike Peptide 2<br>and Epidermal Growth Factor. Journal of Parenteral and Enteral Nutrition, 2005, 29, 248-254.   | 2.6  | 27        |
| 70 | Whipple's disease complicated by a retinal Jarisch-Herxheimer reaction: a case report Gut, 1992, 33, 132-134.   | 12.1 | 26        |
| 71 | Gastric output of pancreatic secretory trypsin inhibitor is increased by misoprostol Gut, 1991, 32, 1396-1400.  | 12.1 | 25        |
| 72 | Pancreatic secretory trypsin inhibitor is a major motogenic and protective factor in human breast<br>milk. American Journal of Physiology - Renal Physiology, 2009, 296, G697-G703.                       | 3.4  | 25        |

| #  | Article  | IF              | CITATIONS          |
|----|--|-----------------|--------------------|
| 73 | Use of the Alpha-Glucosidase Inhibitor Acarbose in Patients with â€~Middleton Syndrome': Normal<br>Gastric Anatomy But with Accelerated Gastric Emptying Causing Postprandial Reactive Hypoglycemia<br>and Diarrhea. Canadian Journal of Gastroenterology & Hepatology, 2013, 27, 403-404. | 1.7             | 25                 |
| 74 | Intestinal protective effect of a commercial fish protein hydrolysate preparation. Regulatory Peptides, 2009, 155, 105-109.  | 1.9             | 23                 |
| 75 | Marked variability in bioactivity between commercially available bovine colostrum for human use;<br>implications for clinical trials. PLoS ONE, 2020, 15, e0234719.  | 2.5             | 22                 |
| 76 | Dose-Dependent Effects of Fentanyl on Indomethacin-Induced Gastric Damage. Digestion, 1991, 49, 198-203.   | 2.3             | 21                 |
| 77 | Growth factors and trefoil peptides in gastrointestinal health and disease. Current Opinion in Pharmacology, 2004, 4, 567-571.   | 3.5             | 21                 |
| 78 | Detection of muramyl dipeptide-sensing pathway defects in patients with Crohn's disease. Inflammatory<br>Bowel Diseases, 2006, 12, 598-605.  | 1.9             | 21                 |
| 79 | Dimethyloxalyglycine stimulates the early stages of gastrointestinal repair processes through VEGF-dependent mechanisms. Laboratory Investigation, 2011, 91, 1684-1694.  | 3.7             | 20                 |
| 80 | Reparative properties of the traditional Chinese medicine <i>Cordyceps sinensis</i> (Chinese) Tj ETQq0 0 0 rgBT<br>Journal of Nutrition, 2011, 105, 1303-1310.   | Overlock<br>2.3 | 10 Tf 50 467<br>20 |
| 81 | Effect of chymotrypsin on human cholecystokinin release: use of clostripain in the validation of a new radioimmunoassay. Regulatory Peptides, 1992, 40, 1-12.  | 1.9             | 19                 |
| 82 | Gastroprotective effects of oral nucleotide administration. Gut, 2006, 55, 165-171.  | 12.1            | 19                 |
| 83 | Pancreatic secretory trypsin inhibitor causes autocrine-mediated migration and invasion in bladder cancer and phosphorylates the EGF receptor, Akt2 and Akt3, and ERK1 and ERK2. American Journal of Physiology - Renal Physiology, 2013, 305, F382-F389.                                  | 2.7             | 19                 |
| 84 | Influence of inflammation and atrophy on pancreatic secretory trypsin inhibitor levels within the gastric mucosa. Gastroenterology, 1994, 106, 735-741.  | 1.3             | 17                 |
| 85 | Nitric oxide regulates the release of somatostatin from cultured gastric rabbit primary D-cells.<br>Gastroenterology, 2002, 123, 566-576.  | 1.3             | 17                 |
| 86 | Use of growth-hormone-releasing peptide-6 (GHRP-6) for the prevention of multiple organ failure.<br>Clinical Science, 2006, 110, 563-573.  | 4.3             | 17                 |
| 87 | NOD2 activity modulates the phenotype of LPS-stimulated dendritic cells to promote the development of T-helper type 2-like lymphocytes — Possible implications for NOD2-associated Crohn's disease. Journal of Crohn's and Colitis, 2007, 1, 106-115.                                      | 1.3             | 17                 |
| 88 | Oral bovine colostrum supplementation does not increase circulating insulin-like growth factor-1 concentration in healthy adults: results from short- and long-term administration studies. European Journal of Nutrition, 2020, 59, 1473-1479.  | 3.9             | 15                 |
| 89 | Does the response of the intestinal epithelium to keratinocyte growth factor vary according to the method of administration?. Regulatory Peptides, 2000, 87, 83-90.  | 1.9             | 14                 |
| 90 | Normal responses to specific NOD1-activating peptidoglycan agonists in the presence of the NOD2<br>frameshift and other mutations in Crohn's disease. European Journal of Immunology, 2006, 36,<br>1629-1635.  | 2.9             | 14                 |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Pasteurized Chicken Egg Powder Stimulates Proliferation and Migration of AGS, RIE1, and Caco-2 Cells and Reduces NSAID-Induced Injury in Mice and Colitis in Rats. Journal of Nutrition, 2020, 150, 1434-1442.   | 2.9  | 14        |
| 92  | Liver biopsy under ultrasound control: implications for training in the Calman era. Gut, 1999, 45, 628-629.  | 12.1 | 13        |
| 93  | Endoscopic surveillance of patients with Barrett's oesophagus. Gut, 2002, 51, 314-315.   | 12.1 | 13        |
| 94  | Human transforming growth factor alpha (TGF-alpha) is digested to a smaller (1-43), less biologically active, form in acidic gastric juice. Gut, 2002, 51, 787-792.  | 12.1 | 12        |
| 95  | Human Pancreatic Secretory Trypsin Inhibitor Stabilizes Intestinal Mucosa against Noxious Agents.<br>American Journal of Pathology, 2007, 171, 1462-1473.  | 3.8  | 12        |
| 96  | Effects of Bovine Colostrum with or without Egg on In Vitro Bacterial-Induced Intestinal Damage with Relevance for SIBO and Infectious Diarrhea. Nutrients, 2021, 13, 1024.  | 4.1  | 11        |
| 97  | Right ventricular pacing wire thrombus presenting as pyrexia of unknown origin. Clinical Cardiology, 1989, 12, 106-108.  | 1.8  | 10        |
| 98  | Hypergastrinaemia: a new mechanism. Lancet, The, 1991, 338, 410-411.   | 13.7 | 10        |
| 99  | Growth factors and gut function. Proceedings of the Nutrition Society, 1998, 57, 403-408.  | 1.0  | 10        |
| 100 | Does Helicobacter pylori Eradication Reduce the Long-term Requirements for Acid Suppressants in<br>Patients with a History of Peptic Ulcer Disease in General Practice? Results from a Four-Year<br>Longitudinal Study. Scandinavian Journal of Gastroenterology, 2002, 37, 144-147. | 1.5  | 10        |
| 101 | Trefoil factor family peptides enhance cell migration by increasing cellular osmotic permeability and aquaporin 3 levels. FASEB Journal, 2018, 32, 1017-1024.  | 0.5  | 10        |
| 102 | Review: Insulin resistance and mitochondrial dysfunction following severe burn injury. Peptides, 2020, 126, 170269.  | 2.4  | 10        |
| 103 | pH-Dependent Secretion of Gastrin in Duodenal Ulcer Disease: Effect of Suppressing <i>Helicobacter<br/>pylori</i> . Digestion, 1992, 52, 173-178.  | 2.3  | 9         |
| 104 | IL-1β stimulation of CCD-18co myofibroblasts enhances repair of epithelial monolayers through Wnt-5a.<br>American Journal of Physiology - Renal Physiology, 2012, 303, G1270-G1278.  | 3.4  | 9         |
| 105 | Pantoprazole, Prout and the proton pump. British Journal of Hospital Medicine, 1999, 60, 500-504.  | 0.2  | 7         |
| 106 | Epidermal growth factor enemas are effective in the treatment of left-sided ulcarative colitis.<br>Gastroenterology, 2001, 120, A11-A12.   | 1.3  | 7         |
| 107 | Landscaper seeks remunerative position. Gut, 2001, 48, 594-595.  | 12.1 | 7         |
| 108 | Effects of a panel of dietary lectins on cholecystokinin release in rats. American Journal of<br>Physiology - Renal Physiology, 1997, 273, G946-G950.  | 3.4  | 6         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Cost Analysis of Breath Test versus Endoscopy for Dyspepsia. Digestion, 2002, 65, 207-212.  | 2.3  | 6         |
| 110 | Pancreatic secretory trypsin inhibitor reduces multi-organ injury caused by gut ischemia/reperfusion in mice. PLoS ONE, 2020, 15, e0227059.   | 2.5  | 6         |
| 111 | Effects of diet and the cholecystokinin antagonist; devazepide (L364, 718) on CCK mRNA, and tissue and plasma CCK concentrations. European Journal of Clinical Investigation, 1993, 23, 641-647.  | 3.4  | 5         |
| 112 | Tales from the human crypt—intestinal stem cell repertoire and the origins of human cancer. , 1998, 185, 119-122.   |      | 5         |
| 113 | TAME trial: a multi-arm phase II randomised trial of four novel interventions for malnutrition enteropathy in Zambia and Zimbabwe - a study protocol. BMJ Open, 2019, 9, e027548.   | 1.9  | 5         |
| 114 | The Use of Bovine Colostrum in Medical Practice and Human Health: Current Evidence and Areas<br>Requiring Further Examination. Nutrients, 2022, 14, 92.   | 4.1  | 5         |
| 115 | Development of a two-site ELISA assay for the dimeric form of human TFF1. Peptides, 2004, 25, 731-736.  | 2.4  | 4         |
| 116 | The value of surveillance and other unresolved issues in the management of Barrett's esophagus.<br>Nature Reviews Gastroenterology & Hepatology, 2005, 2, 60-61.  | 1.7  | 4         |
| 117 | Oral zinc carnosine reduces multi-organ damage caused by gut ischemia/reperfusion in mice. Journal of Functional Foods, 2021, 78, 104361.   | 3.4  | 4         |
| 118 | Intralesional Infiltrations of Cell-Free Filtrates Derived from Human Diabetic Tissues Delay the<br>Healing Process and Recreate Diabetes Histopathological Changes in Healthy Rats. Frontiers in<br>Clinical Diabetes and Healthcare, 2021, 2, . | 0.8  | 4         |
| 119 | 9 Growth factors and ulcerative gastrointestinal disease. Bailliere's Clinical Gastroenterology, 1996, 10, 135-149.   | 0.9  | 3         |
| 120 | Cytokines and Helicobacter pylori–a growth area Gut, 1996, 39, 881-882.   | 12.1 | 3         |
| 121 | Growth factors in saliva. Lancet, The, 1997, 350, 369.  | 13.7 | 3         |
| 122 | Liver biopsy under ultrasound control Reply. Gut, 2000, 47, 455-455.  | 12.1 | 3         |
| 123 | Once you start, you can't stop. Lancet, The, 2002, 359, 226.  | 13.7 | 3         |
| 124 | Methods to improve efficacy of orally administered bioactive peptides using bovine colostrum as an exemplar. PLoS ONE, 2021, 16, e0253422.  | 2.5  | 3         |
| 125 | Protease Inhibitors Protect Bovine Colostrum or Chicken Egg Growth Factors from Pancreatic<br>Enzyme Digestion in AGS Cells or Colitic Rats. Journal of Nutrition, 2021, 151, 3036-3044.  | 2.9  | 3         |
| 126 | Epidermal growth factor and intestinal growth. Gastroenterology, 1995, 108, 1330-1331.  | 1.3  | 2         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Effects of growth factors and receptor blockade on gastrointestinal cancer. Gut, 2004, 53, 1059-1063.   | 12.1 | 2         |
| 128 | What is the role of growth factors in IBD?. Inflammatory Bowel Diseases, 2008, 14, S119-S120.   | 1.9  | 2         |
| 129 | Is glutamine required for the trophic effect of epidermal growth factor?. Surgery, 1995, 117, 355.  | 1.9  | 1         |
| 130 | Surveillance for Barrett's oesophagus: is there light at the end of the metaplastic tunnel?. Journal of the Royal College of Surgeons of Edinburgh, 2003, 1, 152-156.   | 1.8  | 1         |
| 131 | Accelerated exposure of phosphatidylserine on lymphocyte populations from patients with systemic lupus erythematosus or rheumatoid arthritis. Thrombosis and Haemostasis, 2005, 93, 989-992.  | 3.4  | 1         |
| 132 | Specific protein supplementation using soya, casein or whey differentially affects regional gut<br>growth and luminal growth factor bioactivity in rats; implications for the treatment of gut injury<br>and stimulating repair. Food and Function, 2018, 9, 227-233. | 4.6  | 1         |
| 133 | Dimerization of human pS2 (TFF1) plays a key role in its protective/healing effects. Journal of<br>Pathology, 1998, 185, 153-158.   | 4.5  | 1         |
| 134 | Intralesional Infiltrations of Arteriosclerotic Tissue Cells-Free Filtrate Reproduce Vascular<br>Pathology in Healthy Recipient Rats. International Journal of Molecular Sciences, 2022, 23, 1511.  | 4.1  | 1         |
| 135 | The Trefoil Peptide TFF1 Inhibits the Growth of the Human Gastric Adenocarcinoma Cell Line, AGS.<br>Clinical Science, 1999, 96, 1P-1P.  | 0.0  | Ο         |
| 136 | Liver biopsy: "blind" or under ultrasound control Reply. Gut, 2001, 49, 157-158.  | 12.1 | 0         |
| 137 | Homeobox genes: going for growth. Gut, 2002, 50, 447-448.   | 12.1 | Ο         |
| 138 | What is the role of growth factors in IBD?. Inflammatory Bowel Diseases, 2008, 14, S119-S120.   | 1.9  | 0         |
| 139 | Growth Factors. , 2004, , 249-256.  |      | 0         |
| 140 | Relevance of Growth Factors for the Gastrointestinal Tract and Other Organs. Nutraceutical Science and Technology, 2005, , 217-241.   | 0.0  | 0         |