

Adriaan A Lammertsma

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7773216/publications.pdf>

Version: 2024-02-01

283
papers

24,415
citations

6592

79
h-index

8835

145
g-index

285
all docs

285
docs citations

285
times ranked

19730
citing authors

#	ARTICLE	IF	CITATIONS
1	Simplified Reference Tissue Model for PET Receptor Studies. <i>NeuroImage</i> , 1996, 4, 153-158.	2.1	1,864
2	Consensus Nomenclature for in vivo Imaging of Reversibly Binding Radioligands. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1533-1539.	2.4	1,840
3	Parametric Imaging of Ligand-Receptor Binding in PET Using a Simplified Reference Region Model. <i>NeuroImage</i> , 1997, 6, 279-287.	2.1	998
4	The Relationship between Global and Local Changes in PET Scans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990, 10, 458-466.	2.4	841
5	Microglia Activation in Recent-Onset Schizophrenia: A Quantitative (R)-[11C]PK11195 Positron Emission Tomography Study. <i>Biological Psychiatry</i> , 2008, 64, 820-822.	0.7	534
6	Prevalence of Amyloid PET Positivity in Dementia Syndromes. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1939.	3.8	501
7	The colour centre in the cerebral cortex of man. <i>Nature</i> , 1989, 340, 386-389.	13.7	479
8	Comparison of Methods for Analysis of Clinical [11C]Raclopride Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 42-52.	2.4	441
9	δ^9 -Tetrahydrocannabinol Induces Dopamine Release in the Human Striatum. <i>Neuropsychopharmacology</i> , 2009, 34, 759-766.	2.8	341
10	Comparison of Coronary CT Angiography, SPECT, PET, and Hybrid Imaging for Diagnosis of Ischemic Heart Disease Determined by Fractional Flow Reserve. <i>JAMA Cardiology</i> , 2017, 2, 1100.	3.0	324
11	Rapid Decrease in Delivery of Chemotherapy to Tumors after Anti-VEGF Therapy: Implications for Scheduling of Anti-Angiogenic Drugs. <i>Cancer Cell</i> , 2012, 21, 82-91.	7.7	307
12	Correction for the Presence of Intravascular Oxygen-15 in the Steady-State Technique for Measuring Regional Oxygen Extraction Ratio in the Brain: 1. Description of the Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1983, 3, 416-424.	2.4	297
13	Tracer Kinetic Modeling of the 5-HT _{1A} Receptor Ligand [carbonyl-11C]WAY-100635 for PET. <i>NeuroImage</i> , 1998, 8, 426-440.	2.1	267
14	Noninvasive quantification of regional myocardial blood flow in coronary artery disease with oxygen-15-labeled carbon dioxide inhalation and positron emission tomography. <i>Circulation</i> , 1991, 83, 875-885.	1.6	259
15	Quantitative Assessment of Myocardial Perfusion in the Detection of Significant Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1464-1475.	1.2	253
16	Blood-brain barrier P-glycoprotein function in Alzheimer's disease. <i>Brain</i> , 2012, 135, 181-189.	3.7	252
17	Effects of ROI definition and reconstruction method on quantitative outcome and applicability in a response monitoring trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 294-301.	3.3	247
18	Prognostic Relevance of Response Evaluation Using [18F]-2-Fluoro-2-Deoxy-D-Glucose Positron Emission Tomography in Patients With Locally Advanced Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 8362-8370.	0.8	243

#	ARTICLE	IF	CITATIONS
19	Pioglitazone Improves Cardiac Function and Alters Myocardial Substrate Metabolism Without Affecting Cardiac Triglyceride Accumulation and High-Energy Phosphate Metabolism in Patients With Well-Controlled Type 2 Diabetes Mellitus. <i>Circulation</i> , 2009, 119, 2069-2077.	1.6	210
20	Performance of Immuno-Positron Emission Tomography with Zirconium-89-Labeled Chimeric Monoclonal Antibody U36 in the Detection of Lymph Node Metastases in Head and Neck Cancer Patients. <i>Clinical Cancer Research</i> , 2006, 12, 2133-2140.	3.2	207
21	Benzodiazepine Receptor Quantification in vivo in Humans Using [¹¹ C]Flumazenil and PET: Application of the Steady-State Principle. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 152-165.	2.4	204
22	Quantitation of Carbon-11-labeled raclopride in rat striatum using positron emission tomography. <i>Synapse</i> , 1992, 12, 47-54.	0.6	198
23	Regional cerebral blood flow during volitional breathing in man. <i>Journal of Physiology</i> , 1991, 443, 91-103.	1.3	186
24	Different brain effects during chronic and acute sacral neuromodulation in urge incontinent patients with implanted neurostimulators. <i>BJU International</i> , 2006, 98, 1238-1243.	1.3	183
25	Measurement of regional cerebral blood flow and oxygen utilisation in patients with cerebral tumours using ¹⁵ O and positron emission tomography: Analytical techniques and preliminary results. <i>Neuroradiology</i> , 1982, 23, 63-74.	1.1	182
26	Myocardial viability in chronic ischemic heart disease. <i>Journal of the American College of Cardiology</i> , 2003, 41, 1341-1348.	1.2	181
27	Early Prediction of Nonprogression in Advanced Non-Small-Cell Lung Cancer Treated With Erlotinib By Using [¹⁸ F]Fluorodeoxyglucose and [¹⁸ F]Fluorothymidine Positron Emission Tomography. <i>Journal of Clinical Oncology</i> , 2011, 29, 1701-1708.	0.8	170
28	Myocardial Energetics and Efficiency. <i>Circulation</i> , 2007, 115, 918-927.	1.6	168
29	Effect of age on functional P-glycoprotein in the blood-brain barrier measured by use of (R)-[¹¹ C]verapamil and positron emission tomography. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 79, 540-548.	2.3	163
30	Relationship of Cerebrospinal Fluid Markers to [¹¹ C]-PiB and [¹⁸ F]-FDDNP Binding. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1464-1470.	2.8	162
31	Use of PET Methods for Measurement of Cerebral Energy Metabolism and Hemodynamics in Cerebrovascular Disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989, 9, 723-742.	2.4	161
32	Myocardial Presynaptic and Postsynaptic Autonomic Dysfunction in Hypertrophic Cardiomyopathy. <i>Circulation Research</i> , 1998, 82, 57-62.	2.0	155
33	Reduced GABAA benzodiazepine receptor binding in veterans with post-traumatic stress disorder. <i>Molecular Psychiatry</i> , 2008, 13, 74-83.	4.1	148
34	Longitudinal Amyloid Imaging Using [¹¹ C]-PiB: Methodologic Considerations. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1570-1576.	2.8	148
35	In vivo Measurement of Regional Cerebral Haematocrit Using Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984, 4, 317-322.	2.4	145
36	Abnormalities of Cardiac Sympathetic Innervation in Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Circulation</i> , 2000, 101, 1552-1558.	1.6	145

#	ARTICLE	IF	CITATIONS
37	Evaluation of Reference Tissue Models for the Analysis of [¹¹ C](R)-PK11195 Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 1431-1441.	2.4	145
38	Microglial activation in Alzheimer's disease: an (R)-[¹¹ C]PK11195 positron emission tomography study. <i>Neurobiology of Aging</i> , 2013, 34, 128-136.	1.5	145
39	Combination of Dynamic and Integral Methods for Generating Reproducible Functional CBF Images. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990, 10, 675-686.	2.4	137
40	Characteristics of a new fully programmable blood sampling device for monitoring blood radioactivity during PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 81-89.	2.2	136
41	A Theoretical Study of the Steady-State Model for Measuring Regional Cerebral Blood Flow and Oxygen Utilisation Using Oxygen-15. <i>Journal of Computer Assisted Tomography</i> , 1981, 5, 544-550.	0.5	133
42	Dopaminergic activity in Tourette syndrome and obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2013, 23, 1423-1431.	0.3	133
43	Accuracy and precision of pseudo-continuous arterial spin labeling perfusion during baseline and hypercapnia: A head-to-head comparison with ¹⁵ O H ₂ O positron emission tomography. <i>NeuroImage</i> , 2014, 92, 182-192.	2.1	133
44	Effect of Plaque Burden and Morphology on Myocardial Blood Flow and Fractional Flow Reserve. <i>Journal of the American College of Cardiology</i> , 2018, 71, 499-509.	1.2	133
45	Pathophysiological Mechanisms of Chronic Reversible Left Ventricular Dysfunction due to Coronary Artery Disease (Hibernating Myocardium). <i>Circulation</i> , 1997, 96, 3205-3214.	1.6	132
46	Repeatability of ¹⁸ F-FDG PET in a Multicenter Phase I Study of Patients with Advanced Gastrointestinal Malignancies. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1646-1654.	2.8	129
47	Forward to the Past: The Case for Quantitative PET Imaging. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1019-1024.	2.8	128
48	Partial volume corrected image derived input functions for dynamic PET brain studies: Methodology and validation for [¹¹ C]flumazenil. <i>NeuroImage</i> , 2008, 39, 1041-1050.	2.1	127
49	Microglial activation in healthy aging. <i>Neurobiology of Aging</i> , 2012, 33, 1067-1072.	1.5	125
50	¹⁸ F-2-Fluoro-2-Deoxy-d-Glucose Positron Emission Tomography in Staging of Locally Advanced Breast Cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 1253-1259.	0.8	121
51	Optimization of Supervised Cluster Analysis for Extracting Reference Tissue Input Curves in [¹¹ C](R)-PK11195 Brain PET Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 1600-1608.	2.4	120
52	Detection of Alzheimer Pathology In Vivo Using Both ¹¹ C-PIB and ¹⁸ F-FDDNP PET. <i>Journal of Nuclear Medicine</i> , 2009, 50, 191-197.	2.8	119
53	Arterial Spin Labeling Perfusion MRI at Multiple Delay Times: A Correlative Study with ¹⁵ O Positron Emission Tomography in Patients with Symptomatic Carotid Artery Occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 222-229.	2.4	117
54	Development of [¹¹ C]erlotinib Positron Emission Tomography for In Vivo Evaluation of EGF Receptor Mutational Status. <i>Clinical Cancer Research</i> , 2013, 19, 183-193.	3.2	117

#	ARTICLE	IF	CITATIONS
55	Changes in global cerebral blood flow in humans: effect on regional cerebral blood flow during a neural activation task.. Journal of Physiology, 1993, 471, 521-534.	1.3	116
56	Effects of Cardiac Resynchronization Therapy on Myocardial Perfusion Reserve. Circulation, 2004, 110, 646-651.	1.6	115
57	Amyloid burden and metabolic function in early-onset Alzheimer's disease: parietal lobe involvement. Brain, 2012, 135, 2115-2125.	3.7	109
58	Hybrid Imaging Using Quantitative H ₂ ¹⁵ O PET and CT-Based Coronary Angiography for the Detection of Coronary Artery Disease. Journal of Nuclear Medicine, 2013, 54, 55-63.	2.8	109
59	Concordance Between Cerebrospinal Fluid Biomarkers and [11C]PIB PET in a Memory Clinic Cohort. Journal of Alzheimer's Disease, 2014, 41, 801-807.	1.2	109
60	Effects of Hepatic Triglyceride Content on Myocardial Metabolism in Type 2 Diabetes. Journal of the American College of Cardiology, 2010, 56, 225-233.	1.2	108
61	(R)- and (S)-[11C]verapamil as PET-tracers for measuring P-glycoprotein function: in vitro and in vivo evaluation. Nuclear Medicine and Biology, 2003, 30, 747-751.	0.3	106
62	Cardiac sympathetic innervation in patients with idiopathic right ventricular outflow tract tachycardia. Journal of the American College of Cardiology, 1998, 32, 181-186.	1.2	104
63	¹⁸ F-FDG PET as a Tool to Predict the Clinical Outcome of Infliximab Treatment of Rheumatoid Arthritis: An Explorative Study. Journal of Nuclear Medicine, 2011, 52, 77-80.	2.8	104
64	Evaluation of (R)-[11C]verapamil as PET tracer of P-glycoprotein function in the blood-brain barrier: kinetics and metabolism in the rat. Nuclear Medicine and Biology, 2005, 32, 87-93.	0.3	102
65	Quantification of [¹⁸ F]DPA-714 Binding in the Human Brain: Initial Studies in Healthy Controls and Alzheimer'S Disease Patients. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 766-772.	2.4	99
66	Amygdala activity in obsessive-compulsive disorder with contamination fear: a study with oxygen-15 water positron emission tomography. Psychiatry Research - Neuroimaging, 2004, 132, 225-237.	0.9	98
67	Measurement of regional cerebral blood flow, blood volume and oxygen metabolism in patients with sickle cell disease using positron emission tomography.. Stroke, 1986, 17, 692-698.	1.0	97
68	Dose dependent occupancy of central dopamine D2 receptors by the novel neuroleptic CP-88,059-01: a study using positron emission tomography and 11C-raclopride. Psychopharmacology, 1993, 112, 308-314.	1.5	97
69	Comparison of regional myocardial blood flow in syndrome X and one-vessel coronary artery disease. American Journal of Cardiology, 1993, 72, 134-139.	0.7	97
70	Macrophage positron emission tomography imaging as a biomarker for preclinical rheumatoid arthritis: Findings of a prospective pilot study. Arthritis and Rheumatism, 2012, 64, 62-66.	6.7	95
71	Determinants of Diagnostic Performance Of [F-18]Fluorodeoxyglucose Positron Emission Tomography for Axillary Staging in Breast Cancer. Annals of Surgery, 2002, 236, 619-624.	2.1	92
72	Diffuse reduction of myocardial beta-adrenoceptors in hypertrophic cardiomyopathy: A study with positron emission tomography. Journal of the American College of Cardiology, 1993, 22, 1653-1660.	1.2	91

#	ARTICLE	IF	CITATIONS
73	Effect of L-dopa and 6-hydroxydopamine lesioning on [11C]raclopride binding in rat striatum, quantified using PET. <i>Synapse</i> , 1995, 21, 45-53.	0.6	91
74	Measurement of human cerebral monoamine oxidase type B (MAO-B) activity with positron emission tomography (PET): a dose ranging study with the reversible inhibitor Ro 19-6327. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, 169-173.	0.8	90
75	Gene-specific increase in the energetic cost of contraction in hypertrophic cardiomyopathy caused by thick filament mutations. <i>Cardiovascular Research</i> , 2014, 103, 248-257.	1.8	88
76	Evaluation of Tracer Kinetic Models for Quantification of P-Glycoprotein Function using (R)-[11C]Verapamil and PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 424-433.	2.4	87
77	Quantitative Measurement of Blood-Brain Barrier Permeability Using Rubidium-82 and Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984, 4, 535-545.	2.4	86
78	Coronary microvascular resistance: methods for its quantification in humans. <i>Basic Research in Cardiology</i> , 2009, 104, 485-498.	2.5	86
79	Simplified parametric methods for [11C]PIB studies. <i>NeuroImage</i> , 2008, 42, 76-86.	2.1	85
80	Measuring [18F]FDG uptake in breast cancer during chemotherapy: comparison of analytical methods. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 674-681.	3.3	80
81	Cerebral perfusion and glucose metabolism in Alzheimer's disease and frontotemporal dementia: two sides of the same coin?. <i>European Radiology</i> , 2015, 25, 3050-3059.	2.3	80
82	Carbon-11 acetate as a tracer of myocardial oxygen consumption. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 651-668.	2.2	78
83	Measurement of blood flow, oxygen utilisation, oxygen extraction ratio, and fractional blood volume in human brain tumours and surrounding oedematous tissue. <i>British Journal of Radiology</i> , 1985, 58, 725-734.	1.0	77
84	Measurement of Cerebral Blood Flow Using Bolus Inhalation of C ¹⁵ O ₂ and Positron Emission Tomography: Description of the Method and its Comparison with the C ¹⁵ O ₂ Continuous Inhalation Method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984, 4, 224-234.	2.4	76
85	Measurement of Glucose Utilisation with [18F]2-Fluoro-2-Deoxy-D-Glucose: A Comparison of Different Analytical Methods. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987, 7, 161-172.	2.4	76
86	Right Ventricular Failure in Idiopathic Pulmonary Arterial Hypertension Is Associated With Inefficient Myocardial Oxygen Utilization. <i>Circulation: Heart Failure</i> , 2011, 4, 700-706.	1.6	74
87	Measurement of Cerebral Monoamine Oxidase B Activity Using L-[11C]Deprenyl and Dynamic Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991, 11, 545-556.	2.4	72
88	Transmural myocardial blood flow distribution in hypertrophic cardiomyopathy and effect of treatment. <i>Basic Research in Cardiology</i> , 1999, 94, 49-59.	2.5	72
89	Widespread and Prolonged Increase in [¹¹ C]-PK11195 Binding After Traumatic Brain Injury. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1235-1239.	2.8	72
90	Reproducibility of quantitative 18F-3-deoxy-3-fluorothymidine measurements using positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 389-395.	3.3	71

#	ARTICLE	IF	CITATIONS
91	Synthesis and initial preclinical evaluation of the P2X ₇ receptor antagonist [¹¹ C]A \hat{A} €740003 as a novel tracer of neuroinflammation. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2014, 57, 509-516.	0.5	70
92	Development of a Tracer Kinetic Plasma Input Model for (R)-[¹¹ C]PK11195 Brain Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 842-851.	2.4	68
93	How should we analyse FDG PET studies for monitoring tumour response?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 16-21.	3.3	67
94	Quantitative measurement of monoclonal antibody distribution and blood flow using positron emission tomography and ¹²⁴ Iodine in patients with breast cancer. <i>International Journal of Cancer</i> , 1991, 47, 344-347.	2.3	66
95	Evaluation of [¹¹ C]laniquidar as a tracer of P-glycoprotein: radiosynthesis and biodistribution in rats. <i>Nuclear Medicine and Biology</i> , 2009, 36, 643-649.	0.3	66
96	Impact of anatomical and functional severity of coronary atherosclerotic plaques on the transmural perfusion gradient: a [¹⁵ O]H ₂ O PET study. <i>European Heart Journal</i> , 2014, 35, 2094-2105.	1.0	66
97	Quantitative Analysis of Response to Treatment with Erlotinib in Advanced Non-€Small Cell Lung Cancer Using ¹⁸ F-FDG and ³ €-Deoxy- ³ €- ¹⁸ F-Fluorothymidine PET. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1871-1877.	2.8	65
98	Multicenter Harmonization of ⁸⁹ Zr PET/CT Performance. <i>Journal of Nuclear Medicine</i> , 2014, 55, 264-267.	2.8	63
99	Cardiac PET-CT: advanced hybrid imaging for the detection of coronary artery disease. <i>Netherlands Heart Journal</i> , 2010, 18, 90-98.	0.3	62
100	Effects of Image Characteristics on Performance of Tumor Delineation Methods: A Test-€Retest Assessment. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1550-1558.	2.8	60
101	A Statistical Study of the Steady State Technique for Measuring Regional Cerebral Blood Flow and Oxygen Utilisation Using ¹⁵ O. <i>Journal of Computer Assisted Tomography</i> , 1982, 6, 566-573.	0.5	59
102	The C ¹⁵ O ₂ Build-up Technique to Measure Regional Cerebral Blood Flow and Volume of Distribution of Water. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989, 9, 461-470.	2.4	59
103	HRRT Versus HR+ Human Brain PET Studies: An Interscanner Test-€Retest Study. <i>Journal of Nuclear Medicine</i> , 2009, 50, 693-702.	2.8	59
104	Measurement of Regional Cerebral pH in Human Subjects Using Continuous Inhalation of ¹¹ CO ₂ and Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984, 4, 458-465.	2.4	58
105	Toward Prediction of Efficacy of Chemotherapy: A Proof of Concept Study in Lung Cancer Patients Using [¹¹ C]docetaxel and Positron Emission Tomography. <i>Clinical Cancer Research</i> , 2013, 19, 4163-4173.	3.2	58
106	Blood-€brain barrier P-glycoprotein function is not impaired in early Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 505-508.	1.1	57
107	Evaluation of compartmental and spectral analysis models of [¹⁸ F]FDG kinetics for heart and brain studies with PET. <i>IEEE Transactions on Biomedical Engineering</i> , 1998, 45, 1429-1448.	2.5	55
108	Doppler-Derived Intracoronary Physiology Indices Predict the Occurrence of Microvascular Injury and Microvascular Perfusion Deficits After Angiographically Successful Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e001786.	1.4	55

#	ARTICLE	IF	CITATIONS
109	Low-Dose Quantitative Myocardial Blood Flow Imaging Using ¹⁵ O-Water and PET Without Attenuation Correction. <i>Journal of Nuclear Medicine</i> , 2010, 51, 575-580.	2.8	54
110	Evaluation of Reference Regions for (R)-[¹¹ C]PK11195 Studies in Alzheimer's Disease and Mild Cognitive Impairment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1965-1974.	2.4	53
111	Comparison of Plasma Input and Reference Tissue Models for Analysing [¹¹ C]flumazenil Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 579-587.	2.4	52
112	Glucose Transport across the Blood-Brain Barrier in Normal Human Subjects and Patients with Cerebral Tumours Studied Using [¹¹ C]3-O-Methyl-D-Glucose and Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986, 6, 230-239.	2.4	51
113	Does Myocardial Fibrosis Hinder Contractile Function and Perfusion in Idiopathic Dilated Cardiomyopathy? PET and MR Imaging Study. <i>Radiology</i> , 2006, 240, 380-388.	3.6	51
114	Carriers of the hypertrophic cardiomyopathy MYBPC3 mutation are characterized by reduced myocardial efficiency in the absence of hypertrophy and microvascular dysfunction. <i>European Journal of Heart Failure</i> , 2011, 13, 1283-1289.	2.9	49
115	Measurement of liver blood flow using oxygen-15 labelled water and dynamic positron emission tomography: Limitations of model description. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 169-177.	2.2	48
116	Radioligand studies: imaging and quantitative analysis. <i>European Neuropsychopharmacology</i> , 2002, 12, 513-516.	0.3	48
117	Benzodiazepine-GABAA Receptors in Idiopathic Generalized Epilepsy Measured with [¹¹ C]Flumazenil and Positron Emission Tomography. <i>Epilepsia</i> , 1995, 36, 113-121.	2.6	47
118	Neurophysiological correlates of habituation during exposure in spider phobia. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 149-158.	0.9	47
119	Tumor Lesion Glycolysis and Tumor Lesion Proliferation for Response Prediction and Prognostic Differentiation in Patients With Advanced Non-Small Cell Lung Cancer Treated With Erlotinib. <i>Clinical Nuclear Medicine</i> , 2012, 37, 1058-1064.	0.7	47
120	Noninvasive Quantification of Regional Myocardial Metabolic Rate of Oxygen by ¹⁵ O ₂ Inhalation and Positron Emission Tomography. <i>Circulation</i> , 1996, 94, 808-816.	1.6	47
121	Dipyridamole vasodilator response after human orthotopic heart transplantation: Quantification by oxygen-15-labeled water and positron emission tomography. <i>Journal of the American College of Cardiology</i> , 1992, 19, 100-106.	1.2	46
122	Quantitative analysis of [carbonyl- ¹¹ C]WAY-100635 PET studies. <i>Nuclear Medicine and Biology</i> , 2000, 27, 477-482.	0.3	46
123	Reproducibility of quantitative (R)-[¹¹ C]verapamil studies. <i>EJNMMI Research</i> , 2012, 2, 1.	1.1	45
124	Reproducibility of Tumor Perfusion Measurements Using ¹⁵ O-Labeled Water and PET. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1763-1768.	2.8	44
125	Changes in GABA _A receptor properties in amygdala kindled animals: In vivo studies using [¹¹ C]flumazenil and positron emission tomography. <i>Epilepsia</i> , 2009, 50, 88-98.	2.6	43
126	(R)-[¹¹ C]Verapamil PET studies to assess changes in P-glycoprotein expression and functionality in rat blood-brain barrier after exposure to kainate-induced status epilepticus. <i>BMC Medical Imaging</i> , 2011, 11, 1.	1.4	43

#	ARTICLE	IF	CITATIONS
127	An exploratory clinical study of p38 ^{Î±} kinase inhibition in Alzheimer's disease. <i>Annals of Clinical and Translational Neurology</i> , 2018, 5, 464-473.	1.7	43
128	Quantitative Parametric Perfusion Images Using ¹⁵ O-Labeled Water and a Clinical PET/CT Scanner: Test-Retest Variability in Lung Cancer. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1684-1690.	2.8	42
129	Parametric Images of Myocardial Viability Using a Single ¹⁵ O-H ₂ O PET/CT Scan. <i>Journal of Nuclear Medicine</i> , 2011, 52, 745-749.	2.8	41
130	Amyloid PET and cognitive decline in cognitively normal individuals: the SCIENCE project. <i>Neurobiology of Aging</i> , 2019, 79, 50-58.	1.5	41
131	In vivo measurements of regional cerebral blood flow and blood volume in patients with brain tumours using positron emission tomography. <i>Acta Neurochirurgica</i> , 1983, 69, 5-13.	0.9	40
132	[18F]FDG and [18F]FLT uptake in human breast cancer cells in relation to the effects of chemotherapy: an in vitro study. <i>British Journal of Cancer</i> , 2008, 99, 481-487.	2.9	40
133	Accuracy of 3-Dimensional Reconstruction Algorithms for the High-Resolution Research Tomograph. <i>Journal of Nuclear Medicine</i> , 2009, 50, 72-80.	2.8	40
134	Neurophysiological Effects of Sleep Deprivation in Healthy Adults, a Pilot Study. <i>PLoS ONE</i> , 2015, 10, e0116906.	1.1	40
135	PET/CT-Derived Whole-Body and Bone Marrow Dosimetry of ⁸⁹ Zr-Cetuximab. <i>Journal of Nuclear Medicine</i> , 2015, 56, 249-254.	2.8	40
136	Systolic pulmonary artery pressure and heart rate are main determinants of oxygen consumption in the right ventricular myocardium of patients with idiopathic pulmonary arterial hypertension. <i>European Journal of Heart Failure</i> , 2011, 13, 1290-1295.	2.9	38
137	Vasodilator reserve in collateral-dependent myocardium as measured by positron emission tomography. <i>European Heart Journal</i> , 1993, 14, 336-343.	1.0	37
138	Noninvasive Quantification of rCBF Using Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 311-319.	2.4	37
139	18 FDG positron emission tomography versus 67 Ga scintigraphy as prognostic test during chemotherapy for non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , 2003, 123, 454-462.	1.2	37
140	Memory Performance and the Growth Hormone/Insulin-Like Growth Factor Axis in Elderly: A Positron Emission Tomography Study. <i>Neuroendocrinology</i> , 2005, 81, 31-40.	1.2	37
141	Image derived input functions for dynamic High Resolution Research Tomograph PET brain studies. <i>NeuroImage</i> , 2008, 43, 676-686.	2.1	37
142	Liver Fat Content in Type 2 Diabetes: Relationship With Hepatic Perfusion and Substrate Metabolism. <i>Diabetes</i> , 2010, 59, 2747-2754.	0.3	37
143	Amyloid and its association with default network integrity in Alzheimer's disease. <i>Human Brain Mapping</i> , 2014, 35, 779-791.	1.9	37
144	(R)-[11C]PK11195 brain uptake as a biomarker of inflammation and antiepileptic drug resistance: Evaluation in a rat epilepsy model. <i>Neuropharmacology</i> , 2014, 85, 104-112.	2.0	37

#	ARTICLE	IF	CITATIONS
145	Prognostic Impact of [18F]Fluorothymidine and [18F]Fluoro-D-Glucose Baseline Uptakes in Patients with Lung Cancer Treated First-Line with Erlotinib. PLoS ONE, 2013, 8, e53081.	1.1	36
146	PET/SPECT: functional imaging beyond flow. Vision Research, 2001, 41, 1277-1281.	0.7	35
147	Regional heterogeneity of resting perfusion in hypertrophic cardiomyopathy is related to delayed contrast enhancement but not to systolic function: A PET and MRI study. Journal of Nuclear Cardiology, 2006, 13, 660-667.	1.4	35
148	Correction methods for missing data in sinograms of the HRRT PET scanner. IEEE Transactions on Nuclear Science, 2003, 50, 1452-1456.	1.2	34
149	Quantification of Dopamine Transporter Binding Using [18F]FP- β^2 -CIT and Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1397-1406.	2.4	34
150	Feasibility of subendocardial and subepicardial myocardial perfusion measurements in healthy normals with 15O-labeled water and positron emission tomography. Journal of Nuclear Cardiology, 2011, 18, 650-656.	1.4	34
151	Extraction of Water Labeled With Oxygen 15 During Single-Capillary Transit. Archives of Neurology, 1981, 38, 581.	4.9	33
152	Dosimetry of intravenously administered oxygen-15 labelled water in man: a model based on experimental human data from 21 subjects. European Journal of Nuclear Medicine and Molecular Imaging, 1994, 21, 1126-34.	2.2	33
153	A Method to Quantitate the Fractional Extraction of Rubidium-82 across the Blood-Brain Barrier Using Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 1984, 4, 523-534.	2.4	32
154	In vivo saturation kinetics of two dopamine transporter probes measured using a small animal positron emission tomography scanner. Journal of Neuroscience Methods, 1997, 76, 45-51.	1.3	32
155	Evaluation of Methods for Generating Parametric (R)-[11C]PK11195 Binding Images. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1603-1615.	2.4	32
156	Cerebral Blood Flow and Glucose Metabolism Measured With Positron Emission Tomography Are Decreased in Human Type 1 Diabetes. Diabetes, 2013, 62, 2898-2904.	0.3	32
157	Quantification of ¹⁸ F-Fluorocholine Kinetics in Patients with Prostate Cancer. Journal of Nuclear Medicine, 2015, 56, 365-371.	2.8	32
158	Correction for Intravascular Activity in the Oxygen-15 Steady-State Technique is Independent of the Regional Hematocrit. Journal of Cerebral Blood Flow and Metabolism, 1987, 7, 372-374.	2.4	31
159	Low oxygen extraction fraction in tumours measured with the oxygen-15 steady state technique: effect of tissue heterogeneity. British Journal of Radiology, 1992, 65, 697-700.	1.0	31
160	Quantification of Myocardial Perfusion Using Intravenous Myocardial Contrast Echocardiography in Healthy Volunteers: Comparison with Positron Emission Tomography. Journal of the American Society of Echocardiography, 2006, 19, 285-293.	1.2	31
161	No Signs of Metabolic Hyperactivity in Patients With Unilateral Condylar Hyperactivity: An In Vivo Positron Emission Tomography Study. Journal of Oral and Maxillofacial Surgery, 2009, 67, 576-581.	0.5	31
162	[18F]NaF PET/CT scan as an early marker of heterotopic ossification in fibrodysplasia ossificans progressiva. Bone, 2018, 109, 143-146.	1.4	31

#	ARTICLE	IF	CITATIONS
163	Optimized dual-time-window protocols for quantitative [18F]flutemetamol and [18F]florbetaben PET studies. <i>EJNMMI Research</i> , 2019, 9, 32.	1.1	31
164	Dipyridamole-induced increased glucose uptake in patients with single-vessel coronary artery disease assessed with PET. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 339-346.	1.4	30
165	Hyperaemic microvascular resistance is not increased in viable myocardium after chronic myocardial infarction. <i>European Heart Journal</i> , 2007, 28, 2320-2325.	1.0	30
166	Quantification of cerebral blood flow in healthy volunteers and type 1 diabetic patients: Comparison of MRI arterial spin labeling and [¹⁵ O]H ₂ O positron emission tomography (PET). <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1300-1309.	1.9	30
167	Personalizing NSCLC therapy by characterizing tumors using TKI-PET and immuno-PET. <i>Lung Cancer</i> , 2017, 107, 1-13.	0.9	30
168	Measurement of regional myocardial blood flow using C 15 O 2 and positron emission tomography: comparison of tracer models. <i>Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics</i> , 1992, 13, 1-20.	0.5	29
169	Matching PET and CT scans of the head and neck area: Development of method and validation. <i>Medical Physics</i> , 2002, 29, 2230-2238.	1.6	29
170	Optimizing an online SPE HPLC method for analysis of (R)-[11C]1-(2-chlorophenyl)-N-methyl-N-(1-methylpropyl)-3-isoquinolinecarboxamide [(R)-[11C]PK11195] and its metabolites in humans. <i>Nuclear Medicine and Biology</i> , 2005, 32, 307-312.	0.3	29
171	Radiosynthesis and biodistribution of a histamine H3 receptor antagonist 4-[3-(4-piperidin-1-yl-but-1-ynyl)-[11C]benzyl]-morpholine: evaluation of a potential PET ligand. <i>Nuclear Medicine and Biology</i> , 2006, 33, 801-810.	0.3	29
172	Individualized Treatment Planning in Oncology: Role of PET and Radiolabelled Anticancer Drugs in Predicting Tumour Resistance. <i>Current Pharmaceutical Design</i> , 2008, 14, 2914-2931.	0.9	29
173	Downregulation of ¹⁸ F-FDG Uptake in PET as an Early Pharmacodynamic Effect in Treatment of Non-Small Cell Lung Cancer with the mTOR Inhibitor Everolimus. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1815-1819.	2.8	29
174	Development of carbon-11 labeled acryl amides for selective PET imaging of active tissue transglutaminase. <i>Nuclear Medicine and Biology</i> , 2016, 43, 232-242.	0.3	29
175	Benzodiazepine-GABAA Receptor Binding During Absence Seizures. <i>Epilepsia</i> , 1995, 36, 592-599.	2.6	28
176	Asymptomatic Carotid Artery Stenosis: Past, Present and Future. <i>European Neurology</i> , 2006, 56, 139-154.	0.6	28
177	Microvascular Function in Viable Myocardium After Chronic Infarction Does Not Influence Fractional Flow Reserve Measurements. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1987-1992.	2.8	28
178	<i>In vivo</i> Validation of Reconstruction-Based Resolution Recovery for Human Brain Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 381-389.	2.4	28
179	Impaired Hyperemic Myocardial Blood Flow Is Associated With Inducibility of Ventricular Arrhythmia in Ischemic Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 20-30.	1.3	27
180	Use of a Single ¹¹ C-Meta-Hydroxyephedrine Scan for Assessing Flow-Innervation Mismatches in Patients with Ischemic Cardiomyopathy. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1706-1711.	2.8	27

#	ARTICLE	IF	CITATIONS
181	Hyperdynamic performance of remote myocardium in acute infarction. <i>European Heart Journal</i> , 1995, 16, 1845-1850.	1.0	26
182	SPM analysis of parametric (R)-[¹¹ C]PK11195 binding images: Plasma input versus reference tissue parametric methods. <i>NeuroImage</i> , 2007, 35, 1473-1479.	2.1	26
183	Altered GABA _A Receptor Density and Unaltered Blood-Brain Barrier Transport in a Kainate Model of Epilepsy: An In Vivo Study Using [¹¹ C]-Flumazenil and PET. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1974-1983.	2.8	26
184	Potential of [¹¹ C]acetate for measuring myocardial blood flow: Studies in normal subjects and patients with hypertrophic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 264-275.	1.4	25
185	Incremental diagnostic value of epicardial adipose tissue for the detection of functionally relevant coronary artery disease. <i>Atherosclerosis</i> , 2015, 242, 161-166.	0.4	25
186	Radiopharmaceuticals for assessing ABC transporters at the blood-brain barrier. <i>Clinical Pharmacology and Therapeutics</i> , 2015, 97, 362-371.	2.3	25
187	Rubidium-82 Myocardial Uptake and Extraction After Transient Ischemia. <i>Journal of Computer Assisted Tomography</i> , 1987, 11, 60-66.	0.5	24
188	Gap Filling Strategies for 3-D-FBP Reconstructions of High-Resolution Research Tomograph Scans. <i>IEEE Transactions on Medical Imaging</i> , 2008, 27, 934-942.	5.4	24
189	Peripheral metabolism of [¹⁸ F]FDDNP and cerebral uptake of its labelled metabolites. <i>Nuclear Medicine and Biology</i> , 2008, 35, 869-874.	0.3	24
190	Reference Tissue Models and Blood-Brain Barrier Disruption: Lessons from [¹¹ C]PK11195 in Traumatic Brain Injury. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1975-1979.	2.8	24
191	Comparison of Simplified Parametric Methods for Visual Interpretation of [¹¹ C]-Pittsburgh Compound-B PET Images. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1305-1307.	2.8	24
192	Comparison of Velocity- and Acceleration-Selective Arterial Spin Labeling with [¹⁵ O]H ₂ O Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1296-1303.	2.4	24
193	Effect of tissue heterogeneity on quantification in positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 652-663.	2.2	23
194	Positron Emission Tomography as a Method for Measuring Drug Delivery to Tumors in vivo: The Example of [¹¹ C]docetaxel. <i>Frontiers in Oncology</i> , 2013, 3, 208.	1.3	23
195	Quantification of ¹⁸ F-Fluoride Kinetics: Evaluation of Simplified Methods. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1122-1127.	2.8	23
196	Parametric Binding Images of the TSPO Ligand [¹⁸ F]-DPA-714. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1543-1547.	2.8	23
197	Hypometabolism of the posterior cingulate cortex is not restricted to Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2018, 19, 625-632.	1.4	23
198	In vivo measurements of blood flow and bone metabolism in osteoarthritis. <i>Rheumatology International</i> , 2013, 33, 959-963.	1.5	22

#	ARTICLE	IF	CITATIONS
199	[¹¹ C]quinidine and [¹¹ C]laniquidar PET imaging in a chronic rodent epilepsy model: Impact of epilepsy and drug-responsiveness. Nuclear Medicine and Biology, 2013, 40, 764-775.	0.3	22
200	The Dopamine Stabilizer (α ²)-OSU6162 Occupies a Subpopulation of Striatal Dopamine D2/D3 Receptors: An [¹¹ C]Raclopride PET Study in Healthy Human Subjects. Neuropsychopharmacology, 2015, 40, 472-479.	2.8	22
201	Quantitative and Simplified Analysis of ¹¹ C-Erlotinib Studies. Journal of Nuclear Medicine, 2016, 57, 861-866.	2.8	22
202	Repeatability of Quantitative ¹⁸ F-Fluoromethylcholine PET/CT Studies in Prostate Cancer. Journal of Nuclear Medicine, 2016, 57, 721-727.	2.8	22
203	Quantification of [¹⁸ F]florbetapir: A test-retest tracer kinetic modelling study. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 2172-2180.	2.4	22
204	Parametric methods for [¹⁸ F]flortaucipir PET. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 365-373.	2.4	22
205	The perfusable tissue index: a marker of myocardial viability. Journal of Nuclear Cardiology, 2003, 10, 684-691.	1.4	21
206	Experimental evaluation of iterative reconstruction versus filtered back projection for 3D [¹⁵ O]water PET activation studies using statistical parametric mapping analysis. NeuroImage, 2003, 19, 1170-1179.	2.1	21
207	Attenuation correction of PET activation studies in the presence of task-related motion. NeuroImage, 2003, 19, 1501-1509.	2.1	21
208	Carbon-11 Labeled Tracers for In Vivo Imaging of P-Glycoprotein Function: Kinetics, Advantages and Disadvantages. Current Topics in Medicinal Chemistry, 2010, 10, 1820-1833.	1.0	21
209	¹¹ C-labeled and ¹⁸ F-labeled PET ligands for subtype-specific imaging of histamine receptors in the brain. Journal of Labelled Compounds and Radiopharmaceuticals, 2013, 56, 120-129.	0.5	21
210	Studies on regional cerebral haematocrit and blood flow in patients with cerebral tumours using positron emission tomography. Microvascular Research, 1986, 31, 267-276.	1.1	19
211	Measurement of left ventricular volumes and function with O-15-labeled carbon monoxide gated positron emission tomography: Comparison with magnetic resonance imaging. Journal of Nuclear Cardiology, 2005, 12, 639-644.	1.4	19
212	Absolute Quantification of [¹¹ C]docetaxel Kinetics in Lung Cancer Patients Using Positron Emission Tomography. Clinical Cancer Research, 2011, 17, 4814-4824.	3.2	19
213	Quantification of the novel N-methyl-D-aspartate receptor ligand [¹¹ C]GMOM in man. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 1111-1121.	2.4	19
214	Molecular Imaging of ABCB1 and ABCG2 Inhibition at the Human Blood-Brain Barrier Using Elacridar and ¹¹ C-Erlotinib PET. Journal of Nuclear Medicine, 2018, 59, 973-979.	2.8	19
215	Cerebral rituximab uptake in multiple sclerosis: A ⁸⁹ Zr-immunoPET pilot study. Multiple Sclerosis Journal, 2018, 24, 543-545.	1.4	19
216	Diagnostic Value of Transluminal Attenuation Gradient for the Presence of Ischemia as Defined by Fractional Flow Reserve and Quantitative Positron Emission Tomography. JACC: Cardiovascular Imaging, 2019, 12, 323-333.	2.3	19

#	ARTICLE	IF	CITATIONS
217	A comparison between regional cerebral blood flow measurements obtained in human subjects using ¹¹ C-methylalbumin microspheres, the ¹⁵ O ₂ steady-state method, and positron emission tomography. <i>Acta Neurologica Scandinavica</i> , 1986, 73, 415-422.	1.0	18
218	No Evidence for Additional Blood-Brain Barrier P-Glycoprotein Dysfunction in Alzheimer's Disease Patients with Microbleeds. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 1468-1471.	2.4	18
219	¹¹ C-Acetate Clearance as an Index of Oxygen Consumption of the Right Myocardium in Idiopathic Pulmonary Arterial Hypertension: A Validation Study Using ¹⁵ O-Labeled Tracers and PET. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1258-1262.	2.8	18
220	Effect of Type 2 Diabetes Mellitus on Epicardial Adipose Tissue Volume and Coronary Vasomotor Function. <i>American Journal of Cardiology</i> , 2014, 113, 90-97.	0.7	18
221	The Association of Glucose Metabolism and Eigenvector Centrality in Alzheimer's Disease. <i>Brain Connectivity</i> , 2016, 6, 1-8.	0.8	18
222	Relation of Coronary Microvascular Dysfunction in Hypertrophic Cardiomyopathy to Contractile Dysfunction Independent from Myocardial Injury. <i>American Journal of Cardiology</i> , 2011, 107, 1522-1528.	0.7	17
223	In vivo quantification of striatal dopamine D ₂ receptor occupancy by JNJ-37822681 using [¹¹ C]raclopride and positron emission tomography. <i>Journal of Psychopharmacology</i> , 2012, 26, 1128-1135.	2.0	17
224	Quantitative relationship between coronary artery calcium score and hyperemic myocardial blood flow as assessed by hybrid ¹⁵ O-water PET/CT imaging in patients evaluated for coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 256-264.	1.4	17
225	Assessment of Simplified Methods to Measure ¹⁸ F-FLT Uptake Changes in EGFR-Mutated Non-Small Cell Lung Cancer Patients Undergoing EGFR Tyrosine Kinase Inhibitor Treatment. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1417-1423.	2.8	17
226	Quantification of Dynamic ¹¹ C-Phenytoin PET Studies. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1372-1377.	2.8	17
227	Imaging and Methotrexate Response Monitoring of Systemic Inflammation in Arthritic Rats Employing the Macrophage PET Tracer [¹⁸ F]Fluoro-PEG-Folate. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-10.	0.4	17
228	[¹¹ C]PIB amyloid quantification: effect of reference region selection. <i>EJNMMI Research</i> , 2020, 10, 123.	1.1	17
229	In vivo Measurement of the Volume of Distribution of Water in Cerebral Grey Matter: Effects on the Calculation of Regional Cerebral Blood Flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992, 12, 291-295.	2.4	16
230	Risk stratification for ventricular arrhythmias in ischaemic cardiomyopathy: the value of non-invasive imaging. <i>Europace</i> , 2010, 12, 468-474.	0.7	16
231	Synthesis and preclinical evaluation of [¹¹ C]D617, a metabolite of (R)-[¹¹ C]verapamil. <i>Nuclear Medicine and Biology</i> , 2012, 39, 530-539.	0.3	16
232	Limbic and motor circuits involved in symmetry behavior in Tourette's syndrome. <i>CNS Spectrums</i> , 2013, 18, 34-42.	0.7	16
233	Myocardial Oxygen Extraction Fraction Measured Using Bolus Inhalation of ¹⁵ O-Oxygen Gas and Dynamic PET. <i>Journal of Nuclear Medicine</i> , 2011, 52, 60-66.	2.8	15
234	ENerGetlcs in hypertrophic cardiomyopathy: traNslation between MRI, PET and cardiac myofilament function (ENGINE study). <i>Netherlands Heart Journal</i> , 2013, 21, 567-571.	0.3	15

#	ARTICLE	IF	CITATIONS
235	Synthesis and preclinical evaluation of carbon-11 labelled N-((5-(4-fluoro-2-[11C]methoxyphenyl)pyridin-3-yl)methyl)cyclopentanamine as a PET tracer for NR2B subunit-containing NMDA receptors. <i>Nuclear Medicine and Biology</i> , 2014, 41, 670-680.	0.3	15
236	Measurement of LV Volumes and Function Using Oxygen-15 Water-Gated PET and Comparison With CMR Imaging. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 1472-1474.	2.3	15
237	Linear dimension reduction of sequences of medical images: III. Factor analysis in signal space. <i>Physics in Medicine and Biology</i> , 1996, 41, 1469-1481.	1.6	14
238	Cerebral Blood Flow and Glucose Metabolism in Appetite-Related Brain Regions in Type 1 Diabetic Patients After Treatment With Insulin Detemir and NPH Insulin. <i>Diabetes Care</i> , 2013, 36, 4050-4056.	4.3	14
239	Synthesis, structure activity relationship, radiolabeling and preclinical evaluation of high affinity ligands for the ion channel of the N-methyl-D-aspartate receptor as potential imaging probes for positron emission tomography. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 1189-1206.	1.4	14
240	Association of amyloid pathology with memory performance and cognitive complaints in cognitively normal older adults: a monozygotic twin study. <i>Neurobiology of Aging</i> , 2019, 77, 58-65.	1.5	14
241	Strategies to reduce sample sizes in Alzheimer's disease primary and secondary prevention trials using longitudinal amyloid PET imaging. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 82.	3.0	14
242	Pulmonary β_2 adrenoceptor density in arrhythmogenic right ventricular cardiomyopathy and idiopathic tachycardia. <i>Basic Research in Cardiology</i> , 2001, 96, 91-97.	2.5	13
243	Population plasma pharmacokinetics of 11C-flumazenil at tracer concentrations. <i>British Journal of Clinical Pharmacology</i> , 2005, 60, 477-485.	1.1	13
244	Synthesis of 2-(1,1-dicyanopropen-2-yl)-6-(2-[18F]-fluoroethyl)-methylamino-naphthalene ([18F]FDDNP). <i>Applied Radiation and Isotopes</i> , 2008, 66, 203-207.	0.7	13
245	Comparison of transcranial Doppler ultrasonography and positron emission tomography using a three-dimensional template of the middle cerebral artery. <i>Neurological Research</i> , 2009, 31, 52-59.	0.6	13
246	Multiparametric Analysis of the Relationship Between Tumor Hypoxia and Perfusion with ^{18}F -Fluoroazomycin Arabinoside and ^{15}O -H $_2$ O PET. <i>Journal of Nuclear Medicine</i> , 2016, 57, 530-535.	2.8	13
247	In vivo assessment of myocardial viability after acute myocardial infarction: A head-to-head comparison of the perfusable tissue index by PET and delayed contrast-enhanced CMR. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 657-667.	1.4	13
248	Development of central 5-HT $_2\text{A}$ receptor radioligands for PET: Comparison of [3H]RP 62203 and [3H]SR 46349B kinetics in rat brain. <i>Nuclear Medicine and Biology</i> , 1996, 23, 245-250.	0.3	12
249	Effects of attenuation correction and reconstruction method on PET activation studies. <i>NeuroImage</i> , 2003, 20, 898-908.	2.1	12
250	Pulmonary ^{18}F -Deoxyglucose Uptake is Low in Treated Patients with Idiopathic Pulmonary Arterial Hypertension. <i>Pulmonary Circulation</i> , 2013, 3, 647-653.	0.8	12
251	Radiation Dose of the P-Glycoprotein Tracer ^{11}C -Laniquidar. <i>Journal of Nuclear Medicine</i> , 2013, 54, 2101-2103.	2.8	12
252	Parametric Methods for Quantification of ^{18}F -FAZA Kinetics in Non-Small Cell Lung Cancer Patients. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1772-1777.	2.8	12

#	ARTICLE	IF	CITATIONS
253	<i>In Vivo</i> Imaging as a Pharmacodynamic Marker. <i>Clinical Cancer Research</i> , 2014, 20, 2569-2577.	3.2	12
254	Semi-quantitative cerebral blood flow parameters derived from non-invasive [¹⁵ O]H ₂ O PET studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 163-172.	2.4	12
255	Positron emission tomography. <i>Brain Topography</i> , 1992, 5, 113-117.	0.8	11
256	Reappraisal of a single-tissue compartment model for estimation of myocardial oxygen consumption by [¹¹ C]acetate PET. <i>Nuclear Medicine Communications</i> , 2011, 32, 59-62.	0.5	11
257	Validation of simplified dosimetry approaches in 89 Zr-PET/CT: The use of manual versus semi-automatic delineation methods to estimate organ absorbed doses. <i>Medical Physics</i> , 2014, 41, 102503.	1.6	11
258	Strategies towards in vivo imaging of active transglutaminase type 2 using positron emission tomography. <i>Amino Acids</i> , 2017, 49, 585-595.	1.2	11
259	Positron emission tomography and in vivo measurements of tumour perfusion and oxygen utilisation. <i>Cancer and Metastasis Reviews</i> , 1987, 6, 521-539.	2.7	10
260	A new rat model of human breast cancer for evaluating efficacy of new anti-cancer agents in vivo. <i>Cancer Biology and Therapy</i> , 2008, 7, 532-537.	1.5	10
261	Quantitative agreement between [¹⁵ O]H ₂ O PET and model free QUASAR MRI-derived cerebral blood flow and arterial blood volume. <i>NMR in Biomedicine</i> , 2016, 29, 519-526.	1.6	10
262	Synthesis, radiolabeling and evaluation of novel amine guanidine derivatives as potential positron emission tomography tracers for the ion channel of the N-methyl-D-aspartate receptor. <i>European Journal of Medicinal Chemistry</i> , 2016, 118, 143-160.	2.6	10
263	Repeatability of parametric methods for [¹⁸ F]florbetapir imaging in Alzheimer's disease and healthy controls: A test-retest study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 569-578.	2.4	10
264	Correction for emission contamination in transmission scans for the high resolution research tomograph. <i>IEEE Transactions on Nuclear Science</i> , 2004, 51, 673-676.	1.2	9
265	Hemodynamic changes in ipsi- and contralateral cerebral arterial territories after carotid endarterectomy using positron emission tomography. <i>World Neurosurgery</i> , 2009, 71, 668-676.	1.3	9
266	Simultaneous in vivo measurements of receptor density and affinity using [¹¹ C]flumazenil and positron emission tomography: Comparison of full saturation and steady state methods. <i>NeuroImage</i> , 2011, 57, 928-937.	2.1	9
267	Parametric [¹¹ C]flumazenil images. <i>Nuclear Medicine Communications</i> , 2012, 33, 422-430.	0.5	9
268	Myocardial denervation coincides with scar heterogeneity in ischemic cardiomyopathy: A PET and CMR study. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1480-1488.	1.4	9
269	Synthesis, radiolabeling and preclinical evaluation of a [¹¹ C]GMOM derivative as PET radiotracer for the ion channel of the N-methyl-D-aspartate receptor. <i>Nuclear Medicine and Biology</i> , 2017, 51, 25-32.	0.3	9
270	Stability of Arterial Concentrations during Continuous Inhalation of C15O2 and 15O2 and the Effects on Computed Values of CBF and CMRO2. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 411-417.	2.4	8

#	ARTICLE	IF	CITATIONS
271	First Evaluation of [¹¹ C]R116301 as an In Vivo Tracer of NK1 Receptors in Man. <i>Molecular Imaging and Biology</i> , 2009, 11, 241-245.	1.3	8
272	Direct comparison of [¹¹ C] choline and [¹⁸ F] FET PET to detect glioma infiltration: a diagnostic accuracy study in eight patients. <i>EJNMMI Research</i> , 2019, 9, 57.	1.1	8
273	Quantitative parametric maps of O-(2- ¹⁸ F)fluoroethyl)-L-tyrosine kinetics in diffuse glioma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 895-903.	2.4	8
274	Simplified parametric methods for [¹⁸ F]FDDNP studies. <i>NeuroImage</i> , 2010, 49, 433-441.	2.1	7
275	Education, training and registration of Medical Physics Experts across Europe. <i>Physica Medica</i> , 2021, 85, 129-136.	0.4	6
276	Impact of cerebral blood flow and amyloid load on SUVR bias. <i>EJNMMI Research</i> , 2022, 12, 29.	1.1	6
277	Comparison of In Vitro Assays in Selecting Radiotracers for In Vivo P-Glycoprotein PET Imaging. <i>Pharmaceuticals</i> , 2017, 10, 76.	1.7	4
278	The need for quantitative PET in multicentre studies. <i>Clinical and Translational Imaging</i> , 2014, 2, 277-280.	1.1	3
279	Quantitative Issues in Response Measurement by PET. <i>PET Clinics</i> , 2008, 3, 5-11.	1.5	2
280	Test-Retest Variability of Relative Tracer Delivery Rate as Measured by [¹¹ C]PiB. <i>Molecular Imaging and Biology</i> , 2021, 23, 335-339.	1.3	2
281	Impact of wavelet based denoising of ¹⁸ F PK11195 time activity curves on accuracy and precision of kinetic analysis. <i>Medical Physics</i> , 2008, 35, 5069-5078.	1.6	1
282	Houdini's Illusions: Some Acts Are Not What They Seem to Be. <i>Journal of Nuclear Medicine</i> , 2021, 62, 1832-1832.	2.8	0
283	Whole body macrophage PET imaging for disease activity assessment in early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2022, , jrheum.210928.	1.0	0