Junmin Pan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7775668/publications.pdf Version: 2024-02-01



Ιπνιμίνι Βάνι

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Ciliary transition zone proteins coordinate ciliary protein composition and ectosome shedding. Nature Communications, 2022, 13, . | 12.8 | 16 |
| 2 | IFT54 directly interacts with kinesinâ€ I I and IFT dynein to regulate anterograde intraflagellar transport. EMBO Journal, 2021, 40, e105781. | 7.8 | 28 |
| 3 | Identification of Regulators for Ciliary Disassembly by a Chemical Screen. ACS Chemical Biology, 2021, 16, 2665-2672. | 3.4 | 0 |
| 4 | Potassium channel KCN11 is required for maintaining cellular osmolarity during nitrogen starvation to control proper cell physiology and TAG accumulation in Chlamydomonas reinhardtii. Biotechnology for Biofuels, 2020, 13, 129. | 6.2 | 6 |
| 5 | Editorial: Dissecting the Intraflagellar Transport System in Physiology and Disease: Cilia-Related and -Unrelated Roles. Frontiers in Cell and Developmental Biology, 2020, 8, 615588. | 3.7 | 1 |
| 6 | Single-Cell Mass Spectrometry Analysis of Metabolites Facilitated by Cell Electro-Migration and Electroporation. Analytical Chemistry, 2020, 92, 10138-10144. | 6.5 | 34 |
| 7 | FLS2 is a CDK-like kinase that directly binds IFT70 and is required for proper ciliary disassembly in Chlamydomonas. PLoS Genetics, 2020, 16, e1008561. | 3.5 | 13 |
| 8 | Functional exploration of heterotrimeric kinesin-II in IFT and ciliary length control in Chlamydomonas. ELife, 2020, 9, . | 6.0 | 11 |
| 9 | Title is missing!. , 2020, 16, e1008561. | | 0 |
| 10 | Title is missing!. , 2020, 16, e1008561. | | 0 |
| 11 | Title is missing!. , 2020, 16, e1008561. | | 0 |
| 12 | Title is missing!. , 2020, 16, e1008561. | | 0 |
| 13 | Regulation of flagellar assembly and length in <i>Chlamydomonas</i> by LF4, a MAPKâ€related kinase. FASEB Journal, 2019, 33, 6431-6441. | 0.5 | 22 |
| 14 | Nourseothricin N-acetyl transferase (NAT), a new selectable marker for nuclear gene expression in Chlamydomonas. Plant Methods, 2019, 15, 140. | 4.3 | 15 |
| 15 | Chlamydomonas WDR92 in association with R2TP-like complex and multiple DNAAFs to regulate ciliary dynein preassembly. Journal of Molecular Cell Biology, 2019, 11, 770-780. | 3.3 | 29 |
| 16 | Ciliary Length Sensing Regulates IFT Entry via Changes in FLA8/KIF3B Phosphorylation to Control Ciliary Assembly. Current Biology, 2018, 28, 2429-2435.e3. | 3.9 | 33 |
| 17 | Calmodulin regulates a TRP channel (ADF1) and phospholipase C (PLC) to mediate elevation of cytosolic calcium during acidic stress that induces deflagellation in <i>Chlamydomonas</i> . FASEB Journal, 2018, 32, 3689-3699. | 0.5 | 13 |
| 18 | Noninvasive and Accurate Detection of Hereditary Hearing Loss Mutations with Buccal Swab Based on Droplet Digital PCR. Analytical Chemistry, 2018, 90, 8919-8926. | 6.5 | 20 |

Junmin Pan

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | IFT54 regulates IFT20 stability but is not essential for tubulin transport during ciliogenesis. Cellular and Molecular Life Sciences, 2017, 74, 3425-3437. | 5.4 | 34 |
| 20 | Comparative Proteomics Reveals Timely Transport into Cilia of Regulators or Effectors as a Mechanism Underlying Ciliary Disassembly. Journal of Proteome Research, 2017, 16, 2410-2418. | 3.7 | 12 |
| 21 | Chlamydomonas: Cilia and Ciliopathies. Microbiology Monographs, 2017, , 73-97. | 0.6 | 0 |
| 22 | Functional exploration of the IFT-A complex in intraflagellar transport and ciliogenesis. PLoS Genetics, 2017, 13, e1006627. | 3.5 | 56 |
| 23 | IFT trains in different stages of assembly queue at the ciliary base for consecutive release into the cilium. ELife, 2017, 6, . | 6.0 | 90 |
| 24 | An organelle K+ channel is required for osmoregulation in Chlamydomonas reinhardtii. Journal of Cell Science, 2016, 129, 3008-14. | 2.0 | 8 |
| 25 | A NIMA-related kinase, CNK4, regulates ciliary stability and length. Molecular Biology of the Cell, 2016, 27, 838-847. | 2.1 | 30 |
| 26 | Mechanism of ciliary disassembly. Cellular and Molecular Life Sciences, 2016, 73, 1787-1802. | 5.4 | 89 |
| 27 | Microtubule-Depolymerizing Kinesins in the Regulation of Assembly, Disassembly, and Length of Cilia and Flagella. International Review of Cell and Molecular Biology, 2015, 317, 241-265. | 3.2 | 21 |
| 28 | Cilia Disassembly with Two Distinct Phases of Regulation. Cell Reports, 2015, 10, 1803-1810. | 6.4 | 38 |
| 29 | Organelle Size: A Cilium Length Signal Regulates IFT Cargo Loading. Current Biology, 2014, 24, R75-R78. | 3.9 | 9 |
| 30 | CYLD mediates ciliogenesis in multiple organs by deubiquitinating Cep70 and inactivating HDAC6. Cell Research, 2014, 24, 1342-1353. | 12.0 | 87 |
| 31 | FLA8/KIF3B Phosphorylation Regulates Kinesin-II Interaction with IFT-B to Control IFT Entry and Turnaround. Developmental Cell, 2014, 30, 585-597. | 7.0 | 102 |
| 32 | The role of the cilium in normal and abnormal cell cycles: emphasis on renal cystic pathologies. Cellular and Molecular Life Sciences, 2013, 70, 1849-1874. | 5.4 | 70 |
| 33 | Fluorescent measurement of lipid content in the model organism Chlamydomonas reinhardtii. Journal of Applied Phycology, 2013, 25, 1633-1641. | 2.8 | 23 |
| 34 | The conserved ciliary protein Bug22 controls planar beating of Chlamydomonas flagella. Journal of Cell Science, 2013, 127, 281-7. | 2.0 | 30 |
| 35 | Flagellar regeneration requires cytoplasmic microtubule depolymerization and kinesin-13. Journal of Cell Science, 2013, 126, 1531-40. | 2.0 | 61 |
| 36 | Activation loop phosphorylation of a protein kinase is a molecular marker of organelle size that dynamically reports flagellar length. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 12337-12342. | 7.1 | 52 |

Junmin Pan

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Regulation of Flagellar Biogenesis by a Calcium Dependent Protein Kinase in Chlamydomonas reinhardtii. PLoS ONE, 2013, 8, e69902. | 2.5 | 42 |
| 38 | Protein Phosphorylation Is a Key Event of Flagellar Disassembly Revealed by Analysis of Flagellar Phosphoproteins during Flagellar Shortening in <i>Chlamydomonas</i> . Journal of Proteome Research, 2011, 10, 3830-3839. | 3.7 | 27 |
| 39 | The Phosphorylation State of an Aurora-Like Kinase Marks the Length of Growing Flagella in Chlamydomonas. Current Biology, 2011, 21, 586-591. | 3.9 | 48 |
| 40 | A ONE‧HOT SOLUTION TO BACTERIAL AND FUNGAL CONTAMINATION IN THE GREEN ALGA <i>CHLAMYDOMONAS REINHARDTII</i> CULTURE BY USING AN ANTIBIOTIC COCKTAIL ¹ . Journal of Phycology, 2010, 46, 1356-1358. | 2.3 | 34 |
| 41 | A microtubule depolymerizing kinesin functions during both flagellar disassembly and flagellar assembly in <i>Chlamydomonas</i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 4713-4718. | 7.1 | 127 |
| 42 | Regulation of Cilia assembly, Disassembly, and Length by Protein Phosphorylation. Methods in Cell Biology, 2009, 94, 333-346. | 1.1 | 41 |
| 43 | Chlamydomonas (Chlorophyceae) colony PCR. Protoplasma, 2009, 235, 107-110. | 2.1 | 81 |
| 44 | Cilia and ciliopathies: From Chlamydomonas and beyond. Science in China Series C: Life Sciences, 2008, 51, 479-486. | 1.3 | 28 |
| 45 | The Primary Cilium: Keeper of the Key to Cell Division. Cell, 2007, 129, 1255-1257. | 28.9 | 147 |
| 46 | The <i>Chlamydomonas</i> Genome Reveals the Evolution of Key Animal and Plant Functions. Science, 2007, 318, 245-250. | 12.6 | 2,354 |
| 47 | Cilium-generated signaling and cilia-related disorders. Laboratory Investigation, 2005, 85, 452-463. | 3.7 | 215 |
| 48 | Chlamydomonas Shortens Its Flagella by Activating Axonemal Disassembly, Stimulating IFT Particle Trafficking, and Blocking Anterograde Cargo Loading. Developmental Cell, 2005, 9, 431-438. | 7.0 | 96 |
| 49 | An Aurora Kinase Is Essential for Flagellar Disassembly in Chlamydomonas. Developmental Cell, 2004, 6, 445-451. | 7.0 | 150 |
| 50 | Kinesin II and regulated intraflagellar transport ofChlamydomonasaurora protein kinase. Journal of Cell Science, 2003, 116, 2179-2186. | 2.0 | 30 |
| 51 | Kinesin-II Is Required for Flagellar Sensory Transduction during Fertilization inChlamydomonas. Molecular Biology of the Cell, 2002, 13, 1417-1426. | 2.1 | 69 |
| 52 | Regulated Targeting of a Protein Kinase into an Intact Flagellum. Journal of Biological Chemistry, 2000, 275, 24106-24114. | 3.4 | 42 |
| 53 | Cilia are not created equal—restriction of IFT on microtubule tracks for cilia diversification. BioEssays, 0, , 2200082. | 2.5 | 0 |