

Junwei Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7779397/publications.pdf>

Version: 2024-02-01

122
papers

1,677
citations

394421

19
h-index

434195

31
g-index

123
all docs

123
docs citations

123
times ranked

656
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Micromonospora jinlongensis</i> sp. nov., isolated from muddy soil in China and emended description of the genus <i>Micromonospora</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 307-315.	1.7	156
2	<i>Wangella harbinensis</i> gen. nov., sp. nov., a new member of the family <i>Micromonosporaceae</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 399-408.	1.7	97
3	Characterization of <i>Streptomyces sporangiiformans</i> sp. nov., a Novel Soil Actinomycete with Antibacterial Activity against <i>Ralstonia solanacearum</i> . <i>Microorganisms</i> , 2019, 7, 360.	3.6	64
4	<i>Streptomyces inhibens</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 688-695.	1.7	64
5	<i>Nonomuraea solani</i> sp. nov., an actinomycete isolated from eggplant root (<i>Solanum melongena</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2418-2423.	1.7	51
6	Characterization, Phylogenetic Analyses, and Pathogenicity of <i>Enterobacter cloacae</i> on Rice Seedlings in Heilongjiang Province, China. <i>Plant Disease</i> , 2020, 104, 1601-1609.	1.4	40
7	A <i>Streptomyces</i> sp. NEAU-HV9: Isolation, Identification, and Potential as a Biocontrol Agent against <i>Ralstonia solanacearum</i> of Tomato Plants. <i>Microorganisms</i> , 2020, 8, 351.	3.6	38
8	Community Structures and Antifungal Activity of Root-Associated Endophytic Actinobacteria in Healthy and Diseased Cucumber Plants and <i>Streptomyces</i> sp. HAAG3-15 as a Promising Biocontrol Agent. <i>Microorganisms</i> , 2020, 8, 236.	3.6	31
9	<i>Streptomyces maoxianensis</i> sp. nov., a novel actinomycete isolated from soil in Maoxian, China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1119-1126.	1.7	30
10	Community Composition, Antifungal Activity and Chemical Analyses of Ant-Derived Actinobacteria. <i>Frontiers in Microbiology</i> , 2020, 11, 201.	3.5	29
11	Two new species of the genus <i>Micromonospora</i> : <i>Micromonospora palomenae</i> sp. nov. and <i>Micromonospora harpali</i> sp. nov. isolated from the insects. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 141-150.	1.7	26
12	Discovery of Frenolicin B as Potential Agrochemical Fungicide for Controlling <i>Fusarium</i> Head Blight on Wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2108-2117.	5.2	26
13	<i>Actinomadura jiaoheensis</i> sp. nov. and <i>Actinomadura sporangiiformans</i> sp. nov., two novel actinomycetes isolated from muddy soil and emended description of the genus <i>Actinomadura</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1331-1339.	1.7	25
14	<i>Nonomuraea guangzhouensis</i> sp. nov., and <i>Nonomuraea harbinensis</i> sp. nov., two novel actinomycetes isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 109-118.	1.7	23
15	<i>Streptomyces daqingensis</i> sp. nov., isolated from saline-alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1358-1363.	1.7	23
16	<i>Micromonospora zeae</i> sp. nov., a novel endophytic actinomycete isolated from corn root (<i>Zea mays</i> L.). <i>Journal of Antibiotics</i> , 2014, 67, 739-743.	2.0	22
17	<i>Actinomadura physcomitrii</i> sp. nov., a novel actinomycete isolated from moss [<i>Physcomitrium sphaericum</i> (Ludw) Fuernr]. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 677-685.	1.7	22
18	<i>Massilia rhizosphaerae</i> sp. nov., a rice-associated rhizobacterium with antibacterial activity against <i>Ralstonia solanacearum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	22

#	ARTICLE	IF	CITATIONS
19	<i>Microbispora bryophytorum</i> sp. nov., an actinomycete isolated from moss (Bryophyta). International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1274-1279.	1.7	21
20	<i>Streptomyces triticisoli</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3327-3332.	1.7	21
21	<i>Microbispora camponoti</i> sp. nov., a novel actinomycete isolated from the cuticle of <i>Camponotus japonicus</i> Mayr. Antonie Van Leeuwenhoek, 2016, 109, 215-223.	1.7	20
22	Taxonomic Characterization, and Secondary Metabolite Analysis of <i>Streptomyces triticiradicis</i> sp. nov.: A Novel Actinomycete with Antifungal Activity. Microorganisms, 2020, 8, 77.	3.6	20
23	<i>Streptomyces polyrhachii</i> sp. nov., a novel actinomycete isolated from an edible Chinese black ant (<i>Polyrhachis vicina</i> Roger). Antonie Van Leeuwenhoek, 2013, 104, 1013-1019.	1.7	19
24	<i>Streptomyces bryophytorum</i> sp. nov., an endophytic actinomycete isolated from moss (Bryophyta). Antonie Van Leeuwenhoek, 2016, 109, 1209-1215.	1.7	19
25	<i>Alternaria</i> spp. Associated with Leaf Blight of Maize in Heilongjiang Province, China. Plant Disease, 2022, 106, 572-584.	1.4	18
26	<i>Promicromonospora alba</i> sp. nov., an actinomycete isolated from the cuticle of <i>Camponotus japonicus</i> Mayr. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1340-1345.	1.7	17
27	<i>Micromonospora parathelypteridis</i> sp. nov., an endophytic actinomycete with antifungal activity isolated from the root of <i>Parathelypteris beddomei</i> (Bak.) Ching. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 268-274.	1.7	17
28	<i>Micromonospora taraxaci</i> sp. nov., a novel endophytic actinomycete isolated from dandelion root (<i>Taraxacum mongolicum</i> Hand.-Mazz.). Antonie Van Leeuwenhoek, 2014, 106, 667-674.	1.7	16
29	<i>Pseudonocardia tritici</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). Antonie Van Leeuwenhoek, 2019, 112, 765-773.	1.7	16
30	<i>Psychrobacillus lasiicapitis</i> sp. nov., isolated from the head of an ant (<i>Lasius fuliginosus</i>). International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4462-4467.	1.7	16
31	<i>Glycomyces tritici</i> sp. nov., isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.) and emended description of the genus <i>Glycomyces</i> . Antonie Van Leeuwenhoek, 2018, 111, 1087-1093.	1.7	15
32	<i>Baia soyae</i> gen. nov., sp. nov., a mesophilic representative of the family Thermoactinomycetaceae, isolated from soybean root [<i>Glycine max</i> (L.) Merr]. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3754-3760.	1.7	15
33	<i>Nocardia lasii</i> sp. nov., a novel actinomycete isolated from the cuticle of an ant (<i>Lasius fuliginosus</i> L.). Antonie Van Leeuwenhoek, 2016, 109, 1513-1520.	1.7	14
34	<i>Bacillus solisilvae</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4449-4455.	1.7	14
35	<i>Lechevalieria rhizosphaerae</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.) and emended description of the genus <i>Lechevalieria</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4655-4659.	1.7	13
36	<i>Streptomyces tritici</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (<i>Triticum</i>)	1.7	13

#	ARTICLE	IF	CITATIONS
37	<i>Nonomuraea lactucae</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of lettuce (<i>Lactuca sativa</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 316-321.	1.7	13
38	<i>Cellulomonas rhizosphaerae</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1001-1008.	1.7	13
39	<i>Micromonospora maoerensis</i> sp. nov., isolated from a Chinese pine forest soil. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 451-459.	1.7	12
40	<i>Micromonospora lycii</i> sp. nov., a novel endophytic actinomycete isolated from wolfberry root (<i>Lycium chinense</i> Mill). <i>Journal of Antibiotics</i> , 2016, 69, 153-158.	2.0	12
41	Characterization of a Novel Endophytic Actinomycete, <i>Streptomyces physcomitrii</i> sp. nov., and Its Biocontrol Potential Against <i>Ralstonia solanacearum</i> on Tomato. <i>Microorganisms</i> , 2020, 8, 2025.	3.6	12
42	<i>Actinocorallia lasiicapitis</i> sp. nov., an actinomycete isolated from the head of an ant (<i>Lasius</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 T	1.7	12
43	<i>Lentzea terrae</i> sp. nov., isolated from soil and an emended description of <i>Lentzea soli</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3528-3533.	1.7	12
44	<i>Microbispora triticiradicis</i> sp. nov., a novel actinomycete isolated from the root of wheat (<i>Triticum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.7	12
45	<i>Kribbella jiaozuonensis</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3500-3507.	1.7	12
46	<i>Cryobacterium tepidiphilum</i> sp. nov., isolated from rhizosphere soil of lettuce (var. <i>ramosa</i> Hort.). <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1611-1621.	1.7	11
47	Characterization of <i>Sinomonas gamaensis</i> sp. nov., a Novel Soil Bacterium with Antifungal Activity against <i>Exserohilum turcicum</i> . <i>Microorganisms</i> , 2019, 7, 170.	3.6	11
48	<i>Massilia cellulositytica</i> sp. nov., a novel cellulose-degrading bacterium isolated from rhizosphere soil of rice (<i>Oryza sativa</i> L.) and its whole genome analysis. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1529-1540.	1.7	11
49	<i>Streptomyces tyrosinilyticus</i> sp. nov., a novel actinomycete isolated from river sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3091-3096.	1.7	11
50	<i>Nonomuraea glycinis</i> sp. nov., a novel actinomycete isolated from the root of black soya bean [<i>Glycine max</i> (L.) Merr]. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5026-5031.	1.7	11
51	<i>Lentzea soli</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1496-1501.	1.7	11
52	<i>Arthrobacter celericrescens</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3093-3099.	1.7	11
53	<i>Microbispora fusca</i> sp. nov., a novel actinomycete isolated from the ear of wheat (<i>Triticum aestivum</i>) Tj ETQq1 1 0.784314 rgBT /Overdo	1.7	11
54	<i>Microbacterium stercoris</i> sp. nov., an indole acetic acid-producing actinobacterium isolated from cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	11

#	ARTICLE	IF	CITATIONS
55	<i>Saccharothrix carnea</i> sp. nov., an actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4033-4037.	1.7	10
56	<i>Streptomonospora halotolerans</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3183-3189.	1.7	10
57	<i>Streptosporangium jiaoheense</i> sp. nov. and <i>Streptosporangium taraxaci</i> sp. nov., actinobacteria isolated from soil and dandelion root (<i>Taraxacum mongolicum</i> Hand.-Mazz.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2370-2376.	1.7	10
58	<i>Streptomyces camponoticapitis</i> sp. nov., an actinomycete isolated from the head of an ant (<i>Camponotus japonicus</i> Mayr). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3855-3859.	1.7	10
59	<i>Promicromonospora soli</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3829-3833.	1.7	10
60	<i>Kribbella monticola</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3441-3446.	1.7	10
61	<i>Streptomyces durbertensis</i> sp. nov., isolated from saline alkali soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3635-3640.	1.7	10
62	<i>Plantactinospora veratri</i> sp. nov., an actinomycete isolated from black false hellebore root (<i>Veratrum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.7	9
63	<i>Glycomyces dulcitolivorans</i> sp. nov., isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3034-3039.	1.7	9
64	<i>Streptomyces triticagri</i> sp. nov. and <i>Streptomyces triticirhizae</i> sp. nov., two novel Actinobacteria isolated from the rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 126-138.	1.7	9
65	<i>Streptomyces oryziradicis</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of rice (<i>Oryza</i>) Tj ETQq1 1 0,784314 rgBT /Overlock 10 Tf	1.7	9
66	<i>Streptomyces castaneus</i> sp. nov., a novel actinomycete isolated from the rhizosphere of <i>Peucedanum praeruptorum</i> Dunn. <i>Archives of Microbiology</i> , 2017, 199, 45-50.	2.2	8
67	<i>Plantactinospora solaniradicis</i> sp. nov., a novel actinomycete isolated from the root of a tomato plant (<i>Solanum lycopersicum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 227-235.	1.7	8
68	<i>Streptomyces typhae</i> sp. nov., a novel endophytic actinomycete with antifungal activity isolated the root of cattail (<i>Typha angustifolia</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 823-833.	1.7	8
69	<i>Streptomyces montanus</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3226-3233.	1.7	8
70	<i>Nocardia bovisstercoris</i> sp. nov., an actinobacterium isolated from cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	1.7	8
71	<i>Microbacterium bovisstercoris</i> sp. nov., a novel actinomycete isolated from cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2703-2708.	1.7	8
72	<i>Nocardia stercoris</i> sp. nov., a novel actinomycete isolated from the cow dung. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 493-498.	1.7	8

#	ARTICLE	IF	CITATIONS
73	<i>Actinoplanes flavus</i> sp. nov., a novel cellulase-producing actinobacterium isolated from coconut palm rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	7
74	<i>Longispora urticae</i> sp. nov., isolated from rhizosphere soil of <i>Urtica urens</i> L., and emended descriptions of the species <i>Longispora albida</i> and <i>Longispora fulva</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4228-4234.	1.7	7
75	<i>Jiangella rhizosphaerae</i> sp. nov., an actinomycete isolated from the rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1320-1326.	1.7	7
76	<i>Glycomyces albidus</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3096-3104.	1.7	7
77	<i>Lentzea alba</i> sp. nov., a novel actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	6
78	First Report of Leaf Spot Caused by <i>Cladosporium tenuissimum</i> on Panicle Hydrangea (<i>Hydrangea paniculata</i>) in China. <i>Plant Disease</i> , 2021, 105, 2240.	1.4	6
79	<i>Streptacidiphilus monticola</i> sp. nov., a novel actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1757-1761.	1.7	6
80	<i>Pseudonocardia lutea</i> sp. nov., a novel actinobacterium isolated from soil in Chad. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1992-1997.	1.7	6
81	<i>Herbidospora galbida</i> sp. nov., a novel actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1364-1371.	1.7	6
82	<i>Rhodococcus oryzae</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil of rice (<i>Oryza</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.7	6
83	<i>Nonomuraea typhae</i> sp. nov., an endophytic actinomycete isolated from the root of cattail pollen (<i>Typha angustifolia</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3845-3851.	1.7	6
84	<i>Glycomyces rhizosphaerae</i> sp. nov., isolated from the root and rhizosphere soil of wheat (<i>Triticum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.7	6
85	<i>Sphaerisporangium rhizosphaerae</i> sp. nov., an actinomycete isolated from the rhizosphere soil of a rubber tree (<i>Hevea brasiliensis</i> Muell. Arg). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 2860-2865.	1.7	6
86	<i>Actinomadura litoris</i> sp. nov., an actinobacterium isolated from sandy soil in Sanya. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	1.7	6
87	First Report of <i>Fusarium incarnatum</i> - <i>equiseti</i> Species Complex Causing Fruit Rot on Muskmelon (<i>Cucumis melo</i>) in China. <i>Plant Disease</i> , 2019, 103, 1768.	1.4	6
88	<i>Actinomadura logoneensis</i> sp. nov., a novel actinomycete isolated from the soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2914-2920.	1.7	6
89	<i>Agromyces tardus</i> sp. nov., an actinobacterium isolated from the rhizosphere soil of wheat (<i>Triticum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.7	6
90	<i>Actinomadura harenae</i> sp. nov., a novel actinomycete isolated from sea sand in Sanya. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 766-772.	1.7	6

#	ARTICLE	IF	CITATIONS
91	First Report of Maize Stalk Rot Caused by <i>Epicoccum laticollum</i> on Maize (<i>Zea mays</i>) in China. <i>Plant Disease</i> , 2022, 106, 2255.	1.4	6
92	<i>Nonomuraea aurantiaca</i> sp. nov., a novel cellulase-producing actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	6
93	<i>Nonomuraea lycopersici</i> sp. nov., isolated from the root of tomato plants (<i>Solanum lycopersicum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 1095-1103.	1.7	5
94	<i>Glycomyces luteolus</i> sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (<i>Triticum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.7	5
95	<i>Streptomyces botrytidirepellens</i> sp. nov., a novel actinomycete with antifungal activity against <i>Botrytis cinerea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	5
96	<i>Nocardia rosealba</i> sp. nov., a novel ligninase-producing Actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	5
97	<i>Catellatospora tritici</i> sp. nov., a novel cellulase-producing actinobacterium isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.) and emended description of the genus <i>Catellatospora</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	5
98	<i>Streptomyces xiangluensis</i> sp. nov., a novel actinomycete isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2249-2256.	1.7	4
99	<i>Nonomuraea rhizosphaerae</i> sp. nov., an actinomycete isolated from the rhizosphere soil of a rubber tree (<i>Hevea brasiliensis</i> Muell. Arg). <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2009-2016.	1.7	4
100	<i>Microbispora tritici</i> sp. nov., a novel actinomycete isolated from a root of wheat (<i>Triticum aestivum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.7	4
101	<i>Streptacidiphilus fuscans</i> sp. nov., a novel actinobacterium isolated from the root of pumpkin (<i>Cucurbita moschata</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	4
102	<i>Agromyces mariniharenae</i> sp. nov., a novel indole-acetic acid producing actinobacterium isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	4
103	Identification and Pathogenicity of Fungi Associated with Leaf Spot of Muskmelon in Eastern Shandong Province, China. <i>Plant Disease</i> , 2022, 106, 872-890.	1.4	4
104	<i>Microbispora sitophila</i> sp. nov., a novel actinobacterium isolated from rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	1.7	4
105	<i>Nocardia albiluteola</i> sp. nov., a novel lignin-degrading actinobacterium isolated from rhizosphere soil of pumpkin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	4
106	First Report of <i>Trichothecium roseum</i> Causing Postharvest Fruit Rot on Purple Passion Fruit in China. <i>Plant Disease</i> , 2022, 106, 3212.	1.4	4
107	<i>Streptomyces lutosoli</i> sp. nov., a novel actinomycete isolated from muddy soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2403-2412.	1.7	3
108	Taxonomic Characterization and Secondary Metabolite Analysis of NEAU-wh3-1: An <i>Embleya</i> Strain with Antitumor and Antibacterial Activity. <i>Microorganisms</i> , 2020, 8, 441.	3.6	3

#	ARTICLE	IF	CITATIONS
109	First Report of Leaf Blight Caused by <i>Limonomyces roseipellis</i> on Maize (<i>Zea mays</i> L) in China. <i>Plant Disease</i> , 2021, , .	1.4	3
110	First Report of <i>Fusarium proliferatum</i> Causing Fruit Rot on Muskmelon (<i>Cucumis melo</i>) in China. <i>Plant Disease</i> , 2022, 106, 1305.	1.4	3
111	<i>Promicromonospora viridis</i> sp. nov., a novel actinomycete isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2079-2086.	1.7	2
112	<i>Herbidospora solisilvae</i> sp. nov., a novel cellulose-degrading actinobacterium isolated from forest soil. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 581-590.	1.7	2
113	<i>Micromonospora rubida</i> sp. nov., a novel actinobacterium isolated from soil of Harbin. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 697-708.	1.7	2
114	<i>Microbacterium helvum</i> sp. nov., a novel actinobacterium isolated from cow dung. <i>Archives of Microbiology</i> , 2021, 203, 3287-3294.	2.2	2
115	First Report of <i>Alternaria tenuissima</i> Causing Leaf Spot on <i>Luffa cylindrica</i> in China. <i>Plant Disease</i> , 2023, 107, 231.	1.4	2
116	<i>Spirillospora tritici</i> sp. nov., a Novel Actinomycete Isolated from Rhizosphere Soil of Triticum aestivum L.. <i>Current Microbiology</i> , 2018, 75, 1477-1483.	2.2	1
117	<i>Streptomyces monticola</i> sp. nov., a novel actinomycete isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 451-460.	1.7	1
118	<i>Sphaerimonospora triticiradicis</i> sp. nov., a novel actinomycete isolated from a root of wheat (<i>Triticum aestivum</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 401-407.	1.7	1
119	<i>Actinoplanes aureus</i> sp. nov., a novel protease-producing actinobacterium isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1517-1527.	1.7	1
120	<i>Cellulomonas triticagri</i> sp. nov., isolated from the rhizosphere soil of wheat (<i>Triticum aestivum</i> L.). <i>Archives of Microbiology</i> , 2022, 204, .	2.2	1
121	Complete genomic data of <i>Enterobacter asburiae</i> strain SD4L associated with bacterial palea browning of rice in China. <i>Plant Disease</i> , 2021, , PDIS03210642A.	1.4	0
122	Mixtures of suppressive bacteria enhance biological control of tomato bacterial wilt. <i>Biological Control</i> , 2022, 170, 104937.	3.0	0