## Minghe Cao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7783285/publications.pdf

Version: 2024-02-01

109321 98798 5,034 122 35 67 citations h-index g-index papers 122 122 122 2278 docs citations times ranked citing authors all docs

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Regulating energy storage performances of 0.85NaNbO3-0.15Bi(Zn2/3Nb1/3)O3 ceramics using BaTiO3. Journal of Materiomics, 2022, 8, 166-173.   | 5.7  | 12        |
| 2  | Superior energy storage BaTiO3-based amorphous dielectric film with polymorphic hexagonal and cubic nanostructures. Chemical Engineering Journal, 2022, 431, 133447.   | 12.7 | 16        |
| 3  | Evolution of polarization crystallites in 0.92BaTiO3-0.08Bi(Ni0.5Zr0.5)O3 microcrystal-amorphous composite thin film with high energy storage capability and thermal stability. Chemical Engineering Journal, 2022, 433, 133579.                       | 12.7 | 10        |
| 4  | Amorphous/Crystalline Engineering of BaTiO <sub>3</sub> -Based Thin Films for Energy-Storage Capacitors. ACS Sustainable Chemistry and Engineering, 2022, 10, 1731-1740.   | 6.7  | 18        |
| 5  | Defect controlling of BaTiO3@ NiO double hysteresis loop ceramics with enhanced energy storage capability and stability. Journal of the European Ceramic Society, 2022, 42, 2212-2220.   | 5.7  | 5         |
| 6  | Abnormal dielectric relaxations and giant permittivity in SrTiO <sub>3</sub> ceramic prepared by plasma activated sintering. Journal of the American Ceramic Society, 2022, 105, 4143-4151.  | 3.8  | 8         |
| 7  | Defect structure design of TiO2 ceramics with colossal permittivity by doping with Ti metal powder.<br>Ceramics International, 2022, 48, 16723-16729.  | 4.8  | 9         |
| 8  | Selectively designed Fe doping of lead-free BaTiO3 piezoceramics. Journal of Materials Science: Materials in Electronics, 2022, 33, 10154-10164.   | 2.2  | 3         |
| 9  | Energy storage performance of silica-coated k0.5Na0.5NbO3-based lead-free ceramics. Journal of Materials Science: Materials in Electronics, 2022, 33, 10121-10130.   | 2.2  | 1         |
| 10 | Microcrystalline structure modulation and energy storage properties of BaZr0.25Ti0.75O3 thin films. Journal of Alloys and Compounds, 2022, 907, 164236.  | 5.5  | 6         |
| 11 | Anomalous dielectric relaxation peak in Nb-doped SrTiO3 single crystals. Ceramics International, 2022, 48, 24725-24732.  | 4.8  | 3         |
| 12 | Sm doped BNT–BZT lead-free ceramic for energy storage applications with broad temperature range. Journal of Materials Science: Materials in Electronics, 2022, 33, 14644-14654.  | 2.2  | 6         |
| 13 | Giant permittivity in Nb-doped SrTiO3 single crystal: Compositional gradient and local structure.<br>Ceramics International, 2022, 48, 29572-29579.  | 4.8  | 6         |
| 14 | Multiscale grain synergistic by microstructure designed hierarchically structured in BaTiO3-based ceramics with enhanced energy storage density and X9R high-temperature dielectrics application. Journal of Materials Science, 2022, 57, 11839-11851. | 3.7  | 7         |
| 15 | Structure and enhanced dielectric temperature stability of BaTiO3-based ceramics by Ca ion B site-doping. Journal of Materiomics, 2021, 7, 295-301.  | 5.7  | 20        |
| 16 | The energy-storage performance and dielectric properties of (0.94-x)BNT-0.06BT-xST thin films prepared by sol–gel method. Journal of Alloys and Compounds, 2021, 860, 158164.  | 5.5  | 14        |
| 17 | Significant photostrictive response in leadâ€free Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> ceramics under visible light illumination. Journal of the American Ceramic Society, 2021, 104, 4033-4040.                                       | 3.8  | 5         |
| 18 | Fabrication of BaTiO3@FeO core-shell nanoceramics for dielectric capacitor applications. Scripta Materialia, 2021, 196, 113753.  | 5.2  | 13        |

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 19 | Optimized energy storage properties of BaTiO3-based ceramics with enhanced grain boundary effect. Journal of Materials Science: Materials in Electronics, 2021, 32, 14328-14336.   | 2.2          | 0         |
| 20 | Tuning the microstructure of BaTiO3@FeO core-shell nanoparticles with low temperatures sintering dense nanocrystalline ceramics for high energy storage capability and stability. Journal of Alloys and Compounds, 2021, 864, 158644.  | 5.5          | 14        |
| 21 | Preparation of BaTiO3@NiO core-shell nanoparticles with antiferroelectric-like characteristic and high energy storage capability. Journal of the European Ceramic Society, 2021, 41, 4129-4137.  | 5.7          | 22        |
| 22 | Ultra-high energy storage density and enhanced dielectric properties in BNT-BT based thin film. Ceramics International, 2021, 47, 23259-23266.   | 4.8          | 23        |
| 23 | Synergistic Function via Amorphous and Nanoscale Polarization Heterogeneous Regions in (1â^³ <i>x</i> )BaTiO <sub>3</sub> â€ <i>x</i> Bi(Ni <sub>0.5</sub> Zr <sub>0.5</sub> )O <sub>3</sub> Thin Film with Ultrahigh Energy Storage Capability and Stability. Small Methods, 2021, 5, e2100787. | 8.6          | 10        |
| 24 | The influence of processing methods on the dielectric properties of BaTi1-xGdxO3-x/2 - Based materials. Ceramics International, 2021, 47, 24360-24371.   | 4.8          | 1         |
| 25 | Poorly crystallized Bi(Mg,Zr,Ti)O3 lead-free thin films for energy-storage applications. Ceramics International, 2021, 47, 32357-32363.  | 4.8          | 5         |
| 26 | Preparation and Properties of Epoxy Piezoelectric Vibration Reduction Composites. Journal Wuhan University of Technology, Materials Science Edition, 2021, 36, 44-49.  | 1.0          | 3         |
| 27 | Electric property, anti-reduction mechanism of (1Ââ^'Âx)BaTiO3â€"xBiCoO3â€"Mn ceramics. Journal of<br>Materials Research, 2021, 36, 1037-1047.   | 2.6          | 1         |
| 28 | Improved energy storage properties of La0.33NbO3 modified 0.94Bi0.5Na0.5TiO3-0.06BaTiO3 ceramic system. Applied Physics A: Materials Science and Processing, 2021, 127, 1.   | 2.3          | 3         |
| 29 | Defect engineering toward the structures and dielectric behaviors of (Nb, Zn) co-doped SrTiO3 ceramics. Journal of the European Ceramic Society, 2020, 40, 49-55.  | 5.7          | 55        |
| 30 | The role of diffusion behavior on the formation and evolution of the coreâ€shell structure in BaTiO <sub>3</sub> â€based ceramics. Journal of the American Ceramic Society, 2020, 103, 304-314.  | 3.8          | 8         |
| 31 | High breakdown strength and energy storage performance in (Nb, Zn) modified SrTiO <sub>3</sub> ceramics <i>via</i> synergy manipulation. Journal of Materials Chemistry C, 2020, 8, 2019-2027.   | 5.5          | 52        |
| 32 | Performance optimization of Mg-rich bismuth-magnesium-titanium thin films for energy storage applications. Journal of the European Ceramic Society, 2020, 40, 1243-1249.   | 5.7          | 9         |
| 33 | Simultaneously achieved high energy storage density and efficiency in sol-gel-derived amorphous Mn-doped SrTiO3 thin films. Journal of Alloys and Compounds, 2020, 845, 155636.  | 5 <b>.</b> 5 | 16        |
| 34 | High breakdown strength and energy storage density of Er0.02Sr0.97TiO3@MgO2–Al2O3–SiO2 ceramics with core–shell structure sintered in oxygen atmosphere. Journal of Materials Science: Materials in Electronics, 2020, 31, 13408-13414.  | 2.2          | 4         |
| 35 | Defect structure evolution and electrical properties of BaTiO 3 â€based ferroelectric ceramics. Journal of the American Ceramic Society, 2020, 103, 5129-5138.   | 3.8          | 13        |
| 36 | Reply to comments on "Giant dielectric response in (NbÂ+ÂZn) co-doped strontium titanate ceramics tailored by atmosphere". Scripta Materialia, 2020, 186, 11-13.   | 5.2          | 0         |

| #  | Article   | IF           | Citations |
|----|---|--------------|-----------|
| 37 | A Unique Mechanism for Dielectric-Temperature Stability of BaTiO <sub>3</sub> -Based Ceramics Using Ba(OH) <sub>2</sub> /TiO <sub>2</sub> Suspension. Journal of Physical Chemistry C, 2020, 124, 14089-14098.  | 3.1          | 5         |
| 38 | Enhanced dielectric breakdown strength and ultra-fast discharge performance of novel SrTiO3 based ceramics system. Journal of Alloys and Compounds, 2020, 830, 154611.  | 5.5          | 35        |
| 39 | Defect chemistry of A site nonstoichiometry and the resulting dielectric behaviors in Sr <sub>x</sub> Ti <sub>0.985</sub> (Nb <sub>2/3</sub> Zn <sub>1/3</sub> ) <sub>0.015</sub> O <sub>3</sub> ceramics. Journal of the American Ceramic Society, 2020, 103, 6298-6307. | 3.8          | 9         |
| 40 | Enhanced energy storage properties of fine-crystalline Ba0.4Sr0.6TiO3 ceramics by coating powders with B2O3–Al2O3–SiO2. Journal of Alloys and Compounds, 2020, 826, 153891.   | 5 <b>.</b> 5 | 22        |
| 41 | Modulating the energy storage performance of NaNbO3-based lead-free ceramics for pulsed power capacitors. Ceramics International, 2020, 46, 13511-13516.  | 4.8          | 40        |
| 42 | A family of functional oxides of titanosilicates: A2TiSi2O8 (A= Ba, Sr) with temperature insensitive ultrahigh breakdown strength. Journal of the European Ceramic Society, 2020, 40, 3027-3034.  | 5.7          | 6         |
| 43 | Structure and dielectric properties of MgO-coated BaTiO3 ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 8963-8970.   | 2.2          | 12        |
| 44 | Lead-free relaxor-ferroelectric ceramics for high-energy-storage applications. Journal of Materials Chemistry C, 2020, 8, 8962-8970.  | 5.5          | 31        |
| 45 | Novel BiAlO3 dielectric thin films with high energy density. Ceramics International, 2019, 45, 22523-22527.   | 4.8          | 8         |
| 46 | Structures and dielectric properties of (Nb, Zn) co-doped SrTiO3 ceramics at various sintering temperatures. Journal of Materials Science, 2019, 54, 12401-12410.   | 3.7          | 19        |
| 47 | Giant dielectric response in (Nb + Zn) co-doped strontium titanate ceramics tailored by atmosphere.<br>Scripta Materialia, 2019, 170, 166-171.  | 5.2          | 30        |
| 48 | Anomalous Dielectric Nonlinearity in Niobium and Aluminum Co-doped SrTiO <sub>3</sub> Ceramics with Giant Permittivity and Low Dielectric Loss. Journal of Physical Chemistry C, 2019, 123, 18142-18149.  | 3.1          | 11        |
| 49 | Energy storage properties of MgO-doped 0.5Bi0·5Na0·5TiO3-0.5SrTiO3 ceramics. Ceramics International, 2019, 45, 14921-14927.   | 4.8          | 37        |
| 50 | Dielectric and anti-reduction properties of (1-x)BaTiO3-xBi(Zn0.5Y0.5)O2.75 ceramics for BME-MLCC application. Journal of Alloys and Compounds, 2019, 794, 358-364.   | 5.5          | 19        |
| 51 | Influence of Co substitution on the phase, microstructure, and microwave dielectric properties of MgSiO3 ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 6469-6474.   | 2.2          | 8         |
| 52 | The microstructure and energy storage properties of Ba0.3Sr0.7TiO3 crystallite thin films. Journal of Alloys and Compounds, 2019, 792, 1013-1020.   | <b>5.</b> 5  | 19        |
| 53 | Achieving ultrahigh energy storage performance in bismuth magnesium titanate film capacitors <i>via</i> amorphous-structure engineering. Journal of Materials Chemistry C, 2019, 7, 13632-13639.  | 5.5          | 45        |
| 54 | Cerium doped strontium titanate with stable high permittivity and low dielectric loss. Journal of Alloys and Compounds, 2019, 772, 1105-1112.   | 5.5          | 33        |

| #  | Article  | IF               | CITATIONS |
|----|--|------------------|-----------|
| 55 | Structure and electric properties of sandwich-structured SrTiO3/BiFeO3 thin films for energy storage applications. Journal of Alloys and Compounds, 2019, 781, 378-384.  | 5.5              | 31        |
| 56 | Origin of high dielectric permittivity and low dielectric loss of Sr0.985Ce0.01TiO3 ceramics under different sintering atmospheres. Journal of Alloys and Compounds, 2019, 782, 51-58.   | 5.5              | 35        |
| 57 | Nano-BaTiO3 phase transition behavior in coated BaTiO3-based dielectric ceramics. Ceramics International, 2019, 45, 7166-7172.   | 4.8              | 20        |
| 58 | A novel leadâ€free bismuth magnesium titanate thin films for energy storage applications. Journal of the American Ceramic Society, 2019, 102, 3819-3822.   | 3.8              | 22        |
| 59 | Enhanced energy storage and fast discharge properties of BaTiO3 based ceramics modified by Bi(Mg1/2Zr1/2)O3. Journal of the European Ceramic Society, 2019, 39, 1103-1109.   | 5.7              | 187       |
| 60 | Defect structure and dielectric behavior in SrTi1-x(Zn1/3Nb2/3)xO3 ceramics. Journal of Alloys and Compounds, 2019, 784, 1303-1310.  | <b>5.</b> 5      | 31        |
| 61 | Effect of oxygen treatment on structure and electrical properties of Mn-doped Ca 0.6 Sr 0.4 TiO 3 ceramics. Journal of the European Ceramic Society, 2018, 38, 2534-2540.  | 5.7              | 31        |
| 62 | Enhanced recoverable energy storage density of Mn-doped Ba0.4Sr0.6TiO3 thin films prepared by spin-coating technique. Journal of Materials Science: Materials in Electronics, 2018, 29, 5814-5819.   | 2.2              | 24        |
| 63 | The role of dielectric permittivity in the energy storage performances of ultrahigh-permittivity (SrxBa1â^'x)(Ti0.85Sn0.15)O3 ceramics. Ceramics International, 2018, 44, 5304-5310.   | 4.8              | 21        |
| 64 | Defect chemistry and dielectric behavior of Sr0.99Ce0.01Ti1â^'xO3 ceramics with high permittivity. Ceramics International, 2018, 44, 12065-12072.  | 4.8              | 18        |
| 65 | Structure, electrical and dielectric properties of Ca substituted BaTiO3 ceramics. Ceramics International, 2018, 44, 11109-11115.  | 4.8              | 59        |
| 66 | MgO-modified Sr0.7Ba0.3Nb2O6 ceramics for energy storage applications. Ceramics International, 2018, 44, 11022-11029.  | 4.8              | 30        |
| 67 | Unfolding dielectric breakdown effects on energy storage performances of modified (Sr <sub>0.98</sub> Ca <sub>0.02</sub> )(Ti <sub>1â€</sub> <scp><sub>x</sub>Z</scp> r <sub>x</sub> )O <sub>ceramics. International Journal of Applied Ceramic Technology, 2018, 15, 1030-1039.</sub> | 3 <b>2,5</b> ub> | 23        |
| 68 | Phase, Microstructure, and Microwave Dielectric Properties of (Mg0.95Co0.05)(Ti1â^'xSnx)O3 (0.05â€‰â‰æ€‰xâ€‰â‰æ€‰0.20) Ceramics. Journal of Electronic Materials, 2018, 47, 7380-7385.   | 2.2              | 1         |
| 69 | Effect of Constituent Core-sizes on Microstructure and Dielectric Properties of BaTiO3@(0.6Ba-TiO3-0.4BiAlO3) Core-Shell Material. Journal Wuhan University of Technology, Materials Science Edition, 2018, 33, 589-597.   | 1.0              | 1         |
| 70 | Effects of sintering temperature on microstructure and dielectric properties of Sr0.985Ce0.01TiO3 ceramics. Journal of Alloys and Compounds, 2018, 762, 950-956.   | <b>5.</b> 5      | 25        |
| 71 | Origin of low dielectric loss and giant dielectric response in (Nb+Al) coâ€doped strontium titanate.<br>Journal of the American Ceramic Society, 2018, 101, 5089-5097.   | 3.8              | 40        |
| 72 | Mechanism of the giant permittivity in Sm modified SrTiO3 sintered at different atmospheres. Journal of Materials Science: Materials in Electronics, 2018, 29, 11546-11552.  | 2.2              | 2         |

| #  | Article   | IF          | Citations |
|----|---|-------------|-----------|
| 73 | Enhanced energy storage properties of BaTiO3 thin films by BaO.4SrO.6TiO3 layers modulation. Journal of Alloys and Compounds, 2018, 765, 362-368.   | 5.5         | 49        |
| 74 | Characteristics and structure of Mn-doped (0.6Ââ^'Âx)PMTâ€"0.4PTâ€"xPZ(x = 0.2,0.25) ternary system morphotropic phase boundary. Journal of Materials Science: Materials in Electronics, 2018, 29, 14261-14266.                         | near<br>2.2 | 5         |
| 75 | Improved breakdown strength and energy storage density of a Ce doped strontium titanate core by silica shell coating. Journal of Materials Chemistry C, 2018, 6, 9130-9139.   | 5.5         | 51        |
| 76 | Fine-grained silica-coated barium strontium titanate ceramics with high energy storage. Ceramics International, 2018, 44, 20239-20244.  | 4.8         | 13        |
| 77 | Homogeneous/Inhomogeneousâ€Structured Dielectrics and their Energyâ€Storage Performances.<br>Advanced Materials, 2017, 29, 1601727.   | 21.0        | 909       |
| 78 | Improved energy-storage performance and breakdown enhancement mechanism of Mg-doped SrTiO3 bulk ceramics for high energy density capacitor applications. Journal of Materials Science: Materials in Electronics, 2017, 28, 11491-11499. | 2.2         | 42        |
| 79 | Defect structureâ€electrical property relationship in Mnâ€doped calcium strontium titanate dielectric ceramics. Journal of the American Ceramic Society, 2017, 100, 4638-4648.  | 3.8         | 42        |
| 80 | Dielectric properties and impedance analysis of BaTiO 3 -based ceramics with core-shell structure. Ceramics International, 2017, 43, 8449-8458.   | 4.8         | 24        |
| 81 | Microstructure and dielectric properties of SrTiO3 ceramics by controlled growth of silica shells on SrTiO3 nanoparticles. Ceramics International, 2017, 43, 7710-7716.   | 4.8         | 40        |
| 82 | Energy-storage properties of Bi0.5Na0.5TiO3-BaTiO3-KNbO3 ceramics fabricated by wet-chemical method. Journal of the European Ceramic Society, 2017, 37, 99-106.   | 5.7         | 113       |
| 83 | Microstructure and dielectric characteristics of Nb2O5 doped BaTiO3-Bi(Znl/2Til/2)O3 ceramics for capacitor applications. Journal of the European Ceramic Society, 2017, 37, 123-128.   | 5.7         | 21        |
| 84 | Nb-doped BaTiO3–(Na1/4Bi3/4)(Mg1/4Ti3/4)O3 ceramics with X9R high-temperature stable dielectric properties. Journal of Materials Science: Materials in Electronics, 2017, 28, 4204-4210.  | 2.2         | 11        |
| 85 | The Role of Microstructure on Microwave Dielectric Properties of (Ba,Sr)TiO <sub>3</sub> Ceramics. Journal of the American Ceramic Society, 2016, 99, 905-910.  | 3.8         | 12        |
| 86 | Manganeseâ€Doped BiFeO <sub>3</sub> –BaTiO <sub>3</sub> Highâ€Temperature Piezoelectric Ceramics: Phase Structures and Defect Mechanism. International Journal of Applied Ceramic Technology, 2016, 13, 549-553.                        | 2.1         | 14        |
| 87 | Structural and dielectric behavior of giant permittivity SrNbxTi1â^2xO3 ceramics sintered in nitrogen atmosphere. Ceramics International, 2016, 42, 13593-13600.  | 4.8         | 54        |
| 88 | Dielectric properties and relaxation behaviors of Ba doped Sr0.97Sm0.02TiO3 ceramics in different sintering atmospheres. Ceramics International, 2016, 42, 16782-16788.   | 4.8         | 12        |
| 89 | Phase and Microstructure Evaluation and Microwave Dielectric Properties of Mg1 $\hat{a}$ °x Ni x SiO3 Ceramics. Journal of Electronic Materials, 2016, 45, 5133-5139.   | 2.2         | 12        |
| 90 | Effect of HfO 2 addition as intergranular grains on the energy storage behavior of Ca 0.6 Sr 0.4 TiO 3 ceramics. Journal of the European Ceramic Society, 2016, 36, 3157-3163.  | 5.7         | 42        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Dielectric relaxation behavior and energy storage properties of Sn modified SrTiO 3 based ceramics. Ceramics International, 2016, 42, 12796-12801.  | 4.8 | 77        |
| 92  | Effect of SiO 2 additive on dielectric response and energy storage performance of Ba 0.4 Sr 0.6 TiO 3 ceramics. Ceramics International, 2016, 42, 12639-12643.  | 4.8 | 55        |
| 93  | Structure and electrical properties of lead-free Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> -based ceramics for energy-storage applications. RSC Advances, 2016, 6, 59280-59291.                                    | 3.6 | 141       |
| 94  | Preparation and dielectric properties of X9R core–shell BaTiO3 ceramics coated by BiAlO3–BaTiO3. Ceramics International, 2016, 42, 379-387.   | 4.8 | 22        |
| 95  | Electrical properties and relaxation behavior of Bi0.5Na0.5TiO3-BaTiO3 ceramics modified with NaNbO3. Journal of the European Ceramic Society, 2016, 36, 2469-2477.   | 5.7 | 99        |
| 96  | Manufacture and dielectric properties of X9R Bi-based lead-free multilayer ceramic capacitors with AgPd inner electrodes. Journal of Materials Science: Materials in Electronics, 2016, 27, 6140-6149.                        | 2.2 | 7         |
| 97  | A new energy-storage ceramic system based on Bi0.5Na0.5TiO3 ternary solid solution. Journal of Materials Science: Materials in Electronics, 2016, 27, 322-329.  | 2.2 | 55        |
| 98  | Enhancement of energy-storage properties of K0.5Na0.5NbO3 modified Na0.5Bi0.5TiO3–K0.5Bi0.5TiO3 lead-free ceramics. Journal of Materials Science: Materials in Electronics, 2016, 27, 466-473.                                | 2.2 | 25        |
| 99  | Ultraâ€Wide Temperature Stable Dielectrics Based on Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> â€"NaNbO <sub>3</sub> System. Journal of the American Ceramic Society, 2015, 98, 3119-3126.                          | 3.8 | 97        |
| 100 | Improved Energy Storage Properties Accompanied by Enhanced Interface Polarization in Annealed Microwaveâ€sintered BST. Journal of the American Ceramic Society, 2015, 98, 3212-3222.  | 3.8 | 90        |
| 101 | X9R BaTiO <sub>3</sub> â€Based Dielectric Ceramics with Multilayer Core–Shell Structure Produced by Polymerâ€Network Gel Coating Method. Journal of the American Ceramic Society, 2015, 98, 690-693.                          | 3.8 | 16        |
| 102 | Temperature stability of dielectric properties for xBiAlO3–(1â^'x)BaTiO3 ceramics. Journal of the European Ceramic Society, 2015, 35, 2303-2311.  | 5.7 | 49        |
| 103 | Dielectric response of 0.85 Ba(Ti0.96Zr0.04)O3–0.15 Bi(Mg0.5Ti0.5)O3 relaxor ferroelectrics under electric field: evolution of PNRs. Journal of Materials Science: Materials in Electronics, 2015, 26, 9146-9151.             | 2.2 | 3         |
| 104 | Effects of Ca doping on the energy storage properties of (Sr, Ca)TiO3 paraelectric ceramics. Journal of Materials Science: Materials in Electronics, 2015, 26, 2726-2732.   | 2.2 | 70        |
| 105 | Effects of silica coating on the microstructures and energy storage properties of BaTiO 3 ceramics. Materials Research Bulletin, 2015, 67, 70-76.   | 5.2 | 84        |
| 106 | Structures and dielectric properties of Sr0.9775Sm0.015TiO3 ceramics sintered in N2. Ceramics International, 2015, 41, 12945-12949.   | 4.8 | 27        |
| 107 | Structure, dielectric and impedance properties of BaTiO3–Bi(Y0.5Yb0.5)O3 lead-free ceramics. Journal of Materials Science: Materials in Electronics, 2015, 26, 3215-3222.   | 2.2 | 10        |
| 108 | Dielectric Relaxation in <scp>Zr</scp> â€Doped <scp>SrTiO</scp> <sub>3</sub> Ceramics Sintered in N <sub>2</sub> with Giant Permittivity and Low Dielectric Loss. Journal of the American Ceramic Society, 2015, 98, 476-482. | 3.8 | 80        |

| #   | Article  | lF  | Citations |
|-----|--|-----|-----------|
| 109 | Design, fabrication and dielectric properties in core–double shell BaTiO <sub>3</sub> -based ceramics for MLCC application. RSC Advances, 2015, 5, 8868-8876.  | 3.6 | 37        |
| 110 | Microstructure, ferro-piezoelectric and thermal stability of SiO2 modified BiFeO3–BaTiO3 high temperature piezoceramics. Journal of Materials Science: Materials in Electronics, 2015, 26, 479-484.          | 2.2 | 11        |
| 111 | Enhanced energy storage properties of NaNbO3 modified Bi0.5Na0.5TiO3 based ceramics. Journal of the European Ceramic Society, 2015, 35, 545-553.   | 5.7 | 281       |
| 112 | Dielectric properties and relaxation behavior of Sm substituted SrTiO3 ceramics. Journal of Materials Science: Materials in Electronics, 2014, 25, 4418-4424.  | 2.2 | 21        |
| 113 | Structure and Dielectric Properties of<br><scp><scp>BaTiO</scp></scp> 3– <scp><scp>BiYO</scp></scp> < <sub>3</sub> Perovskite Solid Solutions. Journal of the American Ceramic Society, 2014, 97, 1797-1801. | 3.8 | 73        |
| 114 | Effects of Sr/Ti ratio on the microstructure and energy storage properties of nonstoichiometric SrTiO3 ceramics. Ceramics International, 2014, 40, 929-933.  | 4.8 | 86        |
| 115 | Giant permittivity and low dielectric loss of SrTiO3 ceramics sintered in nitrogen atmosphere. Journal of the European Ceramic Society, 2014, 34, 1755-1760.   | 5.7 | 114       |
| 116 | Effect of grain size on the energy storage properties of (Ba0.4Sr0.6)TiO3 paraelectric ceramics. Journal of the European Ceramic Society, 2014, 34, 1209-1217.   | 5.7 | 218       |
| 117 | Dielectric relaxation behavior and energy storage properties in SrTiO3 ceramics with trace amounts of ZrO2 additives. Ceramics International, 2014, 40, 14127-14132.   | 4.8 | 87        |
| 118 | Energy Storage Characteristics in Sr <sub>(1-1.5x)</sub> Bi <sub>x</sub> TiO <sub>3</sub> Ceramics. Ferroelectrics, 2013, 447, 86-94.  | 0.6 | 34        |
| 119 | Fabrication, structure and property of BaTiO3-based dielectric ceramics with a multilayer core–shell structure. Scripta Materialia, 2012, 67, 451-454.   | 5.2 | 26        |
| 120 | Dielectric behaviors of Nb2O5–Co2O3 doped BaTiO3–Bi(Mg1/2Ti1/2)O3 ceramics. Ceramics International, 2012, 38, S45-S48.   | 4.8 | 32        |
| 121 | Structure, Dielectric Properties and Temperature Stability of BaTiO <sub>3</sub> êerovskite Solid Solutions. Journal of the American Ceramic Society, 2011, 94, 3412-3417.                                   | 3.8 | 150       |
| 122 | Novel Sr4Fe6O13 ferrites and Sr4Fe6O13/CNTs composites for 15ÂGHz high frequency microwave absorption application. Journal of Materials Science: Materials in Electronics, 0, , .                            | 2.2 | 0         |