

Kenji Miura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7785056/publications.pdf>

Version: 2024-02-01

83
papers

8,259
citations

87888

38
h-index

60623

81
g-index

84
all docs

84
docs citations

84
times ranked

8147
citing authors

#	ARTICLE	IF	CITATIONS
1	SIZ1-Mediated Sumoylation of ICE1 Controls CBF3/DREB1A Expression and Freezing Tolerance in Arabidopsis. <i>Plant Cell</i> , 2007, 19, 1403-1414.	6.6	652
2	Targeted base editing in rice and tomato using a CRISPR-Cas9 cytidine deaminase fusion. <i>Nature Biotechnology</i> , 2017, 35, 441-443.	17.5	632
3	Regulation of water, salinity, and cold stress responses by salicylic acid. <i>Frontiers in Plant Science</i> , 2014, 5, 4.	3.6	582
4	The Arabidopsis SUMO E3 ligase SIZ1 controls phosphate deficiency responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7760-7765.	7.1	556
5	Cold Signaling and Cold Response in Plants. <i>International Journal of Molecular Sciences</i> , 2013, 14, 5312-5337.	4.1	376
6	Sumoylation of ABI5 by the Arabidopsis SUMO E3 ligase SIZ1 negatively regulates abscisic acid signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 5418-5423.	7.1	332
7	AtHKT1 Facilitates Na ⁺ Homeostasis and K ⁺ Nutrition in Planta. <i>Plant Physiology</i> , 2004, 136, 2500-2511.	4.8	297
8	The Arabidopsis GTL1 Transcription Factor Regulates Water Use Efficiency and Drought Tolerance by Modulating Stomatal Density via Transrepression of SDD1. <i>Plant Cell</i> , 2011, 22, 4128-4141.	6.6	295
9	Salicylic acid-mediated innate immunity in Arabidopsis is regulated by SIZ1 SUMO E3 ligase. <i>Plant Journal</i> , 2006, 49, 79-90.	5.7	271
10	SIZ1 deficiency causes reduced stomatal aperture and enhanced drought tolerance via controlling salicylic acid-induced accumulation of reactive oxygen species in Arabidopsis. <i>Plant Journal</i> , 2013, 73, 91-104.	5.7	238
11	The SUMO E3 ligase, AtSIZ1, regulates flowering by controlling a salicylic acid-mediated floral promotion pathway and through affects on FLC chromatin structure. <i>Plant Journal</i> , 2008, 53, 530-540.	5.7	216
12	Sumoylation, a post-translational regulatory process in plants. <i>Current Opinion in Plant Biology</i> , 2007, 10, 495-502.	7.1	193
13	Expression Profiling-Based Identification of CO ₂ -Responsive Genes Regulated by CCM1 Controlling a Carbon-Concentrating Mechanism in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 2004, 135, 1595-1607.	4.8	188
14	SUMO E3 Ligase HIGH PLOIDY2 Regulates Endocycle Onset and Meristem Maintenance in Arabidopsis. <i>Plant Cell</i> , 2009, 21, 2284-2297.	6.6	186
15	SIZ1 Regulation of Phosphate Starvation-Induced Root Architecture Remodeling Involves the Control of Auxin Accumulation. <i>Plant Physiology</i> , 2011, 155, 1000-1012.	4.8	175
16	Sumoylation and other ubiquitin-like post-translational modifications in plants. <i>Trends in Cell Biology</i> , 2010, 20, 223-232.	7.9	171
17	Ccm1, a regulatory gene controlling the induction of a carbon-concentrating mechanism in <i>Chlamydomonas reinhardtii</i> by sensing CO ₂ availability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 5347-5352.	7.1	167
18	SIZ1 Small Ubiquitin-Like Modifier E3 Ligase Facilitates Basal Thermotolerance in Arabidopsis Independent of Salicylic Acid. <i>Plant Physiology</i> , 2006, 142, 1548-1558.	4.8	164

#	ARTICLE	IF	CITATIONS
19	Archaeal-type rhodopsins in Chlamydomonas: model structure and intracellular localization. <i>Biochemical and Biophysical Research Communications</i> , 2003, 301, 711-717.	2.1	145
20	A NIN-LIKE PROTEIN mediates nitrate-induced control of root nodule symbiosis in <i>Lotus japonicus</i> . <i>Nature Communications</i> , 2018, 9, 499.	12.8	144
21	SIZ1 Controls Cell Growth and Plant Development in Arabidopsis Through Salicylic Acid. <i>Plant and Cell Physiology</i> , 2010, 51, 103-113.	3.1	134
22	Improvement of the transient expression system for production of recombinant proteins in plants. <i>Scientific Reports</i> , 2018, 8, 4755.	3.3	129
23	The Novel Myb Transcription Factor LCR1 Regulates the CO ₂ -Responsive Gene <i>Cah1</i> , Encoding a Periplasmic Carbonic Anhydrase in <i>Chlamydomonas reinhardtii</i> [W]. <i>Plant Cell</i> , 2004, 16, 1466-1477.	6.6	108
24	Generation of Expressed Sequence Tags from Low-CO ₂ and High-CO ₂ Adapted Cells of <i>Chlamydomonas reinhardtii</i> . <i>DNA Research</i> , 2000, 7, 305-307.	3.4	107
25	Expression Analysis of Genes Associated with the Induction of the Carbon-Concentrating Mechanism in <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 2008, 147, 340-354.	4.8	99
26	Ca ²⁺ -permeable mechanosensitive channels MCA1 and MCA2 mediate cold-induced cytosolic Ca ²⁺ increase and cold tolerance in Arabidopsis. <i>Scientific Reports</i> , 2018, 8, 550.	3.3	97
27	An Arabidopsis SUMO E3 Ligase, SIZ1, Negatively Regulates Photomorphogenesis by Promoting COP1 Activity. <i>PLoS Genetics</i> , 2016, 12, e1006016.	3.5	90
28	SIZ1, a small ubiquitin-related modifier ligase, controls cold signaling through regulation of salicylic acid accumulation. <i>Journal of Plant Physiology</i> , 2010, 167, 555-560.	3.5	89
29	ICE1 Ser403 is necessary for protein stabilization and regulation of cold signaling and tolerance. <i>Plant Journal</i> , 2011, 67, 269-279.	5.7	86
30	The Phosphate Transporter PHT4;6 Is a Determinant of Salt Tolerance that Is Localized to the Golgi Apparatus of Arabidopsis. <i>Molecular Plant</i> , 2009, 2, 535-552.	8.3	83
31	MMS21/HPY2 and SIZ1, Two Arabidopsis SUMO E3 Ligases, Have Distinct Functions in Development. <i>PLoS ONE</i> , 2012, 7, e46897.	2.5	77
32	Abiotic Stress and Role of Salicylic Acid in Plants. , 2012, , 235-251.		74
33	Cold-responsive gene regulation during cold acclimation in plants. <i>Plant Signaling and Behavior</i> , 2010, 5, 948-952.	2.4	66
34	<i>XTH20</i> and <i>XTH19</i> regulated by <i>ANAC071</i> under auxin flow are involved in cell proliferation in incised <i>Arabidopsis</i> inflorescence stems. <i>Plant Journal</i> , 2014, 80, 604-614.	5.7	66
35	SLICE1 encoding a MYC-type transcription factor controls cold tolerance in tomato, <i>Solanum lycopersicum</i> . <i>Plant Biotechnology</i> , 2012, 29, 253-260.	1.0	65
36	Increased tolerance to salt stress in the phosphate-accumulating Arabidopsis mutants <i>siz1</i> and <i>pho2</i> . <i>Planta</i> , 2011, 234, 1191-1199.	3.2	56

#	ARTICLE	IF	CITATIONS
37	The transcriptional program of synchronous gametogenesis in <i>Chlamydomonas reinhardtii</i> . <i>Current Genetics</i> , 2004, 46, 304-315.	1.7	53
38	Different DNA-binding specificities of NLP and NIN transcription factors underlie nitrate-induced control of root nodulation. <i>Plant Cell</i> , 2021, 33, 2340-2359.	6.6	52
39	Accumulation of endogenous salicylic acid confers drought tolerance to <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2014, 9, e28085.	2.4	51
40	The PHD finger of <i>Arabidopsis</i> SIZ1 recognizes trimethylated histone H3K4 mediating SIZ1 function and abiotic stress response. <i>Communications Biology</i> , 2020, 3, 23.	4.4	36
41	Characteristics and Sequence of Phosphoglycolate Phosphatase from a Eukaryotic Green Alga <i>Chlamydomonas reinhardtii</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 45573-45579.	3.4	35
42	Root architecture remodeling induced by phosphate starvation. <i>Plant Signaling and Behavior</i> , 2011, 6, 1122-1126.	2.4	33
43	Efficient transient protein expression in tomato cultivars and wild species using agroinfiltration-mediated high expression system. <i>Plant Cell Reports</i> , 2019, 38, 75-84.	5.6	32
44	Strigolactone biosynthesis catalyzed by cytochrome P450 and sulfotransferase in sorghum. <i>New Phytologist</i> , 2021, 232, 1999-2010.	7.3	28
45	Transient protein expression systems in plants and their applications. <i>Plant Biotechnology</i> , 2021, 38, 297-304.	1.0	27
46	Sumoylation and abscisic acid signaling. <i>Plant Signaling and Behavior</i> , 2009, 4, 1176-1178.	2.4	26
47	Accumulation of antioxidants and antioxidant activity in tomato, <i>Solanum lycopersicum</i> , are enhanced by the transcription factor SlICE1. <i>Plant Biotechnology</i> , 2012, 29, 261-269.	1.0	26
48	Application and development of genome editing technologies to the Solanaceae plants. <i>Plant Physiology and Biochemistry</i> , 2018, 131, 37-46.	5.8	25
49	Establishment of publicly available cDNA material and information resource of <i>Chlamydomonas reinhardtii</i> (Chlorophyta) to facilitate gene function analysis. <i>Phycologia</i> , 2004, 43, 722-726.	1.4	24
50	Regulation of cold signaling by sumoylation of ICE1. <i>Plant Signaling and Behavior</i> , 2008, 3, 52-53.	2.4	24
51	LACK OF SYMBIONT ACCOMMODATION controls intracellular symbiont accommodation in root nodule and arbuscular mycorrhizal symbiosis in <i>Lotus japonicus</i> . <i>PLoS Genetics</i> , 2019, 15, e1007865.	3.5	23
52	MYC-type transcription factors, MYC67 and MYC70, interact with ICE1 and negatively regulate cold tolerance in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2018, 8, 11622.	3.3	21
53	Agroinfiltration-based efficient transient protein expression in leguminous plants. <i>Plant Biotechnology</i> , 2019, 36, 119-123.	1.0	21
54	Nitrate transport via NRT2.1 mediates NIN-LIKE PROTEIN-dependent suppression of root nodulation in <i>Lotus japonicus</i> . <i>Plant Cell</i> , 2022, 34, 1844-1862.	6.6	21

#	ARTICLE	IF	CITATIONS
55	Comparison of Expressed Sequence Tags from Male and Female Sexual Organs of <i>Marchantia polymorpha</i> . <i>DNA Research</i> , 2000, 7, 165-174.	3.4	20
56	CRISPR/Cas9 Technique for Temperature, Drought, and Salinity Stress Responses. <i>Current Issues in Molecular Biology</i> , 2022, 44, 2664-2682.	2.4	20
57	Overexpression of SIZ1 enhances tolerance to cold and salt stresses and attenuates response to abscisic acid in <i>Arabidopsis thaliana</i> . <i>Plant Biotechnology</i> , 2014, 31, 167-172.	1.0	19
58	Prevention of necrosis caused by transient expression in <i>Nicotiana benthamiana</i> by application of ascorbic acid. <i>Plant Physiology</i> , 2021, 186, 832-835.	4.8	19
59	Specific methylation of (11R)-carlactonoic acid by an <i>Arabidopsis</i> SABATH methyltransferase. <i>Planta</i> , 2021, 254, 88.	3.2	18
60	Transcriptome and proteome analyses provide insight into laticifer's defense of <i>Euphorbia tirucalli</i> against pests. <i>Plant Physiology and Biochemistry</i> , 2016, 108, 434-446.	5.8	16
61	Isolation and characterization of high-CO ₂ requiring mutants from <i>Chlamydomonas reinhardtii</i> by gene tagging. <i>Canadian Journal of Botany</i> , 1998, 76, 1092-1097.	1.1	16
62	Regulation of a carbon concentrating mechanism through CCM1 in <i>Chlamydomonas reinhardtii</i> . <i>Functional Plant Biology</i> , 2002, 29, 211.	2.1	15
63	Regulation of Plant Innate Immunity by SUMO E3 Ligase. <i>Plant Signaling and Behavior</i> , 2007, 2, 253-254.	2.4	14
64	Nitrogen and Phosphorus Nutrition Under Salinity Stress. , 2013, , 425-441.		13
65	High-Yield Production of the Major Birch Pollen Allergen Bet v 1 With Allergen Immunogenicity in <i>Nicotiana benthamiana</i> . <i>Frontiers in Plant Science</i> , 2020, 11, 344.	3.6	13
66	Isolation and characterization of high-CO ₂ requiring mutants from <i>Chlamydomonas reinhardtii</i> by gene tagging. <i>Canadian Journal of Botany</i> , 1998, 76, 1092-1097.	1.1	11
67	RAP Tag and PMAb-2 Antibody: A Tagging System for Detecting and Purifying Proteins in Plant Cells. <i>Frontiers in Plant Science</i> , 2020, 11, 510444.	3.6	11
68	Modification of tomato breeding traits and plant hormone signaling by Target-AID, the genome-editing system inducing efficient nucleotide substitution. <i>Horticulture Research</i> , 2022, 9, .	6.3	11
69	Functional Characterization of Tomato Phytochrome A and B1B2 Mutants in Response to Heat Stress. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1681.	4.1	11
70	Autoregulation of nodulation pathway is dispensable for nitrate-induced control of rhizobial infection. <i>Plant Signaling and Behavior</i> , 2020, 15, 1733814.	2.4	10
71	Genome editing in <i>PDS</i> genes of tomatoes by non-selection method and of <i>Nicotiana benthamiana</i> by one single guide RNA to edit two orthologs. <i>Plant Biotechnology</i> , 2020, 37, 213-221.	1.0	10
72	Radish sprouts as an efficient and rapidly available host for an agroinfiltration-based transient gene expression system. <i>Plant Biotechnology</i> , 2020, 37, 89-92.	1.0	9

#	ARTICLE	IF	CITATIONS
73	Efficient base editing in tomato using a highly expressed transient system. <i>Plant Cell Reports</i> , 2021, 40, 667-676.	5.6	8
74	Transient expression of recombinant proteins in plants. <i>Methods in Enzymology</i> , 2021, 660, 193-203.	1.0	8
75	Gene expression of PLAT and ATS3 proteins increases plant resistance to insects. <i>Planta</i> , 2021, 253, 37.	3.2	5
76	Involvement of Activation of Mast Cells via IgE Signaling and Epithelial Cell-Derived Cytokines in the Pathogenesis of Pollen Food Allergy Syndrome in a Murine Model. <i>Journal of Immunology</i> , 2021, , ji2000518.	0.8	5
77	Comparative transcriptional profiling-based identification of raphanusanin-inducible genes. <i>BMC Plant Biology</i> , 2010, 10, 111.	3.6	2
78	Raphanusanin-mediated resistance to pathogens is light dependent in radish and <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2014, 240, 513-524.	3.2	2
79	Genome editing technologies for plant physiology. <i>Plant Physiology and Biochemistry</i> , 2018, 131, 1.	5.8	2
80	Quantitative evaluation of glycan-binding specificity of recombinant concanavalin A produced in lettuce (<i>Lactuca sativa</i>). <i>Biotechnology and Bioengineering</i> , 2022, 119, 1781-1791.	3.3	2
81	Presence of a basic secretory protein in xylem sap and shoots of poplar in winter and its physicochemical activities against winter environmental conditions. <i>Journal of Plant Research</i> , 2019, 132, 655-665.	2.4	1
82	ICE1, a Transcription Factor Involved in Cold Signaling and Tolerance. , 2013, , 189-195.		1
83	Current status and future of genome editing technologies for breeding of agricultural products. <i>Ikushugaku Kenkyu</i> , 2017, 19, 14-20.	0.3	1