

Pia S Zeiner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/778568/publications.pdf>

Version: 2024-02-01

18
papers

793
citations

933447

10
h-index

888059

17
g-index

20
all docs

20
docs citations

20
times ranked

1576
citing authors

#	ARTICLE	IF	CITATIONS
1	ErbB2/HER2-Specific NK Cells for Targeted Therapy of Glioblastoma. Journal of the National Cancer Institute, 2016, 108, .	6.3	282
2	Distribution and prognostic relevance of tumor-infiltrating lymphocytes (TILs) and PD-1/PD-L1 immune checkpoints in human brain metastases. Oncotarget, 2015, 6, 40836-40849.	1.8	106
3	Distribution and prognostic impact of microglia/macrophage subpopulations in gliomas. Brain Pathology, 2019, 29, 513-529.	4.1	99
4	<scp>MIF</scp> Receptor <scp>CD</scp>74 is Restricted to Microglia/Macrophages, Associated with a <scp>M</scp> Polarized Immune Milieu and Prolonged Patient Survival in Gliomas. Brain Pathology, 2015, 25, 491-504.	4.1	90
5	The PI3K/Akt/mTOR pathway as a preventive target in melanoma brain metastasis. Neuro-Oncology, 2022, 24, 213-225.	1.2	36
6	Differential expression of vascular endothelial growth factor A, its receptors VEGFR-1, -2, and -3 and co-receptors neuropilin-1 and -2 does not predict bevacizumab response in human astrocytomas. Neuro-Oncology, 2016, 18, 173-183.	1.2	35
7	DNA methylation-based prediction of response to immune checkpoint inhibition in metastatic melanoma. , 2021, 9, e002226.		26
8	Regorafenib CSF Penetration, Efficacy, and MRI Patterns in Recurrent Malignant Glioma Patients. Journal of Clinical Medicine, 2019, 8, 2031.	2.4	23
9	Akt and mTORC1 signaling as predictive biomarkers for the EGFR antibody nimotuzumab in glioblastoma. Acta Neuropathologica Communications, 2018, 6, 81.	5.2	22
10	Lack of H3K27 trimethylation is associated with 1p/19q codeletion in diffuse gliomas. Acta Neuropathologica, 2019, 138, 331-334.	7.7	22
11	Addition of Anti-Angiogenetic Therapy with Bevacizumab to Chemo- and Radiotherapy for Leptomeningeal Metastases in Primary Brain Tumors. PLoS ONE, 2016, 11, e0155315.	2.5	18
12	C5b-9 deposits on endomysial capillaries in non-dermatomyositis cases. Neuromuscular Disorders, 2016, 26, 283-291.	0.6	10
13	Area postrema syndrome as frequent feature of Bickerstaff brainstem encephalitis. Annals of Clinical and Translational Neurology, 2018, 5, 1534-1542.	3.7	8
14	Activation of Epidermal Growth Factor Receptor Sensitizes Glioblastoma Cells to Hypoxia-Induced Cell Death. Cancers, 2020, 12, 2144.	3.7	6
15	Linking epigenetic signature and metabolic phenotype in <i>IDH</i> mutant and <i>IDH</i> wildtype diffuse glioma. Neuropathology and Applied Neurobiology, 2021, 47, 379-393.	3.2	4
16	A 25-year retrospective, single center analysis of 343 WHO grade II/III glioma patients: implications for grading and temozolomide therapy. Journal of Cancer Research and Clinical Oncology, 2021, 147, 2373-2383.	2.5	2
17	Sex-Dependent Analysis of Temozolomide-Induced Myelosuppression and Effects on Survival in a Large Real-life Cohort of Patients With Glioma. Neurology, 2022, 98, .	1.1	2
18	Immune profile and radiological characteristics of progressive multifocal leukoencephalopathy. European Journal of Neurology, 2022, 29, 543-554.	3.3	1