

# Fang-Shu Ou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7787825/publications.pdf>

Version: 2024-02-01

63  
papers

3,212  
citations

430874

18  
h-index

161849

54  
g-index

63  
all docs

63  
docs citations

63  
times ranked

6059  
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival in Young-Onset Metastatic Colorectal Cancer: Findings From Cancer and Leukemia Group B (Alliance)/SWOG 80405. <i>Journal of the National Cancer Institute</i> , 2022, 114, 427-435.	6.3	24
2	Molecular characteristics and clinical outcomes of patients with Neurofibromin 1-altered metastatic colorectal cancer. <i>Oncogene</i> , 2022, 41, 260-267.	5.9	7
3	Diet- and Lifestyle-Based Prediction Models to Estimate Cancer Recurrence and Death in Patients With Stage III Colon Cancer (CALGB 89803/Alliance). <i>Journal of Clinical Oncology</i> , 2022, 40, 740-751.	1.6	20
4	Marital Status, Living Arrangement, and Cancer Recurrence and Survival in Patients with Stage III Colon Cancer: Findings from CALGB 89803 (Alliance). <i>Oncologist</i> , 2022, 27, e494-e505.	3.7	5
5	Cetuximab and Irinotecan With or Without Bevacizumab in Refractory Metastatic Colorectal Cancer: BOND-3, an ACCRU Network Randomized Clinical Trial. <i>Oncologist</i> , 2022, 27, 292-298.	3.7	2
6	Age and comorbidity association with survival outcomes in metastatic colorectal cancer: CALGB 80405 analysis. <i>Journal of Geriatric Oncology</i> , 2022, 13, 469-479.	1.0	3
7	Circulating tumor DNA dynamics on front-line chemotherapy with bevacizumab or cetuximab in metastatic colorectal cancer: A biomarker analysis for acquired genomic alterations in CALGB/SWOG 80405 (Alliance) randomized trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 193-193.	1.6	4
8	Assessment of Capecitabine and Bevacizumab With or Without Atezolizumab for the Treatment of Refractory Metastatic Colorectal Cancer. <i>JAMA Network Open</i> , 2022, 5, e2149040.	5.9	48
9	Associations Between Unprocessed Red Meat and Processed Meat With Risk of Recurrence and Mortality in Patients With Stage III Colon Cancer. <i>JAMA Network Open</i> , 2022, 5, e220145.	5.9	3
10	Everolimus with or without bevacizumab in advanced pNET: CALGB 80701 (Alliance). <i>Endocrine-Related Cancer</i> , 2022, 29, 335-344.	3.1	8
11	Tumor Immunogenomic Features Determine Outcomes in Patients with Metastatic Colorectal Cancer Treated with Standard-of-Care Combinations of Bevacizumab and Cetuximab. <i>Clinical Cancer Research</i> , 2022, 28, 1690-1700.	7.0	7
12	Evaluation of methylated DCR1 as a biomarker for response to adjuvant irinotecan-based therapy in stage III colon cancer: cancer and leukaemia Group B 89803 (Alliance). <i>Epigenetics</i> , 2022, , 1-11.	2.7	0
13	Predictive value of <i>CDC37</i> gene expression for targeted therapy in metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2022, 40, 3586-3586.	1.6	0
14	Predictive value of <i>MAOB</i> gene expression for targeted therapy in patients (pts) with metastatic colorectal cancer (mCRC) enrolled in CALGB (Alliance)/SWOG 80405.. <i>Journal of Clinical Oncology</i> , 2022, 40, 3580-3580.	1.6	0
15	ACCRU-GI-2008: A phase II randomized study of atezolizumab (Atezo) plus a multi-kinase inhibitor (MKI) versus MKI alone in patients with unresectable advanced hepatocellular carcinoma (aHCC) who previously received atezolizumab plus bevacizumab (Bev).. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS4170-TPS4170.	1.6	0
16	Gene expression of vitamin D (VitD) pathway markers and survival in patients (Pts) with metastatic colorectal cancer (mCRC): CALGB/SWOG 80405 (Alliance).. <i>Journal of Clinical Oncology</i> , 2022, 40, 3553-3553.	1.6	0
17	IGF-Binding Proteins, Adiponectin, and Survival in Metastatic Colorectal Cancer: Results From CALGB (Alliance)/SWOG 80405. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkaa074.	2.9	6
18	Genomic Analysis of Germline Variation Associated with Survival of Patients with Colorectal Cancer Treated with Chemotherapy Plus Biologics in CALGB/SWOG 80405 (Alliance). <i>Clinical Cancer Research</i> , 2021, 27, 267-275.	7.0	13

#	ARTICLE	IF	CITATIONS
19	Duration of Adjuvant Doublet Chemotherapy (3 or 6 months) in Patients With High-Risk Stage II Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, 631-641.	1.6	63
20	The prognostic value of CD3+ tumor-infiltrating lymphocytes for stage II colon cancer according to use of adjuvant chemotherapy: A large single-institution cohort study. <i>Translational Oncology</i> , 2021, 14, 100973.	3.7	8
21	Outcomes of older patients with follicular lymphoma using individual data from 5922 patients in 18 randomized controlled trials. <i>Blood Advances</i> , 2021, 5, 1737-1745.	5.2	4
22	Race, Income, and Survival in Stage III Colon Cancer: CALGB 89803 (Alliance). <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab034.	2.9	4
23	Biomarker Discovery and Validation: Statistical Considerations. <i>Journal of Thoracic Oncology</i> , 2021, 16, 537-545.	1.1	66
24	Induction versus no induction chemotherapy before neoadjuvant chemoradiotherapy and surgery in oesophageal adenocarcinoma: a multicentre randomised phase II trial (NCCTG N0849 [Alliance]). <i>European Journal of Cancer</i> , 2021, 150, 214-223.	2.8	12
25	FGFR Inhibitor Toxicity and Efficacy in Cholangiocarcinoma: Multicenter Single-Institution Cohort Experience. <i>JCO Precision Oncology</i> , 2021, 5, 1228-1240.	3.0	2
26	Circulating Cell-Free DNA as Biomarker of Taxane Resistance in Metastatic Castration-Resistant Prostate Cancer. <i>Cancers</i> , 2021, 13, 4055.	3.7	1
27	Racial differences in survival and response to therapy in patients with metastatic colorectal cancer: A secondary analysis of CALGB/SWOG 80405 (Alliance A151931). <i>Cancer</i> , 2021, 127, 3801-3808.	4.1	6
28	Randomized Phase II Study of PET Response-Adapted Combined Modality Therapy for Esophageal Cancer: Mature Results of the CALGB 80803 (Alliance) Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 2803-2815.	1.6	58
29	Modeling tumor measurement data to predict overall survival (OS) in cancer clinical trials. <i>Contemporary Clinical Trials Communications</i> , 2021, 23, 100827.	1.1	0
30	Diabetes and Clinical Outcome in Patients With Metastatic Colorectal Cancer: CALGB 80405 (Alliance). <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz078.	2.9	22
31	Missing tumor measurement (TM) data in the search for alternative TM-based endpoints in cancer clinical trials. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100492.	1.1	5
32	Body Mass Index and Weight Loss in Metastatic Colorectal Cancer in CALGB (Alliance)/SWOG 80405. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa024.	2.9	8
33	Association of Coffee Intake With Survival in Patients With Advanced or Metastatic Colorectal Cancer. <i>JAMA Oncology</i> , 2020, 6, 1713.	7.1	24
34	Guidelines for Statistical Reporting in Medical Journals. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1722-1726.	1.1	10
35	Association of Diet Quality With Survival Among People With Metastatic Colorectal Cancer in the Cancer and Leukemia B and Southwest Oncology Group 80405 Trial. <i>JAMA Network Open</i> , 2020, 3, e2023500.	5.9	8
36	The Diet of Higher Insulinemic Potential Is Not Associated with Worse Survival in Patients with Stage III Colon Cancer (Alliance). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1692-1695.	2.5	5

#	ARTICLE	IF	CITATIONS
37	ctDNA applications and integration in colorectal cancer: an NCI Colon and Rectal/Anal Task Forces whitepaper. <i>Nature Reviews Clinical Oncology</i> , 2020, 17, 757-770.	27.6	218
38	Predictive and prognostic value of <i>HER2</i> gene expression and <i>HER2</i> amplification in patients with metastatic colorectal cancer (mCRC) enrolled in CALGB/SWOG 80405 (Alliance).. <i>Journal of Clinical Oncology</i> , 2020, 38, 4086-4086.	1.6	3
39	Irinotecan, cetuximab, and bevacizumab (CBI) versus irinotecan, cetuximab, and placebo (CI) in irinotecan-refractory metastatic colorectal cancer (mCRC): Results from an ACCRU network randomized phase II trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 102-102.	1.6	1
40	Associations of Physical Activity With Survival and Progression in Metastatic Colorectal Cancer: Results From Cancer and Leukemia Group B (Alliance)/SWOG 80405. <i>Journal of Clinical Oncology</i> , 2019, 37, 2620-2631.	1.6	51
41	Perioperative Gemcitabine+Erlotinib Plus Pancreaticoduodenectomy for Resectable Pancreatic Adenocarcinoma: ACOSOG Z5041 (Alliance) Phase II Trial. <i>Annals of Surgical Oncology</i> , 2019, 26, 4489-4497.	1.5	19
42	Regorafenib dose-optimisation in patients with refractory metastatic colorectal cancer (ReDOS): a randomised, multicentre, open-label, phase 2 study. <i>Lancet Oncology</i> , The, 2019, 20, 1070-1082.	10.7	169
43	Plasma 25-Hydroxyvitamin D Levels and Survival in Patients with Advanced or Metastatic Colorectal Cancer: Findings from CALGB/SWOG 80405 (Alliance). <i>Clinical Cancer Research</i> , 2019, 25, 7497-7505.	7.0	44
44	Influence of genetic variation in the vitamin D pathway on plasma 25-hydroxyvitamin D3 levels and survival among patients with metastatic colorectal cancer. <i>Cancer Causes and Control</i> , 2019, 30, 757-765.	1.8	4
45	Impact of Consensus Molecular Subtype on Survival in Patients With Metastatic Colorectal Cancer: Results From CALGB/SWOG 80405 (Alliance). <i>Journal of Clinical Oncology</i> , 2019, 37, 1876-1885.	1.6	169
46	Milestone prediction for time-to-event endpoint monitoring in clinical trials. <i>Pharmaceutical Statistics</i> , 2019, 18, 433-446.	1.3	1
47	Prognostic association of PTGS2 (COX-2) over-expression according to BRAF mutation status in colorectal cancer: Results from two prospective cohorts and CALGB 89803 (Alliance) trial. <i>European Journal of Cancer</i> , 2019, 111, 82-93.	2.8	17
48	Mutational Analysis of Patients With Colorectal Cancer in CALGB/SWOG 80405 Identifies New Roles of Microsatellite Instability and Tumor Mutational Burden for Patient Outcome. <i>Journal of Clinical Oncology</i> , 2019, 37, 1217-1227.	1.6	234
49	Discussion of Trial Designs for Biomarker Identification and Validation Through the Use of Case Studies. <i>JCO Precision Oncology</i> , 2019, 3, 1-10.	3.0	1
50	Marine omega-3 fatty acid intake and survival of stage III colon cancer according to tumor molecular markers in NCCTG Phase III trial N0147 (Alliance). <i>International Journal of Cancer</i> , 2019, 145, 380-389.	5.1	22
51	Progression-Free Survival as a Surrogate End Point for Overall Survival in First-Line Diffuse Large B-Cell Lymphoma: An Individual Patient-Level Analysis of Multiple Randomized Trials (SEAL). <i>Journal of Clinical Oncology</i> , 2018, 36, 2593-2602.	1.6	59
52	Dietary Fat Intake after Colon Cancer Diagnosis in Relation to Cancer Recurrence and Survival: CALGB 89803 (Alliance). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 1227-1230.	2.5	15
53	Association Between Renal Cell Carcinoma and Myelodysplastic Syndromes: Epigenetic Underpinning?. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1117-e1122.	1.9	1
54	International validation of the consensus Immunoscore for the classification of colon cancer: a prognostic and accuracy study. <i>Lancet</i> , The, 2018, 391, 2128-2139.	13.7	1,487

#	ARTICLE	IF	CITATIONS
55	Effect of age, gender, and performance status (PS) on the duration results of adjuvant chemotherapy for stage III colon cancer: The IDEA collaboration.. <i>Journal of Clinical Oncology</i> , 2018, 36, 3599-3599.	1.6	6
56	Evaluation of lesion-based response at 12 weeks (LBR12) of treatment (Rx) in metastatic colorectal cancer (mCRC): Findings from 9,092 patients (pts) in the ARCAD database.. <i>Journal of Clinical Oncology</i> , 2018, 36, 612-612.	1.6	2
57	Alliance for clinical trials in oncology (ALLIANCE) trial A021501: preoperative extended chemotherapy vs. chemotherapy plus hypofractionated radiation therapy for borderline resectable adenocarcinoma of the head of the pancreas. <i>BMC Cancer</i> , 2017, 17, 505.	2.6	166
58	Primary (1 <sup>st</sup> ) tumor location as an independent prognostic marker from molecular features for overall survival (OS) in patients (pts) with metastatic colorectal cancer (mCRC): Analysis of CALGB / SWOG 80405 (Alliance).. <i>Journal of Clinical Oncology</i> , 2017, 35, 3503-3503.	1.6	49
59	Heterogeneity in early lesion changes on treatment as a marker of poor prognosis in patients (pts) with metastatic colorectal cancer (mCRC) treated with first line systemic chemotherapy ± biologic: Findings from 9,092 pts in the ARCAD database.. <i>Journal of Clinical Oncology</i> , 2017, 35, 3535-3535.	1.6	6
60	Quantile regression models for current status data. <i>Journal of Statistical Planning and Inference</i> , 2016, 178, 112-127.	0.6	3
61	Outcomes for Elderly Patients (pts) with Follicular Lymphoma (FL) Using Individual Patient Data (IPD) from 5922 Pts in 18 Randomized Controlled Trials (RCTs): a Follicular Lymphoma Analysis of Surrogate Hypothesis (FLASH) Group Study. <i>Blood</i> , 2016, 128, 1102-1102.	1.4	3
62	Utility of Progression-Free Survival at 24 Months (PFS24) to Predict Subsequent Outcome for Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Enrolled on Randomized Clinical Trials: Findings from a Surrogate Endpoint in Aggressive Lymphoma (SEAL) Analysis of Individual Patient Data from 5853 Patients. <i>Blood</i> , 2016, 128, 3027-3027.	1.4	5
63	Evaluation of Progression-Free Survival (PFS) As a Surrogate Endpoint for Overall Survival (OS) in First-Line Therapy for Diffuse Large B-Cell Lymphoma (DLBCL): Findings from the Surrogate Endpoint in Aggressive Lymphoma (SEAL) Analysis of Individual Patient Data from 7507 Patients. <i>Blood</i> , 2016, 128, 4196-4196.	1.4	1