

Alex A Skordos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7790286/publications.pdf>

Version: 2024-02-01

53
papers

1,592
citations

257450

24
h-index

302126

39
g-index

53
all docs

53
docs citations

53
times ranked

1400
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Uncertainty in the manufacturing of fibrous thermosetting composites: A review. Composites Part A: Applied Science and Manufacturing, 2014, 57, 67-75. | 7.6 | 148 |
| 2 | A simplified rate dependent model of forming and wrinkling of pre-impregnated woven composites. Composites Part A: Applied Science and Manufacturing, 2007, 38, 1318-1330. | 7.6 | 110 |
| 3 | RTM processing and electrical performance of carbon nanotube modified epoxy/fibre composites. Composites Part A: Applied Science and Manufacturing, 2012, 43, 593-602. | 7.6 | 89 |
| 4 | Percolation threshold of carbon nanotubes filled unsaturated polyesters. Composites Science and Technology, 2010, 70, 633-637. | 7.8 | 68 |
| 5 | Multi-objective optimisation of the cure of thick components. Composites Part A: Applied Science and Manufacturing, 2017, 93, 126-136. | 7.6 | 67 |
| 6 | A novel strain sensor based on the campaniform sensillum of insects. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2002, 360, 239-253. | 3.4 | 61 |
| 7 | Investigation of cure induced shrinkage in unreinforced epoxy resin. Plastics, Rubber and Composites, 2002, 31, 377-384. | 2.0 | 59 |
| 8 | A dielectric sensor for measuring flow in resin transfer moulding. Measurement Science and Technology, 2000, 11, 25-31. | 2.6 | 57 |
| 9 | Monitoring dispersion of carbon nanotubes in a thermosetting polyester resin. Composites Science and Technology, 2009, 69, 1516-1520. | 7.8 | 56 |
| 10 | Stochastic simulation of woven composites forming. Composites Science and Technology, 2008, 68, 283-296. | 7.8 | 55 |
| 11 | The use of an electric field in the preparation of glass fibre/epoxy composites containing carbon nanotubes. Carbon, 2012, 50, 2493-2503. | 10.3 | 46 |
| 12 | Strain development in curing epoxy resin and glass fibre/epoxy composites monitored by fibre Bragg grating sensors in birefringent optical fibre. Smart Materials and Structures, 2005, 14, 354-362. | 3.5 | 42 |
| 13 | Numerical optimisation of thermoset composites manufacturing processes: A review. Composites Part A: Applied Science and Manufacturing, 2019, 124, 105499. | 7.6 | 42 |
| 14 | Cure kinetics modeling of epoxy resins using a non-parametric numerical procedure. Polymer Engineering and Science, 2001, 41, 793-805. | 3.1 | 40 |
| 15 | Evaluation of the mechanical and damage behaviour of tufted non crimped fabric composites using full field measurements. Composites Science and Technology, 2009, 69, 131-138. | 7.8 | 39 |
| 16 | Influence of loading rate on the delamination response of untufted and tufted carbon epoxy non-crimp fabric composites/Mode II. Engineering Fracture Mechanics, 2012, 96, 1-10. | 4.3 | 39 |
| 17 | Influence of loading rate on the delamination response of untufted and tufted carbon epoxy non-crimp fabric composites: Mode I. Engineering Fracture Mechanics, 2012, 96, 11-25. | 4.3 | 35 |
| 18 | Determination of the degree of cure under dynamic and isothermal curing conditions with electrical impedance spectroscopy. Journal of Polymer Science, Part B: Polymer Physics, 2004, 42, 146-154. | 2.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Toward a constitutive model for cure-dependent modulus of a high temperature epoxy during the cure. <i>European Polymer Journal</i> , 2010, 46, 1705-1712. | 5.4 | 31 |
| 20 | Stochastic multi-objective optimisation of the cure process of thick laminates. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 112, 383-394. | 7.6 | 31 |
| 21 | Design selection methodology for composite structures. <i>Materials & Design</i> , 2008, 29, 418-426. | 5.1 | 30 |
| 22 | Rubber-toughened epoxy loaded with carbon nanotubes: structure-property relationships. <i>Journal of Materials Science</i> , 2010, 45, 2633-2639. | 3.7 | 30 |
| 23 | Functional nanocomposites for energy storage: chemistry and new horizons. <i>Materials Today Chemistry</i> , 2020, 17, 100304. | 3.5 | 29 |
| 24 | Inverse heat transfer for optimization and on-line thermal properties estimation in composites curing. <i>Inverse Problems in Science and Engineering</i> , 2004, 12, 157-172. | 1.2 | 28 |
| 25 | Stochastic simulation of the influence of cure kinetics uncertainty on composites cure. <i>Composites Science and Technology</i> , 2015, 110, 145-151. | 7.8 | 26 |
| 26 | Measurement of thermal conductivity of epoxy resins during cure. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47015. | 2.6 | 25 |
| 27 | A novel dielectric sensor for process monitoring of carbon fibre composites manufacture. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 123, 180-189. | 7.6 | 24 |
| 28 | Evaluation of the behaviour of particulate polymeric coatings in a corrosive environment. Influence of the concentration of metal particles. <i>Progress in Organic Coatings</i> , 1996, 28, 117-124. | 3.9 | 21 |
| 29 | Modelling flow and filtration in liquid composite moulding of nanoparticle loaded thermosets. <i>Composites Science and Technology</i> , 2012, 72, 799-805. | 7.8 | 21 |
| 30 | Monitoring cure in epoxies containing carbon nanotubes with an optical fiber Fresnel refractometer. <i>Journal of Applied Polymer Science</i> , 2009, 113, 730-735. | 2.6 | 19 |
| 31 | Cure kinetics, glass transition temperature development, and dielectric spectroscopy of a low temperature cure epoxy/amine system. <i>Journal of Applied Polymer Science</i> , 2012, 124, 1899-1905. | 2.6 | 18 |
| 32 | Lightning strike and delamination performance of metal tufted carbon composites. <i>Composite Structures</i> , 2019, 209, 694-699. | 5.8 | 18 |
| 33 | Dielectric monitoring of carbon nanotube network formation in curing thermosetting nanocomposites. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 155402. | 2.8 | 17 |
| 34 | Heat transfer simulation of the cure of thermoplastic particle interleaved carbon fibre epoxy prepregs. <i>Journal of Composite Materials</i> , 2019, 53, 2053-2064. | 2.4 | 15 |
| 35 | Stochastic heat transfer simulation of the cure of advanced composites. <i>Journal of Composite Materials</i> , 2016, 50, 2971-2986. | 2.4 | 14 |
| 36 | Real time uncertainty estimation in filling stage of resin transfer molding process. <i>Polymer Composites</i> , 2020, 41, 5387-5402. | 4.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Design methodology for composite structures: A small low air-speed wind turbine blade case study. <i>Materials & Design</i> , 2012, 36, 296-305. | 5.1 | 12 |
| 38 | Formulation based predictive cure kinetics modelling of epoxy resins. <i>Polymer</i> , 2021, 236, 124304. | 3.8 | 12 |
| 39 | Multi-objective optimization of Resin Infusion. <i>Advanced Manufacturing: Polymer and Composites Science</i> , 2019, 5, 17-28. | 0.4 | 10 |
| 40 | Stochastic simulation of the influence of fibre path variability on the formation of residual stress and shape distortion. <i>Polymer Composites</i> , 2017, 38, 2642-2652. | 4.6 | 9 |
| 41 | Thermomechanical analysis of a toughened thermosetting system. <i>Mechanics of Composite Materials</i> , 2008, 44, 181-190. | 1.4 | 8 |
| 42 | Process and cost modelling applied to manufacture of complex aerospace composite part. <i>Plastics, Rubber and Composites</i> , 2013, 42, 427-436. | 2.0 | 8 |
| 43 | Parameter estimation in equivalent circuit analysis of dielectric cure monitoring signals using genetic algorithms. <i>Inverse Problems in Science and Engineering</i> , 2005, 13, 157-176. | 1.2 | 7 |
| 44 | In-situ Curing Strain Monitoring of a Flat Plate Residual Stress Specimen Using a Chopped Stand Mat Glass/Epoxy Composite as Test Material. <i>Applied Composite Materials</i> , 2015, 22, 805-822. | 2.5 | 7 |
| 45 | Effects of tool-embedded dielectric sensors on heat transfer phenomena during composite cure. <i>Polymer Composites</i> , 2007, 28, 139-152. | 4.6 | 5 |
| 46 | Multiplexed fibre optic sensors for monitoring resin infusion, flow, and cure in composite material processing. , 2013, , . | | 5 |
| 47 | Enhanced dc conductivity of low volume-fraction nano-particulate suspensions in silicone and perfluorinated oils. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 062003. | 2.8 | 4 |
| 48 | Real-time inverse solution of the compositesâ€™ cure heat transfer problem under uncertainty. <i>Inverse Problems in Science and Engineering</i> , 2020, 28, 1011-1030. | 1.2 | 4 |
| 49 | Determination of catalyst active sites distributions in ionic polymerization. <i>Inverse Problems in Science and Engineering</i> , 2005, 13, 101-107. | 1.2 | 1 |
| 50 | Cure of a Carbon Nanotube Modified Multiphase Epoxy-Thermoplastic Resin System. , 2008, , . | | 1 |
| 51 | Methodology Applied to Integrate a Viscosity Model for Liquid Composites Molding Simulation in PAM-RTMâ€™. , 2012, , . | | 1 |
| 52 | Multidimensional strain and temperature measurements using a novel high-birefringent fiber Bragg grating interrogation system. , 2004, , . | | 0 |
| 53 | Fibre grating refractometer sensors for composite process monitoring. , 2007, , . | | 0 |