

Manami Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7791817/publications.pdf>

Version: 2024-02-01

510
papers

21,430
citations

9254

74
h-index

20943

115
g-index

520
all docs

520
docs citations

520
times ranked

27730
citing authors

#	ARTICLE	IF	CITATIONS
1	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	13.7	1,099
2	Metagenomic and metabolomic analyses reveal distinct stage-specific phenotypes of the gut microbiota in colorectal cancer. <i>Nature Medicine</i> , 2019, 25, 968-976.	15.2	748
3	Association between Body-Mass Index and Risk of Death in More Than 1 Million Asians. <i>New England Journal of Medicine</i> , 2011, 364, 719-729.	13.9	730
4	What has made the population of Japan healthy?. <i>Lancet</i> , The, 2011, 378, 1094-1105.	6.3	381
5	Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. <i>Nature Genetics</i> , 2017, 49, 1458-1467.	9.4	380
6	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020, 52, 669-679.	9.4	304
7	Epidemiology of gastric cancer in Japan. <i>Postgraduate Medical Journal</i> , 2005, 81, 419-424.	0.9	290
8	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017, 49, 1767-1778.	9.4	289
9	Association of Dietary Intake of Soy, Beans, and Isoflavones With Risk of Cerebral and Myocardial Infarctions in Japanese Populations. <i>Circulation</i> , 2007, 116, 2553-2562.	1.6	247
10	Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , 2020, 52, 1169-1177.	9.4	206
11	Adult Mortality Attributable to Preventable Risk Factors for Non-Communicable Diseases and Injuries in Japan: A Comparative Risk Assessment. <i>PLoS Medicine</i> , 2012, 9, e1001160.	3.9	196
12	Soy Product and Isoflavone Consumption in Relation to Prostate Cancer in Japanese Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 538-545.	1.1	185
13	Influence of Coffee Drinking on Subsequent Risk of Hepatocellular Carcinoma: A Prospective Study in Japan. <i>Journal of the National Cancer Institute</i> , 2005, 97, 293-300.	3.0	181
14	Gene-environment interaction between an aldehyde dehydrogenase-2 (ALDH2) polymorphism and alcohol consumption for the risk of esophageal cancer. <i>Carcinogenesis</i> , 2001, 22, 913-916.	1.3	176
15	Consumption of n-3 Fatty Acids and Fish Reduces Risk of Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2012, 142, 1468-1475.	0.6	164
16	Fruit and Vegetable Intake and Risk of Breast Cancer by Hormone Receptor Status. <i>Journal of the National Cancer Institute</i> , 2013, 105, 219-236.	3.0	164
17	Esophageal cancer in high-risk areas of China: research progress and challenges. <i>Annals of Epidemiology</i> , 2017, 27, 215-221.	0.9	164
18	Identification of 28 new susceptibility loci for type 2 diabetes in the Japanese population. <i>Nature Genetics</i> , 2019, 51, 379-386.	9.4	164

#	ARTICLE	IF	CITATIONS
19	Population health and regional variations of disease burden in Japan, 1990–2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , 2017, 390, 1521-1538.	6.3	158
20	Plasma Isoflavone Level and Subsequent Risk of Breast Cancer Among Japanese Women: A Nested Case-Control Study From the Japan Public Health Center-Based Prospective Study Group. <i>Journal of Clinical Oncology</i> , 2008, 26, 1677-1683.	0.8	155
21	Attributable causes of cancer in Japan in 2005—systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. <i>Annals of Oncology</i> , 2012, 23, 1362-1369.	0.6	152
22	Insulin resistance and cancer: Epidemiological evidence. <i>Cancer Science</i> , 2010, 101, 1073-1079.	1.7	149
23	Daily Total Physical Activity Level and Premature Death in Men and Women: Results From a Large-Scale Population-Based Cohort Study in Japan (JPHC Study). <i>Annals of Epidemiology</i> , 2008, 18, 522-530.	0.9	147
24	Identification of six new genetic loci associated with atrial fibrillation in the Japanese population. <i>Nature Genetics</i> , 2017, 49, 953-958.	9.4	136
25	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014, 46, 886-890.	9.4	135
26	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032.	2.9	132
27	Impact of metabolic factors on subsequent cancer risk: results from a large-scale population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2009, 18, 240-247.	0.6	131
28	Effect of alcohol consumption, cigarette smoking and flushing response on esophageal cancer risk: A population-based cohort study (JPHC study). <i>Cancer Letters</i> , 2009, 275, 240-246.	3.2	128
29	Reproductive factors, hormone use and the risk of lung cancer among middle-aged never-smoking Japanese women: A large-scale population-based cohort study. <i>International Journal of Cancer</i> , 2005, 117, 662-666.	2.3	127
30	Dairy Product, Saturated Fatty Acid, and Calcium Intake and Prostate Cancer in a Prospective Cohort of Japanese Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 930-937.	1.1	125
31	The Impact of Green Tea and Coffee Consumption on the Reduced Risk of Stroke Incidence in Japanese Population. <i>Stroke</i> , 2013, 44, 1369-1374.	1.0	123
32	Characterizing rare and low-frequency height-associated variants in the Japanese population. <i>Nature Communications</i> , 2019, 10, 4393.	5.8	123
33	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019, 179, 1509.	2.6	120
34	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020, 52, 56-73.	9.4	120
35	Coexpression of the c-kit receptor and the stem cell factor in gynecological tumors. <i>Cancer Research</i> , 1994, 54, 3049-53.	0.4	120
36	Interaction between Adiponectin and Leptin Influences the Risk of Colorectal Adenoma. <i>Cancer Research</i> , 2010, 70, 5430-5437.	0.4	115

#	ARTICLE	IF	CITATIONS
37	Impact of population aging on trends in diabetes prevalence: A meta-analysis of 160,000 Japanese adults. <i>Journal of Diabetes Investigation</i> , 2015, 6, 533-542.	1.1	111
38	Genome-wide association study identifies seven novel susceptibility loci for primary open-angle glaucoma. <i>Human Molecular Genetics</i> , 2018, 27, 1486-1496.	1.4	111
39	Meat intake and cause-specific mortality: a pooled analysis of Asian prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1032-1041.	2.2	109
40	Changing epidemiology of <i>Helicobacter pylori</i> in Japan. <i>Gastric Cancer</i> , 2017, 20, 3-7.	2.7	109
41	Alcohol Drinking and Colorectal Cancer in Japanese: A Pooled Analysis of Results from Five Cohort Studies. <i>American Journal of Epidemiology</i> , 2008, 167, 1397-1406.	1.6	107
42	Dietary Calcium Intake and Risks of Stroke, Its Subtypes, and Coronary Heart Disease in Japanese. <i>Stroke</i> , 2008, 39, 2449-2456.	1.0	103
43	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696.	2.8	103
44	Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474.	2.8	102
45	Alcohol consumption and breast cancer risk by estrogen receptor status: in a pooled analysis of 20 studies. <i>International Journal of Epidemiology</i> , 2016, 45, 916-928.	0.9	101
46	Plasma Isoflavones and Subsequent Risk of Prostate Cancer in a Nested Case-Control Study: The Japan Public Health Center-based Prospective Study. <i>Journal of Clinical Oncology</i> , 2008, 26, 5923-5929.	0.8	100
47	Consumption of sodium and salted foods in relation to cancer and cardiovascular disease: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 456-464.	2.2	100
48	Body Mass Index and Mortality From All Causes and Major Causes in Japanese: Results of a Pooled Analysis of 7 Large-Scale Cohort Studies. <i>Journal of Epidemiology</i> , 2011, 21, 417-430.	1.1	100
49	Body mass index, physical activity and the risk of pancreatic cancer in relation to smoking status and history of diabetes: a large-scale population-based cohort study in Japan—the JPHC study. <i>Cancer Causes and Control</i> , 2007, 18, 603-612.	0.8	99
50	Psychological Factors, Coffee and Risk of Diabetes Mellitus among Middle-Aged Japanese: a Population-Based Prospective Study in the JPHC Study Cohort. <i>Endocrine Journal</i> , 2009, 56, 459-468.	0.7	99
51	Effect of Coffee and Green Tea Consumption on the Risk of Liver Cancer: Cohort Analysis by Hepatitis Virus Infection Status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1746-1753.	1.1	98
52	Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631.	3.9	98
53	Synergistic Promoting Effects of <i>Helicobacter pylori</i> Infection and High-salt Diet on Gastric Carcinogenesis in Mongolian Gerbils. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 1083-1089.	1.7	96
54	Tobacco Smoking and Gastric Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 800-807.	0.6	95

#	ARTICLE	IF	CITATIONS
55	Tobacco Smoking and Lung Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiological Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 309-324.	0.6	94
56	Plasma C-Reactive Protein and Risk of Colorectal Cancer in a Nested Case-Control Study: Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 690-695.	1.1	94
57	Diabetes mellitus and cancer risk: Pooled analysis of eight cohort studies in Japan. <i>Cancer Science</i> , 2013, 104, 1499-1507.	1.7	94
58	Mitogen-Activated Protein Kinase Translocates into the Germinal Vesicle and Induces Germinal Vesicle Breakdown in Porcine Oocytes1. <i>Biology of Reproduction</i> , 1998, 58, 130-136.	1.2	93
59	Impact of the revision of a nutrient database on the validity of a self-administered food frequency questionnaire (FFQ). <i>Journal of Epidemiology</i> , 2006, 16, 107-116.	1.1	92
60	Physical activity and risk of colorectal cancer in Japanese men and women: the Japan Public Health Center-based prospective Study. <i>Cancer Causes and Control</i> , 2007, 18, 199-209.	0.8	88
61	Reproducibility and Validity of Dietary Patterns Assessed by a Food Frequency Questionnaire Used in the 5-Year Follow-Up Survey of the Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2012, 22, 205-215.	1.1	88
62	Soft drink intake in relation to incident ischemic heart disease, stroke, and stroke subtypes in Japanese men and women: the Japan Public Health Centre-based study cohort I. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1390-1397.	2.2	88
63	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020, 11, 3833.	5.8	88
64	Tobacco Smoking and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 25-39.	0.6	83
65	Dietary factors and lung cancer risk in Japanese: with special reference to fish consumption and adenocarcinomas. <i>British Journal of Cancer</i> , 2001, 84, 1199-1206.	2.9	81
66	Passive smoking and lung cancer in Japanese non-smoking women: A prospective study. <i>International Journal of Cancer</i> , 2008, 122, 653-657.	2.3	81
67	Association between body mass index and the colorectal cancer risk in Japan: pooled analysis of population-based cohort studies in Japan. <i>Annals of Oncology</i> , 2012, 23, 479-490.	0.6	79
68	Soy Intake and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 282-295.	0.6	79
69	Prediction of the 10-year probability of gastric cancer occurrence in the Japanese population: the JPHC study cohort II. <i>International Journal of Cancer</i> , 2016, 138, 320-331.	2.3	78
70	Monoclonal nature of transient abnormal myelopoiesis in Down's syndrome. <i>Blood</i> , 1991, 77, 1161-1163.	0.6	77
71	Subsite (cervix/endometrium)-specific Risk and Protective Factors in Uterus Cancer. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 1001-1009.	1.7	77
72	Isoflavone intake and risk of lung cancer: a prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 722-728.	2.2	77

#	ARTICLE	IF	CITATIONS
73	Insulin resistance and cancer: epidemiological evidence. <i>Endocrine-Related Cancer</i> , 2012, 19, F1-F8.	1.6	77
74	Green tea consumption and gastric cancer in Japanese: a pooled analysis of six cohort studies. <i>Gut</i> , 2009, 58, 1323-1332.	6.1	76
75	Identification of IGFBP2 and IGFBP3 As Compensatory Biomarkers for CA19-9 in Early-Stage Pancreatic Cancer Using a Combination of Antibody-Based and LC-MS/MS-Based Proteomics. <i>PLoS ONE</i> , 2016, 11, e0161009.	1.1	76
76	Colorectal cancer screening using fecal occult blood test and subsequent risk of colorectal cancer: A prospective cohort study in Japan. <i>Cancer Detection and Prevention</i> , 2007, 31, 3-11.	2.1	75
77	Heterocyclic amines content of meat and fish cooked by Brazilian methods. <i>Journal of Food Composition and Analysis</i> , 2010, 23, 61-69.	1.9	74
78	Body Mass Index, Body Height, and Subsequent Risk of Colorectal Cancer in Middle-Aged and Elderly Japanese Men and Women: Japan Public Health Center-Based Prospective Study. <i>Cancer Causes and Control</i> , 2005, 16, 839-850.	0.8	72
79	Cancer association as a risk factor for anti-HMGCR antibody-positive myopathy. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2016, 3, e290.	3.1	71
80	Protective factor against progression from atrophic gastritis to gastric cancer—data from a cohort study in Japan. , 1996, 66, 309-314.		69
81	Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. <i>Carcinogenesis</i> , 2015, 36, 223-231.	1.3	69
82	Changing trends in the prevalence of <i>H. pylori</i> infection in Japan (1908–2003): a systematic review and meta-regression analysis of 170,752 individuals. <i>Scientific Reports</i> , 2017, 7, 15491.	1.6	69
83	Impact of alcohol drinking on total cancer risk: data from a large-scale population-based cohort study in Japan. <i>British Journal of Cancer</i> , 2005, 92, 182-187.	2.9	66
84	Dietary intake of saturated fatty acids and incident stroke and coronary heart disease in Japanese communities: the JPHC Study. <i>European Heart Journal</i> , 2013, 34, 1225-1232.	1.0	66
85	Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Annals of Epidemiology</i> , 2015, 25, 512-518.e3.	0.9	66
86	Associations of All-Cause Mortality with Census-Based Neighbourhood Deprivation and Population Density in Japan: A Multilevel Survival Analysis. <i>PLoS ONE</i> , 2014, 9, e97802.	1.1	65
87	Genetic Predisposition to Ischemic Stroke. <i>Stroke</i> , 2017, 48, 253-258.	1.0	64
88	Impact of Body Mass Index on the Risk of Total Cancer Incidence and Mortality Among Middle-Aged Japanese: Data from a Large-Scale Population-Based Cohort Study – The JPHC Study. <i>Cancer Causes and Control</i> , 2004, 15, 671-680.	0.8	63
89	Tobacco Smoking and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiological Evidence among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 387-394.	0.6	62
90	Cigarette Smoking and Completed Suicide among Middle-aged Men: A Population-based Cohort Study in Japan. <i>Annals of Epidemiology</i> , 2005, 15, 286-292.	0.9	61

#	ARTICLE	IF	CITATIONS
91	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k671.	2.4	61
92	Meat Consumption and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 641-650.	0.6	60
93	Risk factors of biliary tract cancer in a large-scale population-based cohort study in Japan (JPHC) Tj ETQq1 1 0.784314 rgBT /Overlock Causes and Control, 2008, 19, 33-41.	0.8	59
94	Coffee consumption and risk of endometrial cancer: A prospective study in Japan. <i>International Journal of Cancer</i> , 2008, 123, 2406-2410.	2.3	59
95	Dietary Soy and Isoflavone Intake and Risk of Colorectal Cancer in the Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2128-2135.	1.1	59
96	Impact of alcohol intake on total mortality and mortality from major causes in Japan: a pooled analysis of six large-scale cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 448-456.	2.0	59
97	Tobacco control challenges in East Asia: proposals for change in the world's largest epidemic region. <i>Tobacco Control</i> , 2014, 23, 359-368.	1.8	59
98	Associations between unprocessed red and processed meat, poultry, seafood and egg intake and the risk of prostate cancer: A pooled analysis of 15 prospective cohort studies. <i>International Journal of Cancer</i> , 2016, 138, 2368-2382.	2.3	59
99	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , 2018, 155, 1474-1482.e1.	0.6	59
100	Patterns of Alcohol Drinking and All-Cause Mortality: Results from a Large-Scale Population-based Cohort Study in Japan. <i>American Journal of Epidemiology</i> , 2007, 165, 1039-1046.	1.6	58
101	High serum total cholesterol levels is a risk factor of ischemic stroke for general Japanese population: The JPHC study. <i>Atherosclerosis</i> , 2012, 221, 565-569.	0.4	58
102	Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1029-1037.	2.2	58
103	Chemoprevention of colorectal cancer: Past, present, and future. <i>Cancer Science</i> , 2019, 110, 3018-3026.	1.7	58
104	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.	2.8	58
105	10-Year risk of colorectal cancer: Development and validation of a prediction model in middle-aged Japanese men. <i>Cancer Epidemiology</i> , 2010, 34, 534-541.	0.8	56
106	Body mass index and breast cancer risk in Japan: a pooled analysis of eight population-based cohort studies. <i>Annals of Oncology</i> , 2014, 25, 519-524.	0.6	55
107	Role and impact of menstrual and reproductive factors on breast cancer risk in Japan. <i>European Journal of Cancer Prevention</i> , 2007, 16, 116-123.	0.6	54
108	Visceral Fat Volume and the Prevalence of Colorectal Adenoma. <i>American Journal of Epidemiology</i> , 2009, 170, 1502-1511.	1.6	54

#	ARTICLE	IF	CITATIONS
109	Plasma cytokine levels and the presence of colorectal cancer. <i>PLoS ONE</i> , 2019, 14, e0213602.	1.1	54
110	Risk factors for breast cancer: epidemiological evidence from Japanese studies. <i>Cancer Science</i> , 2011, 102, 1607-1614.	1.7	53
111	Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 63-73.	0.6	53
112	Green tea drinking and subsequent risk of breast cancer in a population to based cohort of Japanese women. <i>Breast Cancer Research</i> , 2010, 12, R88.	2.2	52
113	Alcohol and smoking and subsequent risk of prostate cancer in Japanese men: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2014, 134, 971-978.	2.3	52
114	GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018, 39, 652-660.	1.3	52
115	Diabetes and cancer risk: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2020, 146, 712-719.	2.3	52
116	Protective Effects of Raw Vegetables and Fruit against Lung Cancer among Smokers and Ex-smokers: A Case-Control Study in the Tokai Area of Japan. <i>Japanese Journal of Cancer Research</i> , 1993, 84, 594-600.	1.7	51
117	Body Size and Risk for Breast Cancer in Relation to Estrogen and Progesterone Receptor Status in Japan. <i>Annals of Epidemiology</i> , 2007, 17, 304-312.	0.9	51
118	Dietary fiber intake and risk of cardiovascular disease in the Japanese population: the Japan Public Health Center-based study cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1233-1241.	1.3	51
119	Fermented and non-fermented soy food consumption and gastric cancer in Japanese and Korean populations: A meta-analysis of observational studies. <i>Cancer Science</i> , 2011, 102, 231-244.	1.7	51
120	Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2017, 147, 1749-1756.	1.3	51
121	Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 77-86.	0.6	51
122	Public awareness of risk factors for cancer among the Japanese general population: A population-based survey. <i>BMC Public Health</i> , 2006, 6, 2.	1.2	50
123	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	1.4	50
124	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016, 25, 620-629.	1.4	50
125	Background Characteristics of Basic Health Examination Participants: the JPHC Study Baseline Survey. <i>Journal of Epidemiology</i> , 2003, 13, 216-225.	1.1	49
126	12 new susceptibility loci for prostate cancer identified by genome-wide association study in Japanese population. <i>Nature Communications</i> , 2019, 10, 4422.	5.8	49

#	ARTICLE	IF	CITATIONS
127	Metabolic factors and subsequent risk of hepatocellular carcinoma by hepatitis virus infection status: a large-scale population-based cohort study of Japanese men and women (JPHC Study Cohort II). <i>Cancer Causes and Control</i> , 2009, 20, 741-750.	0.8	48
128	Fish, <i>n</i> polyunsaturated fatty acids and <i>n</i> polyunsaturated fatty acids intake and breast cancer risk: The <sc>J</sc>apan <sc>P</sc>ublic <sc>H</sc>ealth <sc>C</sc>enterâ€“based prospective study. <i>International Journal of Cancer</i> , 2015, 137, 2915-2926.	2.3	48
129	Plasma tea polyphenol levels and subsequent risk of breast cancer among Japanese women: a nested caseâ€“control study. <i>Breast Cancer Research and Treatment</i> , 2010, 124, 827-834.	1.1	47
130	Association between mortality and incidence rates of coronary heart disease and stroke: The Japan Public Health Center-based prospective (JPHC) study. <i>International Journal of Cardiology</i> , 2016, 222, 281-286.	0.8	47
131	Green tea and cancer and cardiometabolic diseases: a review of the current epidemiological evidence. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 865-876.	1.3	47
132	Cigarette Smoking and Liver Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among Japanese. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 445-456.	0.6	46
133	Cigarette Smoking and Pancreas Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence in the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 1292-1302.	0.6	46
134	Dietary glycemic index, glycemic load and incidence of type 2 diabetes in Japanese men and women: the Japan public health center-based prospective study. <i>Nutrition Journal</i> , 2013, 12, 165.	1.5	46
135	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020, 11, 1217.	5.8	46
136	Serum triglycerides and colorectal adenoma in a caseâ€“control study among cancer screening examinees (Japan). <i>Cancer Causes and Control</i> , 2006, 17, 1245-1252.	0.8	45
137	Isoflavone consumption and subsequent risk of hepatocellular carcinoma in a populationâ€“based prospective cohort of Japanese men and women. <i>International Journal of Cancer</i> , 2009, 124, 1644-1649.	2.3	45
138	Green Tea Consumption and Gastric Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 335-346.	0.6	45
139	Dietary patterns and suicide in Japanese adults: The Japan Public Health Center-based Prospective Study. <i>British Journal of Psychiatry</i> , 2013, 203, 422-427.	1.7	45
140	Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016, 37, 890-899.	1.0	45
141	Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. <i>BMJ, The</i> , 2020, 368, m34.	3.0	45
142	Evaluation Based on Systematic Review of Epidemiological Evidence Among Japanese Populations: Tobacco Smoking and Total Cancer Risk. <i>Japanese Journal of Clinical Oncology</i> , 2005, 35, 404-411.	0.6	44
143	Association between serum organochlorines and global methylation level of leukocyte DNA among Japanese women: a cross-sectional study. <i>Science of the Total Environment</i> , 2014, 490, 603-609.	3.9	44
144	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 974-980.	2.0	44

#	ARTICLE	IF	CITATIONS
145	Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002670.	1.6	44
146	Effect of Intermittent Administration of Teriparatide (Parathyroid Hormone 1-34) on Bone Morphogenetic Protein-Induced Bone Formation in a Rat Model of Spinal Fusion. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, e107.	1.4	43
147	The bone morphogenetic protein-2/7 heterodimer is a stronger inducer of bone regeneration than the individual homodimers in a rat spinal fusion model. <i>Spine Journal</i> , 2015, 15, 1379-1390.	0.6	43
148	Association of high-density lipoprotein cholesterol concentration with different types of stroke and coronary heart disease: The Japan Public Health Center-based prospective (JPHC) study. <i>Atherosclerosis</i> , 2017, 265, 147-154.	0.4	43
149	Dietary acrylamide intake and risk of breast cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 843-853.	1.7	43
150	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2020, 18, 56-63.	2.2	42
151	Development of a prediction model for 10-year risk of hepatocellular carcinoma in middle-aged Japanese: The Japan Public Health Center-based Prospective Study Cohort II. <i>Preventive Medicine</i> , 2012, 55, 137-143.	1.6	41
152	Type A behaviour and risk of coronary heart disease: The JPHC Study. <i>International Journal of Epidemiology</i> , 2008, 37, 1395-1405.	0.9	40
153	Vegetable and fruit intake and risk of type 2 diabetes: Japan Public Health Center-based Prospective Study. <i>British Journal of Nutrition</i> , 2013, 109, 709-717.	1.2	40
154	Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 199-207.	2.2	40
155	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2016, 25, 3361-3371.	1.4	40
156	The influence of birth cohort and calendar period on global trends in ovarian cancer incidence. <i>International Journal of Cancer</i> , 2020, 146, 749-758.	2.3	40
157	Dietary isoflavone intake and breast cancer risk in case-control studies in Japanese, Japanese Brazilians, and non-Japanese Brazilians. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 401-411.	1.1	39
158	Alcohol drinking and primary liver cancer: A pooled analysis of four Japanese cohort studies. <i>International Journal of Cancer</i> , 2012, 130, 2645-2653.	2.3	39
159	Fish, n-3 PUFA consumption, and pancreatic cancer risk in Japanese: a large, population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1490-1497.	2.2	39
160	High hemoglobin A1c levels within the non-diabetic range are associated with the risk of all cancers. <i>International Journal of Cancer</i> , 2016, 138, 1741-1753.	2.3	39
161	Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018, 28, 140-148.	1.1	39
162	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024.	1.7	39

#	ARTICLE	IF	CITATIONS
163	Seaweed intake and risk of cardiovascular disease: the Japan Public Health Center-based Prospective (JPHC) Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1449-1455.	2.2	39
164	Body mass, tobacco smoking, alcohol drinking and risk of cancer of the small intestine—a pooled analysis of over 500,000 subjects in the Asia Cohort Consortium. <i>Annals of Oncology</i> , 2012, 23, 1894-1898.	0.6	38
165	Combined impact of five lifestyle factors and subsequent risk of cancer: The Japan Public Health Center Study. <i>Preventive Medicine</i> , 2012, 54, 112-116.	1.6	38
166	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1027-1035.	2.2	38
167	Validity and applicability of a simple questionnaire for the estimation of total and domain-specific physical activity. <i>Diabetology International</i> , 2011, 2, 47-54.	0.7	37
168	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021, 60, 1327-1336.	1.8	37
169	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640.	0.9	37
170	Generalizability of Relative Risk Estimates from a Well-defined Population to a General Population. <i>European Journal of Epidemiology</i> , 2006, 21, 253-262.	2.5	36
171	Isoflavone intake and risk of gastric cancer: a population-based prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 147-154.	2.2	36
172	Intermittent administration of teriparatide enhances graft bone healing and accelerates spinal fusion in rats with glucocorticoid-induced osteoporosis. <i>Spine Journal</i> , 2015, 15, 298-306.	0.6	36
173	Alcohol Consumption, Social Support, and Risk of Stroke and Coronary Heart Disease Among Japanese Men: The JPHC Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1025-1032.	1.4	35
174	Fragment c gamma receptor gene polymorphisms and breast cancer risk in case-control studies in Japanese, Japanese Brazilians, and non-Japanese Brazilians. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 497-505.	1.1	35
175	Dietary magnesium intake and risk of incident coronary heart disease in men: A prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1602-1608.	2.3	35
176	Validating the dietary inflammatory index using inflammatory biomarkers in a Japanese population: A cross-sectional study of the JPHC-FFQ validation study. <i>Nutrition</i> , 2020, 69, 110569.	1.1	35
177	Isoflavone, polymorphisms in estrogen receptor genes and breast cancer risk in case-control studies in Japanese, Japanese Brazilians and non-Japanese Brazilians. <i>Cancer Science</i> , 2009, 100, 927-933.	1.7	34
178	Clinical Significance of IgG Antibody Titer against <i>Helicobacter pylori</i> . <i>Helicobacter</i> , 2009, 14, 231-236.	1.6	34
179	Dietary pattern and breast cancer risk in Japanese women: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>British Journal of Nutrition</i> , 2016, 115, 1769-1779.	1.2	34
180	Cruciferous Vegetable Intake Is Inversely Associated with Lung Cancer Risk among Current Nonsmoking Men in the Japan Public Health Center (JPHC) Study. <i>Journal of Nutrition</i> , 2017, 147, 841-849.	1.3	34

#	ARTICLE	IF	CITATIONS
181	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.	1.6	34
182	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.	5.8	34
183	Hepatitis B and C virus infection and risk of lymphoid malignancies: A population-based cohort study (JPHC Study). <i>Cancer Epidemiology</i> , 2015, 39, 562-566.	0.8	33
184	Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC) Tj ETQq0 0 0 rgBT /Overlock 10	1.1	32
185	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779.	0.9	32
186	Plasma testosterone and sex hormone-binding globulin concentrations and the risk of prostate cancer among Japanese men: A nested case-control study. <i>Cancer Science</i> , 2010, 101, 2652-2657.	1.7	31
187	Association between green tea/coffee consumption and biliary tract cancer: A population-based cohort study in Japan. <i>Cancer Science</i> , 2016, 107, 76-83.	1.7	31
188	Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 273-283.	0.6	31
189	Changes in the Employment Status and Risk of Stroke and Stroke Types. <i>Stroke</i> , 2017, 48, 1176-1182.	1.0	31
190	Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019, 34, 917-926.	2.5	31
191	Green Tea Consumption and Breast Cancer Risk in Japanese Women: A Case-Control Study. <i>Nutrition and Cancer</i> , 2014, 66, 57-67.	0.9	30
192	Validity of a Self-Administered Food-Frequency Questionnaire for Assessing Amino Acid Intake in Japan: Comparison With Intake From 4-Day Weighed Dietary Records and Plasma Levels. <i>Journal of Epidemiology</i> , 2016, 26, 36-44.	1.1	30
193	Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 715-721.	0.2	30
194	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018, 28, 245-252.	1.1	30
195	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.	1.1	30
196	Non-High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes and Coronary Heart Disease: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 363-374.	0.9	30
197	Plasma organochlorine levels and subsequent risk of breast cancer among Japanese women: A nested case-control study. <i>Science of the Total Environment</i> , 2008, 402, 176-183.	3.9	29
198	Education in relation to incidence of and mortality from cancer and cardiovascular disease in Japan. <i>European Journal of Public Health</i> , 2008, 18, 466-472.	0.1	29

#	ARTICLE	IF	CITATIONS
199	Association of dietary diversity with total mortality and major causes of mortality in the Japanese population: JPHC study. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 54-66.	1.3	29
200	Impact of tobacco smoking on subsequent cancer risk among middle-aged Japanese men and women: data from a large-scale population-based cohort study in Japan—the JPHC study. <i>Preventive Medicine</i> , 2004, 38, 516-522.	1.6	28
201	Secular trends in cancer mortality among Japanese immigrants in the state of São Paulo, Brazil, 1979–2001. <i>European Journal of Cancer Prevention</i> , 2008, 17, 1-8.	0.6	28
202	Lifestyle, weight perception and change in body mass index of Japanese workers: MY Health Up Study. <i>Public Health</i> , 2010, 124, 530-537.	1.4	28
203	Diabetes Mellitus and Liver Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 986-999.	0.6	28
204	Death by Suicide and Other Externally Caused Injuries After Stroke in Japan (1990–2010). <i>Psychosomatic Medicine</i> , 2014, 76, 452-459.	1.3	28
205	Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015, 5, e007736-e007736.	0.8	28
206	Cigarette smoking and the risk of head and neck cancer in the Japanese population: a systematic review and meta-analysis. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 580-595.	0.6	28
207	Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018, 142, 2441-2460.	2.3	28
208	Dietary Acrylamide Intake and Risk of Esophageal, Gastric, and Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1461-1468.	1.1	28
209	Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021, 40, 2016-2024.	2.3	28
210	The Impact of C-Reactive Protein on Risk of Stroke, Stroke Subtypes, and Ischemic Heart Disease in Middle-Aged Japanese: the Japan Public Health Center-Based Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, .	0.9	27
211	Dietary intake of antioxidant vitamins and risk of stroke: the Japan Public Health Center-based Prospective Study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1179-1185.	1.3	27
212	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	1.1	27
213	The Japanese LupusPRO: A cross-cultural validation of an outcome measure for lupus. <i>Lupus</i> , 2017, 26, 849-856.	0.8	26
214	Dietary acrylamide intake and the risk of endometrial or ovarian cancers in Japanese women. <i>Cancer Science</i> , 2018, 109, 3316-3325.	1.7	26
215	Subluxation of the patella. Computed tomography analysis of patellofemoral congruence. <i>Journal of Bone and Joint Surgery - Series A</i> , 1988, 70, 1331-7.	1.4	26
216	Association of Alcohol Intake with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in Japanese: A Population-Based Cohort Study (Japan Public Health Center-based Prospective Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 429-434.	1.1	25

#	ARTICLE	IF	CITATIONS
217	Dietary Heterocyclic Amine Intake, <i>NAT2</i> Genetic Polymorphism, and Colorectal Adenoma Risk: The Colorectal Adenoma Study in Tokyo. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 613-620.	1.1	25
218	Evidence-based cancer prevention recommendations for Japanese. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 576-586.	0.6	25
219	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.	1.7	25
220	Association of body mass index and height with risk of prostate cancer among middle-aged Japanese men. <i>British Journal of Cancer</i> , 2006, 94, 740-742.	2.9	24
221	Fiber intake and risk of subsequent prostate cancer in Japanese men. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 118-125.	2.2	24
222	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019, 145, 1238-1244.	2.3	24
223	Cancer Mortality Among Japanese Immigrants and their Descendants in the State of Sao Paulo, Brazil, 1999-2001. <i>Japanese Journal of Clinical Oncology</i> , 2004, 34, 673-680.	0.6	23
224	Association of body mass index and risk of death from pancreas cancer in Asians. <i>European Journal of Cancer Prevention</i> , 2013, 22, 244-250.	0.6	23
225	Association between <i>Chlamydia pneumoniae</i> infection and risk of coronary heart disease for Japanese: The JPHC study. <i>Atherosclerosis</i> , 2014, 233, 338-342.	0.4	23
226	Vegetable consumption and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 973-979.	0.6	23
227	Predictors of poor sleep quality in patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2017, 36, 1053-1062.	1.0	23
228	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018, 143, 307-316.	2.3	23
229	Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Cancer Causes and Control</i> , 2018, 29, 589-600.	0.8	23
230	Dietary Inflammatory Index Is Associated With Inflammation in Japanese Men. <i>Frontiers in Nutrition</i> , 2021, 8, 604296.	1.6	23
231	Food/nutrient intake and risk of atrophic gastritis among the <i>Helicobacter pylori</i> -infected population of northeastern Japan. <i>Cancer Science</i> , 2003, 94, 372-377.	1.7	22
232	Green tea and coffee consumption and its association with thyroid cancer risk: a population-based cohort study in Japan. <i>Cancer Causes and Control</i> , 2011, 22, 985-993.	0.8	22
233	Socioeconomic Status Inconsistency and Risk of Stroke Among Japanese Middle-Aged Women. <i>Stroke</i> , 2014, 45, 2592-2598.	1.0	22
234	Coffee intake and the risk of colorectal adenoma: The colorectal adenoma study in Tokyo. <i>International Journal of Cancer</i> , 2015, 137, 463-470.	2.3	22

#	ARTICLE	IF	CITATIONS
235	Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 781-787.	0.6	22
236	Coffee and green tea consumption in relation to brain tumor risk in a Japanese population. <i>International Journal of Cancer</i> , 2016, 139, 2714-2721.	2.3	22
237	Circulating sclerostin and dickkopf-1 levels in ossification of the posterior longitudinal ligament of the spine. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 315-324.	1.3	22
238	Plasma tea catechins and risk of cardiovascular disease in middle-aged Japanese subjects: The JPHC study. <i>Atherosclerosis</i> , 2018, 277, 90-97.	0.4	22
239	DNA Adductome Analysis Identifies <i>N</i> -Nitrosopiperidine Involved in the Etiology of Esophageal Cancer in Cixian, China. <i>Chemical Research in Toxicology</i> , 2019, 32, 1515-1527.	1.7	22
240	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425.	1.3	22
241	Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 519-528.	1.7	22
242	IGKC and Fcγ3R genotypes and humoral immunity to HER2 in breast cancer. <i>Immunobiology</i> , 2014, 219, 113-117.	0.8	21
243	Adjustment of Cell-Type Composition Minimizes Systematic Bias in Blood DNA Methylation Profiles Derived by DNA Collection Protocols. <i>PLoS ONE</i> , 2016, 11, e0147519.	1.1	21
244	Vitamin D Receptor Gene Polymorphism and the Risk of Colorectal Cancer: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0164648.	1.1	21
245	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017, 10, 535-541.	0.7	21
246	The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2017, 140, 1009-1019.	2.3	21
247	<i>Helicobacter pylori</i> infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. <i>Scientific Reports</i> , 2019, 9, 6099.	1.6	21
248	Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , 2021, 148, 654-664.	2.3	21
249	Characterization of mRNA Expression of <i>IL-6</i> and <i>NF-κB</i> Subfamilies in Primary Adult T-cell Leukemia Cells. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 53-59.	1.7	20
250	Alcohol and risk of lung cancer among Japanese men: data from a large-scale population-based cohort study, the JPHC study. <i>Cancer Causes and Control</i> , 2008, 19, 1095-1102.	0.8	20
251	Association of Anthropometric Characteristics with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in a Japanese Population: A Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1623-1631.	1.1	20
252	Breastfeeding and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 124-130.	0.6	20

#	ARTICLE	IF	CITATIONS
253	Coping behaviors and suicide in the middle-aged and older Japanese general population: the Japan Public Health Center-based Prospective Study. <i>Annals of Epidemiology</i> , 2014, 24, 199-205.	0.9	20
254	<i>CYP1A1</i> , <i>GSTM1</i> and <i>GSTT1</i> genetic polymorphisms and gastric cancer risk among Japanese: A nested case-control study within a large-scale population-based prospective study. <i>International Journal of Cancer</i> , 2016, 139, 759-768.	2.3	20
255	Marital Transition and Risk of Stroke. <i>Stroke</i> , 2016, 47, 991-998.	1.0	20
256	Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in Japan. <i>Cancer Epidemiology</i> , 2017, 51, 98-108.	0.8	20
257	Association between NAT2, CYP1A1, and CYP1A2 genotypes, heterocyclic aromatic amines, and prostate cancer risk: a case control study in Japan. <i>Environmental Health and Preventive Medicine</i> , 2017, 22, 72.	1.4	20
258	Dietary patterns and colorectal cancer risk in middle-aged adults: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1019-1026.	2.3	20
259	Validity of a Self-administered Food Frequency Questionnaire for the Estimation of Acrylamide Intake in the Japanese Population: The JPHC FFQ Validation Study. <i>Journal of Epidemiology</i> , 2018, 28, 482-487.	1.1	20
260	Reproductive history and risk of cognitive impairment in Japanese women. <i>Maturitas</i> , 2019, 128, 22-28.	1.0	20
261	Isolation and characterization of a human cDNA clone (<i>GCN5L1</i>) homologous to <i>GCN5</i> , a yeast transcription activator. <i>Cytogenetic and Genome Research</i> , 1996, 73, 134-136.	0.6	19
262	Dietary Isoflavone Intake, Polymorphisms in the <i>CYP17</i> , <i>CYP19</i> , <i>17β-HSD1</i> , and <i>SHBG</i> Genes, and Risk of Breast Cancer in Case-Control Studies in Japanese, Japanese Brazilians, and Non-Japanese Brazilians. <i>Nutrition and Cancer</i> , 2010, 62, 466-475.	0.9	19
263	Differences in suicide risk according to living arrangements in Japanese men and women - The Japan Public Health Center-based (JPHC) prospective study. <i>Journal of Affective Disorders</i> , 2011, 131, 113-119.	2.0	19
264	Neighborhood Deprivation and Risk of Cancer Incidence, Mortality and Survival: Results from a Population-Based Cohort Study in Japan. <i>PLoS ONE</i> , 2014, 9, e106729.	1.1	19
265	The association of active and secondhand smoking with oral health in adults: Japan public health center-based study. <i>Tobacco Induced Diseases</i> , 2015, 13, 19.	0.3	19
266	High serum total cholesterol is associated with suicide mortality in Japanese women. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 259-268.	2.2	19
267	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1370-1378.	1.1	19
268	Prediagnostic circulating inflammation biomarkers and esophageal squamous cell carcinoma: A case-control cohort study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 686-691.	2.3	19
269	High-Negative Anti- <i>Helicobacter pylori</i> IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 420-426.	1.1	19
270	Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 954-968.	1.3	19

#	ARTICLE	IF	CITATIONS
271	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179.	0.6	19
272	Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. <i>Cancer Epidemiology</i> , 2016, 40, 126-133.	0.8	18
273	Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017, 28, 569-578.	0.8	18
274	Plasma levels of n-3 fatty acids and risk of coronary heart disease among Japanese: The Japan Public Health Center-based (JPHC) study. <i>Atherosclerosis</i> , 2018, 272, 226-232.	0.4	18
275	Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. <i>Journal of Epidemiology</i> , 2019, 29, 180-186.	1.1	18
276	Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 972-984.	0.6	18
277	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.	2.3	18
278	Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020, 20, 101169.	0.8	18
279	Plasma Isoflavones and Risk of Primary Liver Cancer in Japanese Women and Men with Hepatitis Virus Infection: A Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 532-537.	1.1	17
280	The Japanese Breast Cancer Society clinical practice guidelines for epidemiology and prevention of breast cancer, 2015 edition. <i>Breast Cancer</i> , 2016, 23, 343-356.	1.3	17
281	Receiver operating characteristic analysis of prediction for gastric cancer development using serum pepsinogen and Helicobacter pylori antibody tests. <i>BMC Cancer</i> , 2017, 17, 183.	1.1	17
282	Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019, 63, 101622.	0.8	17
283	Low-carbohydrate diet and risk of cancer incidence: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2022, 113, 744-755.	1.7	17
284	Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314.	2.4	17
285	C3 ⁶ Laminoplasty for Cervical Spondylotic Myelopathy Maintains Satisfactory Long-Term Surgical Outcomes. <i>Global Spine Journal</i> , 2014, 4, 169-173.	1.2	16
286	Trends in the proportions of stroke subtypes and coronary heart disease in the Japanese men and women from 1995 to 2009. <i>Atherosclerosis</i> , 2016, 248, 219-223.	0.4	16
287	Burden of cancer associated with type 2 diabetes mellitus in Japan, 2010-2030. <i>Cancer Science</i> , 2016, 107, 521-527.	1.7	16
288	Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 254-264.	1.1	16

#	ARTICLE	IF	CITATIONS
289	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.	0.9	16
290	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	0.6	16
291	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). <i>Preventive Medicine</i> , 2019, 123, 270-277.	1.6	16
292	Coffee Drinking and Reduced Risk of Liver Cancer: Update on Epidemiological Findings and Potential Mechanisms. <i>Current Nutrition Reports</i> , 2019, 8, 182-186.	2.1	16
293	Association of BMI and height with the risk of endometrial cancer, overall and by histological subtype: a population-based prospective cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2019, 28, 196-202.	0.6	16
294	Monoclonal nature of transient abnormal myelopoiesis in Down's syndrome. <i>Blood</i> , 1991, 77, 1161-1163.	0.6	16
295	Association Between Physical Activity and Risk of Disabling Dementia in Japan. <i>JAMA Network Open</i> , 2022, 5, e224590.	2.8	16
296	Validity of self-reported cancer among a Japanese population: Recent results from a population-based prospective study in Japan (JPHC Study). <i>Cancer Epidemiology</i> , 2011, 35, 250-253.	0.8	15
297	Neighborhood contextual factors for smoking among middle-aged Japanese: A multilevel analysis. <i>Health and Place</i> , 2015, 31, 17-23.	1.5	15
298	Development of a risk prediction model for lung cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 854-862.	1.7	15
299	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.	1.1	15
300	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020, 112, 1223-1232.	1.3	15
301	Dietary Acrylamide Intake and the Risk of Pancreatic Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 3584.	1.7	15
302	Serum perfluoroalkyl substances and breast cancer risk in Japanese women: A case-control study. <i>Science of the Total Environment</i> , 2021, 800, 149316.	3.9	15
303	Burden of cancer attributable to modifiable factors in Japan in 2015. <i>Global Health & Medicine</i> , 2022, 4, 26-36.	0.6	15
304	The association between complete and partial non-response to psychosocial questions and suicide: the JPHC Study. <i>European Journal of Public Health</i> , 2015, 25, 424-430.	0.1	14
305	Alcohol consumption, genetic variants in the alcohol- and folate metabolic pathways and colorectal cancer risk: the JPHC Study. <i>Scientific Reports</i> , 2016, 6, 36607.	1.6	14
306	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722.	2.9	14

#	ARTICLE	IF	CITATIONS
307	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017, 141, 2480-2488.	2.3	14
308	Plasma 25-hydroxy vitamin D and subsequent prostate cancer risk in a nested Case-Control study in Japan: The JPHC study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 132-136.	1.3	14
309	Predictive performance of a genetic risk score using 11 susceptibility alleles for the incidence of Type 2 diabetes in a general Japanese population: a nested case-control study. <i>Diabetic Medicine</i> , 2018, 35, 602-611.	1.2	14
310	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018, 142, 1130-1138.	2.3	14
311	Regional genetic differences among Japanese populations and performance of genotype imputation using whole-genome reference panel of the Tohoku Medical Megabank Project. <i>BMC Genomics</i> , 2018, 19, 551.	1.2	14
312	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019, 48, 203-211.	2.7	14
313	Development of scoliosis in young children with osteogenesis imperfecta undergoing intravenous bisphosphonate therapy. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 545-553.	1.3	14
314	Association between serum liver enzymes and all-cause mortality: The Japan Public Health Center-based Prospective Study. <i>Liver International</i> , 2019, 39, 1566-1576.	1.9	14
315	Epidemiology of nonmelanoma skin cancer in Japan: Occupational type, lifestyle, and family history of cancer. <i>Cancer Science</i> , 2020, 111, 4257-4265.	1.7	14
316	Variations in the estimated intake of acrylamide from food in the Japanese population. <i>Nutrition Journal</i> , 2020, 19, 17.	1.5	14
317	Identification of a novel uterine leiomyoma GWAS locus in a Japanese population. <i>Scientific Reports</i> , 2020, 10, 1197.	1.6	14
318	Effects of <i>Helicobacter pylori</i> eradication on gastric cancer incidence in the Japanese population: a systematic evidence review. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1158-1170.	0.6	14
319	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.	2.2	14
320	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.	1.3	14
321	Alcohol Drinking and Total Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2007, 37, 692-700.	0.6	13
322	Validity of a self-administered food frequency questionnaire in the estimation of heterocyclic aromatic amines. <i>Cancer Causes and Control</i> , 2014, 25, 1015-1028.	0.8	13
323	Risk of lung cancer and consumption of vegetables and fruit in Japanese: A pooled analysis of cohort studies in Japan. <i>Cancer Science</i> , 2015, 106, 1057-1065.	1.7	13
324	Smoking and alcohol and subsequent risk of myelodysplastic syndromes in Japan: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Haematology</i> , 2017, 178, 747-755.	1.2	13

#	ARTICLE	IF	CITATIONS
325	Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. <i>Cancer Medicine</i> , 2018, 7, 2200-2210.	1.3	13
326	Dietary Acrylamide Intake and the Risk of Liver Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2503.	1.7	13
327	Urinary neonicotinoids level among pregnant women in Japan. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 236, 113797.	2.1	13
328	Association of <i>Escherichia coli</i> containing polyketide synthase in the gut microbiota with colorectal neoplasia in Japan. <i>Cancer Science</i> , 2022, 113, 277-286.	1.7	13
329	A multicenter study of a new inotropic agent, piperanometozine (opc-8212) in congestive heart failure: Clinical improvement during short-term treatment. <i>Cardiovascular Drugs and Therapy</i> , 1987, 1, 169-175.	1.3	12
330	Glycemic index and glycemic load and risk of colorectal cancer: a population-based cohort study (JPHC Study). <i>Cancer Causes and Control</i> , 2016, 27, 583-593.	0.8	12
331	Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2017, 27, 305-310.	1.1	12
332	Online version of the self-administered food frequency questionnaire for the Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT) protocol: Relative validity, usability, and comparison with a printed questionnaire. <i>Journal of Epidemiology</i> , 2017, 27, 435-446.	1.1	12
333	Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. <i>Nutrients</i> , 2019, 11, 554.	1.7	12
334	Neurodevelopmental outcome and respiratory management of congenital central hypoventilation syndrome: a retrospective study. <i>BMC Pediatrics</i> , 2020, 20, 342.	0.7	12
335	Dietary Acrylamide Intake and Risk of Lung Cancer: The Japan Public Health Center Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2417.	1.7	12
336	Dietary Intake of Branched-Chain Amino Acids and Risk of Colorectal Cancer. <i>Cancer Prevention Research</i> , 2020, 13, 65-72.	0.7	12
337	Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight population-based cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2736-2747.	2.3	12
338	Dietary Acrylamide Intake and the Risk of Hematological Malignancies: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 590.	1.7	12
339	Soy product intake and risk of incident disabling dementia: the JPHC Disabling Dementia Study. <i>European Journal of Nutrition</i> , 2022, 61, 4045-4057.	1.8	12
340	Impact of Lifestyle on Overall Cancer Risk among Japanese: The Japan Public Health Center-Based Prospective Study (JPHC Study). <i>Journal of Epidemiology</i> , 2010, 20, 90-96.	1.1	11
341	Effect of monitoring salt concentration of home-prepared dishes and using low-sodium seasonings on sodium intake reduction. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1413-1420.	1.3	11
342	Association between plasma concentrations of branched-chain amino acids and adipokines in Japanese adults without diabetes. <i>Scientific Reports</i> , 2018, 8, 1043.	1.6	11

#	ARTICLE	IF	CITATIONS
343	Correlation between global methylation level of peripheral blood leukocytes and serum C reactive protein level modified by MTHFR polymorphism: a cross-sectional study. <i>BMC Cancer</i> , 2018, 18, 184.	1.1	11
344	Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 361-369.	0.6	11
345	Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. <i>Journal of Epidemiology</i> , 2019, 29, 11-17.	1.1	11
346	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867.	1.1	11
347	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019, 9, e026225.	0.8	11
348	Fruit and vegetable intake and pancreatic cancer risk in a population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 1858-1866.	2.3	11
349	Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. <i>Journal of Epidemiology</i> , 2020, 30, 37-45.	1.1	11
350	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403.	1.1	11
351	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984.	1.7	11
352	Fat mass and obesity-associated gene polymorphisms, pre-diagnostic plasma adipokine levels and the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. <i>PLoS ONE</i> , 2020, 15, e0229005.	1.1	11
353	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021, 60, 217-227.	1.8	11
354	Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. <i>International Journal of Epidemiology</i> , 2022, 50, 2070-2081.	0.9	11
355	Toward a third term of Health Japan 21 – implications from the rise in non-communicable disease burden and highly preventable risk factors. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 21, 100377.	1.3	11
356	A nationally representative cross-sectional survey on health information access for consumers in Japan: A protocol for the INFORM Study. <i>World Medical and Health Policy</i> , 2022, 14, 225-275.	0.9	11
357	Impact of five modifiable lifestyle habits on the probability of cancer occurrence in a Japanese population-based cohort: Results from the JPHC study. <i>Preventive Medicine</i> , 2013, 57, 685-689.	1.6	10
358	Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018, 36, 262-268.	0.8	10
359	Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2018, 28, 207-213.	1.1	10
360	Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. <i>Clinical Nutrition</i> , 2019, 38, 1678-1683.	2.3	10

#	ARTICLE	IF	CITATIONS
361	Passive smoking and type 2 diabetes among never-smoking women: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1352-1358.	1.1	10
362	Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. <i>European Journal of Nutrition</i> , 2021, 60, 1389-1401.	1.8	10
363	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	2.3	10
364	Dietary Acrylamide Intake and the Risks of Renal Cell, Prostate, and Bladder Cancers: A Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 780.	1.7	10
365	Reproductive Factors and Lung Cancer Risk among Never-Smoking Japanese Women with 21 Years of Follow-Up: A Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1185-1192.	1.1	10
366	Association between meat and saturated fatty acid intake and lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2020, 147, 3019-3028.	2.3	10
367	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0244007.	1.1	10
368	Long-term exposure to fine particle matter and all-cause mortality and cause-specific mortality in Japan: the JPHC Study. <i>BMC Public Health</i> , 2022, 22, 466.	1.2	10
369	Sleep duration and risk of cancer incidence and mortality: A pooled analysis of six population-based cohorts in Japan. <i>International Journal of Cancer</i> , 2022, 151, 1068-1080.	2.3	10
370	Rice, bread, noodle and cereal intake and colorectal cancer in Japanese men and women: the Japan Public Health Center-based prospective Study (JPHC Study). <i>British Journal of Cancer</i> , 2014, 110, 1316-1321.	2.9	9
371	Lung Transplantation for Lymphangioliomyomatosis in a Single Japanese Institute, With a Focus on Late-onset Complications. <i>Transplantation Proceedings</i> , 2015, 47, 1977-1982.	0.3	9
372	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018, 109, 1672-1681.	1.7	9
373	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , 2019, 110, 3603-3614.	1.7	9
374	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e707.	0.6	9
375	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019, 9, 17332.	1.6	9
376	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.	1.1	9
377	Working cancer survivors' physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	1.5	9
378	Long-term antihypertensive drug use and risk of cancer: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2021, 112, 1997-2005.	1.7	9

#	ARTICLE	IF	CITATIONS
379	Association between C-reactive protein and risk of overall and 18 site-specific cancers in a Japanese case-cohort. <i>British Journal of Cancer</i> , 2022, 126, 1481-1489.	2.9	9
380	Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2022, 5, e2214181.	2.8	9
381	Projecting the probability of survival free from cancer and cardiovascular incidence through lifestyle modification in Japan. <i>Preventive Medicine</i> , 2009, 48, 128-133.	1.6	8
382	Synthesis of clinical prediction models under different sets of covariates with one individual patient data. <i>BMC Medical Research Methodology</i> , 2015, 15, 101.	1.4	8
383	Trends in cancer prognosis in a population-based cohort survey: Can recent advances in cancer therapy affect the prognosis?. <i>Cancer Epidemiology</i> , 2015, 39, 97-103.	0.8	8
384	Humoral Immunity to Cytomegalovirus Glycoprotein B in Patients With Breast Cancer and Matched Controls: Contribution of Immunoglobulin $\text{I}\beta$, $\text{I}\epsilon$, and $\text{FcI}\beta$ Receptor Genes. <i>Journal of Infectious Diseases</i> , 2016, 213, 611-617.	1.9	8
385	Association of plasma C-reactive protein level with the prevalence of colorectal adenoma: the Colorectal Adenoma Study in Tokyo. <i>Scientific Reports</i> , 2017, 7, 4456.	1.6	8
386	Genome-wide association study (GWAS) of ovarian cancer in Japanese predicted regulatory variants in 22q13.1. <i>PLoS ONE</i> , 2018, 13, e0209096.	1.1	8
387	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. <i>Journal of Nutrition</i> , 2019, 149, 1967-1976.	1.3	8
388	Relationship between dietary non-enzymatic antioxidant capacity and type 2 diabetes risk in the Japan Public Health Center-based Prospective Study. <i>Nutrition</i> , 2019, 66, 62-69.	1.1	8
389	Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. <i>European Journal of Nutrition</i> , 2020, 59, 2075-2087.	1.8	8
390	Doneness preferences, meat and meat-derived heterocyclic amines intake, and N-acetyltransferase 2 polymorphisms: association with colorectal adenoma in Japanese Brazilians. <i>European Journal of Cancer Prevention</i> , 2020, 29, 7-14.	0.6	8
391	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020, 111, 3835-3844.	1.7	8
392	Dietary fiber intake and risk of gastric cancer: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2021, 148, 2664-2673.	2.3	8
393	Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Center-based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021, 47, 449-455.	0.8	8
394	Public Health Interventions for Gastric Cancer Control. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2021, 31, 441-449.	0.6	8
395	Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021, 21, 982.	1.1	8
396	Comparison of the Japanese Orthopaedic Association Score and the Japanese Orthopaedic Association Cervical Myelopathy Evaluation Questionnaire Scores: Time-Dependent Changes in Patients with Cervical Spondylotic Myelopathy and Posterior Longitudinal Ligament. <i>Asian Spine Journal</i> , 2015, 9, 47.	0.8	8

#	ARTICLE	IF	CITATIONS
397	Sugary drink consumption and risk of kidney and bladder cancer in Japanese adults. <i>Scientific Reports</i> , 2021, 11, 21701.	1.6	8
398	Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203.	0.9	8
399	Three cases of lupus nephritis patients with serum interleukin-32 ³ detection. <i>Lupus</i> , 2014, 23, 1187-1191.	0.8	7
400	Smoking is a risk factor for development of adult T-cell leukemia/lymphoma in Japanese human T-cell leukemia virus type-1 carriers. <i>Cancer Causes and Control</i> , 2016, 27, 1059-1066.	0.8	7
401	Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. <i>Journal of Epidemiology</i> , 2017, 27, 331-337.	1.1	7
402	Meta-regression Analysis of Sex- and Birth Year-Specific Prevalence of HBsAg and Anti-HCV Among Un-diagnosed Japanese: Data From the First-time Blood Donors, Periodical Health Checkup, and the Comprehensive Health Checkup With Lifestyle Education (Ningen Dock). <i>Journal of Epidemiology</i> , 2020, 30, 420-425.	1.1	7
403	Association between dietary sugar intake and colorectal adenoma among cancer screening examinees in Japan. <i>Cancer Science</i> , 2020, 111, 3862-3872.	1.7	7
404	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.	1.8	7
405	Sugary Drink Consumption and Subsequent Colorectal Cancer Risk: The Japan Public Health Center-Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 782-788.	1.1	7
406	Alcohol consumption, tobacco smoking, and subsequent risk of renal cell carcinoma: The JPHC study. <i>Cancer Science</i> , 2021, 112, 5068-5077.	1.7	7
407	Comparison of postmenopausal endogenous sex hormones among Japanese, Japanese Brazilians, and non-Japanese Brazilians. <i>BMC Medicine</i> , 2011, 9, 16.	2.3	6
408	Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Cancer</i> , 2019, 120, 571-574.	2.9	6
409	Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 420-427.	0.6	6
410	Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 331-337.	2.3	6
411	Soy and isoflavone consumption and subsequent risk of prostate cancer mortality: the Japan Public Health Center-based Prospective Study. <i>International Journal of Epidemiology</i> , 2020, 49, 1553-1561.	0.9	6
412	Metabolic Syndrome, Physical Activity, and Inflammation: A Cross-Sectional Analysis of 110 Circulating Biomarkers in Japanese Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1639-1646.	1.1	6
413	Intake of Vegetables and Fruits and the Risk of Cataract Incidence in a Japanese Population: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 21-29.	1.1	6
414	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.	1.1	6

#	ARTICLE	IF	CITATIONS
415	OUP accepted manuscript. International Journal of Epidemiology, 2021, , .	0.9	6
416	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. American Journal of Human Genetics, 2021, 108, 1190-1203.	2.6	6
417	Dietary heterocyclic aromatic amine intake and cancer risk: epidemiological evidence from Japanese studies. Genes and Environment, 2021, 43, 33.	0.9	6
418	Prediagnostic circulating inflammation-related biomarkers and gastric cancer: A case-cohort study in Japan. Cytokine, 2021, 144, 155558.	1.4	6
419	Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. Asia Pacific Journal of Clinical Nutrition, 2019, 28, 362-370.	0.3	6
420	Meat consumption and gastric cancer risk: The Japan Public Health Center-based Prospective Study. American Journal of Clinical Nutrition, 2021, , .	2.2	6
421	Burden of cancer attributable to tobacco smoke in Japan in 2015. GHM Open, 2021, 1, 43-50.	0.1	6
422	Inverse Association between Fruit and Vegetable Intake and All-Cause Mortality: Japan Public Health Center-Based Prospective Study. Journal of Nutrition, 2022, 152, 2245-2254.	1.3	6
423	Prediagnostic plasma polyphenol concentrations and colon cancer risk: The JPHC nested caseâ€“control study. Clinical Nutrition, 2022, 41, 1950-1960.	2.3	6
424	History of Having a Macrosomic Infant and the Risk of Diabetes: The Japan Public Health Center-Based Prospective Diabetes Study. PLoS ONE, 2013, 8, e84542.	1.1	5
425	Fruit and vegetable intake and the risk of overall cancer in Japanese: A pooled analysis of population-based cohort studies. Journal of Epidemiology, 2017, 27, 152-162.	1.1	5
426	Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1352-1356.	1.1	5
427	High serum total cholesterol is associated with suicide mortality in Japanese women independently of menopause. Acta Psychiatrica Scandinavica, 2018, 137, 80-81.	2.2	5
428	Two truncating variants in FANCC and breast cancer risk. Scientific Reports, 2019, 9, 12524.	1.6	5
429	Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Centerâ€“based Prospective Study. Cancer Science, 2019, 110, 1442-1452.	1.7	5
430	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective caseâ€“cohort study in Japan. International Journal of Cancer, 2019, 144, 718-729.	2.3	5
431	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. Journal of Nutrition, 2020, 150, 2442-2450.	1.3	5
432	Estimation of the performance of a risk prediction model for gastric cancer occurrence in Japan: Evidence from a small external population. Cancer Epidemiology, 2020, 67, 101766.	0.8	5

#	ARTICLE	IF	CITATIONS
433	Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2021, 112, 3682-3690.	1.7	5
434	Association of sugary drink consumption with all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>Preventive Medicine</i> , 2021, 148, 106561.	1.6	5
435	Reliability of self-reported questionnaire for epidemiological investigation of <i>Helicobacter pylori</i> eradication in a population-based cohort study. <i>Scientific Reports</i> , 2021, 11, 15605.	1.6	5
436	Association between sugar and starch intakes and type 2 diabetes risk in middle-aged adults in a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 746-755.	1.3	5
437	Peanut Consumption and Risk of Stroke and Ischemic Heart Disease in Japanese Men and Women: The JPHC Study. <i>Stroke</i> , 2021, 52, 3543-3550.	1.0	5
438	Burden of cancer attributable to consumption of alcohol in Japan in 2015. <i>GHM Open</i> , 2021, 1, 51-55.	0.1	5
439	Hobby Engagement and Risk of Disabling Dementia. <i>Journal of Epidemiology</i> , 2023, 33, 456-463.	1.1	5
440	Association between Alcohol Consumption and Colorectal Cancer Risk. <i>Current Nutrition Reports</i> , 2013, 2, 71-73.	2.1	4
441	Comparison of plasma levels of nutrient-related biomarkers among Japanese populations in Tokyo, Japan, São Paulo, Brazil, and Hawaii, USA. <i>European Journal of Cancer Prevention</i> , 2015, 24, 155-161.	0.6	4
442	The Validity and Reproducibility of Dietary Non-enzymatic Antioxidant Capacity Estimated by Self-administered Food Frequency Questionnaires. <i>Journal of Epidemiology</i> , 2018, 28, 428-436.	1.1	4
443	IGHG, IGKC, and FCGR genes and endogenous antibody responses to GARP in patients with breast cancer and matched controls. <i>Human Immunology</i> , 2018, 79, 632-637.	1.2	4
444	Exploring predictive biomarkers from clinical genome-wide association studies via multidimensional hierarchical mixture models. <i>European Journal of Human Genetics</i> , 2019, 27, 140-149.	1.4	4
445	Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 95-102.	1.1	4
446	Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1214-1221.	1.1	4
447	Validation Study of Diabetes Definitions Using Japanese Diagnosis Procedure Combination Data Among Hospitalized Patients. <i>Journal of Epidemiology</i> , 2023, 33, 165-169.	1.1	4
448	Risk Stratification Score Improves Sensitivity for Advanced Colorectal Neoplasia in Colorectal Cancer Screening: The Oshima Study Workgroup. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00319.	1.3	4
449	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1708-1716.	1.1	4
450	A Personal Breast Cancer Risk Stratification Model Using Common Variants and Environmental Risk Factors in Japanese Females. <i>Cancers</i> , 2021, 13, 3796.	1.7	4

#	ARTICLE	IF	CITATIONS
451	Burden of cancer attributable to infection in Japan in 2015. <i>GHM Open</i> , 2021, 1, 63-69.	0.1	4
452	Vegetable and fruit intake and the risk of bladder cancer: Japan Public Health Center-based prospective study. <i>British Journal of Cancer</i> , 2022, 126, 1647-1658.	2.9	4
453	Three dimensional analysis of abnormal filaments of Pick's disease by scanning electron microscopy. <i>Neuropathology and Applied Neurobiology</i> , 1997, 23, 326-330.	1.8	3
454	Diabetes mellitus defined by hemoglobin A1c value: Risk characterization for incidence among Japanese subjects in the JPHC Diabetes Study. <i>Journal of Diabetes Investigation</i> , 2011, 2, 359-365.	1.1	3
455	Privacy-Preserving Hypothesis Testing for Reduced Cancer Risk on Daily Physical Activity. <i>Journal of Medical Systems</i> , 2018, 42, 90.	2.2	3
456	Endogenous antibody responses to mucin 1 in a large multiethnic cohort of patients with breast cancer and healthy controls: Role of immunoglobulin and Fcγ3 receptor genes. <i>Immunobiology</i> , 2018, 223, 178-182.	0.8	3
457	The association between plasma C-peptide concentration and the risk of prostate cancer: a nested case-control study within a Japanese population-based prospective study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 461-467.	0.6	3
458	Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019, 9, 14329.	1.6	3
459	Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019, 17, 278-284.	2.2	3
460	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020, 133, 106026.	1.6	3
461	Effectiveness of Screening Using Fecal Occult Blood Testing and Colonoscopy on the Risk of Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2023, 33, 91-100.	1.1	3
462	Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 483-490.	0.9	3
463	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.	1.1	3
464	Exploratory Research on Determinants of Place of Death in a Large-scale Cohort Study: The JPHC Study. <i>Journal of Epidemiology</i> , 2023, 33, 120-126.	1.1	3
465	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276.	1.7	3
466	Association between coffee consumption and risk of prostate cancer in Japanese men: a population-based cohort study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.0484.2021.	1.1	3
467	Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.	0.7	3
468	Burden of cancer attributable to excess bodyweight and physical inactivity in Japan in 2015. <i>GHM Open</i> , 2021, 1, 56-62.	0.1	3

#	ARTICLE	IF	CITATIONS
469	Burden of cancer attributable to insufficient vegetable, fruit and dietary fiber consumption in Japan in 2015. <i>GHM Open</i> , 2021, 1, 70-75.	0.1	3
470	Association between Meat, Fish, and Fatty Acid Intake and Non-Hodgkin Lymphoma Incidence: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 1895-1906.	1.3	3
471	Effect of Respiratory Rate on Respiratory Patterns in Patients with Chronic Obstructive Pulmonary Disease. <i>Internal Medicine</i> , 1997, 36, 771-775.	0.3	2
472	Comparison of plasma levels of obesity-related biomarkers among Japanese populations in Tokyo, Japan, São Paulo, Brazil, and Hawaii, USA. <i>European Journal of Cancer Prevention</i> , 2016, 25, 41-49.	0.6	2
473	Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 309-313.	1.1	2
474	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	1.6	2
475	Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. <i>Scientific Reports</i> , 2021, 11, 5599.	1.6	2
476	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021, 10, 2153-2163.	1.3	2
477	Effectiveness of a Cancer Risk Prediction Tool on Lifestyle Habits: A Randomized Controlled Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1063-1071.	1.1	2
478	Dietary glycemic index, glycemic load and mortality: Japan Public Health Center-based prospective study. <i>European Journal of Nutrition</i> , 2021, 60, 4607-4620.	1.8	2
479	International strategy in cancer epidemiology: Japan's involvement in global projects and future role. <i>Global Health & Medicine</i> , 2021, 3, 187-195.	0.6	2
480	Circulating Inflammation Markers and Pancreatic Cancer Risk: A Prospective Case-Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 236-241.	1.1	2
481	Burden of cancer attributable to exogenous hormone use in Japan in 2015. <i>GHM Open</i> , 2021, 1, 97-101.	0.1	2
482	A Predictive Model of Noncardia Gastric Adenocarcinoma Risk Using Antibody Response to <i>Helicobacter pylori</i> Proteins and Pepsinogen. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 811-820.	1.1	2
483	Burden of cancer attributable to consumption of highly salted food in Japan in 2015. <i>GHM Open</i> , 2021, 1, 85-90.	0.1	2
484	Burden of cancer attributable to excess red and processed meat consumption in Japan in 2015. <i>GHM Open</i> , 2021, 1, 91-96.	0.1	2
485	Burden of cancer attributable to never breastfeeding in Japan in 2015. <i>GHM Open</i> , 2021, 1, 102-105.	0.1	2
486	Burden of cancer attributable to air pollution in Japan in 2015. <i>GHM Open</i> , 2021, 1, 76-84.	0.1	2

#	ARTICLE	IF	CITATIONS
487	Dietary fibre intake is associated with reduced risk of lung cancer: a Japan public health centre-based prospective study (JPHC). <i>International Journal of Epidemiology</i> , 2022, 51, 1142-1152.	0.9	2
488	Adult height in relation to the risk of colorectal cancer among the Japanese population: an evaluation based on systematic review and meta-analysis. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 322-330.	0.6	2
489	Subclinical Chronic Atlanto-Occipital Rotatory Fixation. <i>JBJS Case Connector</i> , 2012, 2, e41.	0.1	1
490	Commentary: Factors Associated With Non-participation in Cohort Studies Emphasize the Need to Generalize the Results With Care. <i>Journal of Epidemiology</i> , 2015, 25, 89-90.	1.1	1
491	Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Annals of Epidemiology</i> , 2020, 51, 1-6.	0.9	1
492	Impact of reduced smoking rates on lung cancer screening programs in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 1126-1132.	0.6	1
493	Validity of dietary isothiocyanate intake estimates from a food frequency questionnaire using 24-h urinary isothiocyanate excretion as an objective biomarker: the JPHC-NEXT protocol area. <i>European Journal of Clinical Nutrition</i> , 2021, , .	1.3	1
494	Total, animal, and plant protein intake and pneumonia mortality in the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 781-789.	2.2	1
495	Cross-sectional associations between the types/amounts of beverages consumed and the glycemia status: The Japan public health center-based Prospective Diabetes study. <i>Metabolism Open</i> , 2022, 14, 100185.	1.4	1
496	Relevance of the MHC region for breast cancer susceptibility in Asians. <i>Breast Cancer</i> , 2022, 29, 869-879.	1.3	1
497	Association of Plasma Iron Status with Subsequent Risk of Total and Site-Specific Cancer: A Large Case-cohort Study within JPHC Study. <i>Cancer Prevention Research</i> , 2022, 15, 669-678.	0.7	1
498	Reply to Brockton's letter. <i>Cancer Causes and Control</i> , 2008, 19, 1003-1003.	0.8	0
499	P1-348 Leisure-time physical activity and breast cancer risk defined by oestrogen and progesterone receptor status: the Japan public health center-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A163-A163.	2.0	0
500	P2-338 Association of body mass index with risk of age-related cataracts in a middle-aged Japanese population. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A315-A316.	2.0	0
501	The Establishment of the Household Air Pollution Consortium (HAPCO). <i>Atmosphere</i> , 2019, 10, 422.	1.0	0
502	Moving towards tailored, region-specific cancer-control measures in China. <i>The Lancet Global Health</i> , 2019, 7, e175-e176.	2.9	0
503	Body mass index and mortality among middle-aged Japanese individuals with diagnosed diabetes: The Japan Public Health Center-based prospective study (JPHC study). <i>Diabetes Research and Clinical Practice</i> , 2020, 164, 108198.	1.1	0
504	Low <i>MICA</i> gene expression confers an increased risk of Graves' disease: a Mendelian randomization study. <i>Thyroid</i> , 2021, , .	2.4	0

#	ARTICLE	IF	CITATIONS
505	Applicability of a web-based 24-hour dietary recall tool for Japanese populations in large-scale epidemiological studies. <i>Journal of Epidemiology</i> , 2022, , .	1.1	0
506	COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Neuro-Oncology Advances</i> , 2021, 3, vi29-vi29.	0.4	0
507	Title is missing!. , 2020, 15, e0244007.		0
508	Title is missing!. , 2020, 15, e0244007.		0
509	Title is missing!. , 2020, 15, e0244007.		0
510	Title is missing!. , 2020, 15, e0244007.		0