Sita M A Bierma-Zeinstra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7793913/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical and radiographic features of spinal osteoarthritis predict long-term persistence and severity of back pain in older adults. Annals of Physical and Rehabilitation Medicine, 2022, 65, 101427.	2.3	6
2	Risk of Comorbidities Following <scp>Physicianâ€Diagnosed</scp> Knee or Hip Osteoarthritis: A <scp>Registerâ€Based</scp> Cohort Study. Arthritis Care and Research, 2022, 74, 1689-1695.	3.4	17
3	Bone Union Assessment with Computed Tomography (CT) and Statistical Associations with Mechanical or Histological Testing: A Systematic Review of Animal Studies. Calcified Tissue International, 2022, 110, 147-161.	3.1	4
4	Incidence and management of Osgood–Schlatter disease in general practice: retrospective cohort study. British Journal of General Practice, 2022, 72, e301-e306.	1.4	5
5	No Added Value of Duloxetine in Patients With Chronic Pain due to Hip or Knee Osteoarthritis: A <scp>Clusterâ€Randomized</scp> Trial. Arthritis and Rheumatology, 2022, 74, 818-828.	5.6	4
6	Do physical work factors and musculoskeletal complaints contribute to the intention to leave or actual dropout in student nurses? A prospective cohort study. Journal of Professional Nursing, 2022, 39, 26-33.	2.8	7
7	Consequences and Prognosis of Running-Related Knee Injuries Among Recreational Runners. Clinical Journal of Sport Medicine, 2022, 32, e83-e89.	1.8	2
8	Genicular artery embolization as a novel treatment for mild to moderate knee osteoarthritis: protocol design of a randomized sham-controlled clinical trial. Trials, 2022, 23, 24.	1.6	3
9	Subgroup effects of non-surgical and non-pharmacological treatment of patients with hand osteoarthritis: a protocol for an individual patient data meta-analysis. BMJ Open, 2022, 12, e057156.	1.9	2
10	Why, When, and in Which Patients Nonoperative Treatment of Anterior Cruciate Ligament Injury Fails: An Exploratory Analysis of the COMPARE Trial. American Journal of Sports Medicine, 2022, 50, 645-651.	4.2	8
11	Effectiveness and cost-effectiveness of a combined lifestyle intervention compared with usual care for patients with early-stage knee osteoarthritis who are overweight (LITE): protocol for a randomised controlled trial. BMJ Open, 2022, 12, e059554.	1.9	0
12	Estimating incidence and prevalence of hip osteoarthritis using electronic health records: a population-based cohort study. Osteoarthritis and Cartilage, 2022, 30, 843-851.	1.3	11
13	Course of pain and fluctuations in pain related to suspected early hip osteoarthritis: the CHECK study. Family Practice, 2022, 39, 1041-1048.	1.9	3
14	Effect of Intramuscular vs Intra-articular Glucocorticoid Injection on Pain Among Adults With Knee Osteoarthritis. JAMA Network Open, 2022, 5, e224852.	5.9	5
15	What sociodemographic and work characteristics are associated with musculoskeletal complaints in nursing students? A cross-sectional analysis of repeated measurements. Applied Ergonomics, 2022, 101, 103719.	3.1	3
16	Diagnosis for early stage knee osteoarthritis: probability stratification, internal and external validation; data from the CHECK and OAI cohorts. Seminars in Arthritis and Rheumatism, 2022, 55, 152007.	3.4	7
17	Statistical shape modeling of the hip and the association with hip osteoarthritis: a systematic review. Osteoarthritis and Cartilage, 2021, 29, 607-618.	1.3	22
18	Kellgren & Lawrence grading in cohort studies: methodological update and implications illustrated using data from the CHECK cohort. Arthritis Care and Research, 2021, , .	3.4	12

#	Article	IF	CITATIONS
19	Quantitative volume and dynamic contrast-enhanced MRI derived perfusion of the infrapatellar fat pad in patellofemoral pain. Quantitative Imaging in Medicine and Surgery, 2021, 11, 133-142.	2.0	8
20	10-Year natural course of early hip osteoarthritis in middle-aged persons with hip pain: a CHECK study. Annals of the Rheumatic Diseases, 2021, 80, 487-493.	0.9	15
21	Diagnostic criteria for early hip osteoarthritis: first steps, based on the CHECK study. Rheumatology, 2021, 60, 5158-5164.	1.9	7
22	Effects of mechanical interventions in the management of knee osteoarthritis: protocol for an OA Trial Bank systematic review and individual participant data meta-analysis. BMJ Open, 2021, 11, e043026.	1.9	4
23	Factors associated with longitudinal change of meniscal extrusion in overweight women without clinical signs of osteoarthritis. Rheumatology, 2021, 60, 5175-5184.	1.9	4
24	Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. Rheumatology, 2021, 60, 4327-4339.	1.9	40
25	Vitamin K antagonist anticoagulant usage is associated with increased incidence and progression of osteoarthritis. Annals of the Rheumatic Diseases, 2021, 80, 598-604.	0.9	21
26	The influence of expectation modification in knee arthroplasty on satisfaction of patients: a randomized controlled trial. Bone and Joint Journal, 2021, 103-B, 619-626.	4.4	29
27	A machine learning approach to distinguish between knees without and with osteoarthritis using MRI-based radiomic features from tibial bone. European Radiology, 2021, 31, 8513-8521.	4.5	21
28	Association between Baseline Osteoarthritic Features on MR Imaging and Clinical Outcome after Genicular Artery Embolization for Knee Osteoarthritis. Journal of Vascular and Interventional Radiology, 2021, 32, 497-503.	0.5	13
29	AB0678â€RATES OF SURGICAL PROCEDURES OF THE KNEE AND HIP DURING THE "FIRST WAVE―OF COV SWEDEN. Annals of the Rheumatic Diseases, 2021, 80, 1372.1-1372.	ID 19 IN	0
30	OP0111â€PLASMA PROTEOMICS IDENTIFIES CRTAC1 AS BIOMARKER FOR OSTEOARTHRITIS SEVERITY AND PROGRESSION. Annals of the Rheumatic Diseases, 2021, 80, 61.1-62.	0.9	5
31	The prevalence of radiographic thumb base osteoarthritis: a meta-analysis. Osteoarthritis and Cartilage, 2021, 29, 785-792.	1.3	25
32	Diagnosis of early stage knee osteoarthritis based on early clinical course: data from the CHECK cohort. Arthritis Research and Therapy, 2021, 23, 217.	3.5	7
33	Are pain coping strategies and neuropathic pain associated with a worse outcome after conservative treatment for Achilles tendinopathy? A prospective cohort study. Journal of Science and Medicine in Sport, 2021, 24, 871-875.	1.3	2
34	Developing clinical prediction models for nonrecovery in older patients seeking care for back pain: the back complaints in the elders prospective cohort study. Pain, 2021, 162, 1632-1640.	4.2	13
35	Cost-effectiveness of custom-made insoles versus usual care in patients with plantar heel pain in primary care: cost-effectiveness analysis of a randomised controlled trial. BMJ Open, 2021, 11, e051866.	1.9	1
36	109â€An unsupervised e-health supported neuromuscular training program is not effective in the prevention of recurrent ankle sprains in patients in primary care: the trAPP-study. , 2021, , .		0

#	Article	IF	CITATIONS
37	Consensus for statements regarding a definition for spinal osteoarthritis for use in research and clinical practice: A Delphi study. Arthritis Care and Research, 2021, , .	3.4	3
38	Characteristics of patients with knee and ankle symptoms accessing physiotherapy: self-referral vs general practitioner's referral. Physiotherapy, 2020, 108, 112-119.	0.4	4
39	Shortâ€Term Recovery Trajectories of Acute Flares in Knee Pain: A UKâ€Netherlands Multicenter Prospective Cohort Analysis. Arthritis Care and Research, 2020, 72, 1687-1692.	3.4	6
40	Obesity is related to incidence of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee (CHECK) study. Rheumatology International, 2020, 40, 227-232.	3.0	14
41	Development of Preoperative Prediction Models for Pain and Functional Outcome After Total Knee Arthroplasty Using The Dutch Arthroplasty Register Data. Journal of Arthroplasty, 2020, 35, 690-698.e2.	3.1	18
42	Incidence of Achilles tendinopathy and associated risk factors in recreational runners: A large prospective cohort study. Journal of Science and Medicine in Sport, 2020, 23, 448-452.	1.3	32
43	Association Between Self-Reported Spinal Morning Stiffness and Radiographic Evidence of Lumbar Disk Degeneration in Participants of the Cohort Hip and Cohort Knee (CHECK) Study. Physical Therapy, 2020, 100, 255-267.	2.4	4
44	Time-saving opportunities in knee osteoarthritis: T2 mapping and structural imaging of the knee using a single 5-min MRI scan. European Radiology, 2020, 30, 2231-2240.	4.5	23
45	Traumatic Meniscal Tears Are Associated With Meniscal Degeneration. American Journal of Sports Medicine, 2020, 48, 2345-2352.	4.2	17
46	Patients', healthcare providers', and insurance company employees' preferences for knee and hip osteoarthritis care: a discrete choice experiment. Osteoarthritis and Cartilage, 2020, 28, 1316-1324.	1.3	9
47	Nonpharmacological and nonsurgical approaches in OA. Best Practice and Research in Clinical Rheumatology, 2020, 34, 101564.	3.3	21
48	Reasons why Dutch novice nurses leave nursing: A qualitative approach. Nurse Education in Practice, 2020, 47, 102848.	2.6	36
49	The Added Value of Radiographs in Diagnosing Knee Osteoarthritis Is Similar for General Practitioners and Secondary Care Physicians; Data from the CHECK Early Osteoarthritis Cohort. Journal of Clinical Medicine, 2020, 9, 3374.	2.4	4
50	Medical Interventions for Patellofemoral Pain and Patellofemoral Osteoarthritis: A Systematic Review. Journal of Clinical Medicine, 2020, 9, 3397.	2.4	4
51	Self-Assessment of Competence and Referral Behavior for Musculoskeletal Injections among Dutch General Practitioners. Journal of Clinical Medicine, 2020, 9, 1880.	2.4	2
52	Development of classification criteria for hand osteoarthritis: comparative analyses of persons with and without hand osteoarthritis. RMD Open, 2020, 6, e001265.	3.8	14
53	How many runners with newâ€onset Achilles tendinopathy develop persisting symptoms? A large prospective cohort study. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 1939-1948.	2.9	21
54	Sharing data–taming the beast: barriers to meta-analyses of individual patient data (IPD) and solutions. British Journal of Sports Medicine, 2020, 54, 822-824.	6.7	4

#	Article	IF	CITATIONS
55	Effective interventions for preventing work related physical health complaints in nursing students and novice nurses: A systematic review. Nurse Education in Practice, 2020, 44, 102772.	2.6	3
56	Predicting response to topical non-steroidal anti-inflammatory drugs in osteoarthritis: an individual patient data meta-analysis of randomized controlled trials. Rheumatology, 2020, 59, 2207-2216.	1.9	35
57	Effectiveness of intramuscular gluteal glucocorticoid injection versus intra-articular glucocorticoid injection in knee osteoarthritis: design of a multicenter randomized, 24 weeks comparative parallel-group trial. BMC Musculoskeletal Disorders, 2020, 21, 225.	1.9	11
58	Patients', healthcare providers', and health insurance employees' preferences for knee and hip osteoarthritis care: a discrete choice experiment. British Journal of General Practice, 2020, 70, bjgp20X711305.	1.4	0
59	Reasons and predictors of discontinuation of running after a running program for novice runners. Journal of Science and Medicine in Sport, 2019, 22, 106-111.	1.3	59
60	Daily Pain Measurements and Retrospective Pain Measurements in Hip Osteoarthritis Patients With Intermittent Pain. Arthritis Care and Research, 2019, 71, 768-776.	3.4	5
61	Predicting Knee Pain and Knee Osteoarthritis Among Overweight Women. Journal of the American Board of Family Medicine, 2019, 32, 575-584.	1.5	21
62	OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. Osteoarthritis and Cartilage, 2019, 27, 1578-1589.	1.3	1,746
63	Intestinal microbiome composition and its relation to joint pain and inflammation. Nature Communications, 2019, 10, 4881.	12.8	176
64	Natural History of Back Pain in Older Adults over Five Years. Journal of the American Board of Family Medicine, 2019, 32, 781-789.	1.5	14
65	Prognostic factors for progression of osteoarthritis of the hip: a systematic review. Arthritis Research and Therapy, 2019, 21, 192.	3.5	36
66	Predicting no return to sports after three months in patients with traumatic knee complaints in general practice by combining patient characteristics, trauma characteristics and knee complaints. European Journal of General Practice, 2019, 25, 205-213.	2.0	2
67	Establishing outcome measures in early knee osteoarthritis. Nature Reviews Rheumatology, 2019, 15, 438-448.	8.0	88
68	The clinical and radiographic course of early knee and hip osteoarthritis over 10 years in CHECK (Cohort Hip and Cohort Knee). Osteoarthritis and Cartilage, 2019, 27, 1491-1500.	1.3	31
69	Predictors of placebo response to local (intra-articular) therapy in osteoarthritis: an individual patient data meta-analysis protocol. BMJ Open, 2019, 9, e027372.	1.9	4
70	Osteoarthritis. Lancet, The, 2019, 393, 1745-1759.	13.7	2,193
71	Online multifactorial prevention programme has no effect on the number of running-related injuries: a randomised controlled trial. British Journal of Sports Medicine, 2019, 53, 1479-1485.	6.7	26
72	Multimodal Machine Learning-based Knee Osteoarthritis Progression Prediction from Plain Radiographs and Clinical Data. Scientific Reports, 2019, 9, 20038.	3.3	145

#	Article	IF	CITATIONS
73	Medial Cartilage Surface Integrity as a Surrogate Measure for Incident Radiographic Knee Osteoarthritis following Weight Changes. Cartilage, 2019, , 194760351989230.	2.7	1
74	Prevalence and development of hip and knee osteoarthritis according to American College of Rheumatology criteria in the CHECK cohort. Arthritis Research and Therapy, 2019, 21, 4.	3.5	50
75	Prognosis and prognostic factors of running-related injuries in novice runners: A prospective cohort study. Journal of Science and Medicine in Sport, 2019, 22, 259-263.	1.3	20
76	The OARSI core set of performance-based measures for knee osteoarthritis is reliable but not valid and responsive. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2898-2909.	4.2	33
77	Possibility of quantitative T2â€mapping MRI of cartilage near metal in high tibial osteotomy: A human cadaver study. Journal of Orthopaedic Research, 2018, 36, 1206-1212.	2.3	8
78	General Practitioners Referring Adults to MR Imaging for Knee Pain: A Randomized Controlled Trial to Assess Cost-effectiveness. Radiology, 2018, 288, 170-176.	7.3	16
79	Response to the Letter to the Editor: â€~Is a high tibial osteotomy superior to non-surgical treatment in patients with varus malaligned medial knee osteoarthritis?'. Osteoarthritis and Cartilage, 2018, 26, e3-e4.	1.3	1
80	Twenty-Year Follow-up Study Comparing Operative Versus Nonoperative Treatment of Anterior Cruciate Ligament Ruptures in High-Level Athletes. American Journal of Sports Medicine, 2018, 46, 1129-1136.	4.2	94
81	No association between low bone quality and back pain in older adults: A cohort study. Journal of Back and Musculoskeletal Rehabilitation, 2018, 31, 541-547.	1.1	1
82	Efficacy of foot orthoses for the treatment of plantar heel pain: a systematic review and meta-analysis. British Journal of Sports Medicine, 2018, 52, 1040-1046.	6.7	49
83	Costâ€Utility Analysis of High Molecular Weight Hyaluronic Acid for Knee Osteoarthritis in Everyday Clinical Care in Patients at a Working Age: An Economic Evaluation of a Randomized Clinical Trial. Arthritis Care and Research, 2018, 70, 89-97.	3.4	15
84	Lower Pressure Pain Thresholds in Patellofemoral Pain Patients, Especially in Female Patients: A Cross-Sectional Case-Control Study. Pain Medicine, 2018, 19, 184-192.	1.9	26
85	International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. Seminars in Arthritis and Rheumatism, 2018, 47, 666-675.	3.4	47
86	Can we predict the clinical outcome of arthroscopic partial meniscectomy? A systematic review. British Journal of Sports Medicine, 2018, 52, 514-521.	6.7	63
87	Efficacy of bisphosphonates in specific knee osteoarthritis subpopulations: protocol for an OA Trial Bank systematic review and individual patient data meta-analysis. BMJ Open, 2018, 8, e023889.	1.9	12
88	Patient-reported gout attack frequency and allopurinol use in general practice in the Netherlands: a prospective observational cohort study protocol. BMJ Open, 2018, 8, e024335.	1.9	2
89	Meniscal extrusion and degeneration during the course of osteoarthritis in the Murine collagenaseâ€induced osteoarthritis model. Journal of Orthopaedic Research, 2018, 36, 2416-2420. 	2.3	8
90	The association between pro-inflammatory biomarkers and nonspecific low back pain: a systematic review. Spine Journal, 2018, 18, 2140-2151.	1.3	75

#	Article	IF	CITATIONS
91	Physical and mental determinants of dropout and retention among nursing students: protocol of the SPRiNG cohort study. BMC Nursing, 2018, 17, 27.	2.5	24
92	Blood perfusion of patellar bone measured by dynamic contrastâ€enhanced MRI in patients with patellofemoral pain: A case–control study. Journal of Magnetic Resonance Imaging, 2018, 48, 1344-1350.	3.4	9
93	The EKSPECT study: the influence of Expectation modification in Knee arthroplasty on Satisfaction of PatiEnts: study protocol for a randomized Controlled Trial. Trials, 2018, 19, 437.	1.6	15
94	Effect of weight change on progression of knee OA structural features assessed by MRI in overweight and obese women. Osteoarthritis and Cartilage, 2018, 26, 1666-1674.	1.3	29
95	Adverse events and survival after closing- and opening-wedge high tibial osteotomy: a comparative study of 412 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 895-901.	4.2	87
96	The Effect of Prolonged Glucosamine Usage on HbA1c Levels and New-Onset Diabetes Mellitus in Overweight and Obese Middle-Aged Women. American Journal of Medicine, 2017, 130, 731-737.e6.	1.5	7
97	Additional Value of Different Radiographic Views on the Identification of Early Radiographic Hip and Knee Osteoarthritis and Its Progression: A Cohort Study. Arthritis Care and Research, 2017, 69, 1644-1650.	3.4	4
98	Sick leave in workers with arm, neck and/or shoulder complaints; defining occurrence and discriminative trajectories over a 2-year time period. Occupational and Environmental Medicine, 2017, 74, 114-122.	2.8	11
99	Should exercise therapy for chronic musculoskeletal conditions focus on the anti-inflammatory effects of exercise?. British Journal of Sports Medicine, 2017, 51, 762-763.	6.7	14
100	Changes in disability in older adults with generalized radiographic osteoarthritis: A complex relationship with physical activity. Musculoskeletal Care, 2017, 15, 364-372.	1.4	7
101	Long-term effects of a lifestyle intervention and oral glucosamine sulphate in primary care on incident knee OA in overweight women. Rheumatology, 2017, 56, 1326-1334.	1.9	26
102	Amitriptyline for musculoskeletal complaints: a systematic review. Family Practice, 2017, 34, 138-146.	1.9	14
103	The Association Between Self-reported Low Back Pain and Radiographic Lumbar Disc Degeneration of the Cohort Hip and Cohort Knee (CHECK) Study. Spine, 2017, 42, 1464-1471.	2.0	13
104	Back Complaints in the Elders in Brazil and the Netherlands: a cross-sectional comparison. Age and Ageing, 2017, 46, 476-481.	1.6	10
105	Baseline meniscal extrusion associated with incident knee osteoarthritis after 30 months in overweight and obese women. Osteoarthritis and Cartilage, 2017, 25, 1299-1303.	1.3	39
106	Is having OA an independent risk factor for cardiovascular events?. Osteoarthritis and Cartilage, 2017, 25, 997-999.	1.3	6
107	Incidence, prevalence, natural course and prognosis of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee study. Osteoarthritis and Cartilage, 2017, 25, 647-653.	1.3	68
108	Long-term Intra-articular Steroid Injections and Knee Cartilage. JAMA - Journal of the American Medical Association, 2017, 318, 1184.	7.4	2

#	Article	IF	CITATIONS
109	A new lipid formulation of low dose ibuprofen shows non-inferiority to high dose standard ibuprofen: the FLARE study (flaring arthralgia relief evaluation in episodic flaring knee pain) – a randomised double-blind study. Osteoarthritis and Cartilage, 2017, 25, 1942-1951.	1.3	7
110	ls a high tibial osteotomy (HTO) superior to non-surgical treatment in patients with varus malaligned medial knee osteoarthritis (OA)? AApropensity matched study using 2 randomized controlled trial (RCT) datasets. Osteoarthritis and Cartilage, 2017, 25, 1988-1993.	1.3	26
111	Influence of delayed gadolinium enhanced MRI of cartilage (dGEMRIC) protocol on T2-mapping: is it possible to comprehensively assess knee cartilage composition in one post-contrast MR examination at 3 Tesla?. Osteoarthritis and Cartilage, 2017, 25, 1484-1487.	1.3	5
112	Association between Patient History and Physical Examination and Osteoarthritis after Ankle Sprain. International Journal of Sports Medicine, 2017, 38, 717-724.	1.7	8
113	Effectiveness and cost-effectiveness of duloxetine added to usual care for patients with chronic pain due to hip or knee osteoarthritis: protocol of a pragmatic open-label cluster randomised trial (the) Tj ETQq1 1 0.	78 43 914 rg	gBT4/Overlock
114	Predictive value of MRI features for development of radiographic osteoarthritis in a cohort of participants with pre-radiographic knee osteoarthritis—the CHECK study. Rheumatology, 2017, 56, 113-120.	1.9	22
115	Progression of medial compartmental osteoarthritis 2–8Âyears after lateral closing-wedge high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3679-3686.	4.2	24
116	Impact of total knee replacement practice: cost effectiveness analysis of data from the Osteoarthritis Initiative. BMJ: British Medical Journal, 2017, 356, j1131.	2.3	112
117	The role of atherosclerosis in osteoarthritis. Best Practice and Research in Clinical Rheumatology, 2017, 31, 613-633.	3.3	20
118	Knee osteoarthritis in traumatic knee symptoms in general practice: 6-year cohort study. BMJ Open Sport and Exercise Medicine, 2016, 2, e000153.	2.9	1
119	Structural Abnormalities on Magnetic Resonance Imaging in Patients With Patellofemoral Pain. American Journal of Sports Medicine, 2016, 44, 2339-2346.	4.2	51
120	Effectiveness of exercise therapy for meniscal lesions in adults: A systematic review and meta-analysis. Journal of Science and Medicine in Sport, 2016, 19, 990-998.	1.3	26
121	Tendinopathy and osteoarthritis: a chance to kill two birds with one stone. British Journal of Sports Medicine, 2016, 50, 1164-1165.	6.7	5
122	Defining trajectories in older adults with back pain presenting in general practice. Age and Ageing, 2016, 45, 878-883.	1.6	26
123	Identifying placebo responders and predictors of response in osteoarthritis: a protocol for individual patient data meta-analysis. Systematic Reviews, 2016, 5, 183.	5.3	7
124	Prevention of Incident Knee Osteoarthritis by Moderate Weight Loss in Overweight and Obese Females. Arthritis Care and Research, 2016, 68, 1428-1433.	3.4	22
125	Prevalence of spinal pathology in patients presenting for lumbar MRI as referred from general practice. Family Practice, 2016, 33, 51-56.	1.9	37
126	Disability Trajectories in Patients With Complaints of Arm, Neck, and Shoulder (CANS) in Primary Care: Prospective Cohort Study. Physical Therapy, 2016, 96, 972-984.	2.4	14

SITA M A BIERMA-ZEINSTRA

#	Article	IF	CITATIONS
127	Six-year course and prognosis of traumatic knee symptoms in general practice: Cohort study. European Journal of General Practice, 2016, 22, 23-30.	2.0	3
128	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. Osteoarthritis and Cartilage, 2016, 24, 581-588.	1.3	25
129	Differences in MRI features between two different osteoarthritis subpopulations: data from the Osteoarthritis Initiative. Osteoarthritis and Cartilage, 2016, 24, 822-826.	1.3	15
130	The added prognostic value of MRI findings for recovery in patients with low back pain in primary care: a 1-year follow-up cohort study. European Spine Journal, 2016, 25, 1234-1241.	2.2	14
131	The OA Trial Bank: meta-analysis of individual patient data from knee and hip osteoarthritis trials show that patients with severe pain exhibit greater benefit from intra-articular glucocorticoids. Osteoarthritis and Cartilage, 2016, 24, 1143-1152.	1.3	84
132	Defining hip pain trajectories in early symptomatic hip osteoarthritis – 5 year results from a nationwide prospective cohort study (CHECK). Osteoarthritis and Cartilage, 2016, 24, 768-775.	1.3	25
133	No Difference on Quantitative Magnetic Resonance Imaging in Patellofemoral Cartilage Composition Between Patients With Patellofemoral Pain and Healthy Controls. American Journal of Sports Medicine, 2016, 44, 1172-1178.	4.2	40
134	Degenerative Changes in the Knee 2 Years After Anterior Cruciate Ligament Rupture and Related Risk Factors. American Journal of Sports Medicine, 2016, 44, 1524-1533.	4.2	66
135	Defining knee pain trajectories in early symptomatic knee osteoarthritis in primary care: 5-year results from a nationwide prospective cohort study (CHECK). British Journal of General Practice, 2016, 66, e32-e39.	1.4	69
136	Reducing progression of knee OA features assessed by MRI in overweight and obese women: secondary outcomes of a preventive RCT. Osteoarthritis and Cartilage, 2016, 24, 982-990.	1.3	14
137	Factors that predict a poor outcome 5–8 years after the diagnosis of patellofemoral pain: a multicentre observational analysis. British Journal of Sports Medicine, 2016, 50, 881-886.	6.7	182
138	Prevalence and "Red Flags―Regarding Specified Causes of Back Pain in Older Adults Presenting in General Practice. Physical Therapy, 2016, 96, 305-312.	2.4	50
139	Associations between joint effusion in the knee and gene expression levels in the circulation: a meta-analysis. F1000Research, 2016, 5, 109.	1.6	6
140	What Are the Prognostic Factors for Radiographic Progression of Knee Osteoarthritis? A Meta-analysis. Clinical Orthopaedics and Related Research, 2015, 473, 2969-2989.	1.5	124
141	Rationale, secondary outcome scores and 1-year follow-up of a randomised trial of platelet-rich plasma injections in acute hamstring muscle injury: the Dutch Hamstring Injection Therapy study. British Journal of Sports Medicine, 2015, 49, 1206-1212.	6.7	85
142	Association of urinary biomarker COLL2-1NO 2 with incident clinical and radiographic knee OA in overweight and obese women. Osteoarthritis and Cartilage, 2015, 23, 1398-1404.	1.3	6
143	Validation of statistical shape modelling to predict hip osteoarthritis in females: data from two prospective cohort studies (Cohort Hip and Cohort Knee and Chingford). Rheumatology, 2015, 54, 2033-2041.	1.9	38
144	Prognostic factors for progression of clinical osteoarthritis of the knee: a systematic review of observational studies. Arthritis Research and Therapy, 2015, 17, 152.	3.5	116

#	Article	IF	CITATIONS
145	Can We Predict Which Patients With Patellofemoral Pain Are More Likely to Benefit From Exercise Therapy? A Secondary Exploratory Analysis of a Randomized Controlled Trial. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 183-189.	3.5	8
146	Do Laterally Wedged Insoles or Valgus Braces Unload the Medial Compartment of the Knee in Patients With Osteoarthritis?. Clinical Orthopaedics and Related Research, 2015, 473, 265-274.	1.5	37
147	The ability of systemic biochemical markers to reflect presence, incidence, and progression of early-stage radiographic knee and hip osteoarthritis: data from CHECK. Osteoarthritis and Cartilage, 2015, 23, 1388-1397.	1.3	39
148	Distinct subtypes of knee osteoarthritis: data from the Osteoarthritis Initiative. Rheumatology, 2015, 54, 1650-1658.	1.9	62
149	Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. Osteoarthritis and Cartilage, 2015, 23, 1071-1082.	1.3	80
150	Braces and orthoses for treating osteoarthritis of the knee. The Cochrane Library, 2015, 2015, CD004020.	2.8	108
151	Which determinants predict tibiofemoral and patellofemoral osteoarthritis after anterior cruciate ligament injury? A systematic review. British Journal of Sports Medicine, 2015, 49, 975-983.	6.7	99
152	The trAPP-study: cost-effectiveness of an unsupervised e-health supported neuromuscular training program for the treatment of acute ankle sprains in general practice: design of a randomized controlled trial. BMC Musculoskeletal Disorders, 2015, 16, 78.	1.9	8
153	OARSI Clinical Trials Recommendations: Design and conduct ofÂimplementation trials of interventions for osteoarthritis. Osteoarthritis and Cartilage, 2015, 23, 826-838.	1.3	16
154	Prevention of Knee Osteoarthritis in Overweight Females: The First Preventive Randomized Controlled Trial in Osteoarthritis. American Journal of Medicine, 2015, 128, 888-895.e4.	1.5	74
155	Knee instability in patients with traumatic knee disorders: a cohort study in primary care. Family Practice, 2015, 32, cmv023.	1.9	0
156	Magnetic resonance imaging abnormalities after lateral ankle trauma in injured and contralateral ankles. European Journal of Radiology, 2015, 84, 2586-2592.	2.6	30
157	Adverse drug reactions in a primary care population prescribed non-steroidal anti-inflammatory drugs. Scandinavian Journal of Primary Health Care, 2015, 33, 163-169.	1.5	9
158	Association between biochemical cartilage markers and clinical symptoms in patients with hip osteoarthritis: cohort study with 2-year follow-up. Osteoarthritis and Cartilage, 2015, 23, 57-62.	1.3	11
159	Improvement in upper leg muscle strength underlies beneficial effects of exercise therapy in knee osteoarthritis: secondary analysis from a randomised controlled trial. Physiotherapy, 2015, 101, 171-177.	0.4	31
160	Osteotomy for treating knee osteoarthritis. The Cochrane Library, 2014, , CD004019.	2.8	126
161	Structural abnormalities and persistent complaints after an ankle sprain are not associated: an observational case control study in primary care. British Journal of General Practice, 2014, 64, e545-e553.	1.4	26
162	Comparison of Closing-Wedge and Opening-Wedge High Tibial Osteotomy for Medial Compartment Osteoarthritis of the Knee. Journal of Bone and Joint Surgery - Series A, 2014, 96, 1425-1432.	3.0	145

#	Article	IF	CITATIONS
163	Response to letter to the editor: "Cam impingement: defining the presence ofÂaÂcam deformity by the alpha angle data from the CHECK cohort an ChingfordÂcohort― Osteoarthritis and Cartilage, 2014, 22, 2095-2096.	1.3	3
164	Malalignment: a possible target for prevention of incident knee osteoarthritis in overweight and obese women. Rheumatology, 2014, 53, 1618-1624.	1.9	36
165	Latent class growth analysis successfully identified subgroups of participants during a weight loss intervention trial. Journal of Clinical Epidemiology, 2014, 67, 947-951.	5.0	7
166	Crepitus is a first indication of patellofemoral osteoarthritis (and not of tibiofemoral) Tj ETQq0 0 0 rgBT /Overloc	₹ 10 Tf 50 1.3	622 Td (oste 82
167	ls Anesthetic Hip Joint Injection Useful in Diagnosing Hip Osteoarthritis? A Meta-Analysis of Case Series. Journal of Arthroplasty, 2014, 29, 1236-1242.e1.	3.1	11
168	Effectiveness of a tailor-made weight loss intervention in primary care. European Journal of Nutrition, 2014, 53, 95-104.	3.9	26
169	Cam impingement: defining the presence of a cam deformity by the alpha angle. Osteoarthritis and Cartilage, 2014, 22, 218-225.	1.3	133
170	Statins and fibrates do not affect development of spontaneous cartilage damage in STR/Ort mice. Osteoarthritis and Cartilage, 2014, 22, 293-301.	1.3	20
171	Bone mineral density changes in the knee following anterior cruciate ligament rupture. Osteoarthritis and Cartilage, 2014, 22, 154-161.	1.3	44
172	OARSI guidelines for the non-surgical management of knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 363-388.	1.3	2,298
173	Prediction model for knee osteoarthritis incidence, including clinical, genetic and biochemical risk factors. Annals of the Rheumatic Diseases, 2014, 73, 2116-2121.	0.9	111
174	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. International Journal for Quality in Health Care, 2014, 26, 490-498.	1.8	21
175	How to define subregional osteoarthritis progression using semi-quantitative MRI Osteoarthritis Knee Score (MOAKS). Osteoarthritis and Cartilage, 2014, 22, 1533-1536.	1.3	67
176	Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. Annals of the Rheumatic Diseases, 2014, 73, 1369-1375.	0.9	88
177	Inter-observer reliability for radiographic assessment of early osteoarthritis features: the CHECK	1.9	51

177	(cohort hip and cohort knee) study. Osteoarthritis and Cartilage, 2014, 22, 969-974.	1.3	51
178	Sensitivity and associations with pain and body weight of an MRI definition of knee osteoarthritis compared with radiographic Kellgren and Lawrence criteria: a population-based study in middle-aged females. Osteoarthritis and Cartilage, 2014, 22, 440-446.	1.3	48
179	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. British Journal of General Practice, 2014, 64, e538-e544.	1.4	10
180	Individual patient data meta-analysis of trials investigating the effectiveness of intra-articular glucocorticoid injections in patients with knee or hip osteoarthritis: an OA Trial Bank protocol for a systematic review. Systematic Reviews, 2013, 2, 54.	5.3	25

#	Article	IF	CITATIONS
181	Cam impingement of the hip—a risk factor for hip osteoarthritis. Nature Reviews Rheumatology, 2013, 9, 630-634.	8.0	159
182	Total hip replacement but not clinical osteoarthritis can be predicted by the shape of the hip: a prospective cohort study (CHECK). Osteoarthritis and Cartilage, 2013, 21, 559-564.	1.3	55
183	Bone parameters across different types of hip osteoarthritis and their relationship to osteoporotic fracture risk. Arthritis and Rheumatism, 2013, 65, 693-700.	6.7	43
184	Association of atherosclerosis with presence and progression of osteoarthritis: the Rotterdam Study. Annals of the Rheumatic Diseases, 2013, 72, 646-651.	0.9	97
185	Cam impingement causes osteoarthritis of the hip: a nationwide prospective cohort study (CHECK). Annals of the Rheumatic Diseases, 2013, 72, 918-923.	0.9	382
186	Defining discriminative pain trajectories in hip osteoarthritis over a 2-year time period. Annals of the Rheumatic Diseases, 2012, 71, 1517-1523.	0.9	49
187	Psychological Factors Affecting the Outcome of Total Hip and Knee Arthroplasty: A Systematic Review. Seminars in Arthritis and Rheumatism, 2012, 41, 576-588.	3.4	353
188	Incidence of midportion Achilles tendinopathy in the general population. British Journal of Sports Medicine, 2011, 45, 1026-1028.	6.7	326
189	Osteoarthritis subpopulations and implications for clinical trial design. Arthritis Research and Therapy, 2011, 13, 213.	3.5	69
190	A systematic review on changed biomechanics of lower extremities in obese individuals: a possible role in development of osteoarthritis. Obesity Reviews, 2011, 12, 1071-1082.	6.5	144
191	Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort. Osteoarthritis and Cartilage, 2011, 19, 411-419.	1.3	64
192	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. BMC Musculoskeletal Disorders, 2011, 12, 232.	1.9	5
193	One-Year Follow-up of Platelet-Rich Plasma Treatment in Chronic Achilles Tendinopathy. American Journal of Sports Medicine, 2011, 39, 1623-1630.	4.2	338
194	Impact of different descriptions of the Kellgren and Lawrence classification criteria on the diagnosis of knee osteoarthritis. Annals of the Rheumatic Diseases, 2011, 70, 1422-1427.	0.9	80
195	Medial Knee Osteoarthritis Treated by Insoles or Braces: A Randomized Trial. Clinical Orthopaedics and Related Research, 2010, 468, 1926-1932.	1.5	93
196	Platelet-Rich Plasma Injection for Chronic Achilles Tendinopathy. JAMA - Journal of the American Medical Association, 2010, 303, 144.	7.4	718
197	Effectiveness of additional supervised exercises compared with conventional treatment alone in patients with acute lateral ankle sprains: systematic review. BMJ: British Medical Journal, 2010, 341, c5688-c5688.	2.3	46
198	Familial influence on tibiofemoral alignment. Annals of the Rheumatic Diseases, 2010, 69, 542-545.	0.9	5

SITA M A BIERMA-ZEINSTRA

#	Article	IF	CITATIONS
199	The effects of Tai Chi on fall prevention, fear of falling and balance in older people: A meta-analysis. Preventive Medicine, 2010, 51, 222-227.	3.4	127
200	Limited evidence for a protective effect of unopposed oestrogen therapy for osteoarthritis of the hip: a systematic review. Rheumatology, 2009, 48, 104-112.	1.9	49
201	CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. Annals of the Rheumatic Diseases, 2009, 68, 1413-1419.	0.9	112
202	No clear association between female hormonal aspects and osteoarthritis of the hand, hip and knee: a systematic review. Rheumatology, 2009, 48, 1160-1165.	1.9	70
203	Effect of glucosamine sulphate on joint space narrowing, pain and function in patients with hip osteoarthritis; subgroup analyses of a randomized controlled trial. Osteoarthritis and Cartilage, 2009, 17, 427-432.	1.3	37
204	Conventional knee films hamper accurate knee alignment determination in patients with varus osteoarthritis of the knee. Knee, 2009, 16, 109-111.	1.6	47
205	A functional polymorphism in the catecholâ€Oâ€methyltransferase gene is associated with osteoarthritisâ€related pain. Arthritis and Rheumatism, 2009, 60, 628-629.	6.7	76
206	Lack of Effect of Tai Chi Chuan in Preventing Falls in Elderly People Living at Home: A Randomized Clinical Trial. Journal of the American Geriatrics Society, 2009, 57, 70-75.	2.6	109
207	NHG-Standaard Niet-traumatische knieproblemen bij volwassenen. , 2009, , 1154-1172.		1
208	Longitudinal and cross-sectional validity of the DynaPort® Knee Test in adults with nontraumatic knee complaints in general practice. Journal of Clinical Epidemiology, 2008, 61, 1271-1278.	5.0	6
209	Good reliability, questionable validity of 25 different classification criteria of knee osteoarthritis: a systematic appraisal. Journal of Clinical Epidemiology, 2008, 61, 1205-1215.e2.	5.0	38
210	What Is the Clinical Course of Acute Ankle Sprains? A Systematic Literature Review. American Journal of Medicine, 2008, 121, 324-331.e7.	1.5	519
211	Differences in descriptions of Kellgren and Lawrence grades of knee osteoarthritis. Annals of the Rheumatic Diseases, 2008, 67, 1034-1036.	0.9	237
212	Effect of Glucosamine Sulfate on Hip Osteoarthritis. Annals of Internal Medicine, 2008, 148, 268.	3.9	109
213	Risk factors and prognostic factors of hip and knee osteoarthritis. Nature Clinical Practice Rheumatology, 2007, 3, 78-85.	3.2	125
214	Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review * COMMENTARY. British Journal of Sports Medicine, 2007, 41, 469-480.	6.7	1,026
215	Prognostic factors of progression of osteoarthritis of the knee: A systematic review of observational studies. Arthritis and Rheumatism, 2007, 57, 13-26.	6.7	160
216	Association between valgus and varus alignment and the development and progression of radiographic osteoarthritis of the knee. Arthritis and Rheumatism, 2007, 56, 1204-1211.	6.7	500

#	Article	IF	CITATIONS
217	Prognosis of hip pain in general practice: A prospective followup study. Arthritis and Rheumatism, 2007, 57, 1368-1374.	6.7	26
218	Validation of the Dutch version of the Hip disability and Osteoarthritis Outcome Score. Osteoarthritis and Cartilage, 2007, 15, 104-109.	1.3	147
219	Diagnosis of Lumbar Spinal Stenosis. Spine, 2006, 31, 1168-1176.	2.0	104
220	Brace treatment for osteoarthritis of the knee: a prospective randomized multi-centre trial. Osteoarthritis and Cartilage, 2006, 14, 777-783.	1.3	159
221	Body mass index associated with onset and progression of osteoarthritis of the knee but not of the hip: The Rotterdam Study. Annals of the Rheumatic Diseases, 2006, 66, 158-162.	0.9	376
222	The effect of glucosamine sulphate on osteoarthritis: design of a long-term randomised clinical trial [ISRCTN54513166]. BMC Musculoskeletal Disorders, 2005, 6, 20.	1.9	17
223	Acetabular dysplasia predicts incident osteoarthritis of the hip: The Rotterdam study. Arthritis and Rheumatism, 2005, 52, 787-793.	6.7	202
224	Does hand osteoarthritis predict future hip or knee osteoarthritis?. Arthritis and Rheumatism, 2005, 52, 3520-3527.	6.7	80
225	Prevalence and pattern of radiographic hand osteoarthritis and association with pain and disability (the Rotterdam study). Annals of the Rheumatic Diseases, 2005, 64, 682-687.	0.9	435
226	Role of radiography in predicting progression of osteoarthritis of the hip: prospective cohort study. BMJ: British Medical Journal, 2005, 330, 1183.	2.3	62
227	The efficacy of Tai Chi Chuan in older adults: a systematic review. Family Practice, 2004, 21, 107-113.	1.9	127
228	Influence of hip dysplasia on the development of osteoarthritis of the hip. Annals of the Rheumatic Diseases, 2004, 63, 621-626.	0.9	79
229	Validity and reliability of three definitions of hip osteoarthritis: cross sectional and longitudinal approach. Annals of the Rheumatic Diseases, 2004, 63, 1427-1433.	0.9	82
230	A new marker for osteoarthritis: Cross-sectional and longitudinal approach. Arthritis and Rheumatism, 2004, 50, 2471-2478.	6.7	235
231	Influence of sporting activities on the development of osteoarthritis of the hip: A systematic review. Arthritis and Rheumatism, 2003, 49, 228-236.	6.7	73
232	Influence of obesity on the development of osteoarthritis of the hip: a systematic review. British Journal of Rheumatology, 2002, 41, 1155-1162.	2.3	258
233	Prognostic factors of progress of hip osteoarthritis: A systematic review. Arthritis and Rheumatism, 2002, 47, 556-562.	6.7	104