

Sita M A Bierma-Zeinstra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7793913/publications.pdf>

Version: 2024-02-01

233
papers

20,386
citations

16411

64
h-index

11288

136
g-index

236
all docs

236
docs citations

236
times ranked

15803
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Clinical and radiographic features of spinal osteoarthritis predict long-term persistence and severity of back pain in older adults. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101427. | 1.1 | 6 |
| 2 | Risk of Comorbidities Following <scp>Physicianâ€œDiagnosed</scp> Knee or Hip Osteoarthritis: A <scp>Registerâ€œBased</scp> Cohort Study. <i>Arthritis Care and Research</i> , 2022, 74, 1689-1695. | 1.5 | 17 |
| 3 | Bone Union Assessment with Computed Tomography (CT) and Statistical Associations with Mechanical or Histological Testing: A Systematic Review of Animal Studies. <i>Calcified Tissue International</i> , 2022, 110, 147-161. | 1.5 | 4 |
| 4 | Incidence and management of Osgoodâ€œSchlatter disease in general practice: retrospective cohort study. <i>British Journal of General Practice</i> , 2022, 72, e301-e306. | 0.7 | 5 |
| 5 | No Added Value of Duloxetine in Patients With Chronic Pain due to Hip or Knee Osteoarthritis: A <scp>Clusterâ€œRandomized</scp> Trial. <i>Arthritis and Rheumatology</i> , 2022, 74, 818-828. | 2.9 | 4 |
| 6 | Do physical work factors and musculoskeletal complaints contribute to the intention to leave or actual dropout in student nurses? A prospective cohort study. <i>Journal of Professional Nursing</i> , 2022, 39, 26-33. | 1.4 | 7 |
| 7 | Consequences and Prognosis of Running-Related Knee Injuries Among Recreational Runners. <i>Clinical Journal of Sport Medicine</i> , 2022, 32, e83-e89. | 0.9 | 2 |
| 8 | Genicular artery embolization as a novel treatment for mild to moderate knee osteoarthritis: protocol design of a randomized sham-controlled clinical trial. <i>Trials</i> , 2022, 23, 24. | 0.7 | 3 |
| 9 | Subgroup effects of non-surgical and non-pharmacological treatment of patients with hand osteoarthritis: a protocol for an individual patient data meta-analysis. <i>BMJ Open</i> , 2022, 12, e057156. | 0.8 | 2 |
| 10 | Why, When, and in Which Patients Nonoperative Treatment of Anterior Cruciate Ligament Injury Fails: An Exploratory Analysis of the COMPARE Trial. <i>American Journal of Sports Medicine</i> , 2022, 50, 645-651. | 1.9 | 8 |
| 11 | Effectiveness and cost-effectiveness of a combined lifestyle intervention compared with usual care for patients with early-stage knee osteoarthritis who are overweight (LITE): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e059554. | 0.8 | 0 |
| 12 | Estimating incidence and prevalence of hip osteoarthritis using electronic health records: a population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 843-851. | 0.6 | 11 |
| 13 | Course of pain and fluctuations in pain related to suspected early hip osteoarthritis: the CHECK study. <i>Family Practice</i> , 2022, 39, 1041-1048. | 0.8 | 3 |
| 14 | Effect of Intramuscular vs Intra-articular Glucocorticoid Injection on Pain Among Adults With Knee Osteoarthritis. <i>JAMA Network Open</i> , 2022, 5, e224852. | 2.8 | 5 |
| 15 | What sociodemographic and work characteristics are associated with musculoskeletal complaints in nursing students? A cross-sectional analysis of repeated measurements. <i>Applied Ergonomics</i> , 2022, 101, 103719. | 1.7 | 3 |
| 16 | Diagnosis for early stage knee osteoarthritis: probability stratification, internal and external validation; data from the CHECK and OAI cohorts. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 55, 152007. | 1.6 | 7 |
| 17 | Statistical shape modeling of the hip and the association with hip osteoarthritis: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 607-618. | 0.6 | 22 |
| 18 | Kellgren & Lawrence grading in cohort studies: methodological update and implications illustrated using data from the CHECK cohort. <i>Arthritis Care and Research</i> , 2021, , . | 1.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Quantitative volume and dynamic contrast-enhanced MRI derived perfusion of the infrapatellar fat pad in patellofemoral pain. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 133-142. | 1.1 | 8 |
| 20 | 10-Year natural course of early hip osteoarthritis in middle-aged persons with hip pain: a CHECK study. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 487-493. | 0.5 | 15 |
| 21 | Diagnostic criteria for early hip osteoarthritis: first steps, based on the CHECK study. <i>Rheumatology</i> , 2021, 60, 5158-5164. | 0.9 | 7 |
| 22 | Effects of mechanical interventions in the management of knee osteoarthritis: protocol for an OA Trial Bank systematic review and individual participant data meta-analysis. <i>BMJ Open</i> , 2021, 11, e043026. | 0.8 | 4 |
| 23 | Factors associated with longitudinal change of meniscal extrusion in overweight women without clinical signs of osteoarthritis. <i>Rheumatology</i> , 2021, 60, 5175-5184. | 0.9 | 4 |
| 24 | Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. <i>Rheumatology</i> , 2021, 60, 4327-4339. | 0.9 | 40 |
| 25 | Vitamin K antagonist anticoagulant usage is associated with increased incidence and progression of osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 598-604. | 0.5 | 21 |
| 26 | The influence of expectation modification in knee arthroplasty on satisfaction of patients: a randomized controlled trial. <i>Bone and Joint Journal</i> , 2021, 103-B, 619-626. | 1.9 | 29 |
| 27 | A machine learning approach to distinguish between knees without and with osteoarthritis using MRI-based radiomic features from tibial bone. <i>European Radiology</i> , 2021, 31, 8513-8521. | 2.3 | 21 |
| 28 | Association between Baseline Osteoarthritic Features on MR Imaging and Clinical Outcome after Genicular Artery Embolization for Knee Osteoarthritis. <i>Journal of Vascular and Interventional Radiology</i> , 2021, 32, 497-503. | 0.2 | 13 |
| 29 | AB0678â€¦RATES OF SURGICAL PROCEDURES OF THE KNEE AND HIP DURING THE â€œFIRST WAVEâ€œ OF COVID-19 IN SWEDEN. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1372.1-1372. | 0.5 | 0 |
| 30 | OP0111â€¦PLASMA PROTEOMICS IDENTIFIES CRTAC1 AS BIOMARKER FOR OSTEOARTHRITIS SEVERITY AND PROGRESSION. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 61.1-62. | 0.5 | 5 |
| 31 | The prevalence of radiographic thumb base osteoarthritis: a meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 785-792. | 0.6 | 25 |
| 32 | Diagnosis of early stage knee osteoarthritis based on early clinical course: data from the CHECK cohort. <i>Arthritis Research and Therapy</i> , 2021, 23, 217. | 1.6 | 7 |
| 33 | Are pain coping strategies and neuropathic pain associated with a worse outcome after conservative treatment for Achilles tendinopathy? A prospective cohort study. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 871-875. | 0.6 | 2 |
| 34 | Developing clinical prediction models for nonrecovery in older patients seeking care for back pain: the back complaints in the elders prospective cohort study. <i>Pain</i> , 2021, 162, 1632-1640. | 2.0 | 13 |
| 35 | Cost-effectiveness of custom-made insoles versus usual care in patients with plantar heel pain in primary care: cost-effectiveness analysis of a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e051866. | 0.8 | 1 |
| 36 | 109â€¦An unsupervised e-health supported neuromuscular training program is not effective in the prevention of recurrent ankle sprains in patients in primary care: the trAPP-study. , 2021, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Consensus for statements regarding a definition for spinal osteoarthritis for use in research and clinical practice: A Delphi study. <i>Arthritis Care and Research</i> , 2021, , . | 1.5 | 3 |
| 38 | Characteristics of patients with knee and ankle symptoms accessing physiotherapy: self-referral vs general practitioner's referral. <i>Physiotherapy</i> , 2020, 108, 112-119. | 0.2 | 4 |
| 39 | Short-Term Recovery Trajectories of Acute Flares in Knee Pain: A UK-Netherlands Multicenter Prospective Cohort Analysis. <i>Arthritis Care and Research</i> , 2020, 72, 1687-1692. | 1.5 | 6 |
| 40 | Obesity is related to incidence of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee (CHECK) study. <i>Rheumatology International</i> , 2020, 40, 227-232. | 1.5 | 14 |
| 41 | Development of Preoperative Prediction Models for Pain and Functional Outcome After Total Knee Arthroplasty Using The Dutch Arthroplasty Register Data. <i>Journal of Arthroplasty</i> , 2020, 35, 690-698.e2. | 1.5 | 18 |
| 42 | Incidence of Achilles tendinopathy and associated risk factors in recreational runners: A large prospective cohort study. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 448-452. | 0.6 | 32 |
| 43 | Association Between Self-Reported Spinal Morning Stiffness and Radiographic Evidence of Lumbar Disk Degeneration in Participants of the Cohort Hip and Cohort Knee (CHECK) Study. <i>Physical Therapy</i> , 2020, 100, 255-267. | 1.1 | 4 |
| 44 | Time-saving opportunities in knee osteoarthritis: T2 mapping and structural imaging of the knee using a single 5-min MRI scan. <i>European Radiology</i> , 2020, 30, 2231-2240. | 2.3 | 23 |
| 45 | Traumatic Meniscal Tears Are Associated With Meniscal Degeneration. <i>American Journal of Sports Medicine</i> , 2020, 48, 2345-2352. | 1.9 | 17 |
| 46 | Patients', healthcare providers', and insurance company employees' preferences for knee and hip osteoarthritis care: a discrete choice experiment. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 1316-1324. | 0.6 | 9 |
| 47 | Nonpharmacological and nonsurgical approaches in OA. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020, 34, 101564. | 1.4 | 21 |
| 48 | Reasons why Dutch novice nurses leave nursing: A qualitative approach. <i>Nurse Education in Practice</i> , 2020, 47, 102848. | 1.0 | 36 |
| 49 | The Added Value of Radiographs in Diagnosing Knee Osteoarthritis Is Similar for General Practitioners and Secondary Care Physicians; Data from the CHECK Early Osteoarthritis Cohort. <i>Journal of Clinical Medicine</i> , 2020, 9, 3374. | 1.0 | 4 |
| 50 | Medical Interventions for Patellofemoral Pain and Patellofemoral Osteoarthritis: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2020, 9, 3397. | 1.0 | 4 |
| 51 | Self-Assessment of Competence and Referral Behavior for Musculoskeletal Injections among Dutch General Practitioners. <i>Journal of Clinical Medicine</i> , 2020, 9, 1880. | 1.0 | 2 |
| 52 | Development of classification criteria for hand osteoarthritis: comparative analyses of persons with and without hand osteoarthritis. <i>RMD Open</i> , 2020, 6, e001265. | 1.8 | 14 |
| 53 | How many runners with new-onset Achilles tendinopathy develop persisting symptoms? A large prospective cohort study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1939-1948. | 1.3 | 21 |
| 54 | Sharing data—taming the beast: barriers to meta-analyses of individual patient data (IPD) and solutions. <i>British Journal of Sports Medicine</i> , 2020, 54, 822-824. | 3.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effective interventions for preventing work related physical health complaints in nursing students and novice nurses: A systematic review. <i>Nurse Education in Practice</i> , 2020, 44, 102772. | 1.0 | 3 |
| 56 | Predicting response to topical non-steroidal anti-inflammatory drugs in osteoarthritis: an individual patient data meta-analysis of randomized controlled trials. <i>Rheumatology</i> , 2020, 59, 2207-2216. | 0.9 | 35 |
| 57 | Effectiveness of intramuscular gluteal glucocorticoid injection versus intra-articular glucocorticoid injection in knee osteoarthritis: design of a multicenter randomized, 24 weeks comparative parallel-group trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 225. | 0.8 | 11 |
| 58 | Patientsâ€™, healthcare providersâ€™, and health insurance employeesâ€™ preferences for knee and hip osteoarthritis care: a discrete choice experiment. <i>British Journal of General Practice</i> , 2020, 70, bjgp20X711305. | 0.7 | 0 |
| 59 | Reasons and predictors of discontinuation of running after a running program for novice runners. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 106-111. | 0.6 | 59 |
| 60 | Daily Pain Measurements and Retrospective Pain Measurements in Hip Osteoarthritis Patients With Intermittent Pain. <i>Arthritis Care and Research</i> , 2019, 71, 768-776. | 1.5 | 5 |
| 61 | Predicting Knee Pain and Knee Osteoarthritis Among Overweight Women. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 575-584. | 0.8 | 21 |
| 62 | OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1578-1589. | 0.6 | 1,746 |
| 63 | Intestinal microbiome composition and its relation to joint pain and inflammation. <i>Nature Communications</i> , 2019, 10, 4881. | 5.8 | 176 |
| 64 | Natural History of Back Pain in Older Adults over Five Years. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 781-789. | 0.8 | 14 |
| 65 | Prognostic factors for progression of osteoarthritis of the hip: a systematic review. <i>Arthritis Research and Therapy</i> , 2019, 21, 192. | 1.6 | 36 |
| 66 | Predicting no return to sports after three months in patients with traumatic knee complaints in general practice by combining patient characteristics, trauma characteristics and knee complaints. <i>European Journal of General Practice</i> , 2019, 25, 205-213. | 0.9 | 2 |
| 67 | Establishing outcome measures in early knee osteoarthritis. <i>Nature Reviews Rheumatology</i> , 2019, 15, 438-448. | 3.5 | 88 |
| 68 | The clinical and radiographic course of early knee and hip osteoarthritis over 10 years in CHECK (Cohort Hip and Cohort Knee). <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1491-1500. | 0.6 | 31 |
| 69 | Predictors of placebo response to local (intra-articular) therapy in osteoarthritis: an individual patient data meta-analysis protocol. <i>BMJ Open</i> , 2019, 9, e027372. | 0.8 | 4 |
| 70 | Osteoarthritis. <i>Lancet, The</i> , 2019, 393, 1745-1759. | 6.3 | 2,193 |
| 71 | Online multifactorial prevention programme has no effect on the number of running-related injuries: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2019, 53, 1479-1485. | 3.1 | 26 |
| 72 | Multimodal Machine Learning-based Knee Osteoarthritis Progression Prediction from Plain Radiographs and Clinical Data. <i>Scientific Reports</i> , 2019, 9, 20038. | 1.6 | 145 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Medial Cartilage Surface Integrity as a Surrogate Measure for Incident Radiographic Knee Osteoarthritis following Weight Changes. <i>Cartilage</i> , 2019, , 194760351989230. | 1.4 | 1 |
| 74 | Prevalence and development of hip and knee osteoarthritis according to American College of Rheumatology criteria in the CHECK cohort. <i>Arthritis Research and Therapy</i> , 2019, 21, 4. | 1.6 | 50 |
| 75 | Prognosis and prognostic factors of running-related injuries in novice runners: A prospective cohort study. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 259-263. | 0.6 | 20 |
| 76 | The OARSI core set of performance-based measures for knee osteoarthritis is reliable but not valid and responsive. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2898-2909. | 2.3 | 33 |
| 77 | Possibility of quantitative T2â€œmapping MRI of cartilage near metal in high tibial osteotomy: A human cadaver study. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1206-1212. | 1.2 | 8 |
| 78 | General Practitioners Referring Adults to MR Imaging for Knee Pain: A Randomized Controlled Trial to Assess Cost-effectiveness. <i>Radiology</i> , 2018, 288, 170-176. | 3.6 | 16 |
| 79 | Response to the Letter to the Editor: â€œIs a high tibial osteotomy superior to non-surgical treatment in patients with varus malaligned medial knee osteoarthritis?â€œ™. <i>Osteoarthritis and Cartilage</i> , 2018, 26, e3-e4. | 0.6 | 1 |
| 80 | Twenty-Year Follow-up Study Comparing Operative Versus Nonoperative Treatment of Anterior Cruciate Ligament Ruptures in High-Level Athletes. <i>American Journal of Sports Medicine</i> , 2018, 46, 1129-1136. | 1.9 | 94 |
| 81 | No association between low bone quality and back pain in older adults: A cohort study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2018, 31, 541-547. | 0.4 | 1 |
| 82 | Efficacy of foot orthoses for the treatment of plantar heel pain: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2018, 52, 1040-1046. | 3.1 | 49 |
| 83 | Costâ€œUtility Analysis of High Molecular Weight Hyaluronic Acid for Knee Osteoarthritis in Everyday Clinical Care in Patients at a Working Age: An Economic Evaluation of a Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2018, 70, 89-97. | 1.5 | 15 |
| 84 | Lower Pressure Pain Thresholds in Patellofemoral Pain Patients, Especially in Female Patients: A Cross-Sectional Case-Control Study. <i>Pain Medicine</i> , 2018, 19, 184-192. | 0.9 | 26 |
| 85 | International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 666-675. | 1.6 | 47 |
| 86 | Can we predict the clinical outcome of arthroscopic partial meniscectomy? A systematic review. <i>British Journal of Sports Medicine</i> , 2018, 52, 514-521. | 3.1 | 63 |
| 87 | Efficacy of bisphosphonates in specific knee osteoarthritis subpopulations: protocol for an OA Trial Bank systematic review and individual patient data meta-analysis. <i>BMJ Open</i> , 2018, 8, e023889. | 0.8 | 12 |
| 88 | Patient-reported gout attack frequency and allopurinol use in general practice in the Netherlands: a prospective observational cohort study protocol. <i>BMJ Open</i> , 2018, 8, e024335. | 0.8 | 2 |
| 89 | Meniscal extrusion and degeneration during the course of osteoarthritis in the Murine collagenaseâ€œinduced osteoarthritis model. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2416-2420. | 1.2 | 8 |
| 90 | The association between pro-inflammatory biomarkers and nonspecific low back pain: a systematic review. <i>Spine Journal</i> , 2018, 18, 2140-2151. | 0.6 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Physical and mental determinants of dropout and retention among nursing students: protocol of the SPRiNG cohort study. <i>BMC Nursing</i> , 2018, 17, 27. | 0.9 | 24 |
| 92 | Blood perfusion of patellar bone measured by dynamic contrast-enhanced MRI in patients with patellofemoral pain: A case-control study. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1344-1350. | 1.9 | 9 |
| 93 | The EKSPECT study: the influence of Expectation modification in Knee arthroplasty on Satisfaction of PatiEnts: study protocol for a randomized Controlled Trial. <i>Trials</i> , 2018, 19, 437. | 0.7 | 15 |
| 94 | Effect of weight change on progression of knee OA structural features assessed by MRI in overweight and obese women. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1666-1674. | 0.6 | 29 |
| 95 | Adverse events and survival after closing- and opening-wedge high tibial osteotomy: a comparative study of 412 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 895-901. | 2.3 | 87 |
| 96 | The Effect of Prolonged Glucosamine Usage on HbA1c Levels and New-Onset Diabetes Mellitus in Overweight and Obese Middle-Aged Women. <i>American Journal of Medicine</i> , 2017, 130, 731-737.e6. | 0.6 | 7 |
| 97 | Additional Value of Different Radiographic Views on the Identification of Early Radiographic Hip and Knee Osteoarthritis and Its Progression: A Cohort Study. <i>Arthritis Care and Research</i> , 2017, 69, 1644-1650. | 1.5 | 4 |
| 98 | Sick leave in workers with arm, neck and/or shoulder complaints; defining occurrence and discriminative trajectories over a 2-year time period. <i>Occupational and Environmental Medicine</i> , 2017, 74, 114-122. | 1.3 | 11 |
| 99 | Should exercise therapy for chronic musculoskeletal conditions focus on the anti-inflammatory effects of exercise?. <i>British Journal of Sports Medicine</i> , 2017, 51, 762-763. | 3.1 | 14 |
| 100 | Changes in disability in older adults with generalized radiographic osteoarthritis: A complex relationship with physical activity. <i>Musculoskeletal Care</i> , 2017, 15, 364-372. | 0.6 | 7 |
| 101 | Long-term effects of a lifestyle intervention and oral glucosamine sulphate in primary care on incident knee OA in overweight women. <i>Rheumatology</i> , 2017, 56, 1326-1334. | 0.9 | 26 |
| 102 | Amitriptyline for musculoskeletal complaints: a systematic review. <i>Family Practice</i> , 2017, 34, 138-146. | 0.8 | 14 |
| 103 | The Association Between Self-reported Low Back Pain and Radiographic Lumbar Disc Degeneration of the Cohort Hip and Cohort Knee (CHECK) Study. <i>Spine</i> , 2017, 42, 1464-1471. | 1.0 | 13 |
| 104 | Back Complaints in the Elders in Brazil and the Netherlands: a cross-sectional comparison. <i>Age and Ageing</i> , 2017, 46, 476-481. | 0.7 | 10 |
| 105 | Baseline meniscal extrusion associated with incident knee osteoarthritis after 30 months in overweight and obese women. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1299-1303. | 0.6 | 39 |
| 106 | Is having OA an independent risk factor for cardiovascular events?. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 997-999. | 0.6 | 6 |
| 107 | Incidence, prevalence, natural course and prognosis of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 647-653. | 0.6 | 68 |
| 108 | Long-term Intra-articular Steroid Injections and Knee Cartilage. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1184. | 3.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|---------|-----------|
| 109 | A new lipid formulation of low dose ibuprofen shows non-inferiority to high dose standard ibuprofen: the FLARE study (flaring arthralgia relief evaluation in episodic flaring knee pain) – a randomised double-blind study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1942-1951. | 0.6 | 7 |
| 110 | Is a high tibial osteotomy (HTO) superior to non-surgical treatment in patients with varus malaligned medial knee osteoarthritis (OA)? A propensity matched study using 2 randomized controlled trial (RCT) datasets. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1988-1993. | 0.6 | 26 |
| 111 | Influence of delayed gadolinium enhanced MRI of cartilage (dGEMRIC) protocol on T2-mapping: is it possible to comprehensively assess knee cartilage composition in one post-contrast MR examination at 3 Tesla?. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1484-1487. | 0.6 | 5 |
| 112 | Association between Patient History and Physical Examination and Osteoarthritis after Ankle Sprain. <i>International Journal of Sports Medicine</i> , 2017, 38, 717-724. | 0.8 | 8 |
| 113 | Effectiveness and cost-effectiveness of duloxetine added to usual care for patients with chronic pain due to hip or knee osteoarthritis: protocol of a pragmatic open-label cluster randomised trial (the Tj ETQq1 1 0.78434 rgBT4/Overlook | 0.78434 | 4 |
| 114 | Predictive value of MRI features for development of radiographic osteoarthritis in a cohort of participants with pre-radiographic knee osteoarthritis – the CHECK study. <i>Rheumatology</i> , 2017, 56, 113-120. | 0.9 | 22 |
| 115 | Progression of medial compartmental osteoarthritis 2 – 8 years after lateral closing-wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3679-3686. | 2.3 | 24 |
| 116 | Impact of total knee replacement practice: cost effectiveness analysis of data from the Osteoarthritis Initiative. <i>BMJ: British Medical Journal</i> , 2017, 356, j1131. | 2.4 | 112 |
| 117 | The role of atherosclerosis in osteoarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017, 31, 613-633. | 1.4 | 20 |
| 118 | Knee osteoarthritis in traumatic knee symptoms in general practice: 6-year cohort study. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000153. | 1.4 | 1 |
| 119 | Structural Abnormalities on Magnetic Resonance Imaging in Patients With Patellofemoral Pain. <i>American Journal of Sports Medicine</i> , 2016, 44, 2339-2346. | 1.9 | 51 |
| 120 | Effectiveness of exercise therapy for meniscal lesions in adults: A systematic review and meta-analysis. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 990-998. | 0.6 | 26 |
| 121 | Tendinopathy and osteoarthritis: a chance to kill two birds with one stone. <i>British Journal of Sports Medicine</i> , 2016, 50, 1164-1165. | 3.1 | 5 |
| 122 | Defining trajectories in older adults with back pain presenting in general practice. <i>Age and Ageing</i> , 2016, 45, 878-883. | 0.7 | 26 |
| 123 | Identifying placebo responders and predictors of response in osteoarthritis: a protocol for individual patient data meta-analysis. <i>Systematic Reviews</i> , 2016, 5, 183. | 2.5 | 7 |
| 124 | Prevention of Incident Knee Osteoarthritis by Moderate Weight Loss in Overweight and Obese Females. <i>Arthritis Care and Research</i> , 2016, 68, 1428-1433. | 1.5 | 22 |
| 125 | Prevalence of spinal pathology in patients presenting for lumbar MRI as referred from general practice. <i>Family Practice</i> , 2016, 33, 51-56. | 0.8 | 37 |
| 126 | Disability Trajectories in Patients With Complaints of Arm, Neck, and Shoulder (CANS) in Primary Care: Prospective Cohort Study. <i>Physical Therapy</i> , 2016, 96, 972-984. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Six-year course and prognosis of traumatic knee symptoms in general practice: Cohort study. <i>European Journal of General Practice</i> , 2016, 22, 23-30. | 0.9 | 3 |
| 128 | Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 581-588. | 0.6 | 25 |
| 129 | Differences in MRI features between two different osteoarthritis subpopulations: data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 822-826. | 0.6 | 15 |
| 130 | The added prognostic value of MRI findings for recovery in patients with low back pain in primary care: a 1-year follow-up cohort study. <i>European Spine Journal</i> , 2016, 25, 1234-1241. | 1.0 | 14 |
| 131 | The OA Trial Bank: meta-analysis of individual patient data from knee and hip osteoarthritis trials show that patients with severe pain exhibit greater benefit from intra-articular glucocorticoids. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1143-1152. | 0.6 | 84 |
| 132 | Defining hip pain trajectories in early symptomatic hip osteoarthritis – 5 year results from a nationwide prospective cohort study (CHECK). <i>Osteoarthritis and Cartilage</i> , 2016, 24, 768-775. | 0.6 | 25 |
| 133 | No Difference on Quantitative Magnetic Resonance Imaging in Patellofemoral Cartilage Composition Between Patients With Patellofemoral Pain and Healthy Controls. <i>American Journal of Sports Medicine</i> , 2016, 44, 1172-1178. | 1.9 | 40 |
| 134 | Degenerative Changes in the Knee 2 Years After Anterior Cruciate Ligament Rupture and Related Risk Factors. <i>American Journal of Sports Medicine</i> , 2016, 44, 1524-1533. | 1.9 | 66 |
| 135 | Defining knee pain trajectories in early symptomatic knee osteoarthritis in primary care: 5-year results from a nationwide prospective cohort study (CHECK). <i>British Journal of General Practice</i> , 2016, 66, e32-e39. | 0.7 | 69 |
| 136 | Reducing progression of knee OA features assessed by MRI in overweight and obese women: secondary outcomes of a preventive RCT. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 982-990. | 0.6 | 14 |
| 137 | Factors that predict a poor outcome 5–8 years after the diagnosis of patellofemoral pain: a multicentre observational analysis. <i>British Journal of Sports Medicine</i> , 2016, 50, 881-886. | 3.1 | 182 |
| 138 | Prevalence and ‘Red Flags’ Regarding Specified Causes of Back Pain in Older Adults Presenting in General Practice. <i>Physical Therapy</i> , 2016, 96, 305-312. | 1.1 | 50 |
| 139 | Associations between joint effusion in the knee and gene expression levels in the circulation: a meta-analysis. <i>F1000Research</i> , 2016, 5, 109. | 0.8 | 6 |
| 140 | What Are the Prognostic Factors for Radiographic Progression of Knee Osteoarthritis? A Meta-analysis. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 2969-2989. | 0.7 | 124 |
| 141 | Rationale, secondary outcome scores and 1-year follow-up of a randomised trial of platelet-rich plasma injections in acute hamstring muscle injury: the Dutch Hamstring Injection Therapy study. <i>British Journal of Sports Medicine</i> , 2015, 49, 1206-1212. | 3.1 | 85 |
| 142 | Association of urinary biomarker COLL2-INO 2 with incident clinical and radiographic knee OA in overweight and obese women. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1398-1404. | 0.6 | 6 |
| 143 | Validation of statistical shape modelling to predict hip osteoarthritis in females: data from two prospective cohort studies (Cohort Hip and Cohort Knee and Chingford). <i>Rheumatology</i> , 2015, 54, 2033-2041. | 0.9 | 38 |
| 144 | Prognostic factors for progression of clinical osteoarthritis of the knee: a systematic review of observational studies. <i>Arthritis Research and Therapy</i> , 2015, 17, 152. | 1.6 | 116 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Can We Predict Which Patients With Patellofemoral Pain Are More Likely to Benefit From Exercise Therapy? A Secondary Exploratory Analysis of a Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 183-189. | 1.7 | 8 |
| 146 | Do Laterally Wedged Insoles or Valgus Braces Unload the Medial Compartment of the Knee in Patients With Osteoarthritis?. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 265-274. | 0.7 | 37 |
| 147 | The ability of systemic biochemical markers to reflect presence, incidence, and progression of early-stage radiographic knee and hip osteoarthritis: data from CHECK. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1388-1397. | 0.6 | 39 |
| 148 | Distinct subtypes of knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Rheumatology</i> , 2015, 54, 1650-1658. | 0.9 | 62 |
| 149 | Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1071-1082. | 0.6 | 80 |
| 150 | Braces and orthoses for treating osteoarthritis of the knee. <i>The Cochrane Library</i> , 2015, 2015, CD004020. | 1.5 | 108 |
| 151 | Which determinants predict tibiofemoral and patellofemoral osteoarthritis after anterior cruciate ligament injury? A systematic review. <i>British Journal of Sports Medicine</i> , 2015, 49, 975-983. | 3.1 | 99 |
| 152 | The trAPP-study: cost-effectiveness of an unsupervised e-health supported neuromuscular training program for the treatment of acute ankle sprains in general practice: design of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 78. | 0.8 | 8 |
| 153 | OARSI Clinical Trials Recommendations: Design and conduct of implementation trials of interventions for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 826-838. | 0.6 | 16 |
| 154 | Prevention of Knee Osteoarthritis in Overweight Females: The First Preventive Randomized Controlled Trial in Osteoarthritis. <i>American Journal of Medicine</i> , 2015, 128, 888-895.e4. | 0.6 | 74 |
| 155 | Knee instability in patients with traumatic knee disorders: a cohort study in primary care. <i>Family Practice</i> , 2015, 32, cmv023. | 0.8 | 0 |
| 156 | Magnetic resonance imaging abnormalities after lateral ankle trauma in injured and contralateral ankles. <i>European Journal of Radiology</i> , 2015, 84, 2586-2592. | 1.2 | 30 |
| 157 | Adverse drug reactions in a primary care population prescribed non-steroidal anti-inflammatory drugs. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 163-169. | 0.6 | 9 |
| 158 | Association between biochemical cartilage markers and clinical symptoms in patients with hip osteoarthritis: cohort study with 2-year follow-up. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 57-62. | 0.6 | 11 |
| 159 | Improvement in upper leg muscle strength underlies beneficial effects of exercise therapy in knee osteoarthritis: secondary analysis from a randomised controlled trial. <i>Physiotherapy</i> , 2015, 101, 171-177. | 0.2 | 31 |
| 160 | Osteotomy for treating knee osteoarthritis. <i>The Cochrane Library</i> , 2014, , CD004019. | 1.5 | 126 |
| 161 | Structural abnormalities and persistent complaints after an ankle sprain are not associated: an observational case control study in primary care. <i>British Journal of General Practice</i> , 2014, 64, e545-e553. | 0.7 | 26 |
| 162 | Comparison of Closing-Wedge and Opening-Wedge High Tibial Osteotomy for Medial Compartment Osteoarthritis of the Knee. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1425-1432. | 1.4 | 145 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Response to letter to the editor: "Cam impingement: defining the presence of a cam deformity by the alpha angle data from the CHECK cohort an Chingford cohort". Osteoarthritis and Cartilage, 2014, 22, 2095-2096. | 0.6 | 3 |
| 164 | Malalignment: a possible target for prevention of incident knee osteoarthritis in overweight and obese women. Rheumatology, 2014, 53, 1618-1624. | 0.9 | 36 |
| 165 | Latent class growth analysis successfully identified subgroups of participants during a weight loss intervention trial. Journal of Clinical Epidemiology, 2014, 67, 947-951. | 2.4 | 7 |
| 166 | Crepitus is a first indication of patellofemoral osteoarthritis (and not of tibiofemoral) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td (oste | 0.6 | 82 |
| 167 | Is Anesthetic Hip Joint Injection Useful in Diagnosing Hip Osteoarthritis? A Meta-Analysis of Case Series. Journal of Arthroplasty, 2014, 29, 1236-1242.e1. | 1.5 | 11 |
| 168 | Effectiveness of a tailor-made weight loss intervention in primary care. European Journal of Nutrition, 2014, 53, 95-104. | 1.8 | 26 |
| 169 | Cam impingement: defining the presence of a cam deformity by the alpha angle. Osteoarthritis and Cartilage, 2014, 22, 218-225. | 0.6 | 133 |
| 170 | Statins and fibrates do not affect development of spontaneous cartilage damage in STR/Ort mice. Osteoarthritis and Cartilage, 2014, 22, 293-301. | 0.6 | 20 |
| 171 | Bone mineral density changes in the knee following anterior cruciate ligament rupture. Osteoarthritis and Cartilage, 2014, 22, 154-161. | 0.6 | 44 |
| 172 | OARSI guidelines for the non-surgical management of knee osteoarthritis. Osteoarthritis and Cartilage, 2014, 22, 363-388. | 0.6 | 2,298 |
| 173 | Prediction model for knee osteoarthritis incidence, including clinical, genetic and biochemical risk factors. Annals of the Rheumatic Diseases, 2014, 73, 2116-2121. | 0.5 | 111 |
| 174 | Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. International Journal for Quality in Health Care, 2014, 26, 490-498. | 0.9 | 21 |
| 175 | How to define subregional osteoarthritis progression using semi-quantitative MRI Osteoarthritis Knee Score (MOAKS). Osteoarthritis and Cartilage, 2014, 22, 1533-1536. | 0.6 | 67 |
| 176 | Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. Annals of the Rheumatic Diseases, 2014, 73, 1369-1375. | 0.5 | 88 |
| 177 | Inter-observer reliability for radiographic assessment of early osteoarthritis features: the CHECK (cohort hip and cohort knee) study. Osteoarthritis and Cartilage, 2014, 22, 969-974. | 0.6 | 51 |
| 178 | Sensitivity and associations with pain and body weight of an MRI definition of knee osteoarthritis compared with radiographic Kellgren and Lawrence criteria: a population-based study in middle-aged females. Osteoarthritis and Cartilage, 2014, 22, 440-446. | 0.6 | 48 |
| 179 | Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. British Journal of General Practice, 2014, 64, e538-e544. | 0.7 | 10 |
| 180 | Individual patient data meta-analysis of trials investigating the effectiveness of intra-articular glucocorticoid injections in patients with knee or hip osteoarthritis: an OA Trial Bank protocol for a systematic review. Systematic Reviews, 2013, 2, 54. | 2.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Cam impingement of the hip is a risk factor for hip osteoarthritis. <i>Nature Reviews Rheumatology</i> , 2013, 9, 630-634. | 3.5 | 159 |
| 182 | Total hip replacement but not clinical osteoarthritis can be predicted by the shape of the hip: a prospective cohort study (CHECK). <i>Osteoarthritis and Cartilage</i> , 2013, 21, 559-564. | 0.6 | 55 |
| 183 | Bone parameters across different types of hip osteoarthritis and their relationship to osteoporotic fracture risk. <i>Arthritis and Rheumatism</i> , 2013, 65, 693-700. | 6.7 | 43 |
| 184 | Association of atherosclerosis with presence and progression of osteoarthritis: the Rotterdam Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 646-651. | 0.5 | 97 |
| 185 | Cam impingement causes osteoarthritis of the hip: a nationwide prospective cohort study (CHECK). <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 918-923. | 0.5 | 382 |
| 186 | Defining discriminative pain trajectories in hip osteoarthritis over a 2-year time period. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1517-1523. | 0.5 | 49 |
| 187 | Psychological Factors Affecting the Outcome of Total Hip and Knee Arthroplasty: A Systematic Review. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 576-588. | 1.6 | 353 |
| 188 | Incidence of midportion Achilles tendinopathy in the general population. <i>British Journal of Sports Medicine</i> , 2011, 45, 1026-1028. | 3.1 | 326 |
| 189 | Osteoarthritis subpopulations and implications for clinical trial design. <i>Arthritis Research and Therapy</i> , 2011, 13, 213. | 1.6 | 69 |
| 190 | A systematic review on changed biomechanics of lower extremities in obese individuals: a possible role in development of osteoarthritis. <i>Obesity Reviews</i> , 2011, 12, 1071-1082. | 3.1 | 144 |
| 191 | Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 411-419. | 0.6 | 64 |
| 192 | Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 232. | 0.8 | 5 |
| 193 | One-Year Follow-up of Platelet-Rich Plasma Treatment in Chronic Achilles Tendinopathy. <i>American Journal of Sports Medicine</i> , 2011, 39, 1623-1630. | 1.9 | 338 |
| 194 | Impact of different descriptions of the Kellgren and Lawrence classification criteria on the diagnosis of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1422-1427. | 0.5 | 80 |
| 195 | Medial Knee Osteoarthritis Treated by Insoles or Braces: A Randomized Trial. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1926-1932. | 0.7 | 93 |
| 196 | Platelet-Rich Plasma Injection for Chronic Achilles Tendinopathy. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 144. | 3.8 | 718 |
| 197 | Effectiveness of additional supervised exercises compared with conventional treatment alone in patients with acute lateral ankle sprains: systematic review. <i>BMJ: British Medical Journal</i> , 2010, 341, c5688-c5688. | 2.4 | 46 |
| 198 | Familial influence on tibiofemoral alignment. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 542-545. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | The effects of Tai Chi on fall prevention, fear of falling and balance in older people: A meta-analysis. <i>Preventive Medicine</i> , 2010, 51, 222-227. | 1.6 | 127 |
| 200 | Limited evidence for a protective effect of unopposed oestrogen therapy for osteoarthritis of the hip: a systematic review. <i>Rheumatology</i> , 2009, 48, 104-112. | 0.9 | 49 |
| 201 | CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1413-1419. | 0.5 | 112 |
| 202 | No clear association between female hormonal aspects and osteoarthritis of the hand, hip and knee: a systematic review. <i>Rheumatology</i> , 2009, 48, 1160-1165. | 0.9 | 70 |
| 203 | Effect of glucosamine sulphate on joint space narrowing, pain and function in patients with hip osteoarthritis; subgroup analyses of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 427-432. | 0.6 | 37 |
| 204 | Conventional knee films hamper accurate knee alignment determination in patients with varus osteoarthritis of the knee. <i>Knee</i> , 2009, 16, 109-111. | 0.8 | 47 |
| 205 | A functional polymorphism in the catechol-O-methyltransferase gene is associated with osteoarthritis-related pain. <i>Arthritis and Rheumatism</i> , 2009, 60, 628-629. | 6.7 | 76 |
| 206 | Lack of Effect of Tai Chi Chuan in Preventing Falls in Elderly People Living at Home: A Randomized Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 70-75. | 1.3 | 109 |
| 207 | NHG-Standaard Niet-traumatische knieproblemen bij volwassenen. , 2009, , 1154-1172. | | 1 |
| 208 | Longitudinal and cross-sectional validity of the DynaPort® Knee Test in adults with nontraumatic knee complaints in general practice. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1271-1278. | 2.4 | 6 |
| 209 | Good reliability, questionable validity of 25 different classification criteria of knee osteoarthritis: a systematic appraisal. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1205-1215.e2. | 2.4 | 38 |
| 210 | What Is the Clinical Course of Acute Ankle Sprains? A Systematic Literature Review. <i>American Journal of Medicine</i> , 2008, 121, 324-331.e7. | 0.6 | 519 |
| 211 | Differences in descriptions of Kellgren and Lawrence grades of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1034-1036. | 0.5 | 237 |
| 212 | Effect of Glucosamine Sulfate on Hip Osteoarthritis. <i>Annals of Internal Medicine</i> , 2008, 148, 268. | 2.0 | 109 |
| 213 | Risk factors and prognostic factors of hip and knee osteoarthritis. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 78-85. | 3.2 | 125 |
| 214 | Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review * COMMENTARY. <i>British Journal of Sports Medicine</i> , 2007, 41, 469-480. | 3.1 | 1,026 |
| 215 | Prognostic factors of progression of osteoarthritis of the knee: A systematic review of observational studies. <i>Arthritis and Rheumatism</i> , 2007, 57, 13-26. | 6.7 | 160 |
| 216 | Association between valgus and varus alignment and the development and progression of radiographic osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007, 56, 1204-1211. | 6.7 | 500 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Prognosis of hip pain in general practice: A prospective followup study. <i>Arthritis and Rheumatism</i> , 2007, 57, 1368-1374. | 6.7 | 26 |
| 218 | Validation of the Dutch version of the Hip disability and Osteoarthritis Outcome Score. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 104-109. | 0.6 | 147 |
| 219 | Diagnosis of Lumbar Spinal Stenosis. <i>Spine</i> , 2006, 31, 1168-1176. | 1.0 | 104 |
| 220 | Brace treatment for osteoarthritis of the knee: a prospective randomized multi-centre trial. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 777-783. | 0.6 | 159 |
| 221 | Body mass index associated with onset and progression of osteoarthritis of the knee but not of the hip: The Rotterdam Study. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 158-162. | 0.5 | 376 |
| 222 | The effect of glucosamine sulphate on osteoarthritis: design of a long-term randomised clinical trial [ISRCTN54513166]. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 20. | 0.8 | 17 |
| 223 | Acetabular dysplasia predicts incident osteoarthritis of the hip: The Rotterdam study. <i>Arthritis and Rheumatism</i> , 2005, 52, 787-793. | 6.7 | 202 |
| 224 | Does hand osteoarthritis predict future hip or knee osteoarthritis?. <i>Arthritis and Rheumatism</i> , 2005, 52, 3520-3527. | 6.7 | 80 |
| 225 | Prevalence and pattern of radiographic hand osteoarthritis and association with pain and disability (the Rotterdam study). <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 682-687. | 0.5 | 435 |
| 226 | Role of radiography in predicting progression of osteoarthritis of the hip: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2005, 330, 1183. | 2.4 | 62 |
| 227 | The efficacy of Tai Chi Chuan in older adults: a systematic review. <i>Family Practice</i> , 2004, 21, 107-113. | 0.8 | 127 |
| 228 | Influence of hip dysplasia on the development of osteoarthritis of the hip. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 621-626. | 0.5 | 79 |
| 229 | Validity and reliability of three definitions of hip osteoarthritis: cross sectional and longitudinal approach. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1427-1433. | 0.5 | 82 |
| 230 | A new marker for osteoarthritis: Cross-sectional and longitudinal approach. <i>Arthritis and Rheumatism</i> , 2004, 50, 2471-2478. | 6.7 | 235 |
| 231 | Influence of sporting activities on the development of osteoarthritis of the hip: A systematic review. <i>Arthritis and Rheumatism</i> , 2003, 49, 228-236. | 6.7 | 73 |
| 232 | Influence of obesity on the development of osteoarthritis of the hip: a systematic review. <i>British Journal of Rheumatology</i> , 2002, 41, 1155-1162. | 2.5 | 258 |
| 233 | Prognostic factors of progress of hip osteoarthritis: A systematic review. <i>Arthritis and Rheumatism</i> , 2002, 47, 556-562. | 6.7 | 104 |