

Michael Granvogl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7794617/publications.pdf>

Version: 2024-02-01

69
papers

2,502
citations

201674

27
h-index

197818

49
g-index

71
all docs

71
docs citations

71
times ranked

1778
citing authors

#	ARTICLE	IF	CITATIONS
1	The malting parameters: steeping, germination, withering, and kilning temperature and aeration rate as possibilities for styrene mitigation in wheat beer. <i>European Food Research and Technology</i> , 2022, 248, 69-84.	3.3	1
2	Effect of Wort Boiling on Volatiles Formation and Sensory Properties of Mead. <i>Molecules</i> , 2022, 27, 710.	3.8	7
3	Methods to detect MCPD and glycidyl esters in complex food matrices. , 2022, , 195-219.		2
4	Characterization of Thermally Induced Flavor Compounds from the Glucosinolate Progoitrin in Different Matrices via GC-TOF-MS. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 1232-1240.	5.2	7
5	Analysis of acrylamide in vegetable chips after derivatization with 2-mercaptobenzoic acid by liquid chromatography–mass spectrometry. <i>European Food Research and Technology</i> , 2022, 248, 937-946.	3.3	10
6	The sensomics approach: A useful tool to unravel the genuine aroma blueprint of foods and aroma changes during food processing. <i>Comprehensive Analytical Chemistry</i> , 2022, , 41-68.	1.3	7
7	Characterization of Key Aroma-Active Compounds in Rough and Moderate Fire <i>Rougui</i> Wuyi Rock Tea (<i>Camellia sinensis</i>) by Sensory-Directed Flavor Analysis and Elucidation of the Influences of Roasting on Aroma. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 267-278.	5.2	47
8	Exploration of surfactin production by newly isolated <i>Bacillus</i> and <i>Lysinibacillus</i> strains from food-related sources. <i>Letters in Applied Microbiology</i> , 2022, 75, 378-387.	2.2	9
9	Flavor of tea (<i>Camellia sinensis</i>): A review on odorants and analytical techniques. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 3867-3909.	11.7	70
10	Analysis of mono-, di-, triacylglycerols, and fatty acids in food emulsifiers by high-performance liquid chromatography–mass spectrometry. <i>European Food Research and Technology</i> , 2021, 247, 1023-1034.	3.3	2
11	Proteomic Analyses of 3-Monochloropropanediol 1-Monooleate and 1-Monostearate Induced Testicular Toxicity in a 90 Day Sprague-Dawley Rats™ Study. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 4542-4549.	5.2	4
12	Flavor of rapeseed oil: An overview of odorants, analytical techniques, and impact of treatment. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 3983-4018.	11.7	33
13	Occurrence of 3-monochloropropane-1,2-diol (3-MCPD) esters and glycidyl esters in infant formulas from Germany. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021, 38, 1656-1671.	2.3	11
14	The effect of emulsifier by-products and storage conditions on the techno-functional properties of model aerosol whipping cream. <i>International Dairy Journal</i> , 2021, 119, 104989.	3.0	2
15	Investigations into the Ability to Reduce Cinnamic Acid as Undesired Precursor of Toxicologically Relevant Styrene in Wort by Different Barley to Wheat Ratios (Grain Bill) during Mashing. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 9443-9450.	5.2	2
16	Differences of characteristic aroma compounds in <i>Rougui</i> tea leaves with different roasting temperatures analyzed by switchable GC-O-MS and GC–GC-O-MS and sensory evaluation. <i>Food and Function</i> , 2021, 12, 4797-4807.	4.6	45
17	Characterization of the Key Odorants Causing the Musty and Fusty/Muddy Sediment Off-Flavors in Olive Oils. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 14878-14892.	5.2	11
18	Studies on the odorant concentrations and their time dependencies during dry-hopping of alcohol-free beer. <i>Flavour and Fragrance Journal</i> , 2020, 35, 703-712.	2.6	1

#	ARTICLE	IF	CITATIONS
19	Trends in food science & technology an overview of mead production and the physicochemical, toxicological, and sensory characteristics of mead with a special emphasis on flavor. Trends in Food Science and Technology, 2020, 106, 402-416.	15.1	17
20	Dry-Hopping to Modify the Aroma of Alcohol-Free Beer on a Molecular Level—Loss and Transfer of Odor-Active Compounds. Journal of Agricultural and Food Chemistry, 2020, 68, 8602-8612.	5.2	17
21	Nodular panniculitis in a cat with high alpha tocopherol concentration in serum. Veterinary Medicine and Science, 2020, 6, 980-984.	1.6	1
22	The Role of Endogenous Enzymes during Malting of Barley and Wheat Varieties in the Mitigation of Styrene in Wheat Beer. Journal of Agricultural and Food Chemistry, 2020, 68, 13888-13896.	5.2	6
23	Studies on the Impact of Malting and Mashing on the Free, Soluble Ester-Bound, and Insoluble Ester-Bound Forms of Desired and Undesired Phenolic Acids Aiming at Styrene Mitigation during Wheat Beer Brewing. Journal of Agricultural and Food Chemistry, 2020, 68, 12421-12432.	5.2	12
24	Hop-induced formation of ethyl esters in dry-hopped beer. Food Production Processing and Nutrition, 2020, 2, .	3.5	9
25	Determination of mono- and diacylglycerols from E 471 food emulsifiers in aerosol whipping cream by high-performance thin-layer chromatography—fluorescence detection. Analytical and Bioanalytical Chemistry, 2020, 412, 7441-7451.	3.7	5
26	Key Odor-Active Compounds in Raw Green and Red <i>Toona sinensis</i> (A. Juss.) Roem. and Their Changes during Blanching. Journal of Agricultural and Food Chemistry, 2020, 68, 7169-7183.	5.2	18
27	Elucidation of the Impact of Different Drying Methods on the Key Odorants of <i>Toona sinensis</i> (A. Juss.) Roem. Using the Sensomics Approach. Journal of Agricultural and Food Chemistry, 2020, 68, 7697-7709.	5.2	14
28	Ninety-Day Nephrotoxicity Evaluation of 3-MCPD 1-Monooleate and 1-Monostearate Exposures in Male Sprague Dawley Rats Using Proteomic Analysis. Journal of Agricultural and Food Chemistry, 2020, 68, 2765-2772.	5.2	10
29	Characterization of the Key Odorants in High-Quality Extra Virgin Olive Oils and Certified Off-Flavor Oils to Elucidate Aroma Compounds Causing a Rancid Off-Flavor. Journal of Agricultural and Food Chemistry, 2020, 68, 5927-5937.	5.2	48
30	Changing the Landscape: An Introduction to the Agricultural and Food Chemistry Technical Program at the 258th American Chemical Society National Meeting in San Diego. Journal of Agricultural and Food Chemistry, 2020, 68, 12769-12772.	5.2	0
31	Formation of Desired Smoky Key Odorants in Wheat Beer: A Comparison with the Undesired Toxicologically Relevant Styrene. ACS Symposium Series, 2019, , 93-105.	0.5	2
32	Characterization of the Key Aroma Compounds in Rum Made from Sugar Cane Juice by Means of the Sensomics Approach. ACS Symposium Series, 2019, , 291-309.	0.5	1
33	Characterization of Key Aroma Compounds in Pellets of Different Hop Varieties (<i>Humulus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 67, 12044-12053.	5.2	23
34	Characterization of the Key Aroma Compounds in Two Commercial Dark Chocolates with High Cocoa Contents by Means of the Sensomics Approach. Journal of Agricultural and Food Chemistry, 2019, 67, 5827-5837.	5.2	35
35	Characterization of the Key Aroma Compounds in Two Differently Dried <i>Toona sinensis</i> (A. Juss.) Roem. by Means of the Molecular Sensory Science Concept. Journal of Agricultural and Food Chemistry, 2019, 67, 9885-9894.	5.2	32
36	Analysis and Occurrence of MCPD and Glycidyl Esters in Infant Formulas and Other Complex Food Matrices. ACS Symposium Series, 2019, , 67-90.	0.5	6

#	ARTICLE	IF	CITATIONS
37	Unraveling of the Fishy Off-Flavor in Steam-Treated Rapeseed Oil Using the Sensomics Concept. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 1484-1494.	5.2	14
38	Thermally Induced Generation of Desirable Aroma-Active Compounds from the Glucosinolate Sinigrin. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 2485-2490.	5.2	18
39	An investigation of presence of 2- and 3-monochloropropanediol fatty acid esters in Canadian human milk samples. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018, 35, 1881-1889.	2.3	12
40	Reduction of toxicologically relevant styrene in wheat beer using specially produced wheat and barley malts. <i>European Food Research and Technology</i> , 2017, 243, 1711-1718.	3.3	3
41	Characterization of the Key Aroma Compounds in Heat-Processed Licorice (<i>Succus Liquiritiae</i>) by Means of Molecular Sensory Science. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 132-138.	5.2	16
42	Aroma-Active Compounds in Bartlett Pears and Their Changes during the Manufacturing Process of Bartlett Pear Brandy. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9515-9522.	5.2	19
43	Characterization of Key Aroma-Active Compounds in Raw and Roasted White Mustard Seeds (<i>Sinapis</i>) Tj ETQq1 1 0.784314 rgBT /0,5 0	5.2	14
44	Quantitation of Amines in Cereal Products: Thermal Processes Are Able to Generate "Biogenic" Amines. <i>Cereal Chemistry</i> , 2016, 93, 333-338.	2.2	0
45	Characterisation of the key aroma compounds in commercial native cold-pressed rapeseed oil by means of the Sensomics approach. <i>European Food Research and Technology</i> , 2016, 242, 1565-1575.	3.3	33
46	Elucidation of Thermally Induced Changes in Key Odorants of White Mustard Seeds (<i>Sinapis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 <i>Agricultural and Food Chemistry</i> , 2016, 64, 8179-8190.	5.2	41
47	Generation of Desired Aroma-Active as Well as Undesired Toxicologically Relevant Compounds during Deep-Frying of Potatoes with Different Edible Vegetable Fats and Oils. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9107-9115.	5.2	55
48	Characterization of the Key Aroma Compounds in Raw Licorice (<i>Glycyrrhiza glabra</i> L.) by Means of Molecular Sensory Science. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8388-8396.	5.2	44
49	Characterization of Key Odorants Causing a Fusty/Musty Off-Flavor in Native Cold-Pressed Rapeseed Oil by Means of the Sensomics Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8168-8178.	5.2	48
50	Influence of the Production Process on the Key Aroma Compounds of Rum: From Molasses to the Spirit. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9041-9053.	5.2	49
51	Quantitation and Enantiomeric Ratios of Aroma Compounds Formed by an Ehrlich Degradation of Isoleucine in Fermented Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 646-652.	5.2	30
52	Studies on the Simultaneous Formation of Aroma-Active and Toxicologically Relevant Vinyl Aromatics from Free Phenolic Acids during Wheat Beer Brewing. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 2325-2332.	5.2	35
53	Characterization of the Key Aroma Compounds in Two Commercial Rums by Means of the Sensomics Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 637-645.	5.2	60
54	Development of stable isotope dilution assays for the quantitation of free phenolic acids in wheat and barley and malts produced thereof. <i>European Food Research and Technology</i> , 2015, 241, 637-645.	3.3	7

#	ARTICLE	IF	CITATIONS
55	Characterization of the Key Aroma Compounds in Two Bavarian Wheat Beers by Means of the Sensomics Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 11303-11311.	5.2	91
56	Characterization of the Key Aroma Compounds in Bartlett Pear Brandies by Means of the Sensomics Concept. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 9583-9593.	5.2	65
57	New Insights into the Formation of Aroma-Active Strecker Aldehydes from 3-Oxazolines as Transient Intermediates. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 6312-6322.	5.2	56
58	Comparative Studies on the Generation of Acrolein as Well as of Aroma-Active Compounds during Deep-Frying with Different Edible Vegetable Fats and Oils. <i>ACS Symposium Series</i> , 2012, , 129-136.	0.5	2
59	Quantitation of Key Peanut Aroma Compounds in Raw Peanuts and Pan-Roasted Peanut Meal. Aroma Reconstitution and Comparison with Commercial Peanut Products. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11018-11026.	5.2	85
60	Re-investigation on odour thresholds of key food aroma compounds and development of an aroma language based on odour qualities of defined aqueous odorant solutions. <i>European Food Research and Technology</i> , 2008, 228, 265-273.	3.3	519
61	Comparison of the Key Aroma Compounds in Organically Grown, Raw West-African Peanuts (<i>Arachis</i>) Tj ETQq1 1 0.784314 rgBT /Overd <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 10237-10243.	5.2	45
62	Development of a Stable Isotope Dilution Assay for the Quantitation of Glycidamide and Its Application to Foods and Model Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6087-6092.	5.2	23
63	Influence of Sulfur Fertilization on the Amounts of Free Amino Acids in Wheat. Correlation with Baking Properties as well as with 3-Aminopropionamide and Acrylamide Generation during Baking. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 4271-4277.	5.2	89
64	Quantification of 3-aminopropionamide in cocoa, coffee and cereal products. <i>European Food Research and Technology</i> , 2007, 225, 857-863.	3.3	48
65	Formation of Amines and Aldehydes from Parent Amino Acids during Thermal Processing of Cocoa and Model Systems: A New Insights into Pathways of the Strecker Reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 1730-1739.	5.2	102
66	Thermally Generated 3-Aminopropionamide as a Transient Intermediate in the Formation of Acrylamide. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 5933-5938.	5.2	160
67	New Aspects on the Formation and Analysis of Acrylamide. , 2005, 561, 205-222.		32
68	Quantitation of 3-Aminopropionamide in Potatoes A Minor but Potent Precursor in Acrylamide Formation. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4751-4757.	5.2	166
69	Differentiation between Aroma-Related Bioactives in Native Cold-Pressed Rapeseed Oils with Desired Sensory Attributes and with a Fusty/Musty Off-Flavor Using Multivariate Methods. <i>Journal of Food Bioactives: an Official Scientific Publication of the International Society of Nutraceuticals and Functional Foods (ISNFF)</i> , 0. 8, .	2.4	7