
Christian Senft

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7797901/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intraoperative MRI guidance and extent of resection in glioma surgery: a randomised, controlled trial. Lancet Oncology, The, 2011, 12, 997-1003.	10.7	702
2	Complete resection of contrast-enhancing tumor volume is associated with improved survival in recurrent glioblastoma—results from the DIRECTOR trial. Neuro-Oncology, 2016, 18, 549-556.	1.2	187
3	Clinical benefit from resection of recurrent glioblastomas: results of a multicenter study including 503 patients with recurrent glioblastomas undergoing surgical resection. Neuro-Oncology, 2016, 18, 96-104.	1.2	186
4	The Pan-Bcl-2 Inhibitor (â^')-Gossypol Triggers Autophagic Cell Death in Malignant Glioma. Molecular Cancer Research, 2010, 8, 1002-1016.	3.4	169
5	Glioblastoma therapy in the elderly and the importance of the extent of resection regardless of age. Journal of Neurosurgery, 2012, 116, 357-364.	1.6	162
6	A randomised, open label phase III trial with nimotuzumab, an anti-epidermal growth factor receptor monoclonal antibody in the treatment of newly diagnosed adult glioblastoma. European Journal of Cancer, 2015, 51, 522-532.	2.8	161
7	CAR-Engineered NK Cells for the Treatment of Glioblastoma: Turning Innate Effectors Into Precision Tools for Cancer Immunotherapy. Frontiers in Immunology, 2019, 10, 2683.	4.8	142
8	The nontoxic natural compound Curcumin exerts anti-proliferative, anti-migratory, and anti-invasive properties against malignant gliomas. BMC Cancer, 2010, 10, 491.	2.6	120
9	Navigated Transcranial Magnetic Stimulation and Functional Magnetic Resonance Imaging: Advanced Adjuncts in Preoperative Planning for Central Region Tumors. Neurosurgery, 2011, 68, 1317-1325.	1.1	117
10	Intra-operative subcortical electrical stimulation: A comparison of two methods. Clinical Neurophysiology, 2011, 122, 1470-1475.	1.5	114
11	Inhibition of the JAK-2/STAT3 signaling pathway impedes the migratory and invasive potential of human glioblastoma cells. Journal of Neuro-Oncology, 2011, 101, 393-403.	2.9	112
12	Low-grade Glioma Surgery in Intraoperative Magnetic Resonance Imaging. Neurosurgery, 2016, 78, 775-786.	1.1	109
13	Distribution and prognostic relevance of tumor-infiltrating lymphocytes (TILs) and PD-1/PD-L1 immune checkpoints in human brain metastases. Oncotarget, 2015, 6, 40836-40849.	1.8	106
14	The influence of preoperative anticoagulation on outcome and quality of life after surgical treatment of chronic subdural hematoma. Journal of Clinical Neuroscience, 2010, 17, 975-979.	1.5	90
15	<scp>MIF</scp> Receptor <scp>CD</scp> 74 is Restricted to Microglia/Macrophages, Associated with a <scp>M</scp> 1â€Polarized Immune Milieu and Prolonged Patient Survival in Gliomas. Brain Pathology, 2015, 25, 491-504.	4.1	90
16	Low field intraoperative MRI-guided surgery of gliomas: A single center experience. Clinical Neurology and Neurosurgery, 2010, 112, 237-243.	1.4	76
17	Tumor Vessel Normalization, Immunostimulatory Reprogramming, and Improved Survival in Glioblastoma with Combined Inhibition of PD-1, Angiopoietin-2, and VEGF. Cancer Immunology Research, 2019, 7, 1910-1927.	3.4	74
18	Influence of iMRI-Guidance on the Extent of Resection and Survival of Patients with Glioblastoma Multiforme. Technology in Cancer Research and Treatment, 2010, 9, 339-346.	1.9	73

#	Article	IF	CITATIONS
19	Costs and costâ€driving factors for acute treatment of adults with status epilepticus: A multicenter cohort study from Germany. Epilepsia, 2016, 57, 2056-2066.	5.1	71
20	Treatment of refractory and super-refractory status epilepticus with brivaracetam: A cohort study from two German university hospitals. Epilepsy and Behavior, 2017, 70, 177-181.	1.7	68
21	Benefit of tumor resection for recurrent glioblastoma. Journal of Neuro-Oncology, 2014, 117, 365-372.	2.9	65
22	USEFULNESS OF INTRAOPERATIVE ULTRA LOW-FIELD MAGNETIC RESONANCE IMAGING IN GLIOMA SURGERY. Operative Neurosurgery, 2008, 63, 257-267.	0.8	64
23	Isocitrate dehydrogenase 1 mutant R132H sensitizes glioma cells to BCNU-induced oxidative stress and cell death. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 1416-1425.	4.9	62
24	Prospective evaluation of serum glial fibrillary acidic protein (GFAP) as a diagnostic marker for glioblastoma. Journal of Neuro-Oncology, 2016, 126, 361-369.	2.9	62
25	Optimizing the extent of resection in eloquently located gliomas by combining intraoperative MRI guidance with intraoperative neurophysiological monitoring. Journal of Neuro-Oncology, 2012, 109, 81-90.	2.9	61
26	DIAGNOSTIC VALUE OF PROTON MAGNETIC RESONANCE SPECTROSCOPY IN THE NONINVASIVE GRADING OF SOLID GLIOMAS. Neurosurgery, 2009, 65, 908-913.	1.1	59
27	Surgery for Glioblastoma in Light of Molecular Markers: Impact of Resection and MGMT Promoter Methylation in Newly Diagnosed IDH-1 Wild-Type Glioblastomas. Neurosurgery, 2019, 84, 190-197.	1.1	59
28	Brain invasion in otherwise benign meningiomas does not predict tumor recurrence. Acta Neuropathologica, 2016, 132, 479-481.	7.7	54
29	Time window for postoperative reactive enhancement after resection of brain tumors: less than 72 hours. Neurosurgical Focus, 2014, 37, E3.	2.3	47
30	Dabrafenib in patients with recurrent, BRAF V600E mutated malignant glioma and leptomeningeal disease. Oncology Reports, 2017, 38, 3291-3296.	2.6	46
31	Intratumoral Concentrations and Effects of Orally Administered Micellar Curcuminoids in Glioblastoma Patients. Nutrition and Cancer, 2016, 68, 943-948.	2.0	44
32	Activation of executioner caspases is a predictor of progression-free survival in glioblastoma patients: a systems medicine approach. Cell Death and Disease, 2013, 4, e629-e629.	6.3	43
33	Management and outcome of patients with acute traumatic subdural hematomas and pre-injury oral anticoagulation therapy. Neurological Research, 2009, 31, 1012-1018.	1.3	41
34	Risk of ischemia in glioma surgery: comparison of first and repeat procedures. Journal of Neuro-Oncology, 2012, 107, 599-607.	2.9	41
35	Combination of Intraoperative Magnetic Resonance Imaging and Intraoperative Fluorescence to Enhance the Resection of Contrast Enhancing Cliomas. Neurosurgery, 2015, 77, 16-22.	1.1	39
36	Management of hydrocephalus after resection of posterior fossa lesions in pediatric and adult patients—predictors for development of hydrocephalus. Neurosurgical Review, 2020, 43, 1143-1150.	2.4	38

#	Article	IF	CITATIONS
37	Dexamethasone-induced leukocytosis is associated with poor survival in newly diagnosed glioblastoma. Journal of Neuro-Oncology, 2018, 137, 503-510.	2.9	37
38	The Impact of Tracheostomy Timing on Clinical Outcome and Adverse Events in Poor-Grade Subarachnoid Hemorrhage*. Critical Care Medicine, 2015, 43, 2429-2438.	0.9	36
39	Transcriptomic analysis of aggressive meningiomas identifies PTTG1 and LEPR as prognostic biomarkers independent of WHO grade. Oncotarget, 2016, 7, 14551-14568.	1.8	36
40	Sphenoorbital meningiomas: surgical management and outcome. Neurological Research, 2014, 36, 695-700.	1.3	34
41	Cerebral vasospasm and delayed cerebral infarctions in 225 patients with non-aneurysmal subarachnoid hemorrhage: the underestimated risk of Fisher 3 blood distribution. Journal of NeuroInterventional Surgery, 2016, 8, 1247-1252.	3.3	34
42	Nonâ€aneurysmal subarachnoid hemorrhage in 173 patients: a prospective study of longâ€ŧerm outcome. European Journal of Neurology, 2015, 22, 1329-1336.	3.3	33
43	Endovascular and Surgical Treatment of Internal Carotid Bifurcation Aneurysms. Neurosurgery, 2015, 76, 540-551.	1.1	33
44	Controversial roles for dexamethasone in glioblastoma – Opportunities for novel vascular targeting therapies. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 1460-1468.	4.3	33
45	Glioma Extent of Resection and Ultra-Low-Field iMRI: Interim Analysis of a Prospective Randomized Trial. Acta Neurochirurgica Supplementum, 2011, 109, 49-53.	1.0	33
46	Increasing numbers of nonaneurysmal subarachnoid hemorrhage in the last 15 years: antithrombotic medication as reason and prognostic factor?. Journal of Neurosurgery, 2016, 124, 1731-1737.	1.6	32
47	Motor cortex evaluation by nTMS after surgery of central region tumors: a feasibility study. Acta Neurochirurgica, 2012, 154, 1351-1359.	1.7	31
48	Identification of KIF11 As a Novel Target in Meningioma. Cancers, 2019, 11, 545.	3.7	31
49	Pineal parenchymal tumor of intermediate differentiation:diagnostic pitfalls and discussion of treatment options of a rare tumor entity. Neurosurgical Review, 2008, 31, 231-236.	2.4	30
50	Intraoperative MRI and Functional Mapping. Acta Neurochirurgica Supplementum, 2011, 109, 61-65.	1.0	30
51	Surgery for Diffuse WHO Grade II Gliomas: Volumetric Analysis of a Multicenter Retrospective Cohort From the German Study Group for Intraoperative Magnetic Resonance Imaging. Neurosurgery, 2020, 86, E64-E74.	1.1	30
52	Intraoperative magnetic resonance imaging in the surgical treatment of cerebral metastases. Journal of Surgical Oncology, 2010, 101, 436-441.	1.7	28
53	Netrin-1 Expression Is an Independent Prognostic Factor for Poor Patient Survival in Brain Metastases. PLoS ONE, 2014, 9, e92311.	2.5	28
54	Perioperative cerebral ischemia promote infiltrative recurrence in glioblastoma. Oncotarget, 2015, 6, 14537-14544.	1.8	27

#	Article	IF	CITATIONS
55	Test-retest Reliability of Navigated Transcranial Magnetic Stimulation of the Motor Cortex. Operative Neurosurgery, 2014, 10, 51-56.	0.8	26
56	Incidence, Risk Factors, and Outcome of Acute Kidney Injury in Neurocritical Care. Journal of Intensive Care Medicine, 2020, 35, 338-346.	2.8	26
57	Intraoperative Bleeding in Stereotactic Biopsies and Its Implication on Postoperative Management: Can We Predict CT Findings?. Stereotactic and Functional Neurosurgery, 2014, 92, 80-85.	1.5	25
58	Combination of 5-ALA and iMRI in re-resection of recurrent glioblastoma. British Journal of Neurosurgery, 2016, 30, 313-317.	0.8	25
59	BH3 Mimetics Reactivate Autophagic Cell Death in Anoxia-Resistant Malignant Glioma Cells. Neoplasia, 2008, 10, 873-885.	5.3	24
60	The ability to return to work: a patient-centered outcome parameter following glioma surgery. Journal of Neuro-Oncology, 2020, 149, 403-411.	2.9	24
61	Cytotoxic T Cells and their Activation Status are Independent Prognostic Markers in Meningiomas. Clinical Cancer Research, 2019, 25, 5260-5270.	7.0	23
62	Regorafenib CSF Penetration, Efficacy, and MRI Patterns in Recurrent Malignant Glioma Patients. Journal of Clinical Medicine, 2019, 8, 2031.	2.4	23
63	On the value of routine prothrombin time screening in elective neurosurgical procedures. Neurosurgical Focus, 2012, 33, E9.	2.3	22
64	Akt and mTORC1 signaling as predictive biomarkers for the EGFR antibody nimotuzumab in glioblastoma. Acta Neuropathologica Communications, 2018, 6, 81.	5.2	22
65	Lack of H3K27 trimethylation is associated with 1p/19q codeletion in diffuse gliomas. Acta Neuropathologica, 2019, 138, 331-334.	7.7	22
66	Sonographic short-term follow-up after surgical decompression of the median nerve at the carpal tunnel: a single-center prospective observational study. Neurosurgical Focus, 2015, 39, E6.	2.3	21
67	A novel grading system for the prediction of the need for cerebrospinal fluid drainage following posterior fossa tumor surgery. Journal of Neurosurgery, 2020, 132, 296-305.	1.6	21
68	Postoperative patient-controlled epidural analgesia in patients with spondylodiscitis and posterior spinal fusion surgery. Journal of Neurosurgery: Spine, 2016, 24, 965-970.	1.7	20
69	Serum concentrations of glial fibrillary acidic protein (GFAP) do not indicate tumor recurrence in patients with glioblastoma. Journal of Neuro-Oncology, 2017, 135, 193-199.	2.9	20
70	Detection and grading of dAVF: prospects and limitations of 3T MRI. European Radiology, 2012, 22, 429-438.	4.5	19
71	Outcome of Patients with Long-Lasting Cerebral Vasospasm After Subarachnoid Hemorrhage: Is Prolonged Treatment for Cerebral Vasospasm Worthwhile? A Matched-Pair Analysis. World Neurosurgery, 2016, 88, 488-496.	1.3	19
72	Impact of resection on overall survival of recurrent Glioblastoma in elderly patients. Clinical Neurology and Neurosurgery, 2018, 174, 21-25.	1.4	19

#	Article	IF	CITATIONS
73	Low-Frequency Oscillations Code Speech during Verbal Working Memory. Journal of Neuroscience, 2019, 39, 6498-6512.	3.6	19
74	Risk factors governing the development of cerebral vein and dural sinus thrombosis after craniotomy in patients with intracranial tumors. Journal of Neurosurgery, 2018, 128, 373-379.	1.6	18
75	To treat or not to treat? A retrospective multicenter assessment of survival in patients with IDH-mutant low-grade glioma based on adjuvant treatment. Journal of Neurosurgery, 2020, 133, 273-280.	1.6	18
76	A multi-center retrospective analysis of treatment effects and quality of life in adult patients with cranial ependymomas. Journal of Neuro-Oncology, 2013, 114, 319-327.	2.9	17
77	Is Postoperative Imaging Mandatory after Meningioma Removal? Results of a Prospective Study. PLoS ONE, 2015, 10, e0124534.	2.5	17
78	Subarachnoid Hemorrhage in Advanced Age: Comparison of Patients Aged 70–79 Years and 80 Years and Older. World Neurosurgery, 2017, 106, 139-144.	1.3	17
79	Pre- and early postoperative GFAP serum levels in glioma and brain metastases. Journal of Neuro-Oncology, 2018, 139, 541-546.	2.9	16
80	Tractography Verified by Intraoperative Magnetic Resonance Imaging and Subcortical Stimulation During Tumor Resection Near the Corticospinal Tract. Operative Neurosurgery, 2019, 16, 197-210.	0.8	16
81	Immunohistochemical Assessment of Phosphorylated mTORC1-Pathway Proteins in Human Brain Tumors. PLoS ONE, 2015, 10, e0127123.	2.5	15
82	Aneurysm Location as a Prognostic Outcome Factor After Subarachnoid Hemorrhage From Internal Carotid Artery Aneurysms and Potential Impact for Further Experimental Subarachnoid Hemorrhage Models. World Neurosurgery, 2016, 92, 273-278.	1.3	15
83	Benefits of glioma resection in the corpus callosum. Scientific Reports, 2020, 10, 16630.	3.3	15
84	Correlation of Bone Density Values of Quantitative Computed Tomography and Hounsfield Units Measured in Native Computed Tomography in 902 Vertebral Bodies. World Neurosurgery, 2021, 151, e599-e606.	1.3	15
85	Outcome, Prognostic Factors, and Follow-Up Results After Subarachnoid Hemorrhage from Pericallosal Artery Aneurysms. World Neurosurgery, 2017, 99, 566-571.	1.3	14
86	Surgical treatment of cerebral abscess with the use of a mobile ultralow-field MRI. Neurosurgical Review, 2009, 32, 77-85.	2.4	13
87	Antiâ€ŧissue factor (<scp>TF9â€10H10</scp>) treatment reduces tumor cell invasiveness in a novel migratory glioma model. Neuropathology, 2013, 33, 515-525.	1.2	13
88	The Role of ABO Blood Group in Cerebral Vasospasm, Associated Intracranial Hemorrhage, and Delayed Cerebral Ischemia in 470 Patients with Subarachnoid Hemorrhage. World Neurosurgery, 2017, 97, 532-537.	1.3	13
89	Low Field Intraoperative MRI in Glioma Surgery. Acta Neurochirurgica Supplementum, 2011, 109, 35-41.	1.0	12
90	Non-aneurysmal non-perimesencephalic subarachnoid hemorrhage: effect of rehabilitation at short-term and in a prospective study of long-term follow-up. Topics in Stroke Rehabilitation, 2016, 23, 261-268.	1.9	11

#	Article	IF	CITATIONS
91	RARE-35. DABRAFENIB IN PATIENTS WITH RECURRENT, BRAF V600E MUTATED MALIGNANT GLIOMA AND LEPTOMENINGEAL DISEASE. Neuro-Oncology, 2017, 19, vi217-vi217.	1.2	11
92	The clinical relevance of ABO blood type in 100 patients with acute subdural hematoma. PLoS ONE, 2018, 13, e0204331.	2.5	11
93	Influence of pregnancy on glioma patients. Acta Neurochirurgica, 2019, 161, 535-543.	1.7	11
94	Feasibility of Intraoperative MRI Guidance for Craniotomy and Tumor Resection in the Semisitting Position. Journal of Neurosurgical Anesthesiology, 2011, 23, 241-246.	1.2	10
95	Transcranial Ultrasound to Detect Elevated Intracranial Pressure: Comparison of Septum Pellucidum Undulations and Optic Nerve Sheath Diameter. Ultrasound in Medicine and Biology, 2015, 41, 1233-1240.	1.5	10
96	Influence of ABO blood type on the outcome after non-aneurysmal subarachnoid hemorrhage. Acta Neurochirurgica, 2018, 160, 761-766.	1.7	10
97	Correlation of quantitative computed tomography derived bone density values with Hounsfield units of a contrast medium computed tomography in 98 thoraco-lumbar vertebral bodies. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 3335-3340.	2.4	10
98	Long-term outcome in patients treated for benign dural arteriovenous fistulas of the posterior fossa. Neuroradiology, 2011, 53, 493-500.	2.2	9
99	Cerebral Vasospasm–Dependent and Cerebral Vasospasm–Independent Cerebral Infarctions Predict Outcome After Nonaneurysmal Subarachnoid Hemorrhage: AÂSingle-Center Series with 250 Patients. World Neurosurgery, 2017, 106, 861-869.e4.	1.3	8
100	Influence of VEGF-A, VEGFR-1-3, and neuropilin 1-2 on progression-free: and overall survival in WHO grade II and III meningioma patients. Journal of Molecular Histology, 2021, 52, 233-243.	2.2	8
101	Clinical Outcome and Risk Factors of Red Blood Cell Transfusion in Patients Undergoing Elective Primary Meningioma Resection. Cancers, 2021, 13, 3601.	3.7	8
102	Secondary Glioblastoma: Molecular and Clinical Factors That Affect Outcome After Malignant Progression of a Lower Grade Tumor. World Neurosurgery, 2017, 102, 49-55.	1.3	7
103	Ventriculoperitoneal Shunts Equipped with On-Off Valves for Intraventricular Therapies in Patients with Communicating Hydrocephalus due to Leptomeningeal Metastases. Journal of Clinical Medicine, 2018, 7, 216.	2.4	7
104	Dexamethasone Treatment Limits Efficacy of Radiation, but Does Not Interfere With Glioma Cell Death Induced by Tumor Treating Fields. Frontiers in Oncology, 2021, 11, 715031.	2.8	7
105	Development and external validation of a clinical prediction model for survival in patients with IDH wild-type glioblastoma. Journal of Neurosurgery, 2022, 137, 914-923.	1.6	7
106	The combination of semi-sitting position and intraoperative MRI—first report on feasibility. Acta Neurochirurgica, 2010, 152, 947-951.	1.7	6
107	136 Complete Resection of Contrast-Enhancing Tumor Volume is Associated With Improved Survival in Recurrent Glioblastoma Results From the DIRECTOR Trial. Neurosurgery, 2015, 62, 209.	1.1	6
108	Neurotoxicity of subarachnoid Gd-based contrast agent accumulation: a potential complication of intraoperative MRI?. Neurosurgical Focus, 2021, 50, E12.	2.3	6

#	Article	IF	CITATIONS
109	Proposed definition of competencies for surgical neuro-oncology training. Journal of Neuro-Oncology, 2021, 153, 121-131.	2.9	6
110	MRI-detection rate and incidence of lumbar bleeding sources in 190 patients with non-aneurysmal SAH. PLoS ONE, 2017, 12, e0174734.	2.5	6
111	Assessment of molecular markers demonstrates concordance between samples acquired via stereotactic biopsy and open craniotomy in both anaplastic astrocytomas and glioblastomas. Journal of Neuro-Oncology, 2017, 133, 399-407.	2.9	5
112	Does aneurysm side influence the infarction side and patients´outcome after subarachnoid hemorrhage?. PLoS ONE, 2019, 14, e0224013.	2.5	5
113	Microsurgical Treatment and Follow-Up of KOOS Grade IV Vestibular Schwannoma: Therapeutic Concept and Future Perspective. Frontiers in Oncology, 2020, 10, 605137.	2.8	5
114	Pulmonary embolism in neurocritical care-introduction of a novel grading system for risk stratification: the Frankfurt AMBOS score. Neurosurgical Review, 2021, 44, 1165-1171.	2.4	5
115	Association of Isocitrate Dehydrogenase (IDH) Status With Edema to Tumor Ratio and Its Correlation With Immune Infiltration in Glioblastoma. Frontiers in Immunology, 2021, 12, 627650.	4.8	5
116	Meningioma Surgery in Patients ≥70 Years of Age: Clinical Outcome and Validation of the SKALE Score. Journal of Clinical Medicine, 2021, 10, 1820.	2.4	5
117	Cerebral foreign body granuloma in brain triggering generalized seizures without obvious craniocerebral injury: A case report and review of the literature. , 2016, 7, 775.		5
118	Sacral Peak Pressure in Healthy Volunteers and Patients With Spinal Cord Injury. Nursing Research, 2015, 64, 300-305.	1.7	4
119	Decision-making in a patient with cardiac arrest due to venous thromboembolism within 24Âh after glioblastoma resection. Acta Neurochirurgica, 2016, 158, 2259-2263.	1.7	4
120	Takotsubo Cardiomyopathy Triggered by Venous Air Embolism During Craniotomy in the Sitting Position. World Neurosurgery, 2017, 107, 1045.e1-1045.e4.	1.3	4
121	Vasospasm of the basilar artery following spontaneous SAH—clinical observations and implications for vascular research. Neurosurgical Review, 2019, 42, 983-989.	2.4	4
122	Multicentric Registry Study on Epidemiological and Biological Disease Profile as Well as Clinical Outcome in Patients with Low-Grade Gliomas: The LoG-Glio Project. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2020, 81, 048-057.	0.8	4
123	Linking epigenetic signature and metabolic phenotype in <i>IDH</i> mutant and <i>IDH</i> wildtype diffuse glioma. Neuropathology and Applied Neurobiology, 2021, 47, 379-393.	3.2	4
124	Does extent of resection matter in recurrent glioblastoma? Lessons from the DIRECTOR trial Journal of Clinical Oncology, 2015, 33, 2041-2041.	1.6	4
125	Efficacy of Intraoperative Blood Salvage in Cerebral Aneurysm Surgery. Journal of Clinical Medicine, 2021, 10, 5734.	2.4	4
126	Editorial: Glioblastoma in the elderly. Journal of Neurosurgery, 2012, 116, 355-356.	1.6	3

#	Article	IF	CITATIONS
127	Surgical Management of Eloquent Supratentorial Low-Grade Gliomas with Special Emphasis on Intraoperative Imaging. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2015, 76, 149-159.	0.8	3
128	Clavicle pain and reduction of incisional and fascial pain after posterior cervical surgery. Journal of Neurosurgery: Spine, 2015, 23, 684-689.	1.7	3
129	Misleading FLAIR imaging pattern after glioma surgery with intraoperative MRI. Neurosurgical Review, 2016, 39, 79-86.	2.4	3
130	A Single-Center Prospective Observational Study of Ultrasonography for 6 Months after Surgical Decompression of the Median Nerve at the Carpal Tunnel. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2017, 78, 329-336.	0.8	3
131	Outcome and prognostic factors after delayed second subarachnoid haemorrhage. Acta Neurochirurgica, 2017, 159, 307-315.	1.7	3
132	Quantifying the burden of disease in patients with Lennox Gastaut syndrome. Epilepsy and Behavior Reports, 2021, 16, 100508.	1.0	3
133	Brain surface reformatted imaging (BSRI) for intraoperative neuronavigation in brain tumor surgery. Acta Neurochirurgica, 2015, 157, 265-274.	1.7	2
134	Comparison of carotid and basilar bifurcation aneurysms versus non-T-angled bifurcations: the geometry is associated with the outcome. Neurosurgical Review, 2019, 42, 853-858.	2.4	2
135	Occurrence of adjacent segment fractures after surgical treatment of an osteoporotic vertebral fracture: a retrospective comparison between two different treatment methods. Archives of Orthopaedic and Trauma Surgery, 2022, , .	2.4	2
136	Dislocated Pacemaker Electrode Simulating Focal Epileptic State in a Patient with Subdural Hematoma—Case Report and Review of the Literature. World Neurosurgery, 2016, 88, 696.e1-696.e4.	1.3	1
137	SURG-08. RESECTION OF CONTRAST ENHANCING TISSUE PROLONGS OVERALL SURVIVAL IN GLIOMAS – SECONDARY ENDPOINT ANALYSIS OF AÂRANDOMIZED CONTROLLED TRIAL ON INTRAOPERATIVE MRI USE. Neuro-Oncology, 2017, 19, vi237-vi237.	1.2	1
138	Direct oral anticoagulants for therapeutic anticoagulation in postoperative pulmonary embolism after meningioma resection. Journal of Clinical Neuroscience, 2020, 81, 265-269.	1.5	1
139	Beware of Nihilism: Favorable Outcome despite Poor Admission Status in Posterior Circulation Aneurysms after Aneurysmal Subarachnoid Hemorrhage. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2021, 82, 512-517.	0.8	1
140	Two-step staged resection of giant olfactory groove meningiomas. Acta Neurochirurgica, 2021, 163, 3425-3431.	1.7	1
141	Glioma Surgery: Intraoperative Low Field Magnetic Resonance Imaging. , 2011, , 181-187.		1
142	Short- and Long-Term Effects of Rehabilitation after Perimesencephalic Subarachnoid Hemorrhage. Diseases (Basel, Switzerland), 2021, 9, 69.	2.5	1
143	ANGI-02PERIOPERATIVE CEREBRAL ISCHEMIA PROMOTE INFILTRATIVE RECURRENCE IN GLIOBLASTOMA. Neuro-Oncology, 2015, 17, v41.2-v41.	1.2	0
144	The Impact of Tracheostomy Timing on Clinical Outcome and Adverse Events in Poor-Grade Subarachnoid Hemorrhage. Survey of Anesthesiology, 2016, 60, 145.	0.1	0

#	Article	IF	CITATIONS
145	316 Extent of Resection and MGMT Promotor Methylation Status are Independent Risk Factors in IDH1_R132H Wild-type Primary Glioblastomas. Neurosurgery, 2017, 64, 268.	1.1	0
146	INNV-22. TO TREAT OR NOT TO TREAT – TREATMENT OUTCOMES OF VERY ELDERLY GLIOBLASTOMA PATIENTS Neuro-Oncology, 2019, 21, vi135-vi135.	· 1.2	0
147	HOUT-12. RETURN TO WORK FOLLOWING AWAKE SURGERY FOR GLIOMAS IN SPEECH-ELOQUENT AREAS. Neuro-Oncology, 2019, 21, vi114-vi114.	1.2	0
148	Reactive Thrombocytosis in Non-aneurysmal Subarachnoid Hemorrhage. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2020, 81, 412-417.	0.8	0
149	Abstract 1065: Concomitant dexamethasone treatment and tumor treating fields induced cell death in glioblastoma. , 2021, , .		0
150	Activation of Platelets and Occurrence of Cerebral Vasospasm and Delayed Cerebral Ischemia Following Subarachnoid Hemorrhage in a Prospective Pilot-Trial. Clinical Laboratory, 2021, 67, .	0.5	0
151	Intraoperative Neurophysiologie und Bildgebung in der Gliomchirurgie: Welches Verfahren wann?. , 2018, , 353-360.		0
152	Resection of central nervous system lymphoma: a paradigm shift?. Journal of Neurosurgical Sciences, 2020, 64, 393-398.	0.6	0