

Ji-hang Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7802157/publications.pdf>

Version: 2024-02-01

14

papers

3,795

citations

759233

12

h-index

1058476

14

g-index

14

all docs

14

docs citations

14

times ranked

5367

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | METTL16 promotes hepatocellular carcinoma progression through downregulating RAB11B-AS1 in an m6A-dependent manner. <i>Cellular and Molecular Biology Letters</i> , 2022, 27, . | 7.0 | 57 |
| 2 | SLC38A4 functions as a tumour suppressor in hepatocellular carcinoma through modulating Wnt/β-catenin/MYC/HMGCS2 axis. <i>British Journal of Cancer</i> , 2021, 125, 865-876. | 6.4 | 33 |
| 3 | An alternative POLDIP3 transcript promotes hepatocellular carcinoma progression. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 276-283. | 5.6 | 15 |
| 4 | The MBNL3 splicing factor promotes hepatocellular carcinoma by increasing PXN expression through the alternative splicing of lncRNA-PXN-AS1. <i>Nature Cell Biology</i> , 2017, 19, 820-832. | 10.3 | 245 |
| 5 | CTGF secreted by mesenchymal-like hepatocellular carcinoma cells plays a role in the polarization of macrophages in hepatocellular carcinoma progression. <i>Biomedicine and Pharmacotherapy</i> , 2017, 95, 111-119. | 5.6 | 16 |
| 6 | Long noncoding RNA MRCCAT1 promotes metastasis of clear cell renal cell carcinoma via inhibiting NPR3 and activating p38-MAPK signaling. <i>Molecular Cancer</i> , 2017, 16, 111. | 19.2 | 212 |
| 7 | METTL14 suppresses the metastatic potential of hepatocellular carcinoma by modulating N6-methyladenosine-dependent primary MicroRNA processing. <i>Hepatology</i> , 2017, 65, 529-543. | 7.3 | 685 |
| 8 | Systemic genome screening identifies the outcome associated focal loss of long noncoding RNA PRAL in hepatocellular carcinoma. <i>Hepatology</i> , 2016, 63, 850-863. | 7.3 | 101 |
| 9 | Long noncoding RNA glycan 3 (GPC3) antisense transcript 1 promotes hepatocellular carcinoma progression via epigenetically activating <i>GPC3</i>. <i>FEBS Journal</i> , 2016, 283, 3739-3754. | 4.7 | 125 |
| 10 | Aldolase B inhibits metastasis through Ten-Eleven Translocation 1 and serves as a prognostic biomarker in hepatocellular carcinoma. <i>Molecular Cancer</i> , 2015, 14, 170. | 19.2 | 64 |
| 11 | A Long Noncoding RNA Activated by TGF-β2 Promotes the Invasion-Metastasis Cascade in Hepatocellular Carcinoma. <i>Cancer Cell</i> , 2014, 25, 666-681. | 16.8 | 1,392 |
| 12 | Oncofetal long noncoding RNA PVT1 promotes proliferation and stem cell-like property of hepatocellular carcinoma cells by stabilizing NOP2. <i>Hepatology</i> , 2014, 60, 1278-1290. | 7.3 | 382 |
| 13 | Epigenetic activation of the MiR-200 family contributes to H19-mediated metastasis suppression in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2013, 34, 577-586. | 2.8 | 308 |
| 14 | The histone deacetylase 4/SP1/microrna-200a regulatory network contributes to aberrant histone acetylation in hepatocellular carcinoma. <i>Hepatology</i> , 2011, 54, 2025-2035. | 7.3 | 160 |