

# Nawaid Usmani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7802508/publications.pdf>

Version: 2024-02-01

83  
papers

2,290  
citations

361413

20  
h-index

276875

41  
g-index

87  
all docs

87  
docs citations

87  
times ranked

4070  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	21.4	652
2	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75.	21.4	264
3	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	12.8	88
4	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	12.8	88
5	Radiogenomics Consortium Genome-Wide Association Study Meta-Analysis of Late Toxicity After Prostate Cancer Radiotherapy. <i>Journal of the National Cancer Institute</i> , 2020, 112, 179-190.	6.3	71
6	The Prediction of Radiotherapy Toxicity Using Single Nucleotide Polymorphism-Based Models: A Step Toward Prevention. <i>Seminars in Radiation Oncology</i> , 2015, 25, 281-291.	2.2	52
7	Mechanics of Tissue Cutting During Needle Insertion in Biological Tissue. <i>IEEE Robotics and Automation Letters</i> , 2016, 1, 800-807.	5.1	52
8	Germline variation at 8q24 and prostate cancer risk in men of European ancestry. <i>Nature Communications</i> , 2018, 9, 4616.	12.8	43
9	Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. <i>Nature Communications</i> , 2021, 12, 1236.	12.8	40
10	A mechanics-based model for simulation and control of flexible needle insertion in soft tissue. , 2015, , .		35
11	Multiactuator Haptic Feedback on the Wrist for Needle Steering Guidance in Brachytherapy. <i>IEEE Robotics and Automation Letters</i> , 2016, 1, 852-859.	5.1	34
12	Effects of Exercise on Cancer Treatment Efficacy: A Systematic Review of Preclinical and Clinical Studies. <i>Cancer Research</i> , 2021, 81, 4889-4895.	0.9	34
13	Time course of prostatic edema post permanent seed implant determined by magnetic resonance imaging. <i>Brachytherapy</i> , 2010, 9, 354-361.	0.5	32
14	Patient reported quality of life after helical IMRT based concurrent chemoradiation of locally advanced anal cancer. <i>Radiotherapy and Oncology</i> , 2016, 120, 228-233.	0.6	31
15	Ultrasound-Guided Model Predictive Control of Needle Steering in Biological Tissue. <i>Journal of Medical Robotics Research</i> , 2016, 01, 1640007.	1.2	30
16	Can Images Obtained With High Field Strength Magnetic Resonance Imaging Reduce Contouring Variability of the Prostate?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 728-734.	0.8	28
17	Informal caregiver quality of life in a palliative oncology population. <i>Supportive Care in Cancer</i> , 2020, 28, 1695-1702.	2.2	24
18	PEG-PLGA nanospheres loaded with nanoscintillators and photosensitizers for radiation-activated photodynamic therapy. <i>Acta Biomaterialia</i> , 2020, 117, 335-348.	8.3	24

#	ARTICLE	IF	CITATIONS
19	Force-Sensor-Based Estimation of Needle Tip Deflection in Brachytherapy. <i>Journal of Sensors</i> , 2013, 2013, 1-10.	1.1	23
20	Adaptive Quasi-Static Modelling of Needle Deflection During Steering in Soft Tissue. <i>IEEE Robotics and Automation Letters</i> , 2016, 1, 916-923.	5.1	23
21	Sliding-Based Switching Control for Image-Guided Needle Steering in Soft Tissue. <i>IEEE Robotics and Automation Letters</i> , 2016, 1, 860-867.	5.1	23
22	Robotic Ultrasound Scanning With Real-Time Image-Based Force Adjustment: Quick Response for Enabling Physical Distancing During the COVID-19 Pandemic. <i>Frontiers in Robotics and AI</i> , 2021, 8, 645424.	3.2	23
23	2019 Canadian Urological Association (CUA)-Canadian Uro Oncology Group (CUOG) guidelines for the management of castration-resistant prostate cancer (CRPC). <i>Canadian Urological Association Journal</i> , 2019, 13, 307-314.	0.6	21
24	Circulating Metabolic Biomarkers of Screen-Detected Prostate Cancer in the ProtecT Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 208-216.	2.5	21
25	A Real-Time Estimator for Needle Deflection During Insertion Into Soft Tissue Based on Adaptive Modeling of Needle-Tissue Interactions. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016, 21, 2601-2612.	5.8	20
26	Prognostic utility of pre- and post-treatment FDG-PET parameters in anal squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2019, 136, 21-28.	0.6	20
27	An Admittance-Controlled Robotic Assistant for Semi-Autonomous Breast Ultrasound Scanning. , 2019, , .		19
28	Towards understanding the breast cancer epigenome: a comparison of genome-wide DNA methylation and gene expression data. <i>Oncotarget</i> , 2016, 7, 3002-3017.	1.8	19
29	3D shape visualization of curved needles in tissue from 2D ultrasound images using RANSAC. , 2015, , .		18
30	Needle Tracking and Deflection Prediction for Robot-Assisted Needle Insertion Using 2D Ultrasound Images. <i>Journal of Medical Robotics Research</i> , 2016, 01, 1640001.	1.2	18
31	Prospective phase II study of tomotherapy based chemoradiation treatment for locally advanced anal cancer. <i>Radiotherapy and Oncology</i> , 2015, 117, 234-239.	0.6	17
32	A data-driven soft sensor for needle deflection in heterogeneous tissue using just-in-time modelling. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1401-1414.	2.8	17
33	Lack of significant intraprostatic migration of stranded iodine-125 sources in prostate brachytherapy implants. <i>Brachytherapy</i> , 2011, 10, 275-285.	0.5	16
34	The CHEK2 Variant C.349A>G Is Associated with Prostate Cancer Risk and Carriers Share a Common Ancestor. <i>Cancers</i> , 2020, 12, 3254.	3.7	16
35	Additional SNPs improve risk stratification of a polygenic hazard score for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 532-541.	3.9	16
36	Exercise motivation in rectal cancer patients during and after neoadjuvant chemoradiotherapy. <i>Supportive Care in Cancer</i> , 2016, 24, 2919-26.	2.2	14

#	ARTICLE	IF	CITATIONS
37	Estimating needle tip deflection in biological tissue from a single transverse ultrasound image: application to brachytherapy. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2016, 11, 1347-1359.	2.8	14
38	Exercise during and after neoadjuvant rectal cancer treatment (the EXERT trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 35.	1.6	14
39	Feasibility, Safety, and Preliminary Efficacy of Exercise During and After Neoadjuvant Rectal Cancer Treatment: A Phase II Randomized Controlled Trial. <i>Clinical Colorectal Cancer</i> , 2021, 20, 216-226.	2.3	14
40	Real-time needle shape prediction in soft-tissue based on image segmentation and particle filtering. , 2016, , .		12
41	Clinical Outcomes of the CHIRP Trial: A Phase II Prospective Randomized Trial of Conventionally Fractionated Versus Moderately Hypofractionated Prostate and Pelvic Nodal Radiation Therapy in Patients With High-Risk Prostate Cancer. <i>Practical Radiation Oncology</i> , 2021, 11, 384-393.	2.1	12
42	Role of serial multiparametric magnetic resonance imaging in prostate cancer active surveillance. <i>World Journal of Radiology</i> , 2016, 8, 410.	1.1	12
43	A virtual sensor for needle deflection estimation during soft-tissue needle insertion. , 2015, , .		11
44	Model-Based Needle Steering in Soft Tissue via Lateral Needle Actuation. <i>IEEE Robotics and Automation Letters</i> , 2018, 3, 3930-3936.	5.1	11
45	Distinguishing prostate-specific antigen bounces from biochemical failure after low-dose rate prostate brachytherapy. <i>Journal of Contemporary Brachytherapy</i> , 2014, 3, 247-253.	0.9	10
46	Extended bicycle model for needle steering in soft tissue. , 2015, , .		10
47	2021 Canadian Urological Association (CUA)-Canadian Uro Oncology Group (CUOG) guideline: Management of castration-resistant prostate cancer (CRPC) (full-text). <i>Canadian Urological Association Journal</i> , 2020, 15, E81-9.	0.6	10
48	Semi-Automated Needle Steering in Biological Tissue Using an Ultrasound-Based Deflection Predictor. <i>Annals of Biomedical Engineering</i> , 2017, 45, 924-938.	2.5	9
49	Humanâ€“Machine Collaboration Modalities for Semi-Automated Needle Insertion Into Soft Tissue. <i>IEEE Robotics and Automation Letters</i> , 2018, 3, 477-483.	5.1	9
50	Intraoperative Tissue Youngâ€™s Modulus Identification During Needle Insertion Using a Laterally Actuated Needle. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2018, 67, 371-381.	4.7	9
51	Predictors of adherence to aerobic exercise in rectal cancer patients during and after neoadjuvant chemoradiotherapy. <i>Psychology, Health and Medicine</i> , 2018, 23, 224-231.	2.4	9
52	Partial estimation of needle tip orientation in generalized coordinates in ultrasound image-guided needle insertion. , 2016, , .		8
53	Effects of exercise during and after neoadjuvant chemoradiation on symptom burden and quality of life in rectal cancer patients: a phase II randomized controlled trial. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	2.9	8
54	Implanted brachytherapy seed movement reflecting transrectal ultrasound probe-induced prostate deformation. <i>Brachytherapy</i> , 2015, 14, 809-817.	0.5	7

#	ARTICLE	IF	CITATIONS
55	Introducing notched flexible needles with increased deflection curvature in soft tissue. , 2016, , .		7
56	Feedback-linearization-based 3D needle steering in a Frenet-Serret frame using a reduced order bicycle model. , 2017, , .		7
57	Gastrointestinal and genitourinary toxicity profiles of metformin versus placebo in men with prostate cancer receiving prostate radiotherapy: interim toxicity results of a double-blinded, multicenter, phase II randomized controlled trial. Radiation Oncology, 2021, 16, 212.	2.7	7
58	Single-nucleotide polymorphisms studied for associations with urinary toxicity from 125I prostate brachytherapy implants. Brachytherapy, 2014, 13, 285-291.	0.5	6
59	Constrained optimal control of needle deflection for semi-manual steering. , 2016, , .		6
60	Clinical factors and dosimetry associated with the development of prostate brachytherapyâ€“related urethral strictures: A matched caseâ€“control study. Brachytherapy, 2017, 16, 797-805.	0.5	6
61	Surgeon-in-the-Loop 3-D Needle Steering Through Ultrasound-Guided Feedback Control. IEEE Robotics and Automation Letters, 2018, 3, 469-476.	5.1	6
62	Comparison of low and intermediate source strengths for 125I prostate brachytherapy implants. Brachytherapy, 2013, 12, 442-448.	0.5	5
63	Needle shape estimation in soft tissue based on partial ultrasound image observation. , 2015, , .		5
64	Quantifying 125 I placement accuracy in prostate brachytherapy using postimplant transrectal ultrasound images. Brachytherapy, 2017, 16, 306-312.	0.5	5
65	An Integrator-Backstepping Control Approach for Three-Dimensional Needle Steering. IEEE/ASME Transactions on Mechatronics, 2019, 24, 2204-2214.	5.8	5
66	A polymorphism in the promoter of FRAS1 is a candidate SNP associated with metastatic prostate cancer. Prostate, 2021, 81, 683-693.	2.3	5
67	Needle path control during insertion in soft tissue using a force-sensor-based deflection estimator. , 2016, , .		4
68	An integrator-backstepping control approach for out-of-plane needle deflection minimization. , 2016, , .		4
69	Accurate Tissue Deformation Modeling Using a Kalman Filter and ADMM-Based Projective Dynamics. IEEE/ASME Transactions on Mechatronics, 2022, 27, 2194-2203.	5.8	4
70	Does location of prostate cancer by sextant biopsies predict for relapse after 125I seed implant brachytherapy?. Brachytherapy, 2015, 14, 788-794.	0.5	3
71	Initial clinical assessment of â€œcenter-specificâ€“automated treatment plans for low-dose-rate prostate brachytherapy. Brachytherapy, 2018, 17, 476-488.	0.5	3
72	Dosimetric Parameters Predicting Late Small Bowel Toxicity in Patients With Rectal Cancer Receiving Neoadjuvant Chemoradiation. Practical Radiation Oncology, 2021, 11, e70-e79.	2.1	3

#	ARTICLE	IF	CITATIONS
73	More Is Not Better When It Comes to Treating Rectal Cancer With Multimodal Chemoradiation Beyond the Standard Radiation Dose of 5040 cGy. Diseases of the Colon and Rectum, 2021, Publish Ahead of Print, .	1.3	3
74	The Digital Divide: A Retrospective Survey of Digital Rectal Examinations during the Workup of Rectal Cancers. Healthcare (Switzerland), 2021, 9, 855.	2.0	2
75	Role for <sup>11</sup> C-choline PET in active surveillance of prostate cancer. Canadian Urological Association Journal, 2015, 9, 98.	0.6	2
76	Unexpected Seed Migration in Prostate Brachytherapy Implants Coincident with Change in Seed Stranding Product. Cureus, 2017, 9, e1243.	0.5	2
77	Model Averaging and Input Transformation for 3D Needle Steering. Journal of Medical Robotics Research, 2018, 03, 1841004.	1.2	1
78	Impact of dose-capping chemotherapy in concurrent chemoradiotherapy in rectal cancer patients. Journal of Oncology Pharmacy Practice, 2021, 27, 1596-1603.	0.9	1
79	Intraoperative optimization of seed implantation plan in breast brachytherapy. International Journal of Computer Assisted Radiology and Surgery, 2021, 16, 1027-1035.	2.8	1
80	[ <sup>11</sup> C]-Choline PET/CT-guided simultaneous integrated boost to dominant intraprostatic lesions using intensity-modulated radiation therapy with helical tomotherapy technique for dose escalation. Journal of Radiation Oncology, 2015, 4, 87-93.	0.7	0
81	A probabilistic threshold analysis of metformin (Met) with enzalutamide (Enza) to determine the cost and added efficacy needed to make such a combination therapy cost-effective (CE).. Journal of Clinical Oncology, 2017, 35, e577-e577.	1.6	0
82	Cohort profile: the Alberta Prostate Cancer Research Initiative (APCaRI) Registry and Biorepository facilitates technology translation to the clinic through the use of linked, longitudinal clinical and patient-reported data and biospecimens from men in Alberta, Canada. BMJ Open, 2020, 10, e037222.	1.9	0
83	Autonomous Prostate Segmentation in 2D B-Mode Ultrasound Images. Applied Sciences (Switzerland), 2022, 12, 2994.	2.5	0