# Firas Abdollah

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/7802686/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 526 papers | 12,402 citations | 20797 60 h-index | 40954 93 g-index |

| | | | |
|---|---|---|---|
| 537 all docs | 537 docs citations | 537 times ranked | 10491 citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Updated Nomogram Predicting Lymph Node Invasion in Patients with Prostate Cancer Undergoing Extended Pelvic Lymph Node Dissection: The Essential Importance of Percentage of Positive Cores. European Urology, 2012, 61, 480-487. | 0.9 | 594 |
| 2 | Distribution of metastatic sites in patients with prostate cancer: A populationâ€based analysis. Prostate, 2014, 74, 210-216. | 1.2 | 352 |
| 3 | Age-Adjusted Incidence, Mortality, and Survival Rates of Stage-Specific Renal Cell Carcinoma in North America: A Trend Analysis. European Urology, 2011, 59, 135-141. | 0.9 | 259 |
| 4 | Impact of Adjuvant Radiotherapy on Survival of Patients With Node-Positive Prostate Cancer. Journal of Clinical Oncology, 2014, 32, 3939-3947. | 0.8 | 246 |
| 5 | Incidence, survival and mortality rates of stage-specific bladder cancer in United States: A trend analysis. Cancer Epidemiology, 2013, 37, 219-225. | 0.8 | 222 |
| 6 | Pelvic/Retroperitoneal Salvage Lymph Node Dissection for Patients Treated With Radical Prostatectomy With Biochemical Recurrence and Nodal Recurrence Detected by [11C]Choline Positron Emission Tomography/Computed Tomography. European Urology, 2011, 60, 935-943. | 0.9 | 209 |
| 7 | Genomic Classifier Identifies Men With Adverse Pathology After Radical Prostatectomy Who Benefit From Adjuvant Radiation Therapy. Journal of Clinical Oncology, 2015, 33, 944-951. | 0.8 | 196 |
| 8 | More Extensive Pelvic Lymph Node Dissection Improves Survival in Patients with Node-positive Prostate Cancer. European Urology, 2015, 67, 212-219. | 0.9 | 178 |
| 9 | Individual Patient-Level Meta-Analysis of the Performance of the Decipher Genomic Classifier in High-Risk Men After Prostatectomy to Predict Development of Metastatic Disease. Journal of Clinical Oncology, 2017, 35, 1991-1998. | 0.8 | 176 |
| 10 | Development and Validation of a Novel Integrated Clinical-Genomic Risk Group Classification for Localized Prostate Cancer. Journal of Clinical Oncology, 2018, 36, 581-590. | 0.8 | 162 |
| 11 | A Competing-Risks Analysis of Survival After Alternative Treatment Modalities for Prostate Cancer Patients: 1988â€“2006. European Urology, 2011, 59, 88-95. | 0.9 | 159 |
| 12 | A Pragmatic Randomized Controlled Trial Examining the Impact of the Retzius-sparing Approach on Early Urinary Continence Recovery After Robot-assisted Radical Prostatectomy. European Urology, 2017, 72, 677-685. | 0.9 | 154 |
| 13 | Are Infertile Men Less Healthy than Fertile Men? Results of a Prospective Case-Control Survey. European Urology, 2009, 56, 1025-1032. | 0.9 | 141 |
| 14 | Identifying Optimal Candidates for Local Treatment of the Primary Tumor Among Patients Diagnosed with Metastatic Prostate Cancer: A SEER-based Study. European Urology, 2015, 67, 3-6. | 0.9 | 136 |
| 15 | Chronic Kidney Disease After Nephrectomy in Patients with Small Renal Masses: A Retrospective Observational Analysis. European Urology, 2012, 62, 696-703. | 0.9 | 129 |
| 16 | The Impact of Local Treatment on Overall Survival in Patients with Metastatic Prostate Cancer on Diagnosis: A National Cancer Data Base Analysis. European Urology, 2017, 72, 14-19. | 0.9 | 128 |
| 17 | A Nonâ€“Cancer-Related Survival Benefit Is Associated With Partial Nephrectomy. European Urology, 2012, 61, 725-731. | 0.9 | 124 |
| 18 | Performance Characteristics of Computed Tomography in Detecting Lymph Node Metastases in Contemporary Patients with Prostate Cancer Treated with Extended Pelvic Lymph Node Dissection. European Urology, 2012, 61, 1132-1138. | 0.9 | 120 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Identifying the Best Candidate for Radical Prostatectomy Among Patients with High-Risk Prostate Cancer. European Urology, 2012, 61, 584-592. | 0.9 | 112 |
| 20 | Functional Recovery, Oncologic Outcomes and Postoperative Complications after Robot-Assisted Radical Prostatectomy: An Evidence-Based Analysis Comparing the Retzius Sparing and Standard Approaches. Journal of Urology, 2018, 199, 1210-1217. | 0.2 | 112 |
| 21 | Management of Localized Kidney Cancer: Calculating Cancer-specific Mortality and Competing Risks of Death for Surgery and Nonsurgical Management. European Urology, 2014, 65, 235-241. | 0.9 | 110 |
| 22 | Comparative Effectiveness of Trimodal Therapy Versus Radical Cystectomy for Localized Muscle-invasive Urothelial Carcinoma of the Bladder. European Urology, 2017, 72, 483-487. | 0.9 | 110 |
| 23 | Nerveâ€sparing approach during radical prostatectomy is strongly associated with the rate of postoperative urinary continence recovery. BJU International, 2013, 111, 717-722. | 1.3 | 108 |
| 24 | Selecting the Optimal Candidate for Adjuvant Radiotherapy After Radical Prostatectomy for Prostate Cancer: A Long-term Survival Analysis. European Urology, 2013, 63, 998-1008. | 0.9 | 107 |
| 25 | Prostate-Specific Antigen Screening After 2012 US Preventive Services Task Force Recommendations. JAMA - Journal of the American Medical Association, 2015, 314, 2077. | 3.8 | 105 |
| 26 | Racial/Ethnic Disparities in Perioperative Outcomes of Major Procedures. Annals of Surgery, 2015, 262, 955-964. | 2.1 | 101 |
| 27 | Local Therapy Improves Survival in Metastatic Prostate Cancer. European Urology, 2017, 72, 118-124. | 0.9 | 100 |
| 28 | Impact of Age and Comorbidities on Long-term Survival of Patients with High-risk Prostate Cancer Treated with Radical Prostatectomy: A Multi-institutional Competing-risks Analysis. European Urology, 2013, 63, 693-701. | 0.9 | 98 |
| 29 | Comparative Effectiveness of Robot-assisted Versus Open Radical Prostatectomy Cancer Control. European Urology, 2014, 66, 666-672. | 0.9 | 97 |
| 30 | Biopsy Schemes with the Fewest Cores for Detecting 95% of the Prostate Cancers Detected by a 24-Core Biopsy. European Urology, 2010, 57, 1-8. | 0.9 | 94 |
| 31 | Treatment Management of Small Renal Masses in the 21st Century: A Paradigm Shift. Annals of Surgical Oncology, 2012, 19, 2380-2387. | 0.7 | 91 |
| 32 | <sup>11</sup>C-Choline PET/CT Predicts Prostate Cancerâ€“Specific Survival in Patients with Biochemical Failure During Androgen-Deprivation Therapy. Journal of Nuclear Medicine, 2014, 55, 233-241. | 2.8 | 91 |
| 33 | Contemporary Role of Salvage Lymphadenectomy in Patients with Recurrence Following Radical Prostatectomy. European Urology, 2015, 67, 839-849. | 0.9 | 90 |
| 34 | Impact of travel distance to the treatment facility on overall mortality in US patients with prostate cancer. Cancer, 2017, 123, 3241-3252. | 2.0 | 89 |
| 35 | Trans-rectal Versus Trans-Perineal Saturation Rebiopsy of the Prostate: Is There a Difference in Cancer Detection Rate?. Urology, 2011, 77, 921-925. | 0.5 | 87 |
| 36 | Head-to-Head Comparison of Prostate Health Index and Urinary PCA3 for Predicting Cancer at Initial or Repeat Biopsy. Journal of Urology, 2013, 190, 496-501. | 0.2 | 87 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Extended pelvic lymph node dissection in prostate cancer: a 20-year audit in a single center. Annals of Oncology, 2013, 24, 1459-1466. | 0.6 | 87 |
| 38 | Predicting Survival of Patients with Node-positive Prostate Cancer Following Multimodal Treatment. European Urology, 2014, 65, 554-562. | 0.9 | 86 |
| 39 | Racial Differences in the Surgical Care of Medicare Beneficiaries With Localized Prostate Cancer. JAMA Oncology, 2016, 2, 85. | 3.4 | 86 |
| 40 | Comparison of mortality outcomes after radical prostatectomy versus radiotherapy in patients with localized prostate cancer: A populationâ€based analysis. International Journal of Urology, 2012, 19, 836-844. | 0.5 | 85 |
| 41 | Decreasing Rate and Extent of Lymph Node Staging in Patients Undergoing Radical Prostatectomy May Undermine the Rate of Diagnosis of Lymph Node Metastases in Prostate Cancer. European Urology, 2010, 58, 882-892. | 0.9 | 84 |
| 42 | Long-term Cancer Control Outcomes in Patients with Clinically High-risk Prostate Cancer Treated with Robot-assisted Radical Prostatectomy: Results from a Multi-institutional Study of 1100 Patients. European Urology, 2015, 68, 497-505. | 0.9 | 84 |
| 43 | Impact of Adjuvant Radiation Therapy on Urinary Continence Recovery After Radical Prostatectomy. European Urology, 2014, 65, 546-551. | 0.9 | 81 |
| 44 | Lymphatic spread of nodal metastases in highâ€risk prostate cancer: The ascending pathway from the pelvis to the retroperitoneum. Prostate, 2012, 72, 186-192. | 1.2 | 79 |
| 45 | Contemporary incidence and mortality rates of kidney cancer in the United States. Canadian Urological Association Journal, 2014, 8, 247. | 0.3 | 78 |
| 46 | The impact of androgenâ€deprivation therapy (<scp>ADT</scp>) on the risk of cardiovascular (<scp>CV</scp>) events in patients with nonâ€metastatic prostate cancer: a populationâ€based study. BJU International, 2014, 114, E82-E89. | 1.3 | 77 |
| 47 | Genomic Classifier Augments the Role of Pathological Features in Identifying Optimal Candidates for Adjuvant Radiation Therapy in Patients With Prostate Cancer: Development and Internal Validation of a Multivariable Prognostic Model. Journal of Clinical Oncology, 2017, 35, 1982-1990. | 0.8 | 76 |
| 48 | Prediction of Functional Outcomes After Nerve-Sparing Radical Prostatectomy: Results of Conditional Survival Analyses. European Urology, 2012, 62, 42-52. | 0.9 | 75 |
| 49 | Perioperative Mortality Is Significantly Greater in Septuagenarian and Octogenarian Patients Treated With Radical Cystectomy for Urothelial Carcinoma of the Bladder. Urology, 2011, 77, 660-666. | 0.5 | 74 |
| 50 | The Effect of Neoadjuvant Chemotherapy on Perioperative Outcomes in Patients Who Have Bladder Cancer Treated with Radical Cystectomy: A Population-based Study. European Urology, 2014, 66, 561-568. | 0.9 | 70 |
| 51 | Cancer-Specific and Other-Cause Mortality After Radical Prostatectomy Versus Observation in Patients with Prostate Cancer: Competing-Risks Analysis of a Large North American Population-Based Cohort. European Urology, 2011, 60, 920-930. | 0.9 | 69 |
| 52 | Racial disparities and socioeconomic status in men diagnosed with testicular germ cell tumors. Cancer, 2011, 117, 4277-4285. | 2.0 | 69 |
| 53 | Clinical Nodal Staging Scores for Bladder Cancer: A Proposal for Preoperative Risk Assessment. European Urology, 2012, 61, 237-242. | 0.9 | 69 |
| 54 | Extent of lymph node dissection at nephrectomy affects cancerâ€specific survival and metastatic progression in specific subâ€categories of patients with renal cell carcinoma (<scp>RCC</scp>). BJU International, 2014, 114, 210-215. | 1.3 | 69 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | The Effect of Body Mass Index on Perioperative Outcomes After Major Surgery: Results from the National Surgical Quality Improvement Program (ACSâ€NSQIP) 2005â€“2011. World Journal of Surgery, 2015, 39, 2376-2385. | 0.8 | 69 |
| 56 | Utilization of a Genomic Classifier for Prediction of Metastasis Following Salvage Radiation Therapy after Radical Prostatectomy. European Urology, 2016, 70, 588-596. | 0.9 | 69 |
| 57 | Stage-specific impact of pelvic lymph node dissection on survival in patients with non-metastatic bladder cancer treated with radical cystectomy. BJU International, 2012, 109, 1147-1154. | 1.3 | 64 |
| 58 | Serum Sex Steroids Depict a Nonlinear U-Shaped Association with High-Risk Prostate Cancer at Radical Prostatectomy. Clinical Cancer Research, 2012, 18, 3648-3657. | 3.2 | 62 |
| 59 | Radical prostatectomy vs radiotherapy vs observation among older patients with clinically localized prostate cancer: a comparative effectiveness evaluation. BJU International, 2014, 113, 200-208. | 1.3 | 61 |
| 60 | Utility of [11C]choline PET/CT in guiding lesion-targeted salvage therapies in patients with prostate cancer recurrence localized to a single lymph node at imaging: Results from a pathologically validated series. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 38.e9-38.e16. | 0.8 | 61 |
| 61 | Effectiveness of Neoadjuvant Chemotherapy for Muscle-invasive Bladder Cancer in the Current Real World Setting in the USA. European Urology Oncology, 2018, 1, 83-90. | 2.6 | 59 |
| 62 | How can we predict lymphorrhoea and clinically significant lymphocoeles after radical prostatectomy and pelvic lymphadenectomy? Clinical implications. BJU International, 2011, 107, 1095-1101. | 1.3 | 58 |
| 63 | Hospital Volume is a Determinant of Postoperative Complications, Blood Transfusion and Length of Stay After Radical or Partial Nephrectomy. Journal of Urology, 2012, 187, 405-410. | 0.2 | 58 |
| 64 | Predicting Life Expectancy in Men Diagnosed with Prostate Cancer. European Urology, 2015, 68, 756-765. | 0.9 | 57 |
| 65 | Mortality and Morbidity After Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma: A Population-Based Study. Annals of Surgical Oncology, 2011, 18, 2988-2996. | 0.7 | 55 |
| 66 | Comparison of partial vs radical nephrectomy with regard to otherâ€cause mortality in T1 renal cell carcinoma among patients aged â‰¥75 years with multiple comorbidities. BJU International, 2013, 111, 67-73. | 1.3 | 54 |
| 67 | Performance of a Prostate Cancer Genomic Classifier in Predicting Metastasis in Men with Prostate-specific Antigen Persistence Postprostatectomy. European Urology, 2018, 74, 107-114. | 0.9 | 54 |
| 68 | Predicting the risk of bone metastasis in prostate cancer. Cancer Treatment Reviews, 2014, 40, 3-11. | 3.4 | 53 |
| 69 | Comparative effectiveness of robot-assisted vs. open radical cystectomy. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 88.e1-88.e9. | 0.8 | 52 |
| 70 | The effect of marital status on stage and survival of prostate cancer patients treated with radical prostatectomy: a population-based study. Cancer Causes and Control, 2011, 22, 1085-1095. | 0.8 | 51 |
| 71 | In-hospital Mortality and Failure to Rescue After Cytoreductive Nephrectomy. European Urology, 2013, 63, 1107-1114. | 0.9 | 51 |
| 72 | Conditional survival of patients with urothelial carcinoma of the urinary bladder treated with radical cystectomy. European Journal of Cancer, 2012, 48, 1503-1511. | 1.3 | 50 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. International Journal of Urology, 2012, 19, 645-651. | 0.5 | 50 |
| 74 | Impact of Adjuvant Radiotherapy in Node-positive Prostate Cancer Patients: The Importance of Patient Selection. European Urology, 2018, 74, 253-256. | 0.9 | 48 |
| 75 | Preoperative hypogonadism is not an independent predictor of highâ€risk disease in patients undergoing radical prostatectomy. Cancer, 2011, 117, 3953-3962. | 2.0 | 47 |
| 76 | The impact of resident involvement in minimally-invasive urologic oncology procedures. Canadian Urological Association Journal, 2014, 8, 334. | 0.3 | 46 |
| 77 | The impact of robot-assisted radical prostatectomy on the use and extent of pelvic lymph node dissection in the â€œpost-disseminationâ€•period. European Journal of Surgical Oncology, 2014, 40, 1080-1086. | 0.5 | 46 |
| 78 | Efficacy of Local Treatment in Prostate Cancer Patients with Clinically Pelvic Lymph Node-positive Disease at Initial Diagnosis. European Urology, 2018, 73, 452-461. | 0.9 | 46 |
| 79 | Holmium laser enucleation of the prostate and holmium laser ablation of the prostate: indications and outcome. Current Opinion in Urology, 2009, 19, 38-43. | 0.9 | 45 |
| 80 | Metabolic Syndrome and Benign Prostatic Hyperplasia: Evidence of a Potential Relationship, Hypothesized Etiology, and Prevention. Korean Journal of Urology, 2011, 52, 507. | 1.2 | 44 |
| 81 | Survival after radical cystectomy of nonâ€bilharzial squamous cell carcinoma vs urothelial carcinoma: a competingâ€risks analysis. BJU International, 2012, 109, 564-569. | 1.3 | 44 |
| 82 | A Stage-for-Stage and Grade-for-Grade Analysis of Cancer-Specific Mortality Rates in Renal Cell Carcinoma According to Age: A Competing-Risks Regression Analysis. European Urology, 2011, 60, 1152-1159. | 0.9 | 43 |
| 83 | Patterns of Declining Use and the Adverse Effect of Primary Androgen Deprivation on All-cause Mortality in Elderly Men with Prostate Cancer. European Urology, 2015, 68, 32-39. | 0.9 | 43 |
| 84 | Racial Disparity in Delivering Definitive Therapy for Intermediate/High-risk Localized Prostate Cancer: The Impact of Facility Features and Socioeconomic Characteristics. European Urology, 2018, 73, 445-451. | 0.9 | 43 |
| 85 | Contemporary Trends in the Incidence of Metastatic Prostate Cancer Among US Men: Results from Nationwide Analyses. European Urology Focus, 2019, 5, 77-80. | 1.6 | 43 |
| 86 | When to perform lymph node dissection in patients with renal cell carcinoma: a novel approach to the preoperative assessment of risk of lymph node invasion at surgery and of lymph node progression during followâ€up. BJU International, 2013, 112, E59-66. | 1.3 | 42 |
| 87 | Determinants of long-term survival of patients with locally advanced prostate cancer: the role of extensive pelvic lymph node dissection. Prostate Cancer and Prostatic Diseases, 2016, 19, 63-67. | 2.0 | 41 |
| 88 | Survival Benefit of Radical Prostatectomy in Patients with Localized Prostate Cancer: Estimations of the Number Needed to Treat According to Tumor and Patient Characteristics. Journal of Urology, 2012, 188, 73-83. | 0.2 | 40 |
| 89 | Efficacy of Systemic Chemotherapy Plus Radical Nephroureterectomy for Metastatic Upper Tract Urothelial Carcinoma. European Urology, 2017, 71, 714-718. | 0.9 | 40 |
| 90 | Variation in the use of active surveillance for lowâ€risk prostate cancer. Cancer, 2018, 124, 55-64. | 2.0 | 40 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Survival Following Biochemical Recurrence After Radical Prostatectomy and Adjuvant Radiotherapy in Patients With Prostate Cancer: The Impact of Competing Causes of Mortality and Patient Stratification. European Urology, 2013, 64, 557-564. | 0.9 | 39 |
| 92 | Is Robot-Assisted Radical Prostatectomy Safe in Men with High-Risk Prostate Cancer? Assessment of Perioperative Outcomes, Positive Surgical Margins, and Use of Additional Cancer Treatments. Journal of Endourology, 2014, 28, 784-791. | 1.1 | 39 |
| 93 | Suicide and accidental deaths among patients with nonâ€metastatic prostate cancer. BJU International, 2016, 118, 286-297. | 1.3 | 39 |
| 94 | Does diabetes mellitus increase the risk of high-grade prostate cancer in patients undergoing radical prostatectomy?. Prostate Cancer and Prostatic Diseases, 2011, 14, 74-78. | 2.0 | 38 |
| 95 | A Systematic Review of the Role of Definitive Local Treatment in Patients with Clinically Lymph Node-positive Prostate Cancer. European Urology Oncology, 2019, 2, 294-301. | 2.6 | 38 |
| 96 | Extent of lymphadenectomy does not improve the survival of patients with renal cell carcinoma and nodal metastases: biases associated with the handling of missing data. BJU International, 2014, 113, 36-42. | 1.3 | 37 |
| 97 | Racial Disparities in End-of-Life Care Among Patients With Prostate Cancer: A Population-Based Study. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 1131-1138. | 2.3 | 37 |
| 98 | Racial disparity in quality of care and overall survival among black vs. white patients with muscle-invasive bladder cancer treated with radical cystectomy: A national cancer database analysis. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 469.e1-469.e11. | 0.8 | 37 |
| 99 | Development and Validation of a Reference Table for Prediction of Postoperative Mortality Rate in Patients Treated with Radical Cystectomy: A Population-based Study. Annals of Surgical Oncology, 2012, 19, 309-317. | 0.7 | 36 |
| 100 | Annual Surgical Caseload and Open Radical Prostatectomy Outcomes: Improving Temporal Trends. Journal of Urology, 2010, 184, 2285-2290. | 0.2 | 35 |
| 101 | Circulating estradiol, but not testosterone, is a significant predictor of highâ€grade prostate cancer in patients undergoing radical prostatectomy. Cancer, 2011, 117, 5029-5038. | 2.0 | 35 |
| 102 | Preoperative Erectile Function Represents a Significant Predictor of Postoperative Urinary Continence Recovery in Patients Treated With Bilateral Nerve Sparing Radical Prostatectomy. Journal of Urology, 2012, 187, 569-574. | 0.2 | 35 |
| 103 | Choosing the Best Candidates for Penile Rehabilitation After Bilateral Nerve-Sparing Radical Prostatectomy. Journal of Sexual Medicine, 2012, 9, 608-617. | 0.3 | 35 |
| 104 | Rates of open versus laparoscopic and partial versus radical nephrectomy for <scp>T</scp>1a renal cell carcinoma: A populationâ€based evaluation. International Journal of Urology, 2013, 20, 1064-1071. | 0.5 | 35 |
| 105 | A Contemporary Population-Based Assessment of the Rate of Lymph Node Dissection for Penile Carcinoma. Annals of Surgical Oncology, 2011, 18, 439-446. | 0.7 | 34 |
| 106 | Conditional survival predictions after surgery for patients with penile carcinoma. Cancer, 2011, 117, 3723-3730. | 2.0 | 34 |
| 107 | Unilateral positive biopsies in low risk prostate cancer patients diagnosed with extended transrectal ultrasoundâ€guided biopsy schemes do not predict unilateral prostate cancer at radical prostatectomy. BJU International, 2012, 110, E64-8. | 1.3 | 34 |
| 108 | Conditional survival after nephrectomy for renal cell carcinoma (<scp>RCC</scp>): changes in future survival probability over time. BJU International, 2013, 111, E283-9. | 1.3 | 33 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | A population-based analysis of the effect of marital status on overall and cancer-specific mortality in patients with squamous cell carcinoma of the penis. Cancer Causes and Control, 2013, 24, 71-79. | 0.8 | 33 |
| 110 | Impact of the introduction of a robotic training programme on prostate cancer stage migration at a single tertiary referral centre. BJU International, 2013, 111, 1222-1230. | 1.3 | 33 |
| 111 | External Validation of the European Association of Urology Recommendations for Pelvic Lymph Node Dissection in Patients Treated with Robot-Assisted Radical Prostatectomy. Journal of Endourology, 2014, 28, 416-423. | 1.1 | 33 |
| 112 | Differential effect on survival of pelvic lymph node dissection at radical cystectomy for muscle invasive bladder cancer. European Journal of Surgical Oncology, 2015, 41, 353-360. | 0.5 | 33 |
| 113 | Decipher correlation patterns post prostatectomy: initial experience from 2â€‰342 prospective patients. Prostate Cancer and Prostatic Diseases, 2016, 19, 374-379. | 2.0 | 33 |
| 114 | Validation of a Genomic Classifier for Predicting Post-Prostatectomy Recurrence in a Community Based Health Care Setting. Journal of Urology, 2016, 195, 1748-1753. | 0.2 | 33 |
| 115 | The Association between Mortality and Distance to Treatment Facility in Patients with Muscle Invasive Bladder Cancer. Journal of Urology, 2018, 199, 424-429. | 0.2 | 33 |
| 116 | The Optimal Rebiopsy Prostatic Scheme Depends on Patient Clinical Characteristics: Results of a Recursive Partitioning Analysis Based on a 24-Core Systematic Scheme. European Urology, 2011, 60, 834-841. | 0.9 | 32 |
| 117 | Propensity-score matched comparison of complications, blood transfusions, length of stay, and in-hospital mortality between open and laparoscopic partial nephrectomy: A national series. European Journal of Surgical Oncology, 2012, 38, 80-87. | 0.5 | 32 |
| 118 | Determinants of Prostate Specific Antigen Screening among Black Men in the United States in the Contemporary Era. Journal of Urology, 2016, 195, 913-918. | 0.2 | 32 |
| 119 | First North American validation and headâ€toâ€head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. BJU International, 2018, 121, 592-599. | 1.3 | 32 |
| 120 | Cytoreductive Nephrectomy: Assessing the Generalizability of the CARMENA Trial to Real-world National Cancer Data Base Cases. European Urology, 2019, 75, 352-353. | 0.9 | 32 |
| 121 | The role of transrectal saturation biopsy in tumour localization: pathological correlation after retropubic radical prostatectomy and implication for focal ablative therapy. BJU International, 2011, 108, 366-371. | 1.3 | 31 |
| 122 | Erectile Function Outcome after Bilateral Nerve Sparing Radical Prostatectomy: Which Patients May Be Left Untreated?. Journal of Sexual Medicine, 2012, 9, 903-908. | 0.3 | 31 |
| 123 | Is a Treatment Delay in Radical Prostatectomy Safe in Individuals with Lowâ€Risk Prostate Cancer?. Journal of Sexual Medicine, 2012, 9, 2961-2969. | 0.3 | 31 |
| 124 | Preoperative sex steroids are significant predictors of early biochemical recurrence after radical prostatectomy. World Journal of Urology, 2013, 31, 275-280. | 1.2 | 31 |
| 125 | Tumor Grade Improves the Prognostic Ability of American Joint Committee on Cancer Stage in Patients With Penile Carcinoma. Journal of Urology, 2011, 185, 501-507. | 0.2 | 29 |
| 126 | Indications for Pelvic Nodal Treatment in Prostate Cancer Should Change. Validation of the Roach Formula in a Large Extended Nodal Dissection Series. International Journal of Radiation Oncology Biology Physics, 2012, 83, 624-629. | 0.4 | 29 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Cytoreductive nephrectomy in the elderly: a populationâ€based cohort from the USA. BJU International, 2012, 109, 1807-1812. | 1.3 | 29 |
| 128 | Gonadotropin-releasing Hormone Agonists and Acute Kidney Injury in Patients with Prostate Cancer. European Urology, 2014, 66, 1125-1132. | 0.9 | 29 |
| 129 | Competing-Risks Mortality After Radiotherapy vs. Observation for Localized Prostate Cancer: A Population-based Study. International Journal of Radiation Oncology Biology Physics, 2012, 84, 95-103. | 0.4 | 28 |
| 130 | Head-to-head comparison of lymph node density and number of positive lymph nodes in stratifying the outcome of patients with lymph node-positive prostate cancer submitted to radical prostatectomy and extended lymph node dissection. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 29.e21-29.e28. | 0.8 | 28 |
| 131 | The influence of physician recommendation on prostate-specific antigen screening. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 424.e1-424.e7. | 0.8 | 28 |
| 132 | Prostate Cancer Screening in Early Medicaid Expansion States. Journal of Urology, 2018, 199, 81-88. | 0.2 | 28 |
| 133 | External Validation of the Updated Nomogram Predicting Lymph Node Invasion in Patients with Prostate Cancer Undergoing Extended Pelvic Lymph Node Dissection. Urologia Internationalis, 2013, 90, 277-282. | 0.6 | 27 |
| 134 | An Evaluation of the Timing of Surgical Complications Following Radical Cystectomy: Data From the American College of Surgeons National Surgical Quality Improvement Program. Urology, 2017, 103, 91-98. | 0.5 | 27 |
| 135 | Risk Factors for Intravesical Recurrence after Minimally Invasive Nephroureterectomy for Upper Tract Urothelial Cancer (ROBUUST Collaboration). Journal of Urology, 2021, 206, 568-576. | 0.2 | 27 |
| 136 | The Extent of Lymphadenectomy does Affect Cancer Specific Survival in Pathologically Confirmed T4 Renal Cell Carcinoma. Urologia, 2012, 79, 109-115. | 0.3 | 26 |
| 137 | Influence of obesity on tumour volume in patients with prostate cancer. BJU International, 2012, 109, 678-684. | 1.3 | 26 |
| 138 | An evaluation of the timing of surgical complications following nephrectomy: data from the American College of Surgeons National Surgical Quality Improvement Program (ACS-NSQIP). World Journal of Urology, 2015, 33, 2031-2038. | 1.2 | 26 |
| 139 | COVID-19 Infection in Men on Testosterone Replacement Therapy. Journal of Sexual Medicine, 2021, 18, 215-218. | 0.3 | 26 |
| 140 | Application of Ice Cold Irrigation During Vascular Pedicle Control of Robot-Assisted Radical Prostatectomy: EnSeal Instrument Cooling to Reduce Collateral Thermal Tissue Damage. Journal of Endourology, 2010, 24, 1991-1996. | 1.1 | 25 |
| 141 | Prostate Saturation Biopsy following a First Negative Biopsy: State of the Art. Urologia Internationalis, 2012, 89, 126-135. | 0.6 | 25 |
| 142 | A population-based competing-risks analysis of survival after nephrectomy for renal cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 46.e1-46.e7. | 0.8 | 25 |
| 143 | Impact of Caseload on Total Hospital Charges: A Direct Comparison Between Minimally Invasive and Open Radical Prostatectomyâ€"A Population Based Study. Journal of Urology, 2011, 185, 855-861. | 0.2 | 24 |
| 144 | Clinical nodal staging scores for prostate cancer: a proposal for preoperative risk assessment. British Journal of Cancer, 2014, 111, 213-219. | 2.9 | 24 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | Pathologic Nodal Staging Scores in Patients Treated with Radical Prostatectomy: A Postoperative Decision Tool. European Urology, 2014, 66, 439-446. | 0.9 | 24 |
| 146 | Development and Validation of a Prostate Cancer Genomic Signature that Predicts Early ADT Treatment Response Following Radical Prostatectomy. Clinical Cancer Research, 2018, 24, 3908-3916. | 3.2 | 24 |
| 147 | Contemporary Role of the DecipherÂ® Test in Prostate Cancer Management: Current Practice and Future Perspectives. Reviews in Urology, 2016, 18, 1-9. | 0.9 | 24 |
| 148 | National Comprehensive Cancer Network Practice Guidelines 2011: Need for More Accurate Recommendations for Pelvic Lymph Node Dissection in Prostate Cancer. Journal of Urology, 2012, 188, 423-428. | 0.2 | 23 |
| 149 | A Comparison of 30-Day Perioperative Outcomes in Open Versus Minimally Invasive Nephroureterectomy for Upper Tract Urothelial Carcinoma: Analysis of 896 Patients from the American College of Surgeons-National Surgical Quality Improvement Program Database. Journal of Endourology, 2015, 29, 1052-1058. | 1.1 | 23 |
| 150 | Efficacy of post-operative radiation in a prostatectomy cohort adjusted for clinical and genomic risk. Prostate Cancer and Prostatic Diseases, 2016, 19, 277-282. | 2.0 | 23 |
| 151 | Robotic Kidney Transplantation with Regional Hypothermia versus Open Kidney Transplantation for Patients with End Stage Renal Disease: An Ideal Stage 2B Study. Journal of Urology, 2021, 205, 595-602. | 0.2 | 23 |
| 152 | Nodal involvement at nephrectomy is associated with worse survival: A stage-for-stage and grade-for-grade analysis. International Journal of Urology, 2013, 20, 372-380. | 0.5 | 22 |
| 153 | Effect of number and location of distant metastases on renal cell carcinoma mortality in candidates for cytoreductive nephrectomy: Implications for multimodal therapy. International Journal of Urology, 2013, 20, 572-579. | 0.5 | 22 |
| 154 | Benefit in regionalisation of care for patients treated with radical cystectomy: a nationwide inpatient sample analysis. BJU International, 2014, 113, 733-740. | 1.3 | 22 |
| 155 | Percentage of highâ€grade tumour volume does not meaningfully improve prediction of early biochemical recurrence after radical prostatectomy compared with <scp>G</scp>leason score. BJU International, 2014, 113, 399-407. | 1.3 | 22 |
| 156 | Long-term survival in patients with germ cell testicular cancer: A population-based competing-risks regression analysis. European Journal of Surgical Oncology, 2014, 40, 103-112. | 0.5 | 22 |
| 157 | Early radiotherapy after radical prostatectomy improves cancerâ€specific survival only in patients with highly aggressive prostate cancer: Validation of recently released criteria. International Journal of Urology, 2015, 22, 89-95. | 0.5 | 22 |
| 158 | Doseâ€dependent effect of androgen deprivation therapy for localized prostate cancer on adverse cardiac events. BJU International, 2016, 118, 221-229. | 1.3 | 22 |
| 159 | Racial differences in prostate-specific antigenâ€"based prostate cancer screening: State-by-state and region-by-region analyses. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 460.e9-460.e20. | 0.8 | 22 |
| 160 | Generalizability of the Prostate Cancer Intervention Versus Observation Trial (PIVOT) Results to Contemporary North American Men with Prostate Cancer. European Urology, 2017, 71, 511-514. | 0.9 | 22 |
| 161 | Rare Histological Variants of Prostate Adenocarcinoma: A National Cancer Database Analysis. Journal of Urology, 2020, 204, 260-266. | 0.2 | 22 |
| 162 | Robotic vs Laparoscopic Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Multicenter Propensity-Score Matched Pair â€œtetrafectaâ€•Analysis (ROBUUST Collaborative Group). Journal of Endourology, 2022, 36, 752-759. | 1.1 | 22 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Impact of Surgical Experience on In-Hospital Complication Rates in Patients Undergoing Minimally Invasive Prostatectomy: A Population-Based Study. Annals of Surgical Oncology, 2011, 18, 839-847. | 0.7 | 21 |
| 164 | A critical assessment of the value of lymph node dissection at radical prostatectomy: A populationâ€based study. Prostate, 2011, 71, 1587-1594. | 1.2 | 21 |
| 165 | Pelvic lymph node dissection for prostate cancer: Adherence and accuracy of the recent guidelines. International Journal of Urology, 2013, 20, 405-410. | 0.5 | 21 |
| 166 | Postoperative phosphodiesterase type 5 inhibitor administration increases the rate of urinary continence recovery after bilateral nerveâ€sparing radical prostatectomy. International Journal of Urology, 2013, 20, 413-419. | 0.5 | 21 |
| 167 | Populationâ€Based External Validation of the Updated 2012 Partin Tables in Contemporary North American Prostate Cancer Patients. Prostate, 2017, 77, 105-113. | 1.2 | 21 |
| 168 | Comparison of Partial Versus Radical Nephrectomy Effect on Other-cause Mortality, Cancer-specific Mortality, and 30-day Mortality in Patients Older Than 75 Years. European Urology Focus, 2019, 5, 467-473. | 1.6 | 21 |
| 169 | Critical assessment of the European Association of Urology guideline indications for pelvic lymph node dissection at radical prostatectomy. BJU International, 2011, 108, 1769-1775. | 1.3 | 20 |
| 170 | A Population-Based Analysis of Temporal Perioperative Complication Rates After Minimally Invasive Radical Prostatectomy. European Urology, 2011, 60, 564-571. | 0.9 | 20 |
| 171 | Survival after nephroureterectomy for upper tract urothelial carcinoma: A populationâ€based competingâ€risks analysis. International Journal of Urology, 2014, 21, 249-256. | 0.5 | 20 |
| 172 | Survival benefit of definitive therapy in patients with clinically advanced prostate cancer: estimations of the number needed to treat based on competingâ€risks analysis. BJU International, 2014, 114, E62-E69. | 1.3 | 20 |
| 173 | Staging lymphadenectomy in renal cell carcinoma must be extended: a sensitivity curve analysis. BJU International, 2013, 111, 412-418. | 1.3 | 19 |
| 174 | The Number of Cores Taken in Patients Diagnosed with a Single Microfocus at Initial Biopsy is a Major Predictor of Insignificant Prostate Cancer. Journal of Urology, 2013, 189, 854-859. | 0.2 | 19 |
| 175 | Tumor volume improves the long-term prediction of biochemical recurrence-free survival after radical prostatectomy for localized prostate cancer with positive surgical margins. World Journal of Urology, 2017, 35, 199-206. | 1.2 | 19 |
| 176 | The Impact of Lymph Node Metastases Burden at Radical Prostatectomy. European Urology Focus, 2019, 5, 399-406. | 1.6 | 19 |
| 177 | Does Educational Status Affect a Patient's Behavior Toward Erectile Dysfunction?. Journal of Sexual Medicine, 2008, 5, 1941-1948. | 0.3 | 18 |
| 178 | Blood Transfusions in Radical Prostatectomy: A Contemporary Population-based Analysis. Urology, 2012, 79, 332-338. | 0.5 | 18 |
| 179 | Diagnosis of isolated highâ€grade prostatic intraâ€epithelial neoplasia: proposal of a nomogram for the prediction of cancer detection at saturation reâ€biopsy. BJU International, 2012, 109, 1329-1334. | 1.3 | 18 |
| 180 | Assessing the most accurate formula to predict the risk of lymph node metastases from prostate cancer in contemporary patients treated with radical prostatectomy and extended pelvic lymph node dissection. Radiotherapy and Oncology, 2013, 109, 211-216. | 0.3 | 18 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | Medical androgen deprivation therapy and increased non-cancer mortality in non-metastatic prostate cancer patients aged â‰¥66 years. European Journal of Surgical Oncology, 2015, 41, 1529-1539. | 0.5 | 18 |
| 182 | Therapeutic Value of Standard Versus Extended Pelvic Lymph Node Dissection During Radical Prostatectomy for High-Risk Prostate Cancer. Current Urology Reports, 2017, 18, 51. | 1.0 | 18 |
| 183 | Long-term Risk of Recurrence in Surgically Treated Renal Cell Carcinoma: A Post Hoc Analysis of the Eastern Cooperative Oncology Groupâ€"American College of Radiology Imaging Network E2805 Trial Cohort. European Urology, 2020, 77, 277-281. | 0.9 | 18 |
| 184 | Extended Pelvic Lymph Node Dissection Does Not Affect Erectile Function Recovery in Patients Treated with Bilateral Nerveâ€Sparing Radical Prostatectomy. Journal of Sexual Medicine, 2012, 9, 2187-2194. | 0.3 | 17 |
| 185 | Treatment of Lymph Nodeâ€"Positive Prostate Cancer: Teaching Old Dogmas New Tricks. European Urology, 2014, 65, 26-28. | 0.9 | 17 |
| 186 | The Impact of Insurance Status on Tumor Characteristics and Treatment Selection in Contemporary Patients With Prostate Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 1351-1358. | 2.3 | 17 |
| 187 | Variation in Locoregional Prostate Cancer Care and Treatment Trends at Commission on Cancer Designated Facilities: A National Cancer Data Base Analysis 2004 to 2013. Clinical Genitourinary Cancer, 2017, 15, e955-e968. | 0.9 | 17 |
| 188 | Head-to-head Comparison of Three Commonly Used Preoperative Tools for Prediction of Lymph Node Invasion at Radical Prostatectomy. Urology, 2011, 78, 1363-1367. | 0.5 | 16 |
| 189 | The Importance of Pelvic Lymph Node Dissection in the Elderly Population: Implications for Interpreting the 2010 National Comprehensive Cancer Network Practice Guidelines for Bladder Cancer Treatment. Journal of Urology, 2011, 185, 2078-2084. | 0.2 | 16 |
| 190 | Are Caucasianâ€"European men delaying fatherhood? Results of a 7 year observational study of infertile couples with male factor infertility. Journal of Developmental and Physical Disabilities, 2012, 35, 125-132. | 3.6 | 16 |
| 191 | Pelvic Lymph Node Dissection in Prostate Cancer: The Mystery Is Taking Shape. European Urology, 2013, 63, 459-461. | 0.9 | 16 |
| 192 | A novel tool to assess the risk of urinary incontinence after nerveâ€sparing radical prostatectomy. BJU International, 2013, 111, 905-913. | 1.3 | 16 |
| 193 | Effect of Preoperative Angina Pectoris on Cardiac Outcomes in Patients With Previous Myocardial Infarction Undergoing Major Noncardiac Surgery (Data from ACS-NSQIP). American Journal of Cardiology, 2015, 115, 1080-1084. | 0.7 | 16 |
| 194 | Comparison of 30-day perioperative outcomes in adults undergoing open versus minimally invasive pyeloplasty for ureteropelvic junction obstruction: analysis of 593 patients in a prospective national database. World Journal of Urology, 2015, 33, 2107-2113. | 1.2 | 16 |
| 195 | Evaluation of a genomic classifier in radical prostatectomy patients with lymph node metastasis. Research and Reports in Urology, 2016, Volume 8, 77-84. | 0.6 | 16 |
| 196 | 10-Year Outcomes in Localized Prostate Cancer. New England Journal of Medicine, 2017, 376, 178-181. | 13.9 | 16 |
| 197 | Contemporary rates of pathological features and mortality for adenocarcinoma of the urinary bladder in the USA. International Journal of Urology, 2017, 24, 117-123. | 0.5 | 16 |
| 198 | Minimally Invasive or Abdominal Radical Hysterectomy for Cervical Cancer. New England Journal of Medicine, 2019, 380, 793-795. | 13.9 | 16 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Nephroureterectomy with or without Bladder Cuff Excision for Localized Urothelial Carcinoma of the Renal Pelvis. European Urology Focus, 2020, 6, 298-304. | 1.6 | 16 |
| 200 | Single-stage XiÂ® robotic radical nephroureterectomy for upper tract urothelial carcinoma: surgical technique and outcomes. Minerva Urology and Nephrology, 2022, 74, . | 1.3 | 16 |
| 201 | Is Sperm Banking of Interest to Patients With Nongerm Cell Urological Cancer Before Potentially Fertility Damaging Treatments?. Journal of Urology, 2009, 182, 1101-1107. | 0.2 | 15 |
| 202 | Venous thromboembolism after radical prostatectomy: the effect of surgical caseload. BJU International, 2012, 110, 828-833. | 1.3 | 15 |
| 203 | An evidence-based guide to the selection of sequential therapies in metastatic renal cell carcinoma. Therapeutic Advances in Urology, 2013, 5, 121-128. | 0.9 | 15 |
| 204 | The effect of age at diagnosis on prostate cancer mortality: A grade-for-grade and stage-for-stage analysis. European Journal of Surgical Oncology, 2014, 40, 1706-1715. | 0.5 | 15 |
| 205 | North American Populationâ€Based Validation of the National Comprehensive Cancer Network Practice Guideline Recommendation of Pelvic Lymphadenectomy in Contemporary Prostate Cancer. Prostate, 2017, 77, 542-548. | 1.2 | 15 |
| 206 | Postoperative sepsis prediction in patients undergoing major cancer surgery. Journal of Surgical Research, 2017, 209, 60-69. | 0.8 | 15 |
| 207 | Contemporary Management of Prostate Cancer Patients Suitable for Active Surveillance: A North American Population-based Study. European Urology Focus, 2018, 4, 68-74. | 1.6 | 15 |
| 208 | Trends of Retroperitoneal Lymphadenectomy Use in Patients with Nonseminomatous Germ Cell Tumor of the Testis: A Population-Based Study. Annals of Surgical Oncology, 2011, 18, 2997-3004. | 0.7 | 14 |
| 209 | Assessing the risk of lymph node invasion in patients with intermediate risk prostate cancer treated with extended pelvic lymph node dissection. A novel prediction tool. Prostate, 2012, 72, 499-506. | 1.2 | 14 |
| 210 | Rate and Extent of Pelvic Lymph Node Dissection in the US Prostate Cancer Patients Treated With Radical Prostatectomy. Clinical Genitourinary Cancer, 2018, 16, e451-e467. | 0.9 | 14 |
| 211 | Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 1497-1503. | 0.8 | 13 |
| 212 | Minimally invasive renal autotransplantation. Journal of Surgical Oncology, 2015, 112, 717-722. | 0.8 | 13 |
| 213 | Intermediate-term cancer control outcomes in prostate cancer patients treated with robotic-assisted laparoscopic radical prostatectomy: a multi-institutional analysis. World Journal of Urology, 2016, 34, 1357-1366. | 1.2 | 13 |
| 214 | Adverse Event Rates, Timing of Complications, and the Impact of Specialty on Outcomes Following Adrenal Surgery: An Analysis of 30-Day Outcome Data From the American College of Surgeons National Surgical Quality Improvement Program (ACS-NSQIP). Urology, 2016, 90, 62-68. | 0.5 | 13 |
| 215 | A contemporary analysis of radiotherapy effect in surgically treated retroperitoneal sarcoma. Radiotherapy and Oncology, 2018, 127, 318-325. | 0.3 | 13 |
| 216 | Outcomes of Lymph Node Dissection in Nephroureterectomy in the Treatment of Upper Tract Urothelial Carcinoma: Analysis of the ROBUUST Registry. Journal of Urology, 2022, , 101097JU0000000000002690. | 0.2 | 13 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | Optimizing postoperative sexual function after radical prostatectomy. Therapeutic Advances in Urology, 2012, 4, 347-365. | 0.9 | 12 |
| 218 | Annual Prostatectomy Volume Is Related to Rectal Laceration Rate After Radical Prostatectomy. Urology, 2012, 79, 796-803. | 0.5 | 12 |
| 219 | There is no way to identify patients who will harbor small volume, unilateral prostate cancer at final pathology. Implications for focal therapies. Prostate, 2012, 72, 925-930. | 1.2 | 12 |
| 220 | Robotâ€assisted hepatic mobilization and control of suprahepatic infradiaphragmatic inferior vena cava for level 3 vena caval thrombectomy: An IDEAL stage 0 study. Journal of Surgical Oncology, 2015, 112, 741-745. | 0.8 | 12 |
| 221 | When Should a Positive Surgical Margin Ring a Bell? An Analysis of a Multi-Institutional Robot-Assisted Laparoscopic Radical Prostatectomy Database. Journal of Endourology, 2016, 30, 201-207. | 1.1 | 12 |
| 222 | Calculating life expectancy to inform prostate cancer screening and treatment decisions. BJU International, 2017, 120, 9-11. | 1.3 | 12 |
| 223 | Endocrine, Sexual Function, and Infertility Side Effects of Immune Checkpoint Inhibitor Therapy for Genitourinary Cancers. Current Urology Reports, 2018, 19, 68. | 1.0 | 12 |
| 224 | Contemporary Trends and Survival Outcomes After Aborted Radical Prostatectomy in Lymph Node Metastatic Prostate Cancer Patients. European Urology Focus, 2019, 5, 381-388. | 1.6 | 12 |
| 225 | Surgical Caseload is an Important Determinant of Continent Urinary Diversion Rate at Radical Cystectomy: A Population-Based Study. Annals of Surgical Oncology, 2011, 18, 2680-2687. | 0.7 | 11 |
| 226 | A populationâ€based assessment of the National Comprehensive Cancer Network practice guideline indications for pelvic lymph node dissection at radical prostatectomy. BJU International, 2012, 109, 1177-1182. | 1.3 | 11 |
| 227 | The key role of time in predicting progression-free survival in patients with renal cell carcinoma treated with partial or radical nephrectomy: Conditional survival analysis. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 43.e9-43.e16. | 0.8 | 11 |
| 228 | Predicting pathological outcomes in patients undergoing robot-assisted radical prostatectomy for high-risk prostate cancer: a preoperative nomogram. BJU International, 2015, 116, 703-712. | 1.3 | 11 |
| 229 | Preventable mortality after common urological surgery: failing to rescue?. BJU International, 2015, 115, 666-674. | 1.3 | 11 |
| 230 | Rates of Kidney Transplantation From Living and Deceased Donors for Blacks and Whites in the United States, 1998 to 2011. JAMA Internal Medicine, 2015, 175, 1716. | 2.6 | 11 |
| 231 | Understanding the Use of Prostate Biopsy Among Men with Limited Life Expectancy in a Statewide Quality Improvement Collaborative. European Urology, 2016, 70, 854-861. | 0.9 | 11 |
| 232 | Could lead-time bias explain the apparent benefits of early salvage radiotherapy?. Nature Reviews Urology, 2017, 14, 193-194. | 1.9 | 11 |
| 233 | Variation in Positive Surgical Margin Status After Radical Prostatectomy for pT2 Prostate Cancer. Clinical Genitourinary Cancer, 2019, 17, e1060-e1068. | 0.9 | 11 |
| 234 | Role of robot-assisted radical prostatectomy in the management of high-risk prostate cancer. Indian Journal of Urology, 2014, 30, 410. | 0.2 | 11 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | Description of Surgical Technique and Oncologic and Functional Outcomes of the Precision Prostatectomy Procedure (IDEAL Stage 1â€“2b Study). European Urology, 2022, 81, 396-406. | 0.9 | 11 |
| 236 | Preoperative erectile function is the only predictor of the use of a high number of phosphodiesterase type-5 inhibitors after bilateral nerve-sparing radical prostatectomy. International Journal of Impotence Research, 2014, 26, 201-204. | 1.0 | 10 |
| 237 | Increasing Rate of Noninterventional Treatment Management in Localized Prostate Cancer Candidates for Active Surveillance: A North American Population-Based Study. Clinical Genitourinary Cancer, 2019, 17, 72-78.e4. | 0.9 | 10 |
| 238 | Ten-year disease progression and mortality rates in men who experience biochemical recurrence versus persistence after radical prostatectomy and undergo salvage radiation therapy: A post-hoc analysis of RTOG 9601 trial data. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 599.e1-599.e8. | 0.8 | 10 |
| 239 | Improving the stratification of intermediate risk prostate cancer. Minerva Urology and Nephrology, 2022, 74, . | 1.3 | 10 |
| 240 | Evaluating post radical prostatectomy mechanisms of early continence. Prostate, 2022, 82, 1186-1195. | 1.2 | 10 |
| 241 | Obesity does not increase the risk of lymph node metastases in patients with clinically localized prostate cancer undergoing radical prostatectomy and extended pelvic lymph node dissection. International Journal of Urology, 2009, 16, 676-681. | 0.5 | 9 |
| 242 | Hospital and Surgical Caseload are Predictors of Comprehensive Surgical Treatment for Bladder Cancer: A Population Based Study. Journal of Urology, 2011, 186, 824-828. | 0.2 | 9 |
| 243 | The impact of surgical experience on total hospital charges for minimally invasive prostatectomy: a populationâ€based study. BJU International, 2011, 108, 888-893. | 1.3 | 9 |
| 244 | Contemporary nationwide patterns of self-reported prostate-specific antigen screening in US veterans. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 503.e7-503.e15. | 0.8 | 9 |
| 245 | Robot-assisted partial cystectomy with intraoperative frozen section examination: Evolution and evaluation of a novel technique. Investigative and Clinical Urology, 2016, 57, 221. | 1.0 | 9 |
| 246 | Testing the external validity of the EORTC randomized trial 30904 comparing overall survival after radical nephrectomy vs nephronâ€sparing surgery in contemporary North American patients with renal cell cancer. BJU International, 2018, 121, 345-347. | 1.3 | 9 |
| 247 | Omission of Cortical Renorrhaphy During Robotic Partial Nephrectomy: A Vattikuti Collective Quality Initiative Database Analysis. Urology, 2020, 146, 125-132. | 0.5 | 9 |
| 248 | The Precision Prostatectomy: â€œWaiting for Godotâ€. European Urology Focus, 2020, 6, 227-230. | 1.6 | 9 |
| 249 | Subtotal surgical therapy for localized prostate cancer: a single-center precision prostatectomy experience in 25 patients, and SEER-registry data analysis. Translational Andrology and Urology, 2021, 10, 3155-3166. | 0.6 | 9 |
| 250 | Gleason 6 Prostate Cancer in One or Two Biopsy Cores Can Harbor More Aggressive Disease. Journal of Endourology, 2011, 25, 699-703. | 1.1 | 8 |
| 251 | Circulating sex steroids and prostate cancer: introducing the time-dependency theory. World Journal of Urology, 2013, 31, 267-273. | 1.2 | 8 |
| 252 | Competingâ€risks analysis in patients with T1 squamous cell carcinoma of the penis. BJU International, 2013, 111, E174-9. | 1.3 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | The Number of Cores at First Biopsy MayÂSuggest the Need for a Confirmatory Biopsy in Patients Eligible for Active Surveillanceâ€"Implication for Clinical Decision Making in the Real-life Setting. Urology, 2014, 84, 634-641. | 0.5 | 8 |
| 254 | An evaluation of the â€˜weekend effectâ€™ in patients admitted with metastatic prostate cancer. BJU International, 2015, 116, 911-919. | 1.3 | 8 |
| 255 | The Role of Biomarkers and Genetics in the Diagnosis of Prostate Cancer. European Urology Focus, 2015, 1, 99-108. | 1.6 | 8 |
| 256 | Impact of Lymphovascular Invasion on Overall Survival in Patients With Prostate Cancer Following Radical Prostatectomy: Stage-per-Stage Analysis. Clinical Genitourinary Cancer, 2021, 19, e319-e325. | 0.9 | 8 |
| 257 | Management of upper urinary tract urothelial carcinoma. Expert Review of Anticancer Therapy, 2010, 10, 1955-1965. | 1.1 | 7 |
| 258 | Impact of annual surgical volume on length of stay in patients undergoing minimally invasive prostatectomy: A population-based study. European Journal of Surgical Oncology, 2011, 37, 429-434. | 0.5 | 7 |
| 259 | The effect of annual surgical caseload on the rates of in-hospital pneumonia and other in-hospital outcomes after radical prostatectomy. International Urology and Nephrology, 2012, 44, 799-806. | 0.6 | 7 |
| 260 | Intensity-modulated radiation therapy leads to survival benefit only in patients with high-risk prostate cancer: a population-based study. Annals of Oncology, 2014, 25, 979-986. | 0.6 | 7 |
| 261 | Treatment patterns, testicular loss and disparities in inpatient surgical management of testicular torsion in boys: a populationâ€based study 1998â€"2010. BJU International, 2016, 118, 969-979. | 1.3 | 7 |
| 262 | Robot-Assisted Laparoscopic Repair of Extraperitoneal Ureteral Inguinal Hernia with Mesh Placement. Journal of Endourology Case Reports, 2017, 3, 97-100. | 0.3 | 7 |
| 263 | State-by-state Variation in Prostate-specific Antigen Screening Trends Following the 2011 United States Preventive Services Task Force Panel Update. Urology, 2018, 112, 56-65. | 0.5 | 7 |
| 264 | Surgically Treated Retroperitoneal Sarcoma: A Population-based Competing Risks Analysis. European Urology Oncology, 2018, 1, 346-351. | 2.6 | 7 |
| 265 | The Precision Prostatectomy: an IDEAL Stage 0, 1 and 2a Study. BMJ Surgery, Interventions, and Health Technologies, 2019, 1, e000002. | 0.6 | 7 |
| 266 | Extended pelvic lymphâ€•node dissection is independently associated with improved overall survival in patients with prostate cancer at highâ€•risk of lymphâ€•node invasion. BJU International, 2020, 125, 756-758. | 1.3 | 7 |
| 267 | A Preoperative Nomogram to Predict Renal Function Insufficiency for Cisplatin-based Adjuvant Chemotherapy Following Minimally Invasive Radical Nephroureterectomy (ROBUUST Collaborative) Tj ETQq1 1 0.784314 rgBT /Overlo | 1.4 | |
| 268 | Preoperative circulating sex hormones are not predictors of positive surgical margins at open radical prostatectomy. World Journal of Urology, 2012, 30, 533-539. | 1.2 | 6 |
| 269 | Predicting the risk of lymph node invasion during radical prostatectomy using the European association of urology guideline nomogram: A validation study. European Journal of Surgical Oncology, 2012, 38, 624-629. | 0.5 | 6 |
| 270 | Impact of Baseline Characteristics on the Survival Benefit of High-Intensity Local Treatment in Metastatic Urothelial Carcinoma of the Bladder. European Urology Focus, 2018, 4, 568-571. | 1.6 | 6 |

| # | Article | IF | Citations |
|---|---|---|---|
| 271 | A Nationwide Persistent Underutilization of Adjuvant Radiotherapy in North American Prostate Cancer Patients. Clinical Genitourinary Cancer, 2020, 18, 489-499.e6. | 0.9 | 6 |
| 272 | An analysis of patients with <scp>T</scp>2 renal cell carcinoma (<scp>RCC</scp>) according to tumour size: a populationâ€based analysis. BJU International, 2013, 111, 1184-1190. | 1.3 | 5 |
| 273 | Adjuvant Radiotherapy in Prostate Cancer Patients Treated with Surgery: The Impact of Age and Tumor Characteristics. European Urology Focus, 2015, 1, 191-199. | 1.6 | 5 |
| 274 | Prevalence of Nonrecommended Screening for Prostate Cancer and Breast Cancer in the United States. JAMA Oncology, 2016, 2, 543. | 3.4 | 5 |
| 275 | Je le pansai, Dieu le guerit. European Urology, 2017, 72, 343-344. | 0.9 | 5 |
| 276 | Retziusâ€sparing robotâ€assisted radical prostatectomy. BJU International, 2019, 123, 7-8. | 1.3 | 5 |
| 277 | Impact of timing on salvage radiation therapy adverse events following radical prostatectomy: A secondary analysis of the RTOG 9601 cohort. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 38.e17-38.e22. | 0.8 | 5 |
| 278 | Pelvic lymph node dissection at robot-assisted radical prostatectomy: Assessing utilization and nodal metastases within a statewide quality improvement consortium. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 198-203. | 0.8 | 5 |
| 279 | Evaluation of lymphovascular invasion as a prognostic predictor of overall survival after radical prostatectomy. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 495.e1-495.e6. | 0.8 | 5 |
| 280 | Prevention and Management of Postprostatectomy Erectile Dysfunction. European Urology Supplements, 2009, 8, 80-87. | 0.1 | 4 |
| 281 | Re: AR-V7 and Resistance to Enzalutamide and Abiraterone in Prostate Cancer. European Urology, 2015, 68, 162-163. | 0.9 | 4 |
| 282 | The diminishing returns of robotic diffusion: complications after robotâ€assisted radical prostatectomy. BJU International, 2016, 117, 211-212. | 1.3 | 4 |
| 283 | Salvage Radiation Therapy for Biochemical Recurrence After Radical Prostatectomy: Is Earlier Always Better?. Journal of Clinical Oncology, 2017, 35, 1489-1490. | 0.8 | 4 |
| 284 | Trends in Prostate-Specific Antigen Screening Since the Implementation of the 2012 US Preventive Services Task Force Recommendations. European Urology Focus, 2018, 4, 1002-1004. | 1.6 | 4 |
| 285 | Re: Follow-up of Prostatectomy Versus Observation for Early Prostate Cancer. European Urology, 2018, 73, 302-303. | 0.9 | 4 |
| 286 | Facility Level Variation in Rates of Definitive Therapy for Low Risk Prostate Cancer in Men with Limited Life Expectancy: An Opportunity for Value Based Care Redesign. Journal of Urology, 2019, 201, 728-734. | 0.2 | 4 |
| 287 | Surgery and erectile dysfunction. Archivos Espanoles De Urologia, 2010, 63, 640-8. | 0.1 | 4 |
| 288 | VALIDATION OF THE CRITERIA SUGGESTED BY CURRENT GUIDELINES TO INDICATE THE NEED FOR BASELINE STAGING BONE SCAN IN PATIENTS WITH NEWLY DIAGNOSED PROSTATE CANCER. Journal of Urology, 2009, 181, 782-782. | 0.2 | 3 |

| # | Article | IF | Citations |
|---|---|---|---|
| 289 | 1634 MANAGEMENT OF LOCALIZED KIDNEY CANCER: CALCULATING CANCER-SPECIFIC MORTALITY AND COMPETING-RISKS OF DEATH TRADEOFFS BETWEEN SURGERY AND ACTIVE SURVEILLANCE. Journal of Urology, 2013, 189, . | 0.2 | 3 |
| 290 | PD43-12 URINARY CONTINENCE OUTCOMES AFTER RETZIUS-SPARING ROBOT-ASSISTED RADICAL PROSTATECTOMY: A PROSPECTIVE, NON-RANDOMIZED, IDEAL STAGE 2B (EXPLORATION) STUDY.. Journal of Urology, 2016, 195, . | 0.2 | 3 |
| 291 | MP39-14 IMPACT OF THE 2012 UNITED STATES PREVENTIVE SERVICES TASK FORCE RECOMMENDATION AGAINST PROSTATE SPECIFIC ANTIGEN SCREENING ON PROSTATE CANCER RISK GROUP STRATIFICATION. Journal of Urology, 2016, 195, . | 0.2 | 3 |
| 292 | MP02-06 EVALUATION OF A GENOMIC CLASSIFIER IN RADICAL PROSTATECTOMY PATIENTS WITH LYMPH NODE METASTASIS. Journal of Urology, 2016, 195, . | 0.2 | 3 |
| 293 | Surgery-based Multimodal Management of High-risk Prostate Cancer Patients: What Is the Functional Price To Pay for Optimal Disease Control?. European Urology, 2017, 71, 337-339. | 0.9 | 3 |
| 294 | Surgical Training in the Robotic Surgery Era: The Importance of Structured Programs. European Urology Focus, 2017, 3, 117-118. | 1.6 | 3 |
| 295 | Oncological and functional efficacy of nephron-sparing surgery versus radical nephrectomy in renal cell carcinoma stages â‰¥ cT1b: a single institution, matched analysis. Central European Journal of Urology, 2018, 71, 48-57. | 0.2 | 3 |
| 296 | Impact of treatment modality on overall survival in localized ductal prostate adenocarcinoma: A national cancer database analysis. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 366.e11-366.e18. | 0.8 | 3 |
| 297 | 462. Prevalence and Outcome of Asymptomatic Procedural Patients with COVID-19 Infection. Open Forum Infectious Diseases, 2020, 7, S298-S298. | 0.4 | 3 |
| 298 | Anti-Androgen Therapy Overcomes the Time Delay in Initiation of Salvage Radiation Therapy and Rescues the Oncological Outcomes in Men with Recurrent Prostate Cancer After Radical Prostatectomy: A Post Hoc Analysis of the RTOG-9601 Trial Data. Annals of Surgical Oncology, 2022, 29, 7206-7215. | 0.7 | 3 |
| 299 | IS CLIMACTURIA FOLLOWING RADICAL PROSTATECTOMY ASSOCIATED WITH SURGICAL TECHNIQUE?. Journal of Urology, 2008, 179, 515-515. | 0.2 | 2 |
| 300 | 1831 THE NUMBER OF LYMPH NODES REMOVED IN RENAL CELL CARCINOMA DOES AFFECT CANCER SPECIFIC SURVIVAL IN SPECIFIC SUBGROUPS OF PATIENTS: RESULTS FROM A SYSTEMATIC ANALYSIS. Journal of Urology, 2013, 189, . | 0.2 | 2 |
| 301 | MP51-15 TIME FROM SURGERY TO URINARY CONTINENCE SIGNIFICANTLY INFLUENCES THE SUBSEQUENT RECOVERY OF ERECTILE FUNCTION IN PATIENTS TREATED WITH BILATERAL NERVE-SPARING RADICAL PROSTATECTOMY. Journal of Urology, 2014, 191, . | 0.2 | 2 |
| 302 | PD12-11 SURVIVAL BENEFIT OF RADICAL PROSTATECTOMY IN PATIENTS WITH CLINICALLY ADVANCED PROSTATE CANCER: ESTIMATIONS OF THE NUMBER NEEDED TO TREAT BASED ON COMPETING-RISKS ANALYSIS. Journal of Urology, 2014, 191, . | 0.2 | 2 |
| 303 | PD38-12 [11C]CHOLINE PET/CT PREDICTS SURVIVAL IN HORMONE NAÃVE PROSTATE CANCER PATIENTS WITH BIOCHEMICAL FAILURE AFTER RADICAL PROSTATECTOMY. Journal of Urology, 2015, 193, . | 0.2 | 2 |
| 304 | Reply to Jovo BogdanoviÄ‡ and Vuk SekuliÄ‡â€™s Letter to the Editor re: Firas Abdollah, Giorgio Gandaglia, Nazareno Suardi, et al. More Extensive Pelvic Lymph Node Dissection Improves Survival in Patients with Node-positive Prostate Cancer. Eur Urol 2015;67:212â€“9. European Urology, 2015, 68, e37-e38. | 0.9 | 2 |
| 305 | PD15-01 THE IMPACT OF 2011 UNITED STATES PREVENTIVE SERVICES TASK FORCE PANEL UPDATE ON PSA SCREENING PRACTICE: A NATIONWIDE, AND STATE-BY-STATE LEVEL ANALYSES.. Journal of Urology, 2016, 195, . | 0.2 | 2 |
| 306 | Observational Studies to Contextualize Surgical Trials. European Urology, 2016, 70, 231-232. | 0.9 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 307 | PD32-05 PROSTATE CANCER SCREENING: EFFECT OF EARLY MEDICAID EXPANSION. Journal of Urology, 2017, 197, . | 0.2 | 2 |
| 308 | Classification of Partial Nephrectomy as an Outpatient Surgery under CMSÂPart B Reimbursement Programâ€"Does the Evidence JustifyÂtheÂRecommendation?. Urology Practice, 2017, 4, 444-447. | 0.2 | 2 |
| 309 | The effect of race on survival after local therapy in metastatic prostate cancer patients. Canadian Urological Association Journal, 2018, 13, 175-181. | 0.3 | 2 |
| 310 | Re: Massimiliano Spaliviero, Nicholas E. Power, Katie S. Murray, et al. Intravenous Mannitol Versus Placebo During Partial Nephrectomy in Patients with Normal Kidney Function: A Double-blind, Clinically-integrated, Randomized Trial. Eur Urol 2018;73:53â€"9. European Urology, 2018, 74, e48-e49. | 0.9 | 2 |
| 311 | External validation of genomic classifier-based risk-stratification tool to identify candidates for adjuvant radiation therapy in patients with prostate cancer. World Journal of Urology, 2021, 39, 3217-3222. | 1.2 | 2 |
| 312 | Predicting lymph node invasion in patients treated with robot-assisted radical prostatectomy. Canadian Journal of Urology, 2016, 23, 8141-50. | 0.0 | 2 |
| 313 | A novel prognostic model predicting overall survival in patients with metastatic castrationâ€resistant prostate cancer receiving standard chemotherapy: A multiâ€trial cohort analysis. Prostate, 2022, 82, 1293-1303. | 1.2 | 2 |
| 314 | 1038: Erectile Function Following Nerve Sparing Radical Prostatectomy Correlates Well with Post -Operative Penile Length in Flaccidity and at Maximum Erection. Surgical Technique Counts. Journal of Urology, 2007, 177, 343-344. | 0.2 | 1 |
| 315 | ARE INFERTILE MEN LESS HEALTHY THAN FERTILE MEN? PRELIMINARY RESULTS OF A SURVEY AT A MAJOR TERTIARY ACADEMIC CENTRE. Journal of Urology, 2008, 179, 655-656. | 0.2 | 1 |
| 316 | Re: Orgasm Associated Incontinence (Climacturia) Following Radical Pelvic Surgery: Rates of Occurrence and Predictors. Journal of Urology, 2008, 180, 1187-1188. | 0.2 | 1 |
| 317 | DISTRIBUTION OF PELVIC LYMPH NODES IS NOT SYMMETRIC. RESULTS FROM AN EXTENDED PELVIC LYMPH NODE DISSECTION SERIES. Journal of Urology, 2009, 181, 100-101. | 0.2 | 1 |
| 318 | 649 MINIMALLY INVASIVE RADICAL PROSTATECTOMY HOLD NO ADVANTAGE OVER OPEN RADICAL PROSTATECTOMY WITH REGARD TO COMPLICATION RATES: POPULATION-BASED DATA FROM THE UNITED STATES. Journal of Urology, 2011, 185, . | 0.2 | 1 |
| 319 | 982 STAGING LYMPHADENECTOMY IN RENAL CELL CARCINOMA MUST BE EXTENDED: A SENSITIVITY CURVE ANALYSES. Journal of Urology, 2012, 187, . | 0.2 | 1 |
| 320 | 771 SHOULD AN EXTENDED NODAL TEMPLATE FOR HIGH RISK PROSTATE CANCER ALWAYS INCLUDE REMOVAL OF COMMON ILIAC LYMPH NODES?. Journal of Urology, 2012, 187, . | 0.2 | 1 |
| 321 | 774 HEAD-TO-HEAD COMPARISON OF LYMPH NODE DENSITY AND NUMBER OF POSITIVE LYMPH NODES IN STRATIFYING THE OUTCOME OF PATIENTS WITH LYMPH NODE POSITIVE PROSTATE CANCER SUBMITTED TO RADICAL PROSTATECTOMY AND EXTENDED PELVIC LYMPH NODE DISSECTION. Journal of Urology, 2013, 189, . | 0.2 | 1 |
| 322 | 1838 WHEN TO PERFORM LYMPH NODE DISSECTION IN RENAL CELL CARCINOMA PATIENTS: A NOVEL APPROACH TO PREOPERATIVELY ASSESS THE RISK OF LYMPH NODE INVASION AT SURGERY AND NODAL PROGRESSION DURING FOLLOW UP. Journal of Urology, 2013, 189, . | 0.2 | 1 |
| 323 | 961 PREDICTORS OF EARLY BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY AND ADJUVANT RADIOTHERAPY IN MEN WITH PT3N0 PROSTATE CANCER. IMPLICATIONS FOR MULTI-MODAL THERAPIES. Journal of Urology, 2013, 189, . | 0.2 | 1 |
| 324 | Reply to Chris Parker, Matthew R. Sydes and Howard Kynaston's Letter to the Editor re: Firas Abdollah, Nazareno Suardi, Cesare Cozzarini, et al. Selecting the Optimal Candidate for Adjuvant Radiotherapy After Radical Prostatectomy for Prostate Cancer: A Long-term Survival Analysis. Eur Urol 2013;63:998â€"1008. European Urology, 2013, 64, e103-e104. | 0.9 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 325 | Response to <scp>R</scp>e: Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. International Journal of Urology, 2013, 20, 845-846. | 0.5 | 1 |
| 326 | Spatial distribution of positive cores improves the selection of patients with lowâ€risk prostate cancer as candidates for active surveillance. BJU International, 2013, 112, E234-42. | 1.3 | 1 |
| 327 | Should all men having a radical prostatectomy have a pelvic lymph node dissection? No. Canadian Urological Association Journal, 2013, 4, 425. | 0.3 | 1 |
| 328 | PD12-12 ADJUVANT RADIOTHERAPY IMPROVES CANCER-SPECIFIC SURVIVAL ONLY IN PATIENTS WITH HIGHLY AGGRESSIVE PROSTATE CANCER. VALIDATION OF RECENTLY RELEASED CRITERIA. Journal of Urology, 2014, 191, . | 0.2 | 1 |
| 329 | MP32-08 READMISSIONS AFTER MAJOR UROLOGIC CANCER SURGERY. Journal of Urology, 2015, 193, . | 0.2 | 1 |
| 330 | MP9-08 IMPACT OF SMOKING ON PERIOPERATIVE OUTCOMES AFTER MAJOR UROLOGIC SURGERY. Journal of Urology, 2015, 193, . | 0.2 | 1 |
| 331 | PD6-12 DIMINISHING RETURNS OF ROBOTIC DIFFUSION: COMPLICATIONS FOLLOWING ROBOT-ASSISTED RADICAL PROSTATECTOMY. Journal of Urology, 2015, 193, . | 0.2 | 1 |
| 332 | Reply to C.G. Rusthoven et al. Journal of Clinical Oncology, 2015, 33, 1989-1989. | 0.8 | 1 |
| 333 | MP14-12 EFFICACY OF EARLY AND DELAYED RADIATION IN A PROSTATECTOMY COHORT ADJUSTED FOR GENOMIC AND CLINICAL RISK. Journal of Urology, 2016, 195, . | 0.2 | 1 |
| 334 | MP21-11 AGE DEPENDENT VARIATION IN THE EFFECT OF PHYSICIAN RECOMMENDATIONS TO UNDERGO PROSTATE SPECIFIC ANTIGEN (PSA) SCREENING FOLLOWING THE UNITED STATES PREVENTIVE SERVICES TASK FORCE 2012 STATEMENT AGAINST PSA SCREENING.. Journal of Urology, 2016, 195, . | 0.2 | 1 |
| 335 | PD15-03 DIFFERENCES IN PROSTATE SPECIFIC ANTIGEN TESTING AMONG UROLOGISTS AND PRIMARY CARE PROVIDERS IN THE UNITED STATES FOLLOWING THE 2011 USPSTF RECOMMENDATIONS. Journal of Urology, 2016, 195, . | 0.2 | 1 |
| 336 | Improved Survival With Local Treatment of Prostate Cancer in Men With Metastatic Disease: Look Before You Leap. Journal of Clinical Oncology, 2017, 35, 914-915. | 0.8 | 1 |
| 337 | Androgen Deprivation Therapy and Dose-Escalated Radiotherapy for Intermediate- and High-Risk Prostate Cancer. JAMA Oncology, 2017, 3, 280. | 3.4 | 1 |
| 338 | PD58-12 PSA SCREENING AT THE INTERSECTION OF POLITICS AND POLICY. Journal of Urology, 2017, 197, . | 0.2 | 1 |
| 339 | Comparing Adjuvant vs Early-Salvage Radiotherapy After Radical Prostatectomy. JAMA Oncology, 2018, 4, 1618. | 3.4 | 1 |
| 340 | Robotic Urologic Surgery: How to Make an Effective Robotic Program. , 2018, , 77-82. | | 1 |
| 341 | Regression Discontinuity Analysis of Salvage Radiotherapy in Prostate Cancer. European Urology Oncology, 2021, 4, 817-820. | 2.6 | 1 |
| 342 | Adjuvant radiotherapy in prostate cancer patients with positive margins or extracapsular extension. Annals of Translational Medicine, 2019, 7, S291-S291. | 0.7 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 343 | Re: Timothy J. Wilt, Tien N. Vo, Lisa Langsetmo, et al. Radical Prostatectomy or Observation for Clinically Localized Prostate Cancer: Extended Follow-up of the Prostate Cancer Intervention Versus Observation Trial (PIVOT). Eur Urol 2020;77:713â€“724. European Urology Oncology, 2020, 3, 557-558. | 2.6 | 1 |
| 344 | Generalizability of Prostate-Specific Antigen (PSA) Screening Trials in a â€œReal Worldâ€•Setting: A Nationwide Survey Analysis. Urology, 2021, 148, 1-3. | 0.5 | 1 |
| 345 | High-intensity local treatment of clinical node-positive urothelial carcinoma of the bladder alongside systemic chemotherapy improves overall survival. Urologic Oncology: Seminars and Original Investigations, 2022, 40, 62.e1-62.e11. | 0.8 | 1 |
| 346 | The Impact of the Price Transparency Mandate on Cost Reporting for Common Urological Services across the U.S. News Top 21 Hospitals. Urology Practice, 0, , . | 0.2 | 1 |
| 347 | Comparative effectiveness of radical cystectomy versus bladder-sparing treatment for muscle-invasive urothelial carcinoma: A population-based report.. Journal of Clinical Oncology, 2014, 32, 334-334. | 0.8 | 1 |
| 348 | Development and validation of genomic signature to predict ADT treatment failure.. Journal of Clinical Oncology, 2016, 34, 5018-5018. | 0.8 | 1 |
| 349 | Using adjuvant radiotherapy to improve cancer-specific survival in patients with highly aggressive prostate cancer: Examining recently released criteria.. Journal of Clinical Oncology, 2014, 32, 30-30. | 0.8 | 1 |
| 350 | Population-based comparison of surgical margin status for robotic versus open radical prostatectomy.. Journal of Clinical Oncology, 2014, 32, 51-51. | 0.8 | 1 |
| 351 | The Technique of Robotic Nerve-Sparing Prostatectomy. , 2016, , 315-326. | | 1 |
| 352 | Efficacy of local treatment in patients with prostate cancer with clinically pelvic lymph node-positive disease at initial diagnosis.. Journal of Clinical Oncology, 2017, 35, 164-164. | 0.8 | 1 |
| 353 | Pentafecta for Radical Nephroureterectomy in Patients with High-Risk Upper Tract Urothelial Carcinoma: A Proposal for Standardization of Quality Care Metrics. Cancers, 2022, 14, 1781. | 1.7 | 1 |
| 354 | Risk-based assessment of the impact of intravesical therapy on recurrence-free survival rate following resection of suspected low-grade, non-muscle-invasive bladder cancer (NMIBC): a Southwest Oncology Groups (SWOG) S0337 post-hoc analysis. Clinical Genitourinary Cancer, 2022, , . | 0.9 | 1 |
| 355 | IS DIABETES MELLITUS ASSOCIATED WITH POORLY DIFFERENTIATED PROSTATE CANCER (PCa)?. Journal of Urology, 2008, 179, 65-65. | 0.2 | 0 |
| 356 | IS SPERM CRYOPRESERVATION BEFORE SURGICAL TREATMENT OF INTEREST IN UROLOGIC CANCER PATIENTS?. Journal of Urology, 2008, 179, 597-597. | 0.2 | 0 |
| 357 | CAN 24 CORES TRANS-RECTAL SATURATION BIOPSY IDENTIFY UNILATERAL PROSTATE CANCER POTENTIALLY AMENABLE TO FOCAL TREATMENT?. Journal of Urology, 2009, 181, 103-104. | 0.2 | 0 |
| 358 | ISOLATED BLADDER NECK INVOLVEMENT FROM PROSTATE CANCER SHOULD NOT BE CONSIDERED AS PT4 DISEASE. Journal of Urology, 2009, 181, 290-291. | 0.2 | 0 |
| 359 | TIME FROM PROSTATE BIOPSY TO RADICAL PROSTATECTOMY REPRESENTS AN INDEPENDENT PREDICTOR OF PROSTATE CANCER SIGNIFICANT UPGRADING. Journal of Urology, 2009, 181, 56-56. | 0.2 | 0 |
| 360 | PERCENTAGE OF POSITIVE CORES STRONGLY INFLUENCES THE RATE OF GLEASON SUM AGREEMENT BETWEEN PROSTATE BIOPSY AND RADICAL PROSTATECTOMY. Journal of Urology, 2009, 181, 754-754. | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 361 | SHOULD SEPTA- AND OCTOGENARIAN PATIENTS WITH PROSTATE CANCER BE TREATED WITH RADICAL PROSTATECTOMY?. Journal of Urology, 2009, 181, 206-207. | 0.2 | 0 |
| 362 | DEVELOPMENT AND SPLIT SAMPLE VALIDATION OF AN UPDATED NOMOGRAM PREDICTING THE PROBABILITY OF LYMPH NODE INVASION IN PATIENTS WITH CLINICALLY LOCALIZED PROSTATE CANCER UNDERGOING EXTENDED PELVIC LYMPH NODE DISSECTION. Journal of Urology, 2009, 181, 757-757. | 0.2 | 0 |
| 363 | COMPARISON BETWEEN TRANSRECTAL AND TRANSPERINEAL PROSTATE CANCER DETECTION RATE AT SATURATION BIOPSY AFTER PREVIOUS NEGATIVE BIOPSIES. RESULTS OF A TWO-INSTITUTION EXPERIENCE. Journal of Urology, 2009, 181, 709. | 0.2 | 0 |
| 364 | 1801 IMPACT OF LYMPH NODE DENSITY ON CANCER-SPECIFIC SURVIVAL IN PATIENTS WITH NODE-POSITIVE RENAL CELL CARCINOMA. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 365 | 652 ARE TESTICULAR PROSTHESES OF INTEREST TO PATIENTS TREATED WITH ORCHIECTOMY FOR GERM-CELL TESTICULAR CANCER?. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 366 | 932 THERE IS NO WAY TO IDENTIFY PATIENTS WHO WILL HARBOR PT2A PROSTATE CANCER AT RADICAL PROSTATECTOMY. IMPLICATIONS FOR FOCAL THERAPIES. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 367 | 395 ASSESSING THE RISK OF LYMPH NODE INVASION IN PATIENTS WITH INTERMEDIATE RISK PROSTATE CANCER. A NOVEL PREDICTION TOOL. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 368 | 1742 OUTCOME OF PATIENTS POTENTIALLY SUITABLE FOR ACTIVE SURVEILLANCE UNDERGOING RADICAL PROSTATECTOMY AS FIRST TREATMENT CHOICE. RESULTS OF INTERMEDIATE-TERM FOLLOW-UP. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 369 | 930 AGE ADJUSTED VALIDATION OF THE MOST STRINGENT CRITERIA FOR ACTIVE SURVELLIANCE: IMPLICATIONS FOR PATIENT SELECTION. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 370 | 1848 THE ACCURACY OF THE PERCENTAGE OF POSITIVE CORES IN PREDICTING ADVANCED PROSTATE CANCER DOES NOT CHANGE ACCORDING TO THE EXTENT OF BIOPSY SCHEME. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 371 | 655 IMPORTANT RACIAL DISPARITY EXISTS WITH RESPECT TO THE USE OF MINIMALLY INVASIVE RADICAL PROSTATECTOMY IN THE UNITED STATES. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 372 | 1670 NON-CANCER RELATED MORTALITY IN PARTIAL VERSUS RADICAL NEPHRECTOMY FOR T1A RENAL CELL CARCINOMA: A PROPENSITY-BASED MATCHED ANALYSIS. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 373 | 1845 RATES OF CONTINENT URINARY DIVERSION AFTER RADICAL CYSTECTOMY: IS THERE A PLACE FOR IMPROVEMENT?. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 374 | 1841 THE IMPORTANCE OF PELVIC LYMPH NODE DISSECTION IN THE ELDERLY: IMPLICATIONS FOR INTERPRETATION OF THE 2010 NATIONAL COMPREHENSIVE CANCER NETWORK PRACTICE GUIDELINES FOR BLADDER CANCER TREATMENT. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 375 | 479 OPEN RADICAL PROSTATECTOMY IN THE ELDERLY: A CASE FOR CONCERN?. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 376 | 1926 PREDICTING FACTORS FOR INSIGNIFICANT CANCER AFTER A DIAGNOSIS OF ONE SINGLE MINUTE FOCUS OF PROSTATE CANCER ON NEEDLE BIOPSY. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 377 | 1642 PELVIC LYMPH NODE DISSECTION IS PERFORMED LESS FREQUENTLY IN PATIENTS TREATED WITH MINIMALLY INVASIVE RADICAL PROSTATECTOMY. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 378 | 543 TREATMENT MANAGEMENT OF T1A RENAL CELL CARCINOMA IN THE 21ST CENTURY: A POPULATION-BASED ANALYSIS. Journal of Urology, 2011, 185, . | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 379 | 1844 ACCURACY OF THE CHARLSON COMORBIDITY INDEX (CCI) IN PREDICTING IN-HOSPITAL MORTALITY (IHM) IN PATIENTS TREATED WITH RADICAL CYSTECTOMY (RC). Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 380 | 44 BLADDER CANCER CONTROL OUTCOMES HAVE NOT IMPROVED WITHIN THE LAST THIRTY YEARS: A TREND ANALYSIS IN THE UNITED STATES. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 381 | 1901 ADVANCED AGE IS AN INDEPENDENT PREDICTOR OF CANCER-SPECIFIC MORTALITY AFTER RADICAL CYSTECTOMY FOR UROTHELIAL CARCINOMA OF THE URINARY BLADDER: A COMPETING-RISKS REGRESSION ANALYSIS. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 382 | 658 RATES OF HOSPITAL AQUIRED PNEUMONIA AFTER OPEN RADICAL PROSTATECTOMY DECLINED IN THE LAST DECADE. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 383 | 475 OPEN RADICAL PROSTATECTOMY PERFORMED BY LOW VOLUME SURGEONS PREDISPOSES TO HIGHER RATES OF RECTAL LACERATION. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 384 | Reply to Charles B. Simone II, Charles B. Simone's Letter to the Editor re: Firas Abdollah, Maxine Sun, Rodolphe Thuret, et al. A Competing-Risks Analysis of Survival After Alternative Treatment Modalities for Prostate Cancer Patients: 1988â€“2006. Eur Urol 2011;59:88â€“95. European Urology, 2011, 59, e31-e32. | 0.9 | 0 |
| 385 | Clinical experience and critical evaluation of the role of everolimus in advanced renal cell carcinoma. Open Access Journal of Urology, 2011, 3, 43. | 0.3 | 0 |
| 386 | In Reply to Yu. International Journal of Radiation Oncology Biology Physics, 2012, 84, 301-302. | 0.4 | 0 |
| 387 | 178 A SINGLE SPOT AT [(11)C]CHOLINE-PET/CT SCAN IS NOT PREDICTIVE OF A SINGLE, ISOLATED NODAL METASTASIS AT FINAL PATHOLOGY. IMPLICATIONS FOR SALVAGE TREATMENTS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 388 | 180 [11C]CHOLINE PET/CT SCAN PREDICTS SURVIVAL IN PROSTATE CANCER PATIENTS WITH BIOCHEMICAL FAILURE AFTER RADICAL PROSTATECTOMY. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 389 | 182 EVALUATION OF LYMPH NODE RECURRENT PROSTATE CANCER WITH INTEGRATED [11C]CHOLINE PET/CT IN PATIENTS WITH PSA FAILURE AFTER RADICAL PROSTATECTOMY: VALIDATION BY HISTOLOGICAL ANALYSIS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 390 | 185 MODELS ASSESSING THE NEED FOR PELVIC LYMPH NODE DISSECTION CANNOT BE RELIABLY USED IN MEN WITH PROSTATE CANCER PREVIOUSLY TREATED WITH SURGERY FOR BENIGN PROSTATIC ENLARGEMENT. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 391 | 186 THE 2011 NATIONAL COMPREHENSIVE CANCER NETWORK GUIDELINES RECOMMENDATIONS FOR PELVIC LYMPH NODE DISSECTION IN PROSTATE CANCER PATIENTS ARE NOT ACCURATE. A PLEA FOR RENEWAL. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 392 | 187 IS [11C]CHOLINE PET/CT RECOMMENDED FOR RESTAGING PROSTATE CANCER PATIENTS AFTER RADICAL PROSTATECTOMY WHEN PSA IS LOWER THAN 1 NG/ML?. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 393 | 365 IDENTIFYING PATIENTS AT REAL RISK OF DYING FROM PROSTATE CANCER. A NOVEL RISK SCORE FOR THE SELECTION OF CANDIDATES FOR ADJUVANT RADIATION THERAPY. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 394 | 370 DEVELOPMENT AND INTERNAL VALIDATION OF A PROSTATE HEALTH INDEX (PHI) BASED NOMOGRAM FOR PREDICTING PROSTATE CANCER AT INITIAL EXTENDED BIOPSY. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 395 | 570 AN ANALYSIS OF PATIENTS WITH T2 RENAL CELL CARCINOMA ACCORDING TO TUMOR SIZE: A POPULATION-BASED ANALYSIS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 396 | 663 ADJUVANT RADIOTHERAPY NEGATIVELY IMPACTS ON THE LONG-TERM RECOVERY OF NORMAL SEXUAL FUNCTION IN TESTICULAR GERM-CELL CANCER SURVIVORS. Journal of Urology, 2012, 187, . | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 397 | 768 DO NODAL METASTASES INVARIABLY IMPACT ON SURVIVAL OF PATIENTS WITH PROSTATE CANCER? IMPORTANCE OF LOCAL DISEASE STATUS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 398 | 770 A SINGLE POSITIVE LYMPH NODE HAS NO DETRIMENTAL EFFECT ON SURVIVAL OF PATIENTS WITH PROSTATE CANCER TREATED WITH EXTENDED PELVIC LYMPH NODE DISSECTION. RESULTS OF A MATCHED CONTROLLED ANALYSIS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 399 | 772 PREDICTORS OF LONG-TERM SURVIVAL OF PATIENTS WITH HIGH VOLUME OF NODAL METASTASES AT EXTENDED PELVIC LYMPH NODE DISSECTION FOR PROSTATE CANCER. THE IMPORTANCE OF AN INTEGRATED, MULTIMODAL APPROACH. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 400 | 2233 AN INITIAL SERUM PSA LEVEL LESS THAN 5 NG/ML AT DIAGNOSIS DOES NOT CORRELATE WITH TUMOR VOLUME IN LOW RISK PROSTATE CANCER PATIENTS. IMPLICATIONS FOR CONSERVATIVE TREATMENTS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 401 | 1125 A NOVEL TOOL FOR THE PREDICTION OF URINARY INCONTINENCE AFTER BILATERAL NERVE SPARING RADICAL PROSTATECTOMY. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 402 | 1400 CLINICAL NODAL STAGING SCORES FOR BLADDER CANCER A NEW PREOPERATIVELY NODAL ASSESSMENT TOOL. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 403 | 2204 HOW TO EXPAND INDICATIONS FOR ACTIVE SURVEILLANCE WITHOUT COMPROMISING CANCER CONTROL. THE IMPORTANCE OF THE EXTENT OF BIOPSY SAMPLING. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 404 | 1126 THE EFFECT OF PREOPERATIVE CANCER AGGRESSIVENESS ON LEARNING CURVE AMONG HIGH VOLUME SURGEONS PERFORMING RADICAL RETROPUBIC PROSTATECTOMY. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 405 | 1379 THE KEY ROLE OF TIME IN PREDICTING POST-RADICAL PROSTATECTOMY ERECTILE FUNCTION RECOVERY: CONDITIONAL SURVIVAL ANALYSES. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 406 | 2066 MISCLASSIFICATION OF MICRO-FOCUS PROSTATE CANCER DECREASES WITH THE EXTENT OF BIOPSY SAMPLING. IMPORTANCE OF ACCURATE DETECTION. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 407 | 1147 IS THE WEB CHANGING THE RELATIONSHIP BETWEEN THE CLINICIANS AND THE URO-ANDROLOGICAL PATIENTS? RESULTS OF AN EXPLORATORY ANALYSIS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 408 | 1685 HIGHER PERIOPERATIVE MORBIDITY AND IN-HOSPITAL MORTALITY IN PATIENTS WITH END STAGE RENAL DISEASE UNDERGOING NEPHRECTOMY FOR NON-METASTATIC KIDNEY CANCER: A POPULATION-BASED ANALYSIS. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 409 | 2111 SERUM SEX STEROIDS DEPICT A NON LINEAR U-SHAPED ASSOCIATION WITH HIGH RISK PROSTATE CANCER AT RADICAL PROSTATECTOMY - IMPLICATIONS FOR INDIVIDUALIZED HORMONAL THERAPY. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 410 | Reply to Michael Froehner's Letter to the Editor re: Firas Abdollah, Maxine Sun, Jan Schmitges, et al. Cancer-Specific and Other-Cause Mortality After Radical Prostatectomy Versus Observation in Patients with Prostate Cancer: Competing-Risks Analysis of a Large North American Population-Based Cohort. Eur Urol 2011;60:920â€“30. European Urology, 2012, 61, e12. | 0.9 | 0 |
| 411 | 372 THE NUMBER OF POSITIVE NODES IS THE STRONGEST PREDICTOR OF CANCER SPECIFIC SURVIVAL IN PATIENTS TREATED WITH RADICAL PROSTATECTOMY FOR PATHOLOGICAL T3 PROSTATE CANCER. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 412 | 2235 THE NUMBER OF BIOPSY CORES TAKEN IS A MAJOR PREDICTOR OF UNFAVORABLE PROSTATE CANCER AT FINAL PATHOLOGY IN PATIENTS CANDIDATE FOR ACTIVE SURVEILLANCE: CLINICAL IMPLICATIONS. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 413 | 962 PREDICTION OF LONG-TERM CANCER RECURRENCE AFTER RADICAL PROSTATECTOMY IN PATIENTS WITH LYMPH NODE INVASION: RESULTS OF CONDITIONAL SURVIVAL ANALYSES. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 414 | 340 LONG TERM DIABETES MELLITUS INCREASES THE RISK OF POORLY DIFFERENTIATED TUMOR IN PROSTATE CANCER PATIENTS. Journal of Urology, 2013, 189, . | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 415 | 776 ASSOCIATION BETWEEN TIME TO BIOCHEMICAL RECURRENCE AND CANCER SPECIFIC AND OTHER CAUSE MORTALITY IN MEN WITH HIGH RISK PROSTATE CANCER TREATED WITH RADICAL PROSTATECTOMY WITHOUT ADJUVANT TREATMENTS. A MULTI-INSTITUTIONAL ANALYSIS. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 416 | 247 SPATIAL DISTRIBUTION OF POSITIVE CORES DECREASES MISCLASSIFICATION RATES OF PATIENTS WITH LOW RISK PROSTATE CANCER CANDIDATE FOR ACTIVE SURVEILLANCE. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 417 | 1457 A USER-FRIENDLY CLINICAL ALGORITHM AND NOMOGRAM, BASED ON PADUA SCORE, BMI AND CHARLSON CO-MORBIDITY INDEX, TO PREDICT PERIOPERATIVE COMPLICATIONS IN RENAL CELL CARCINOMA PATIENTS UNDERGOING NEPHRON SPARING SURGERY. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 418 | 2224 HEAD-TO-HEAD COMPARISON OF PROSTATE HEALTH INDEX AND URINARY PCA3 ASSAY IN PREDICTING PROSTATE CANCER AT INITIAL OR REPEAT PROSTATE BIOPSY. Journal of Urology, 2013, 189, . | 0.2 | 0 |
| 419 | Response to <scp>R</scp>e: Comparison of mortality outcomes after radical prostatectomy versus radiotherapy in patients with localized prostate cancer: A populationâ€based analysis. International Journal of Urology, 2013, 20, 548-549. | 0.5 | 0 |
| 420 | In reply to the letter to the editor â€˜in Reply to Gandaglia et al.â€™ by De Bari et al.. Annals of Oncology, 2014, 25, 1862-1863. | 0.6 | 0 |
| 421 | MP37-20 INDIVIDUAL SURGEON COMMITMENT TO PELVIC LYMPH NODE DISSECTION RATHER THAN SURGICAL VOLUME IS A MAJOR DETERMINANT OF THE EXTENT OF NODAL DISSECTION DURING ROBOT-ASSISTED RADICAL PROSTATECTOMY. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 422 | PD15-09 PELVIC LYMPH NODE DISSECTION CAN BE SAFELY OMITTED IN MEN WITH A RISK OF NODAL METASTASES â‰¤5% BASED ON THE BRIGANTI NOMOGRAM: VALIDATION OF THE EAU GUIDELINS RECCOMENDATIONS FOR NODAL DISSECTION BASED ON PATIENT OUTCOME. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 423 | OP3-06 IMPACT OF TIME TO BIOCHEMICAL RECURRENCE ON CANCER-SPECIFIC MORTALITY IN PATIENTS WITH HIGH-RISK PROSTATE CANCER TREATED WITH RADICAL PROSTATECTOMY: A COMPETING-RISKS REGRESSION ANALYSIS. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 424 | MP37-02 IMPACT OF SURGICAL VOLUME ON SURGICAL MARGIN STATUS IN PATIENTS TREATED WITH ROBOT-ASSISTED RADICAL PROSTATECTOMY. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 425 | PD15-08 A MORE EXTENSIVE PELVIC LYMPH NODE DISSECTION IS ASSOCIATED WITH IMPROVED SURVIVAL OF PATIENTS WITH NODE POSITIVE PROSTATE CANCER. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 426 | MP61-06 NEOADJUVANT CHEMOTHERAPY IS NOT ASSOCIATED WITH WORSE SHORT-TERM OUTCOMES IN PATIENTS WITH MUSCLE-INVASIVE BLADDER CANCER UNDERGOING RADICAL CYSTECTOMY: A POPULATION-BASED STUDY. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 427 | PD14-09 THE IMPACT OF ROBOTIC-ASSISTED RADICAL PROSTATECTOMY ON THE USE AND EXTENT OF PELVIC LYMPH NODE DISSECTION IN THE â€œPOST-LEARNING CURVEâ€•ERA. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 428 | PD12-04 THE EFFECT OF AGE AT DIAGNOSIS ON PROSTATE CANCER MORTALITY: A GRADE-FOR-GRADE AND STAGE-FOR-STAGE ANALYSIS. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 429 | Editorial Comment. Journal of Urology, 2014, 192, 95-95. | 0.2 | 0 |
| 430 | MP69-01 CAN WE CONSIDER PATIENTS WITH LIMITED BIOPSY GLEASON SCORE 3+4 ELIGIBLE FOR ACTIVE SURVEILLANCE?. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 431 | MP69-18 HOW TO EXPAND INDICATIONS FOR ACTIVE SURVEILLANCE WITHOUT COMPROMISING CANCER CONTROL: A SYSTEMATIC ASSESSMENT OF THE CURRENTLY USED CRITERIA FOR PROSTATE CANCER PATIENTS. Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 432 | MP24-06 THE IMPACT OF INSURANCE STATUS ON TUMOR CHARACTERISTICS AND TREATMENT SELECTION IN CONTEMPORARY PROSTATE CANCER PATIENTS. Journal of Urology, 2015, 193, . | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 433 | MP4-16 PATTERNS OF CLINICAL RECURRENCE AND IMPACT OF SITEÂOFÂMETASTASIS ON MORTALITY OF PATIENTS WITH NODEÂPOSITIVE PROSTATE CANCER AFTER RADICAL PROSTATECTOMY AND EXTENDED PELVIC LYMPH NODE DISSECTION. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 434 | MP64-13 HEALTHCARE-ASSOCIATED INFECTIONS FOLLOWING CYSTECTOMY: ROOM FOR IMPROVEMENT. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 435 | MP77-10 THE INFLUENCE OF PHYSICIAN RECOMMENDATION ON PSA SCREENING. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 436 | MP56-16 VERY LONG TERM OUTCOMES OF RADICAL PROSTATECTOMY IN PATIENTS WITH CLINICALLY LOCALIZED PROSTATE CANCER. RESULTS FROM A SINGLE INSTITUTION SERIES. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 437 | MP65-19 AN EVALUATION OF THE TIMING OF SURGICAL COMPLICATIONS FOLLOWING RADICAL CYSTECTOMY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 438 | PD38-01 HETEROGENEITY OF RECOMMENDED PSA SCREENING PRACTICES IN MEN AGED 55-69 IN THE UNITED STATES. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 439 | MP48-13 IDENTIFICATION OF PATHOLOGICALLY FAVORABLE DISEASE IN INTERMEDIATE RISK PROSTATE CANCER PATIENTS: IMPLICATIONS FOR SELECTION OF ACTIVE SURVEILLANCE CANDIDATES. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 440 | PD30-03 PREDICTING UNFAVORABLE PROSTATE CANCER IN ACTIVE SURVEILLANCE CANDIDATES TREATED WITH RADICAL PROSTATECTOMY: A POPULATION-BASED STUDY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 441 | MP56-05 EARLY POST-OPERATIVE PSA AFTER RADICAL PROSTATECTOMY IS A MAJOR PREDICTOR OF PROGRESSION AND DEATH IN PATIENTS WITH LYMPH NODE METASTASES. RESULTS FROM A TERTIARY CARE CENTER. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 442 | MP9-14 POSTOPERATIVE SEPSIS PREDICTION IN PATIENTS UNDERGOING MAJOR CANCER SURGERY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 443 | MP82-02 LONG-TERM OUTCOMES OF PATIENTS WITH SEMINAL VESICLE INVASION AT RADICAL PROSTATECTOMY: THE IMPORTANCE OF A MULTIMODAL APPROACH TO INCREASE PATIENT SURVIVAL. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 444 | MP4-14 LONG-TERM CANCER CONTROL OUTCOMES IN PROSTATE CANCER (PCA) PATIENTS TREATED WITH ROBOTIC-ASSISTED LAPAROSCOPIC RADICAL PROSTATECTOMY (RALP): A MULTI-INSTITUTIONAL DATABASE ANALYSIS.. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 445 | PD30-12 RACIAL DISPARITIES IN THE SURGICAL CARE OF LOCALIZED PROSTATE CANCER. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 446 | MP59-03 AN EVALUATION OF THE TIMING OF SURGICAL COMPLICATIONS FOLLOWING NEPHRECTOMY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 447 | MP82-07 DOES LOCAL TREATMENT OF THE PRIMARY TUMOR IMPROVE SURVIVAL OF METASTATIC PROSTATE CANCER PATIENTS? RESULTS FROM A POPULATION-BASED STUDY.. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 448 | PD30-09 THE EFFECT OF ANDROGEN DEPRIVATION THERAPY FOR LOCALIZED PROSTATE CANCER ON CARDIOVASCULAR MORBIDITY ACCORDING TO LIFE EXPECTANCY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 449 | MP54-07 INCIDENCE, ADMISSION RATES AND ECONOMIC BURDEN OF PEDIATRIC EMERGENCY DEPARTMENT VISITS FOR URINARY TRACT INFECTION. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 450 | MP78-15 BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY: WHO IS AT RISK OF DYING FROM PROSTATE CANCER?. Journal of Urology, 2015, 193, . | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 451 | MP79-04 NATIONAL TRENDS AND RACIAL DISPARITIES IN LIVING KIDNEY DONATION: ANALYSIS OF THE UNITED NETWORK OF ORGAN SHARING 1998-2011. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 452 | MP77-13 DEFICIENCIES IN PSA SCREENING PRACTICES IN BLACK MEN AGED 55-69 IN THE UNITED STATES. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 453 | PD38-06 UNDERSTANDING THE USE OF PROSTATE BIOPSY AMONG MEN WITH LIMITED LIFE EXPECTANCY. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 454 | MP73-11 ANDROGEN DEPRIVATION THERAPY AND INCREASED NON-CANCER MORTALITY IN PROSTATE CANCER PATIENTS: ANALYSIS OF THE NUMBER NEEDED TO TREAT. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 455 | PD32-09 VERY LONG-TERM ONCOLOGICAL OUTCOMES OF PATIENTS TREATED WITH RADICAL PROSTATECTOMY FOR NODE POSITIVE PROSTATE CANCER: A MULTI-INSTITUTIONAL, CONDITIONAL SURVIVAL ANALYSIS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 456 | MP67-05 THE IMPACT OF PREOPERATIVE HYPOALBUMINEMIA ON PERIOPERATIVE OUTCOMES AFTER RADICAL CYSTECTOMY INÂ1,262 PATIENTS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 457 | MP87-05 INCREASING USE OF HOSPICE SERVICES FOR METASTATIC PROSTATE CANCER MODERATES THE ECONOMIC BURDEN OFÂHOSPITAL ADMISSIONS FOR METASTATIC PROSTATE CANCER. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 458 | MP56-18 NON-SURGICALLY RELATED CAUSES OF ERECTILE DYSFUNCTION AFTER BILATERAL NERVE SPARING RADICAL PROSTATECTOMY: RESULTS FROM A SINGLE INSTITUTION SERIES. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 459 | MP60-01 PREVALENCE OF NON-RECOMMENDED SCREENING FOR PROSTATE CANCER AND BREAST CANCER IN THE UNITED STATES. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 460 | MP78-01 CONTEMPORARY MANAGEMENT OF PROSTATE CANCER PATIENTS SUITABLE FOR ACTIVE SURVEILLANCE: A POPULATION-BASED STUDY.. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 461 | MP77-12 CONTEMPORARY PATTERNS OF SELF-REPORTED PSA SCREENING IN U.S. VETERANS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 462 | MP62-01 FUNCTIONAL OUTCOMES IN PATIENTS WITH CLINICALLY HIGH-RISK PROSTATE CANCER (PCA) TREATED WITH ROBOT-ASSISTED LAPAROSCOPIC RADICAL PROSTATECTOMY (RALP). Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 463 | MP78-19 PREDICTING PATHOLOGIC OUTCOMES IN PATIENTS UNDERGOING ROBOT-ASSISTED RADICAL PROSTATECTOMY FOR HIGH-RISK PROSTATE CANCER: A PREOPERATIVE NOMOGRAM. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 464 | PD30-08 CANCER-CONTROL OUTCOMES IN PATIENTS WITH CLINICALLY HIGH-RISK PROSTATE CANCER (PCA) TREATED WITH ROBOTIC-ASSISTED LAPAROSCOPIC RADICAL PROSTATECTOMY (RALP): A MULTI-INSTITUTIONAL DATABASE ANALYSIS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 465 | MP87-14 ADJUVANT RADIOTHERAPY IN PROSTATE CANCER PATIENTS TREATED WITH SURGERY: THE IMPACT OF AGE AND TUMOR CHARACTERISTICS. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 466 | MP73-19 PRIMARY ANDROGEN DEPRIVATION THERAPY INCREASES ALL CAUSE MORTALITY IN POPULATIONS MATCHED BY COMORBIDITY ADJUSTED LIFE EXPECTANCY AND DISEASE RISK. Journal of Urology, 2015, 193, . | 0.2 | 0 |
| 467 | The Authors Respond. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 117.2-122. | 2.3 | 0 |
| 468 | The importance of frailty: Know thy patient. BJU International, 2016, 117, 716-717. | 1.3 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 469 | MP37-02 INFORMED DECISION-MAKING FOR PROSTATE-SPECIFIC ANTIGEN SCREENING. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 470 | MP07-20 DEVELOPMENT AND VALIDATION OF GENOMIC SIGNATURE THAT PREDICTS ADT TREATMENT FAILURE. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 471 | Reply to Michael Froehner, Rainer Koch, Manfred P. Wirth's Letter to the Editor re: Jesse D. Sammon, Firas Abdollah, Anthony Dâ€™Amico, et al. Predicting Life Expectancy in Men Diagnosed with Prostate Cancer. Eur Urol 2015;68:756â€“65. European Urology, 2016, 69, e129. | 0.9 | 0 |
| 472 | MP80-20 LONG-TERM FUNCTIONAL OUTCOMES OF PROSTATE CANCER PATIENTS TREATED WITH ROBOT-ASSISTED RADICAL PROSTATECTOMY. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 473 | PD37-03 IS THE PROSTATE CANCER INTERVENTION VERSUS OBSERVATION TRIAL REFLECTIVE OF THE CONTEMPORARY USÂPOPULATION DIAGNOSED WITH PROSTATE CANCER? RESULTS FROM THE NATIONAL CANCER DATABASE 2004-2011. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 474 | MP21-07 THE AFFORDABLE CARE ACT AND PSA SCREENING PRACTICES: ANALYSIS OF RACIAL SUBGROUPS. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 475 | The importance of adjuvant therapy in patients with node-positive prostate cancer: A nationwide validation study. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 577-578. | 0.8 | 0 |
| 476 | PI-04 SURGEON AND HOSPITAL VARIATION IN THE COSTS OF ROBOT-ASSISTED RADICAL PROSTATECTOMY IN THE UNITED STATES. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 477 | MP07-07 PREDICTING ADVERSE PATHOLOGICAL OUTCOMES IN PROSTATE CANCER (PCA) PATIENTS UNDERGOING RADICAL PROSTATECTOMY (RP): THE ROLE OF GENOMIC SIGNATURE.. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 478 | MP25-08 DETERMINANTS OF PROSTATE CANCER SCREENING IN ASIAN AMERICANS. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 479 | MP69-11 MINIMALLY INVASIVE VS. OPEN RADICAL PROSTATECTOMY: AN ANALYSIS OF 30-DAY POSTOPERATIVE COMPLICATIONS, UNPLANNED READMISSIONS, AND MORTALITY. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 480 | MP21-10 THE IMPACT OF MEDICARE ELIGIBILITY ON PROSTATE CANCER SCREENING BEHAVIORS. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 481 | PD37-01 CONTEMPORARY TRENDS IN TREATMENT PATTERNS FORÂMENÂDIAGNOSED WITH CLINICALLY LOCALIZED PROSTATE CANCER. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 482 | MP21-05 TEMPORAL TRENDS IN PROSTATE CANCER RISK GROUP STRATIFICATION FOLLOWING THE 2008 UNITED STATES PREVENTIVE SERVICES TASK FORCE RECOMMENDATIONS. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 483 | MP80-02 LATE RECOVERY OF ERECTILE FUNCTION IN MEN TREATED WITH ROBOTIC-ASSISTED RADICAL PROSTATECTOMY: A NOVEL NOMOGRAM DEVELOPMENT AND VALIDATION. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 484 | MP21-06 STATE-BY-STATE RACIAL VARIATIONS IN PROSTATE SPECIFIC ANTIGEN SCREENING PATTERNS: A NATIONWIDE ANALYSIS.. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 485 | PD62-12 COMPARATIVE EFFECTIVENESS OF TRIMODAL THERAPY VERSUS RADICAL CYSTECTOMY FOR LOCALIZED MUSCLE-INVASIVE UROTHELIAL CARCINOMA OF THE BLADDER. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 486 | Re: Diagnostic Accuracy of Multi-parametric Magnetic Resonance Imaging and Transrectal Ultrasound Biopsy in Prostate Cancer (PROMIS): A Paired Validating Confirmatory Study. European Urology, 2017, 72, 315-316. | 0.9 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 487 | MP76-05 RADICAL CYSTECTOMY: THE ASSOCIATION BETWEEN DISTANCE TO TREATING FACILITY AND QUALITY OF CARE. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 488 | PD72-02 GENOMIC CLASSIFIER AUGMENTS THE ROLE OF PATHOLOGICAL FEATURES IN IDENTIFYING OPTIMAL CANDIDATES FOR ADJUVANT RADIATION THERAPY IN PATIENTS WITH PROSTATE CANCER: DEVELOPMENT AND INTERNAL VALIDATION OF A MULTIVARIABLE PROGNOSTIC MODEL. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 489 | PD18-07 THE IMPACT OF TRAVEL DISTANCE TO THE TREATMENT FACILITY ON OVERALL MORTALITY IN PROSTATE CANCER PATIENTS: EVIDENCE FROM THE NATIONAL CANCER DATA BASE. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 490 | MP57-18 DEVELOPMENT AND VALIDATION OF NOVEL GENOMIC CLASSIFIERS FOR PREDICTION OF ADVERSE PATHOLOGY AFTER PROSTATECTOMY. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 491 | PD43-11 LACK OF SUSTAINABLE RESPONSE TO THE 2012 UNITED STATES PREVENTIVE SERVICES TASK FORCE (USPSTF) RECOMMENDATION AGAINST PROSTATE CANCER (PCA) SCREENING. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 492 | PD15-04 A RANDOMIZED CONTROLLED TRIAL EXAMINING THE IMPACT OF THE RETZIUS- SPARING APPROACH ON EARLY URINARY CONTINENCE RECOVERY AFTER ROBOT-ASSISTED RADICAL PROSTATECTOMY. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 493 | Editorial Comment. Journal of Urology, 2017, 198, 361-361. | 0.2 | 0 |
| 494 | PD10-10 RACIAL DISPARITIES IN DELIVERING DEFINITIVE THERAPY FOR INTERMEDIATE-HIGH RISK LOCALIZED PROSTATE CANCER: THE IMPACT OF FACILITY FEATURES AND SOCIOECONOMIC CHARACTERISTICS. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 495 | MP55-17 ASSESSMENT OF METASTASECTOMY COMPLICATIONS IN RENAL CELL CARCINOMA. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 496 | MP04-20 THE ASSOCIATION BETWEEN MORTALITY AND DISTANCE TO TREATMENT FACILITY IN PATIENTS WITH INVASIVE BLADDER CANCER. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 497 | MP53-18 EFFICACY OF LOCAL TREATMENT IN PROSTATE CANCER PATIENTS WITH CLINICALLY PELVIC LYMPH NODE-POSITIVE DISEASE AT INITIAL DIAGNOSIS. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 498 | PD03-06 CONTEMPORARY TRENDS IN INCIDENCE OF METASTATIC PROSTATE CANCER AMONG US MEN: RESULTS FROM NATIONWIDE ANALYSES. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 499 | PD51-05 SURVIVAL ASSOCIATED WITH RADICAL PROSTATECTOMY VERSUS RADIOTHERAPY FOR HIGH-RISK PROSTATE CANCER: A CONTEMPORARY, NATIONWIDE OBSERVATIONAL ANALYSIS. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 500 | PD47-08 VARIATION AND TRENDS IN PROSTATE CANCER CARE AT COMMISSION ON CANCER DESIGNATED FACILITIES. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 501 | PD67-09 COMPARATIVE EFFECTIVNESS OF ROBOT-ASSISTED VS. OPEN RADICAL CYSTECTOMY. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 502 | MP97-04 URINARY CONTINENCE, SEXUAL FUNCTION AND BIOCHEMICAL RECURRENCE 12 MONTHS FOLLOWING ROBOT-ASSISTED RADICAL PROSTATECTOMY: A RANDOMIZED CONTROLLED STUDY COMPARING THE â€˜BOCCIARDIâ€™ AND â€˜MENONâ€™ TECHNIQUES. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 503 | Emergency Department Utilization in Patients With Neurogenic Bladder: Contemporary Burden and National Trends in Prevalence, Inpatient Admission, and Associated Charges, 2006-2011. Urology, 2017, 109, 74-81. | 0.5 | 0 |
| 504 | Editorial Comment. Journal of Urology, 2017, 198, 1067-1067. | 0.2 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 505 | Reply. Urology, 2018, 112, 64-65. | 0.5 | 0 |
| 506 | Re: Stenting prior to Cystectomy is an Independent Risk Factor for Upper Urinary Tract Recurrence. Journal of Urology, 2018, 199, 1069-1070. | 0.2 | 0 |
| 507 | Reply by the Authors. Urology, 2018, 116, 232-233. | 0.5 | 0 |
| 508 | Development of the Vattikuti Institute Prostatectomy: Historical Perspective and Technical Nuances. , 2018, , 255-273. | | 0 |
| 509 | Functional and Oncological Outcomes of Robotic Radical Prostatectomy. , 2018, , 409-425. | | 0 |
| 510 | Robot-Assisted Laparoscopic Radical Prostatectomy in Patients with Clinically High-Risk Prostate Cancer. , 2018, , 363-373. | | 0 |
| 511 | Robotâ€assisted radical prostatectomy and a parachute. BJU International, 2018, 121, 820-821. | 1.3 | 0 |
| 512 | Renal Tumor Size and Presence Of Synchronous Lung Metastasis At Time Of Diagnosis: Implications For Chest Imaging. Urology, 2021, , . | 0.5 | 0 |
| 513 | Author Reply. Urology, 2021, 153, 361-362. | 0.5 | 0 |
| 514 | Editorial Comment. Journal of Urology, 2021, , 101097JU0000000000000225002. | 0.2 | 0 |
| 515 | 325: Lymph Node Invasion in Prostate Cancer patients with PSA <10 ng/ml: Which Patients Deserve a Pelvic Lymph Node Dissection?. Journal of Urology, 2007, 177, 110-110. | 0.2 | 0 |
| 516 | 329: When to Perform a Bone Scan in Patients with Prostate Cancer. A novel Nomogram. Journal of Urology, 2007, 177, 111-112. | 0.2 | 0 |
| 517 | 1009: Comparison of Holmium Laser, Cold Knife AD Diatermic Incision for the Endoscopic Treatment of Anastomotic Stricture After Radical Retropubic Prostatectomy. Journal of Urology, 2007, 177, 333-333. | 0.2 | 0 |
| 518 | The importance of pelvic lymph node dissection in the elderly population: implications for interpreting the 2010 national comprehensive cancer network practice guidelines for bladder cancer treatment. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2011, 37, 413-414. | 0.7 | 0 |
| 519 | A genomic classifier to identify men with adverse pathology post radical prostatectomy who benefit from adjuvant radiation therapy.. Journal of Clinical Oncology, 2015, 33, 168-168. | 0.8 | 0 |
| 520 | Prevalence of non-recommended screening for prostate cancer and breast cancer in the United States.. Journal of Clinical Oncology, 2015, 33, e17528-e17528. | 0.8 | 0 |
| 521 | Development and validation of an ADT resistance signature to predict adjuvant hormone treatment failure.. Journal of Clinical Oncology, 2016, 34, 106-106. | 0.8 | 0 |
| 522 | Efficacy of early and delayed radiation in a prostatectomy cohort adjusted for genomic and clinical risk.. Journal of Clinical Oncology, 2016, 34, 12-12. | 0.8 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 523 | Genomic classifier to augment the role of pathological features in identifying optimal candidates for adjuvant radiation therapy in patients with prostate cancer: Development and internal validation of a multivariable prognostic model.. Journal of Clinical Oncology, 2017, 35, 142-142. | 0.8 | 0 |
| 524 | Is neoadjuvant chemotherapy beneficial before radical cystectomy? Examining the external validity of the SWOG-8710 trial.. Journal of Clinical Oncology, 2017, 35, 331-331. | 0.8 | 0 |
| 525 | Testing the impact of adjuvant radiotherapy (aRT) after radical prostatectomy (RP) on overall mortality (OM) in prostate cancer patients with pathologically node positive disease: A nationwide analysis.. Journal of Clinical Oncology, 2018, 36, 5035-5035. | 0.8 | 0 |
| 526 | AUTHOR REPLY. Urology, 2021, 158, 115-116. | 0.5 | 0 |