

# Takahiro Shintani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/780291/publications.pdf>

Version: 2024-02-01

54  
papers

13,977  
citations

236925

25  
h-index

168389

53  
g-index

55  
all docs

55  
docs citations

55  
times ranked

24522  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enzymatic degradation of xyloglucans by <i>Aspergillus</i> species: a comparative view of this genus. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 2701-2711.	3.6	5
2	Crucial role of the intracellular $\alpha$ -glucosidase MalT in the activation of the transcription factor AmyR essential for amylolytic gene expression in <i>Aspergillus oryzae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 2076-2083.	1.3	6
3	Expression profiles of amylolytic genes in AmyR and CreA transcription factor deletion mutants of the black koji mold <i>Aspergillus luchuensis</i> . <i>Journal of Bioscience and Bioengineering</i> , 2021, 132, 321-326.	2.2	2
4	Improved recombinant protein production in <i>Aspergillus oryzae</i> lacking both $\alpha$ -1,3-glucan and galactosaminogalactan in batch culture with a lab-scale bioreactor. <i>Journal of Bioscience and Bioengineering</i> , 2021, , .	2.2	8
5	Alternative transcription start sites of the enolase-encoding gene <i>enoA</i> are stringently used in glycolytic/gluconeogenic conditions in <i>Aspergillus oryzae</i> . <i>Current Genetics</i> , 2020, 66, 729-747.	1.7	7
6	Chaperone complex formation of the transcription factor MalR involved in maltose utilization and amylolytic enzyme production in <i>Aspergillus oryzae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 827-835.	1.3	3
7	Increased production of biomass-degrading enzymes by double deletion of <i>creA</i> and <i>creB</i> genes involved in carbon catabolite repression in <i>Aspergillus oryzae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2018, 125, 141-147.	2.2	25
8	Subcellular localization of aphidicolin biosynthetic enzymes heterologously expressed in <i>Aspergillus oryzae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 139-147.	1.3	5
9	The C-terminal region of the yeast monocarboxylate transporter <i>Jen1</i> acts as a glucose signal-responding degron recognized by the $\alpha$ -arrestin <i>Rod1</i> . <i>Journal of Biological Chemistry</i> , 2018, 293, 10926-10936.	3.4	24
10	The PDR-type ABC transporters <i>AtrA</i> and <i>AtrG</i> are involved in azole drug resistance in <i>Aspergillus oryzae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1840-1848.	1.3	10
11	Nuclear export-dependent degradation of the carbon catabolite repressor <i>CreA</i> is regulated by a region located near the C-terminus in <i>Aspergillus oryzae</i> . <i>Molecular Microbiology</i> , 2018, 110, 176-190.	2.5	18
12	Cellular responses to the expression of unstable secretory proteins in the filamentous fungus <i>Aspergillus oryzae</i> . <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 2437-2446.	3.6	13
13	Improved $\alpha$ -Amylase Production by Dephosphorylation Mutation of <i>CreD</i> , an Arrestin-Like Protein Required for Glucose-Induced Endocytosis of Maltose Permease and Carbon Catabolite Derepression in <i>Aspergillus oryzae</i> . <i>Applied and Environmental Microbiology</i> , 2017, 83, .	3.1	14
14	Quantitative regulation of histone variant H2A.Z during cell cycle by ubiquitin proteasome system and SUMO-targeted ubiquitin ligases. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1557-1560.	1.3	7
15	Cell wall $\alpha$ -1,3-glucan prevents $\alpha$ -amylase adsorption onto fungal cell in submerged culture of <i>Aspergillus oryzae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2017, 124, 47-53.	2.2	30
16	Self-excising <i>Cre</i> /mutant <i>lox</i> marker recycling system for multiple gene integrations and consecutive gene deletions in <i>Aspergillus oryzae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2017, 123, 403-411.	2.2	49
17	Induction of autophagy by phosphate starvation in an <i>Atg11</i> -dependent manner in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2017, 483, 522-527.	2.1	34
18	A Novel Zn2-Cys6 Transcription Factor <i>AtrR</i> Plays a Key Role in an Azole Resistance Mechanism of <i>Aspergillus fumigatus</i> by Co-regulating <i>cyp51A</i> and <i>cdr1B</i> Expressions. <i>PLoS Pathogens</i> , 2017, 13, e1006096.	4.7	104

#	ARTICLE	IF	CITATIONS
19	Cargo Proteins Facilitate the Formation of Transport Vesicles, but not Autophagosomes. , 2016, , 143-154.		0
20	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016, 12, 1-222.	9.1	4,701
21	The C2H2-type transcription factor, FlbC, is involved in the transcriptional regulation of <i>Aspergillus oryzae</i> glucoamylase and protease genes specifically expressed in solid-state culture. Applied Microbiology and Biotechnology, 2016, 100, 5859-5868.	3.6	23
22	Purification and enzymatic characterization of secretory glycoside hydrolase family 3 (GH3) aryl $\beta$ -D-glucosidases screened from <i>Aspergillus oryzae</i> genome. Journal of Bioscience and Bioengineering, 2015, 120, 614-623.	2.2	25
23	Unfolded protein response is required for <i>Aspergillus oryzae</i> growth under conditions inducing secretory hydrolytic enzyme production. Fungal Genetics and Biology, 2015, 85, 1-6.	2.1	21
24	Endocytosis of a maltose permease is induced when amylolytic enzyme production is repressed in <i>Aspergillus oryzae</i> . Fungal Genetics and Biology, 2015, 82, 136-144.	2.1	21
25	Distinct mechanism of activation of two transcription factors, AmyR and MalR, involved in amylolytic enzyme production in <i>Aspergillus oryzae</i> . Applied Microbiology and Biotechnology, 2015, 99, 1805-1815.	3.6	38
26	Fusion of an intact secretory protein permits a misfolded protein to exit from the endoplasmic reticulum in yeast. Bioscience, Biotechnology and Biochemistry, 2014, 78, 49-59.	1.3	1
27	Improved $\beta$ -amylase production by <i>Aspergillus oryzae</i> after a double deletion of genes involved in carbon catabolite repression. Applied Microbiology and Biotechnology, 2014, 98, 335-343.	3.6	55
28	Evaluation of baker's yeast strains exhibiting significant growth on Japanese beet molasses and compound analysis of the molasses types. Journal of Bioscience and Bioengineering, 2014, 117, 715-719.	2.2	14
29	Assays for Autophagy I: The Cvt Pathway and Nonselective Autophagy. Methods in Molecular Biology, 2014, 1163, 153-164.	0.9	14
30	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-544.	9.1	3,122
31	Transcripts of a heterologous gene encoding mite allergen Der f 7 are stabilized by codon optimization in <i>Aspergillus oryzae</i> . Applied Microbiology and Biotechnology, 2012, 96, 1275-1282.	3.6	24
32	Functional analysis of FarA transcription factor in the regulation of the genes encoding lipolytic enzymes and hydrophobic surface binding protein for the degradation of biodegradable plastics in <i>Aspergillus oryzae</i> . Journal of Bioscience and Bioengineering, 2012, 113, 549-555.	2.2	23
33	Identification of potential cell wall component that allows Taka-amylase A adsorption in submerged cultures of <i>Aspergillus oryzae</i> . Applied Microbiology and Biotechnology, 2011, 92, 961-969.	3.6	27
34	Heterologous Expression of <i>Aspergillus oryzae</i> Xylose Reductase and Xylitol Dehydrogenase Genes Facilitated Xylose Utilization in the Yeast <i>Saccharomyces cerevisiae</i> . Bioscience, Biotechnology and Biochemistry, 2011, 75, 168-170.	1.3	5
35	Aspartyl Aminopeptidase Is Imported from the Cytoplasm to the Vacuole by Selective Autophagy in <i>Saccharomyces cerevisiae</i> . Journal of Biological Chemistry, 2011, 286, 13704-13713.	3.4	74
36	In silico Analysis of 3'-End-Processing Signals in <i>Aspergillus oryzae</i> Using Expressed Sequence Tags and Genomic Sequencing Data. DNA Research, 2011, 18, 189-200.	3.4	13

#	ARTICLE	IF	CITATIONS
37	The conserved oligomeric Golgi complex is involved in double-membrane vesicle formation during autophagy. <i>Journal of Cell Biology</i> , 2010, 188, 101-114.	5.2	179
38	Characterization and expression analysis of a maltose-utilizing (MAL) cluster in <i>Aspergillus oryzae</i> . <i>Fungal Genetics and Biology</i> , 2010, 47, 1-9.	2.1	40
39	Codon Optimization Increases Steady-State mRNA Levels in <i>Aspergillus oryzae</i> Heterologous Gene Expression. <i>Applied and Environmental Microbiology</i> , 2008, 74, 6538-6546.	3.1	61
40	Chapter Four Fluorescence Microscopy-Based Assays for Monitoring Yeast Atg Protein Trafficking. <i>Methods in Enzymology</i> , 2008, 451, 43-56.	1.0	14
41	Atg11 Directs Autophagosomal Cargoes to the PAS Along Actin Cables. <i>Autophagy</i> , 2006, 2, 119-121.	9.1	23
42	The Actin Cytoskeleton Is Required for Selective Types of Autophagy, but Not Nonspecific Autophagy, in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 5843-5856.	2.1	139
43	Atg9 Cycles Between Mitochondria and the Pre-Autophagosomal Structure in Yeasts. <i>Autophagy</i> , 2005, 1, 101-109.	9.1	234
44	Early Stages of the Secretory Pathway, but Not Endosomes, Are Required for Cvt Vesicle and Autophagosomal Assembly in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 2189-2204.	2.1	130
45	Cargo Proteins Facilitate the Formation of Transport Vesicles in the Cytoplasm to Vacuole Targeting Pathway. <i>Journal of Biological Chemistry</i> , 2004, 279, 29889-29894.	3.4	311
46	Autophagy in Health and Disease: A Double-Edged Sword. <i>Science</i> , 2004, 306, 990-995.	12.6	2,367
47	Vps51 Is Part of the Yeast Vps Fifty-three Tethering Complex Essential for Retrograde Traffic from the Early Endosome and Cvt Vesicle Completion. <i>Journal of Biological Chemistry</i> , 2003, 278, 5009-5020.	3.4	91
48	Mechanism of Cargo Selection in the Cytoplasm to Vacuole Targeting Pathway. <i>Developmental Cell</i> , 2002, 3, 825-837.	7.0	326
49	Apg2p Functions in Autophagosomal Formation on the Perivacuolar Structure. <i>Journal of Biological Chemistry</i> , 2001, 276, 30452-30460.	3.4	115
50	Tor-Mediated Induction of Autophagy via an Apg1 Protein Kinase Complex. <i>Journal of Cell Biology</i> , 2000, 150, 1507-1513.	5.2	1,027
51	Apg10p, a novel protein-conjugating enzyme essential for autophagy in yeast. <i>EMBO Journal</i> , 1999, 18, 5234-5241.	7.8	266
52	Engineering of Porcine Pepsin. <i>Journal of Biological Chemistry</i> , 1997, 272, 18855-18861.	3.4	32
53	Characterization of the S1 Subsite Specificity of Aspergillopepsin I by Site-Directed Mutagenesis. <i>Journal of Biochemistry</i> , 1996, 120, 974-981.	1.7	21
54	Primary structure of aspergillopepsin I deduced from nucleotide sequence of the gene and aspartic acid-76 is an essential active site of the enzyme for trypsinogen activation. <i>BBA - Proteins and Proteomics</i> , 1994, 1204, 257-264.	2.1	36