List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7805341/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Inclusive and differential cross section measurements of single top quark production in association<br>with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics,<br>2022, 2022, 1.                 | 4.7 | 6         |
| 2  | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson<br>decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics,<br>2022, 2022, 1.                         | 4.7 | 5         |
| 3  | Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 1         |
| 4  | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in<br>proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.   | 3.9 | 18        |
| 5  | Search for supersymmetry in final states with two or three soft leptons and missing transverse<br>momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022,<br>2022, 1.                            | 4.7 | 13        |
| 6  | Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$<br>= 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .                              | 4.7 | 5         |
| 7  | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$<br>= 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7 | 12        |
| 8  | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at<br>\$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 2         |
| 9  | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7 | 6         |
| 10 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 5         |
| 11 | Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 2         |
| 12 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with<br>leptons and a bottom quark pair at \$\$ sqrt{s} \$\$= 13 TeV. Journal of High Energy Physics, 2022, 2022, .                                 | 4.7 | 2         |
| 13 | Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .   | 4.7 | 4         |
| 14 | Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}uppi ^+uppi ^-\$\$ and<br>B\$\$^0_mathrm {s}\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}\$\$ decays. European<br>Physical Journal C, 2022, 82, . | 3.9 | 1         |
| 15 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in<br>proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.   | 3.9 | 35        |
| 16 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 27        |
| 17 | Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.   | 3.9 | 123       |
| 18 | Deep learning jet substructure from two-particle correlations. Physical Review D, 2020, 101, .   | 4.7 | 4         |

| #  | Article  | IF                       | CITATIONS |
|----|--|--------------------------|-----------|
| 19 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements.<br>European Physical Journal C, 2020, 80, 4.   | 3.9                      | 198       |
| 20 | Measurements of the \$\$mathrm{t}overline{mathrm{t}}\$\$ t t Â <sup>-</sup> production cross section in<br>lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$<br>TeV cross sections. European Physical Journal C, 2017, 77, 15. | 3.9                      | 34        |
| 21 | Measurement of the \$\$mathrm{t}overline{mathrm{t}} \$\$ t t Â <sup>-</sup> production cross section using<br>events in the \$\$mathrm {e}mu \$\$ e μ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13<br>TeV. European Physical Journal C, 2017, 77, 172.             | 3.9                      | 40        |
| 22 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s<br>= 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics,<br>2017, 2017, 1.  | 4.7                      | 54        |
| 23 | Search for electroweak production of charginos in final states with two Ï" leptons in pp collisions at<br>s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7                      | 11        |
| 24 | Measurement of the production cross section of a WÂboson in association with two b jets in pp<br>collisions at \$\$sqrt{s} = 8{,mathrm{{TeV}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.   | 3.9                      | 16        |
| 25 | Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{N};mathrm{N}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7                      | 103       |
| 26 | Flavor physics and CP violation. Progress in Particle and Nuclear Physics, 2017, 97, 261-311.  | 14.4                     | 18        |
| 27 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7                      | 35        |
| 28 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7                      | 14        |
| 29 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7                      | 23        |
| 30 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7                      | 23        |
| 31 | Searches for invisible decays of the Higgs boson in pp collisions at s \$\$ sqrt{s} \$\$ = 7, 8, and 13 TeV.<br>Journal of High Energy Physics, 2017, 2017, 1.   | 4.7                      | 95        |
| 32 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s =<br>13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7                      | 22        |
| 33 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp<br>collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7                      | 15        |
| 34 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at s = 8 \$\$<br>sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7                      | 29        |
| 35 | Search for high-mass Zl̂ <sup>3</sup> resonances in e+eâ^'l̂ <sup>3</sup> and l̂¼ + l̂¼ â <sup>~</sup> l̂ <sup>3</sup> final states in proton-proton collisions at s = 8<br>sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.                                      | <sup>3</sup> \$\$<br>4.7 | 7         |
| 36 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically<br>decaying Ï,, leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of<br>High Energy Physics, 2017, 2017, 1.                                    | 4.7                      | 22        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 4         |
| 38 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 101       |
| 39 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s<br>= 8 \$\$ sqrt{s}=8 \$\$ TeV using H → WW decays. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 11        |
| 40 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 23        |
| 41 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N<br>N = 2.76 \$\$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016,<br>1.                                    | 4.7 | 18        |
| 42 | Measurement of the double-differential inclusive jet cross section in proton–proton collisions at<br>\$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.   | 3.9 | 55        |
| 43 | Measurement of the \$\${{mathrm{W} }^{+} }mathrm{W}^{-} \$\$ W + W - cross section in pp collisions<br>at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C,<br>2016, 76, 401.                       | 3.9 | 74        |
| 44 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks.<br>European Physical Journal C, 2016, 76, 371.  | 3.9 | 33        |
| 45 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 17        |
| 46 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an<br>\$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV.<br>European Physical Journal C, 2016, 76, 317. | 3.9 | 16        |
| 47 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 5         |
| 48 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76<br>\$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 31        |
| 49 | Search for anomalous single top quark production in association with a photon in pp collisions at s<br>= 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 27        |
| 50 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 13        |
| 51 | Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8<br>\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.  | 3.9 | 25        |
| 52 | Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} =<br>13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.  | 3.9 | 64        |
| 53 | Measurement of dijet azimuthal decorrelation in ppÂcollisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8<br>TeV. European Physical Journal C, 2016, 76, 536.  | 3.9 | 16        |
| 54 | Search for dark matter particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 4         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Search for s channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV.<br>Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 14        |
| 56 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at<br>\$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.   | 3.9 | 29        |
| 57 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 19        |
| 58 | Measurement of the t t Â <sup>-</sup> \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eμ<br>channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy<br>Physics, 2016, 2016, 1.  | 4.7 | 41        |
| 59 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at s = 13<br>\$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 17        |
| 60 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 13        |
| 61 | Evidence for exclusive Î <sup>3</sup> Î <sup>3</sup> → W + W â^' production and constraints on anomalous quartic gauge couplings<br>in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 42        |
| 62 | Search for supersymmetry in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 14        |
| 63 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at \$\$sqrt{s} = 8;ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.  | 3.9 | 18        |
| 64 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$<br>TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 20        |
| 65 | Phenomenological MSSM interpretation of CMS searches in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 12        |
| 66 | Measurement of the mass of the top quark in decays with a J/l̈́ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 6         |
| 67 | Measurement of the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 2.76,ext {TeV}\$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.   | 3.9 | 26        |
| 68 | Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â <sup>-</sup> production with additional jet activity,<br>including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at<br>\$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379. | 3.9 | 34        |
| 69 | Measurement of the differential cross section and charge asymmetry for inclusive \$\$mathrm<br>{p}mathrm {p}ightarrow mathrm {W}^{pm }+X\$\$ p p → W ± + X production at \$\${sqrt{s}} = 8\$\$ s = 8<br>TeV. European Physical Journal C, 2016, 76, 469.  | 3.9 | 83        |
| 70 | Observation of top quark pairs produced in association with a vector boson in pp collisions at s = 8<br>\$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 23        |
| 71 | Search for W′ → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 3         |
| 72 | Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 \$\$<br>sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 29        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 5         |
| 74 | Search for excited leptons in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 16        |
| 75 | Measurement of the \$\$mathrm{t}overline{{mathrm{t}}}\$\$ t t Â <sup>-</sup> production cross section in the<br>all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical<br>Journal C, 2016, 76, 128. | 3.9 | 41        |
| 76 | Event generator tunes obtained from underlying event and multiparton scattering measurements.<br>European Physical Journal C, 2016, 76, 155.  | 3.9 | 499       |
| 77 | Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ ℓ ν<br>b b Â <sup>-</sup> final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.                    | 3.9 | 30        |
| 78 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                     | 4.7 | 16        |
| 79 | Measurement of top quark polarisation in t-channel single top quark production. Journal of High<br>Energy Physics, 2016, 2016, 1.   | 4.7 | 15        |
| 80 | Search for heavy Majorana neutrinos in e±e±+ jets and e± μ ±+ jets events in proton-proton collisions<br>at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 35        |
| 81 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into I,, leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                | 4.7 | 19        |
| 82 | Measurement of differential cross sections for Higgs boson production in the diphoton decay<br>channel in pp collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76,<br>13.  | 3.9 | 62        |
| 83 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                           | 4.7 | 8         |
| 84 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 24        |
| 85 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8<br>TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 34        |
| 86 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 37        |
| 87 | Search for the production of dark matter in association with top-quark pairs in the single-lepton<br>final state in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics,<br>2015, 2015, 1.                        | 4.7 | 20        |
| 88 | Search for a charged Higgs boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy<br>Physics, 2015, 2015, 1.   | 4.7 | 81        |
| 89 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at s = 8<br>\$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 12        |
| 90 | Search for a light charged Higgs boson decaying to c s Â⁻\$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.  | 4.7 | 44        |

| #   | Article  | IF                | CITATIONS                  |
|-----|--|-------------------|----------------------------|
| 91  | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7               | 24                         |
| 92  | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at s = 8 \$\$<br>sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7               | 1                          |
| 93  | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons.<br>Journal of High Energy Physics, 2015, 2015, 1.   | 4.7               | 92                         |
| 94  | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with<br>the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European<br>Physical Journal C, 2015, 75, 212.            | 3.9               | 541                        |
| 95  | Measurement of the Zγ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7               | 11                         |
| 96  | Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions<br>at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal<br>C, 2015, 75, 186.                          | 3.9               | 68                         |
| 97  | Measurement of the differential cross section for top quark pair production in pp collisions at<br>\$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.   | 3.9               | 191                        |
| 98  | Measurements of the \$\$mathrm{Z}\$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the<br>\$\$2mathrm{l} 2u \$\$ 2 l 2 lً½ channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~.<br>European Physical Journal C, 2015, 75, 511. | 3.9               | 32                         |
| 99  | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy<br>Physics, 2015, 2015, 1.  | 4.7               | 30                         |
| 100 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.   | 3.9               | 73                         |
| 101 | Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.   | 3.9               | 31                         |
| 102 | Measurements of differential and double-differential Drell–Yan cross sections in proton–proton<br>collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.  | 3.9               | 88                         |
| 103 | Search for decays of stopped long-lived particles produced in proton–proton collisions at<br>\$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.  | 3.9               | 44                         |
| 104 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7<br>€ Â+       | 26                         |
| 105 | and B± → J/ľ́K ± and ℬ B c ± → J / ľ́ Ĩ€ ± Ï€ ± Ï€ â^" / â,¬ B c ± → J / ľ́ Ĩ€ ± \$\$<br>mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^ mathrm{J}/psi {pi}^{pm} {pi}^{pm} Tj ETQq1 1 0  | .784314 rş<br>4.7 | gBT <sub>1</sub> /Overlock |
| 106 | 2015, 1.<br>Search for disappearing tracks in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of<br>High Energy Physics, 2015, 2015, 1.   | 4.7               | 46                         |
| 107 | Study of Z production in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}=2.76 \$\$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7               | 27                         |
| 108 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at<br>s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7               | 78                         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions<br>at s = 2.76 \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 10        |
| 110 | Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton<br>collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75,<br>235.                                      | 3.9 | 320       |
| 111 | Constraints on parton distribution functions and extraction of the strong coupling constant from<br>the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European<br>Physical Journal C, 2015, 75, 288. | 3.9 | 54        |
| 112 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at<br>\$\$sqrt{s_{_mathrm {NN}}} =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C,<br>2015, 75, 237.                                  | 3.9 | 58        |
| 113 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at<br>\$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.  | 3.9 | 6         |
| 114 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.                            | 3.9 | 43        |
| 115 | The Physics of the B Factories. European Physical Journal C, 2014, 74, 1.  | 3.9 | 292       |
| 116 | Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in<br>proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014,<br>74, 3149.                                       | 3.9 | 179       |
| 117 | Measurement of top quark–antiquark pair production in association with a W or Z boson in pp<br>collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.  | 3.9 | 43        |
| 118 | Measurement of differential cross sections for the production of a pair of isolated photons in pp<br>collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.  | 3.9 | 65        |
| 119 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of<br>High Energy Physics, 2014, 2014, 1.   | 4.7 | 81        |
| 120 | Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at<br>\$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.  | 3.9 | 49        |
| 121 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons<br>and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.  | 3.9 | 241       |
| 122 | Measurement of prompt J/ḯ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High<br>Energy Physics, 2014, 2014, 1.   | 4.7 | 61        |
| 123 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. European<br>Physical Journal C, 2014, 74, 3076.  | 3.9 | 342       |
| 124 | Study of hadronic event-shape variables in multijet final states in pp collisions at s = 7 \$\$ sqrt{s} = 7<br>\$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 3         |
| 125 | Search for standard model production of four top quarks in the lepton + jets channel in pp<br>collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 17        |
| 126 | Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High<br>Energy Physics, 2014, 2014, 1.   | 4.7 | 43        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 169       |
| 128 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at \$ sqrt{{{s_{NN }}} \$<br>=2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 77        |
| 129 | Measurement of associated W + charm production in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 55        |
| 130 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at<br>\$\$sqrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014,<br>74, 1. | 3.9 | 75        |
| 131 | Measurement of WZ and ZZ production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.  | 3.9 | 23        |
| 132 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.  | 3.9 | 171       |
| 133 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$ sqrt{s} \$ =<br>7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 85        |
| 134 | Event activity dependence of \$ Y \$ (nS) production in \$ sqrt{{{s_{NN }}} \$ = 5.02 TeV pPb and \$ sqrt{s} \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.                                   | 4.7 | 56        |
| 135 | Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.                         | 4.7 | 20        |
| 136 | Search for W′ → tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal<br>of High Energy Physics, 2014, 2014, 1.  | 4.7 | 26        |
| 137 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.                                     | 4.7 | 31        |
| 138 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.                                    | 4.7 | 100       |
| 139 | Measurement of the t-channel single-top-quark production cross section and of the  V tb  CKM<br>matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.                   | 4.7 | 70        |
| 140 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 39        |
| 141 | Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 4         |
| 142 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp<br>collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.                            | 4.7 | 85        |
| 143 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s<br>\$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 69        |
| 144 | Measurement of the top-quark mass in all-jets \$\$hbox {t}ar{mathrm{t}}\$\$ t t Â <sup>-</sup> events in pp<br>collisions at \$\$sqrt{s}=7\$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.                     | 3.9 | 35        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Study of the production of charged pions, kaons, and protons in pPb collisions at \$\$sqrt{s_{NN}} =;<br>\$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.   | 3.9 | 85        |
| 146 | Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European<br>Physical Journal C, 2014, 74, 2901.   | 3.9 | 17        |
| 147 | Angular analysis and CP violation studies in B decays at CMS. Journal of Physics: Conference Series, 2014, 556, 012025.   | 0.4 | Ο         |
| 148 | Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 44        |
| 149 | Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 17        |
| 150 | Searches for long-lived charged particles in pp collisions at \$ sqrt{s} \$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 118       |
| 151 | Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 75        |
| 152 | Observation of a new boson with mass near 125 GeV in pp collisions at \$ sqrt{s}=7 \$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 320       |
| 153 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.                               | 4.7 | 39        |
| 154 | Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 58        |
| 155 | Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 16        |
| 156 | Measurement of the X(3872) production cross section via decays to J/ḮrĨ€ + Ï€ â^' in pp collisions at \$<br>sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.                      | 4.7 | 73        |
| 157 | Study of the underlying event at forward rapidity in pp collisions at \$<br>sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.                        | 4.7 | 50        |
| 158 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at<br>\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.                     | 4.7 | 15        |
| 159 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of<br>High Energy Physics, 2013, 2013, 1.  | 4.7 | 32        |
| 160 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 20        |
| 161 | Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.               | 3.9 | 20        |
| 162 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC.<br>European Physical Journal C, 2013, 73, 2469.   | 3.9 | 68        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$<br>in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on ZZγ and ZγI³ triple gauge boson couplings. Journal of<br>High Energy Physics, 2013, 2013, 1.          | 4.7 | 14        |
| 164 | Measurement of the W-boson helicity in top-quark decays from \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.                                   | 4.7 | 30        |
| 165 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables α<br>T and b-quark multiplicity in pp collisions at \$sqrt{s} = 8 mathrm{TeV}\$. European Physical Journal<br>C, 2013, 73, 2568.                      | 3.9 | 147       |
| 166 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross<br>section for the electroweak production of a Z with two jets in pp collisions at \$ sqrt{s}=7 \$ TeV.<br>Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 16        |
| 167 | Measurement of masses in the \$mathrm{t}overline{mathrm{t}}\$ system by kinematic endpoints in pp<br>collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2494.   | 3.9 | 55        |
| 168 | Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse<br>momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013,<br>73, 2493.                                   | 3.9 | 22        |
| 169 | Measurement of the \$mathrm{t}ar{mathrm{t}}\$ production cross section in the Ï,,+jets channel in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.  | 3.9 | 24        |
| 170 | Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton<br>collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.  | 3.9 | 32        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s}<br>= 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.                       | 3.9 | 64        |
| 182 | Measurement of differential top-quark-pair production cross sections in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.                         | 3.9 | 125       |
| 183 | Rare beauty and charm decays with the CMS experiment. EPJ Web of Conferences, 2013, 49, 13002.  | 0.3 | 0         |
| 184 | Inclusive b-jet production in pp collisions at \$sqrt {s} = 7TeV\$. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 39        |
| 185 | Search for quark compositeness in dijet angular distributions from pp collisions at \$ sqrt {s} = 7{ } \$<br>TeV. Journal of High Energy Physics, 2012, 2012, 1.                        | 4.7 | 18        |
| 186 | Suppression of non-prompt J/Ĩ^, prompt J/Ĩ^, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt<br>{{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.      | 4.7 | 200       |
| 187 | Search for heavy bottom-like quarks in 4.9 fbâ^'1 of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.   | 4.7 | 45        |
| 188 | Measurement of the cross section for production of \$ boverline b X \$ decaying to muons in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.     | 4.7 | 6         |
| 189 | Measurement of the Z/γ* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.   | 4.7 | 39        |
| 190 | Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at \$ sqrt{s}=7;TeV \$.<br>Journal of High Energy Physics, 2012, 2012, 1.                              | 4.7 | 31        |
| 191 | Search for anomalous production of multilepton events in pp collisions at \$ sqrt {s} = 7,TeV \$.<br>Journal of High Energy Physics, 2012, 2012, 1.                                     | 4.7 | 68        |
| 192 | Search for a light charged Higgs boson in top quark decays in pp collisions at \$ sqrt {s} = 7;TeV \$.<br>Journal of High Energy Physics, 2012, 2012, 1.                                | 4.7 | 117       |
| 193 | Search for leptonic decays of W′ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.   | 4.7 | 49        |
| 194 | Search for stopped long-lived particles produced in pp collisions at \$ sqrt {s} = {ext{7TeV}} \$.<br>Journal of High Energy Physics, 2012, 2012, 1.                                    | 4.7 | 17        |
| 195 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at \$ sqrt<br>{s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.               | 4.7 | 30        |
| 196 | Measurement of the underlying event activity in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 13        |
| 197 | Search for dark matter and large extra dimensions in monojet events in pp collisions at \$ sqrt {s} =<br>{7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.                     | 4.7 | 168       |
| 198 | Search for a fermiophobic Higgs boson in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy<br>Physics, 2012, 2012, 1.   | 4.7 | 15        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Search for supersymmetry in hadronic final states using M T2 in pp collisions at \$ sqrt{s}=7 \$ TeV.<br>Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 95        |
| 200 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ sqrt{{{s_{mathrm{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 85        |
| 201 | Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 69        |
| 202 | Search for exclusive or semi-exclusive Î <sup>3</sup> Î <sup>3</sup> production and observation of exclusive and semi-exclusive e+eâ <sup>~</sup> production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 51        |
| 203 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 7         |
| 204 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 41        |
| 205 | Search for new physics with long-lived particles decaying to photons and missing energy in pp<br>collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 11        |
| 206 | Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp<br>collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 26        |
| 207 | Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 34        |
| 208 | Measurement of the single-top-quark t-channel cross section in pp collisions at \$ sqrt{s}=7 \$ TeV.<br>Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 83        |
| 209 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$<br>sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 14        |
| 210 | Measurement of the top-quark mass in \$ mathrm{t}overline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 38        |
| 211 | Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at<br>\$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 3.9 | 33        |
| 212 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at \$sqrt{s} = 0.9, 2.76,mbox{ and }7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.   | 3.9 | 154       |
| 213 | A search for a doubly-charged Higgs boson in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European<br>Physical Journal C, 2012, 72, 1.  | 3.9 | 129       |
| 214 | Measurement of the top-quark mass in \$mathrm{t}overline{mathrm{t}}\$ events with dilepton final states in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.   | 3.9 | 42        |
| 215 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between<br>jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012,<br>72, 1.                              | 3.9 | 26        |

| #   | Article  | IF                      | CITATIONS      |
|-----|--|-------------------------|----------------|
| 217 | Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at \$sqrt{s}= 7\$ TeV. European Physical Journal C, 2012, 72, 1.  | 3.9                     | 11             |
| 218 | J/Ï^ and Ï^(2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics,<br>2012, 2012, 1.   | 4.7                     | 81             |
| 219 | Search for the standard model Higgs boson in the H → ZZ → 2ℓ2ν channel in pp collisions<br>= {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.   | at \$ sqrt<br>4.7       | {ext{s}}<br>26 |
| 220 | Search for the standard model Higgs boson in the H → ZZ → â""+â""â^'Ï"+Ï"â^' decay channel in pp collisions at \$<br>{s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.   | Şqrt<br>4.9             | 11             |
| 221 | Search for \$ {ext{B}}_{ext{s}}^0 \$ → μ + μ â^' and B0 → μ + μ â^' decays. Journal of High Energy Physics, 2<br>2012, 1.  | 2012,                   | 57             |
| 222 | Search for a Higgs boson in the decay channel H → ZZ(*) → q\$ overline {ext{q}} \$ â"" â^' â"" + in pp collisions at<br>\$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.  | <sup>t</sup> 4.7        | 30             |
| 223 | Search for microscopic black holes in pp collisions at \$\$ sqrt {s} = {ext{7TeV}} \$\$. Journal of High<br>Energy Physics, 2012, 2012, 1.   | 4.7                     | 34             |
| 224 | Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7                     | 16             |
| 225 | Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7                     | 15             |
| 226 | Study of high-p T charged particle suppression in PbPb compared to pp collisions at<br>\$sqrt{s_{mathrm{NN}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.   | 3.9                     | 369            |
| 227 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb<br>collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.   | 3.9                     | 181            |
| 228 | Jet production rates in association with W and Z bosons in pp collisions at \$ sqrt {s} = 7 {ext{TeV}}<br>\$. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7                     | 58             |
| 229 | Exclusive γγ → μ + μ â^' production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.   | 4.7                     | 56             |
| 230 | Measurement of the production cross section for pairs of isolated photons in pp collisions at \$ sqrt<br>{s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7                     | 26             |
| 231 | Study of the <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"&gt;<mml:msubsup><mml:mi>K</mml:mi><mml:mi>L</mml:mi><mml:mn>0</mml:mn>accent="true"&gt;<mml:mi>Î1/2</mml:mi><mml:mo>Â<sup>-</sup></mml:mo></mml:msubsup></mml:math> decay. Physical<br>Review D. 2011. 84. | sup> <mn<br>4.7</mn<br> | nl:mo>→<       |
| 232 | Prompt and non-prompt J/Ï^ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal<br>C, 2011, 71, 1.  | 3.9                     | 135            |
| 233 | Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$<br>TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011,<br>71, 1.   | 3.9                     | 37             |
| 234 | Charged particle multiplicities in pp interactions at \$ sqrt {s} = 0.9 \$ , 2.36, and 7 TeV. Journal of High<br>Energy Physics, 2011, 2011, 1.  | 4.7                     | 106            |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Measurements of inclusive W and Z cross sections in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 122       |
| 236 | Search for heavy stable charged particles in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 38        |
| 237 | Inclusive b-hadron production cross section with muons in pp collisions at \$ sqrt {s} =<br>7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 23        |
| 238 | Measurement of \$ {ext{B}}overline {ext{B}} \$ angular correlations based on secondary vertex reconstruction at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.              | 4.7 | 32        |
| 239 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s}<br>= 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.                                  | 4.7 | 59        |
| 240 | Measurement of Bose-Einstein correlations in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 30        |
| 241 | Strange particle production in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 139       |
| 242 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of<br>High Energy Physics, 2011, 2011, 1.  | 4.7 | 22        |
| 243 | Search for resonances in the dilepton mass distribution in pp collisions at \$ sqrt {s} = 7 \$ TeV.<br>Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 39        |
| 244 | Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.                            | 4.7 | 26        |
| 245 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 46        |
| 246 | Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp<br>collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.              | 4.7 | 10        |
| 247 | Measurement of the \$ {{m t}ar{m t}} \$ production cross section and the top quark mass in the dilepton channel in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 53        |
| 248 | Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt<br>{{{s_{ext{NN}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.                          | 4.7 | 65        |
| 249 | Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High<br>Energy Physics, 2011, 2011, 1.   | 4.7 | 13        |
| 250 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 29        |
| 251 | Search for same-sign top-quark pair production at \$ sqrt {s} = 7 \$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.                 | 4.7 | 40        |
| 252 | Charged particle transverse momentum spectra in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 56        |

| #   | Article  | IF  | CITATIONS |
|-----|--|---|-----------|
| 253 | Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at \$ sqrt {s} = 7 \$<br>TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7                                       | 20        |
| 254 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7                                       | 99        |
| 255 | Search for new physics with jets and missing transverse momentum in pp collisions at \$ sqrt {s} = 7 \$<br>TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7                                       | 49        |
| 256 | Search for supersymmetry in pp collisions at \$ sqrt {s} = 7 \$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7                                       | 32        |
| 257 | Measurement of the underlying event activity at the LHC with \$ sqrt {s} = 7 \$ TeV and comparison with \$ sqrt {s} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7                                       | 97        |
| 258 | Measurement of the Drell-Yan cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High<br>Energy Physics, 2011, 2011, 1.   | 4.7                                       | 36        |
| 259 | Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt {s} = 7 \$<br>TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7                                       | 158       |
| 260 | Hadronic B Decays at Belle. Nuclear Physics, Section B, Proceedings Supplements, 2011, 210-211, 147-150.   | 0.4                                       | 1         |
| 261 | Threshold effects in the decay of heavybâ $\in$ 2andtâ $\in$ 2quarks. Physical Review D, 2011, 84, .   | 4.7                                       | 2         |
| 262 | Search for the decayKLO→3Î <sup>3</sup> . Physical Review D, 2011, 83, .   | 4.7                                       | 4         |
| 263 | From the LHC to future colliders. European Physical Journal C, 2010, 66, 525-583.  | 3.9                                       | 45        |
| 264 | First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European<br>Physical Journal C, 2010, 70, 555-572.  | 3.9                                       | 50        |
| 265 | CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.   | 3.9                                       | 120       |
| 266 | Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at<br>\$sqrt{s} = 0.9 \$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.   | 4.7                                       | 230       |
| 267 | Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC.<br>Journal of High Energy Physics, 2010, 2010, 1.  | 4.7                                       | 497       |
| 268 | Experimental study of the decayKLO→πOννÂ⁻. Physical Review D, 2010, 81, .  | 4.7                                       | 86        |
| 269 | Search for a Light Pseudoscalar Particle in the Decay <mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML"<br/>display="inline"&gt;<mml:msubsup><mml:mi>K</mml:mi><mml:mi>L</mml:mi><mml:mn>0</mml:mn>Physical Review Letters, 2009, 102, 051802.</mml:msubsup></mml:math<br> | ıbsup> <m< td=""><td>ml:mo&gt;→</td></m<> | ml:mo>→   |
| 270 | Searches for fourth generation particles and heavy neutrinos at CMS experiment. Journal of Physics:<br>Conference Series, 2009, 171, 012080.   | 0.4                                       | 1         |

| #   | Article   | IF  | CITATIONS    |
|-----|---|---|--------------|
| 271 | Search for the Decay <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"&gt;<mml:msubsup><mml:mi>K</mml:mi><mml:mi>L</mml:mi><mml:mn>O</mml:mn>accent="true"&gt;<mml:mi>ν</mml:mi><mml:mo>Â<sup>-</sup></mml:mo></mml:msubsup></mml:math> . Physical Review<br>Letters, 2008, 100, 201802. | osup> <mr< td=""><td>nl:50&gt;→<!--</td--></td></mr<> | nl:50>→ </td |
| 272 | New Measurements of B → PV and VV Decays at Belle. International Journal of Modern Physics A, 2005, 20, 3569-3577.  | 1.5   | 1            |
| 273 | Observation of LargeCPViolation and Evidence for DirectCPViolation inB0→π+Ï€â^'Decays. Physical Review<br>Letters, 2004, 93, 021601.  | 7.8   | 67           |
| 274 | Observation of the Color-Suppressed DecayBÂ⁻0→DOï€0. Physical Review Letters, 2002, 88, 052002.   | 7.8   | 45           |
| 275 | Measurement of Branching Fractions forB→πï€,Kï€, andKKDecays. Physical Review Letters, 2001, 87, 101801.  | 7.8   | 74           |
| 276 | Observation of LargeCPViolation in the NeutralBMeson System. Physical Review Letters, 2001, 87, 091802.   | 7.8   | 471          |